



# 2025 Illinois Large Group 4-Tier Essential Prescription Drug List

Please note: This Prescription Drug List (PDL) is accurate as of Dec. 1, 2025 and is subject to change after this date. All previous versions of this PDL are no longer in effect. Your estimated coverage and copay/coinsurance may vary based on the benefit plan you choose and the effective date of the plan.

The current PDL can also be accessed online at [uhc.com/member-resources/pharmacy-benefits/prescription-drug-lists](https://uhc.com/member-resources/pharmacy-benefits/prescription-drug-lists). Scroll down to Illinois section. An example of a plan coverage document may be accessed online at [2025-IL-LrgGrp-SBC.pdf](#).

If you are a UnitedHealthcare member, please register or log on to [myuhc.com](https://myuhc.com), or call the toll-free number on your member ID card to find coverage documents and pharmacy information specific to your benefit plan.

This PDL is applicable to the following health insurance products offered by UnitedHealthcare:

- Charter
- Choice
- Choice Plus
- Core
- Heritage Plus
- Heritage Select
- Navigate
- NexusACO R
- NexusACO OAP
- Non-Differential PPO
- Options PPO

**Updated 11/1/2025**

# Contents

Understand your medication options.....3

How do I use my PDL? .....5

What are tiers? .....6

When does the PDL change?.....6

Additional programs and details .....7

Your right to request access to a non-formulary drug.....8

Requesting a prior authorization or step therapy exception .....9

How do I locate and fill a prescription through a retail  
network pharmacy?.....9

Prescription delivery options.....9

How do I locate and fill a prescription through the mail  
order pharmacy?.....10

How do I locate and fill a prescription at a specialty pharmacy? ....10

How do I get updated information about my pharmacy benefit? ....11

Nondiscrimination notice and access to communication services ...12

Prescription drug list .....16

# Understand your medication options

Your pharmacy benefit offers flexibility and choice in determining the right medication for you. To help you get the most out of your pharmacy benefit, we've included some of the most commonly used terms and their definitions as well as frequently asked questions:

**Allowed Amount** is the maximum amount on which the health insurance issuer bases its payment for a covered health care service. This may be called "eligible expense", "payment allowance", or "negotiated rate". If your health care provider charges more than the allowed amount and is not part of the provider network, you may have to pay the difference.

**Brand-name drug** is a drug that is marketed under a proprietary, trademark protected name. The brand name drug must be listed in all capital letters.

**Coinsurance** is a percentage of the cost of a covered health care service, which you are responsible to pay. The cost of the covered health care service is generally deemed to be the allowed amount, which may differ from the retail price that you would pay for the same service without using insurance. Typically, a coinsurance does not apply until after you have met the deductible, unless the health insurance issuer has waived or lowered the deductible for the health care service in question.

**Copayment** is a fixed dollar amount that you pay for a covered health care service. Typically, a copayment does not apply until after you have met the deductible, unless the health insurance issuer has waived or lowered the deductible for the health care service in question.

**Covered individual** is an individual enrolled in, subscribed to, or insured under a health product, whether directly or as a dependent or beneficiary.

**Deductible** is the amount you pay for covered health care services before your health product begins payment for all or part of the cost of the health care service under the terms of coverage. If your health product has a deductible, it may have either one deductible or separate deductibles for medical benefits and drug benefits. For some health care services, such as preventive services, the health insurance issuer might waive or lower the deductible to pay for costs of the health care service from the first dollar of coverage, but this tends not to happen for most other covered services.

**Drug Tier** is a group of drugs that corresponds to a specified cost sharing tier in the health product's drug coverage. The tier in which a drug is placed determines your portion of the cost for the drug.

**Exception request** is a request for coverage of i) a nonformulary drug, ii) a drug being removed from the formulary, iii) a quantity of a drug above a quantity limit, or iv) a drug that is subject to a step therapy requirement. If you, your designee, or your attending or prescribing provider submits an exception request for coverage of a drug, the health insurance issuer must cover the drug when the drug is determined to be medically necessary to treat your condition.

**Exigent circumstances** are when you are suffering from a health condition that may seriously jeopardize your life, health, or ability to regain maximum function, or when you are undergoing a current course of treatment using a nonformulary drug.

**Formulary or Prescription Drug List (PDL)** is the complete list of drugs preferred for use and eligible for coverage under a health product, and includes all drugs covered under the outpatient or pharmacy drug benefit of the health product. Formulary is also known as a drug list or prescription drug list.

**Generic drug** is the same drug as its brand name equivalent in dosage, safety, strength, how it is taken, quality, performance, and intended use. A generic drug is listed in this PDL in ***bold and italicized lowercase*** letters.

**Non-formulary drug** is a drug that is not listed on the health product's formulary as a covered drug, but may become eligible for coverage under an "exception request".

**Out-of-pocket cost** is copayments, coinsurance, and the applicable deductible, plus all costs for health care services that the health product does not cover.

**Prescribing provider** is a health care provider authorized to write a prescription to treat your health condition.

**Prescription** is an oral, written, or electronic order by a prescribing provider for you that contains the name of the drug, the quantity of the drug, the date of issue, the name and contact information of the prescribing provider, the signature of the prescribing provider if the prescription is in writing, and if requested by you, the health condition or purpose for which the drug is being prescribed.

**Prescription Drug Product** is a drug that is prescribed by your prescribing provider and requires a prescription under applicable law.

Medications which, due to their traits, are administered or directly supervised by a qualified provider or licensed/certified health professional will be covered under the medical benefit when medically necessary.

**Prior authorization** is a health product's requirement that you or your prescribing provider obtain the health insurance issuer's authorization for a drug before the health product will cover the drug. The health insurance issuer must grant a prior authorization when it is medically necessary for you to obtain the drug.

**Quantity limit** – Amount of medication covered per copayment or in a specific time period. Medications with quantity limits may be dispensed in greater quantities if medically necessary and prior authorized by UnitedHealthcare.

**Step therapy** is a process specifying the sequence in which different prescription drugs for a given health condition are medically appropriate for you. The health insurance issuer may require you to try one or more drugs to treat your health condition before the health.

## How do I use my PDL?

When choosing a medication, you and your provider should consult the Prescription Drug List (PDL). It will help you and your provider choose the most cost-effective prescription drugs. This guide tells you if special programs apply. Bring this list with you when you see your provider. It is organized by therapeutic category and class. The therapeutic category and class are based on the AHFS Pharmacologic-Therapeutic Classification.

You may also find a drug by its brand or generic name in the alphabetical index. If a generic equivalent for a brand-name drug is not available on the market or is not covered, the drug will not be separately listed by its generic name.

### This is the way Prescription Drug Products appear in the PDL:

1. A drug is listed alphabetically by its brand and generic names or, if only the generic equivalent is covered under the plan, then just by its generic name, in the therapeutic category and class to which it belongs;
2. The generic name for a brand-name drug is included after the brand-name in parentheses and all lowercase bold and italicized letters;
3. If a generic equivalent for a brand name drug is available, and both the brand name and generic equivalents are covered, the generic drug will be listed separately from the brand name drug in all bold and italicized lowercase letters; and
4. If a generic drug is marketed under a proprietary, trademark-protected brand-name, the brand-name will be listed in all CAPITAL letters after the generic name in parentheses and regular typeface with the first letter of each word capitalized.

#### Example:

| Prescription drug name                                                   | Drug tier | Coverage requirements & limits |
|--------------------------------------------------------------------------|-----------|--------------------------------|
| AVAPRO ORAL TABLET 150 MG, 300 MG, 75 MG<br>( <b><i>irbesartan</i></b> ) | 4         |                                |
| <b><i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i></b>               | 1         |                                |

If your medication is not listed in this document, please visit [myuhc.com](https://myuhc.com) or call the toll-free member phone number on your member ID card.

Below is a list of drug tier numbers, abbreviations and designations used in the PDL as well as an explanation for each.

|                    |                                                                                                            |             |                                                                                |
|--------------------|------------------------------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------|
| <b>Drug Tier 1</b> | Your lowest cost medications                                                                               | <b>SP</b>   | Specialty medication                                                           |
| <b>Drug Tier 2</b> | Your mid-range cost medications                                                                            | <b>CM</b>   | Orally administered anti-cancer medication                                     |
| <b>Drug Tier 3</b> | Your mid-range cost medications                                                                            | <b>SMCS</b> | Specialty medication cost share may apply                                      |
| <b>Drug Tier 4</b> | Your highest cost medications                                                                              | <b>E</b>    | Excluded from coverage unless covered as part of health care reform preventive |
| <b>PA</b>          | Prior authorization required                                                                               | <b>SM</b>   | Cost-share cap by state mandate applies when condition appropriate             |
| <b>QL</b>          | Quantity limit                                                                                             |             |                                                                                |
| <b>ST</b>          | Step therapy                                                                                               |             |                                                                                |
| <b>H</b>           | Part of health care reform                                                                                 |             |                                                                                |
| <b>H-N</b>         | Part of health care reform preventive with confirmation of age and/or condition appropriate preventive use |             |                                                                                |

## What are tiers?

Tiers are the different cost levels you pay for a medication. Each tier is assigned a cost, which is determined by your employer or health plan. This is how much you will pay when you fill a prescription. Tier 1 medications are your lowest-cost options. If your medication is placed in Tier 2, 3, or 4, look to see if there is a Tier 1 option available. Discuss these options with your provider.

For orally administered anti-cancer medications, there are no separate cost-sharing requirements or treatment limitations that do not also apply to intravenously injected or administered cancer medications covered under your medical benefit.

Check your benefit plan documents to find out your specific pharmacy plan costs, including any maximum dollar amount of cost sharing that may apply to a drug. Preferred medications are found in Tier 1, Tier 2 or Tier 3 and may vary depending on the medication and the condition it treats.

| \$     | Drug tier                                         | Includes                                                                                                                        | Helpful tips                                                                                               |
|--------|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| \$     | <b>Tier 1</b><br><b>Your lowest cost</b>          | Medications that provide the highest overall value. Mostly generic drugs. Some preferred brand-name drugs may also be included. | Use Tier 1 drugs for the lowest out-of-pocket costs.                                                       |
| \$\$   | <b>Tier 2 and 3</b><br><b>Your mid-range cost</b> | Medications that provide good overall value. A mix of brand-name and generic drugs.                                             | Use Tier 2 or Tier 3 drugs instead of Tier 4 to help reduce your out-of-pocket costs.                      |
| \$\$\$ | <b>Tier 4</b><br><b>Your highest cost</b>         | Medications that provide the lowest overall value. Mostly brand-name drugs, as well as some generics.                           | Many Tier 4 drugs have lower-cost options in Tier 1, 2 or 3. Ask your provider if they could work for you. |

**Please note:** If you have a high deductible plan, the tier cost levels may apply once you reach your deductible. Your cost-share will not exceed the lesser of the cost-sharing amount or the retail price of the medication without the drug coverage. Refer to your enrollment and plan materials on [myuhc.com](https://myuhc.com), or call the toll-free number on your member ID card for more information about your benefit plan. For information related to specialty medication cost share, please refer to the Specialty Medication Cost Share (SMCS) section below.

## When does the PDL change?

This PDL is required to be updated on a monthly basis.

- Medications may move to a lower tier or coverage may be added at any time.
- Medications may move to a higher tier when a generic becomes available.
- Medications may move to a higher tier, become non-formulary, or the dosage form covered may change, most often on Jan. 1, May 1, or Sept. 1.
- Medications may become subject to new or revised utilization management procedures, such as prior authorization, step therapy or quantity limits, at any time but most often upon FDA approval of the medication or its generic, Jan. 1, May 1, or Sept. 1.

When a medication changes tiers, you may have to pay a different amount for that medication.

The presence of a Prescription Drug Product on the PDL does not guarantee that you will be prescribed that Prescription Drug Product by your provider for a particular medical condition.

## Additional programs and details

Based on your benefit, the following may apply.

---

**Patient Protection and Affordable Care Act (PPACA) zero cost-share preventive care medication when age and/or condition appropriate** – This medication is part of a health care reform preventive benefit and may be available at no cost to you when used for appropriate preventive purposes. PPACA zero cost-share preventive care medications can be obtained, free of charge, at network pharmacies with a prescription from a prescribing provider. A prescription will not be required to trigger coverage of over-the-counter FDA-approved contraceptive drugs, devices, and products. PPACA zero cost-share preventive care medications are obtained at a network pharmacy with a prescription order or refill from a provider and are payable at 100% of the prescription drug charge (without application of any Copayment, Coinsurance, Deductible) as required by applicable law under any of the following:

- Evidence-based items or services that have in effect a rating of "A" or "B" in the current recommendations of the United States Preventive Services Task Force
- Immunizations that have in effect a recommendation from the Advisory Committee on Immunization Practices of the Centers for Disease Control and Prevention with respect to the individual involved
- With respect to infants, children and adolescents, evidence-informed preventive care and screenings provided for in the comprehensive guidelines supported by the Health Resources and Services Administration
- With respect to women, such additional preventive care and screenings as provided for in comprehensive guidelines supported by the Health Resources and Services Administration

A complete list of PPACA zero cost-share preventive care medications covered under the outpatient prescription drug benefit can be found at [myuhc.com](https://myuhc.com).

---

**Designated specialty program** – For certain Specialty Prescription Drug Products, we may direct you to a Designated Pharmacy with whom we have an arrangement to provide those Prescription Drug Products, which are identified in the Coverage Requirements and Limits column of the Prescription Drug List (PDL). If you choose not to obtain your Prescription Drug Product from the Designated Pharmacy, you may opt-out of the Designated Pharmacy program by contacting us at [myuhc.com](https://myuhc.com) or the telephone number on your member ID card.

---

**State mandated cost-share cap when condition appropriate** – This medication is mandated to be covered at \$0 cost-share when used for any of the following conditions:

- Abortion\*
- Gender Dysphoria\*
- Human Immunodeficiency Virus (HIV) Prevention
- Naloxone

This medication is mandated to have the cost-share capped:

- Epinephrine injectors \$60 max per twin-pack
- Insulin \$35 max per one month supply

**\*Please Note:** If you have a high deductible plan, \$0 cost-share will not apply until your deductible has been met.

---

**Specialty Medication Cost Share (SMCS)** – Specialty medication cost share may apply. Please refer to the Pharmacy Schedule of Benefits for specific cost share.

---

To learn more about a pharmacy program or to find out if it applies to you, please visit [myuhc.com](https://myuhc.com) or call the toll-free member phone number on your member ID card. If you are a pre-enrollee and you would like to learn more about your specific pharmacy benefit, please contact your employer.

Drugs administered by a health care professional are generally covered under the medical benefit while drugs that are self-administered are covered under the pharmacy benefit. In order to obtain medical benefits for drugs that are administered by a health care professional, your provider may also be required to obtain a prior authorization. The provider may contact UnitedHealthcare for more information or [uhcprovider.com](https://uhcprovider.com).

## **Your right to request access to a non-formulary drug**

This plan must cover all medically necessary Prescription Drug Products.

When a Prescription Drug Product is not on our PDL, you or your representative may request an exception to gain access to that Prescription Drug Product. To make a request, contact us in writing or call the toll-free number on your member ID card. We will notify you of our determination within 72 hours. If approved, we will cover the Prescription Drug Product for the duration of the prescription, including refills.

### **Urgent requests**

If your request requires immediate action and a delay could significantly increase the risk to your health, or the ability to regain maximum function, call us as soon as possible. We will provide a written or electronic determination within 24 hours. If approved, we will cover the Prescription Drug Product for the duration of the exigency.

### **External review**

If you are not satisfied with our determination of your exception request, you may be entitled to request an external review. You or your representative may request an external review by sending a written request to us to the address set out in the determination letter or by calling the toll-free number on your member ID card. The Independent Review Organization (IRO) will notify you of its determination within 72 hours.

### **Expedited external review**

If you are not satisfied with our determination of your exception request and it involves an urgent situation, you or your representative may request an expedited external review by calling the toll-free number on your member ID card or by sending a written request to the address set out in the determination letter. The IRO will notify you of our determination within 24 hours.

If we deny your exception request, you may appeal. Please refer to your Evidence of Coverage for details. The complaint and appeals process, including independent review, is described under Section 6: Questions, Complaints and Appeals. You may also call the telephone number listed on your member ID card.



## Requesting a prior authorization or step therapy exception

Before certain Prescription Drug Products are dispensed to you, your prescribing provider or your pharmacist is required to obtain prior authorization or step therapy exception from us. Your prescribing provider can submit a request by phone to Optum Rx® or electronically by contacting us at [uhcprovider.com](https://uhcprovider.com). Most authorizations are completed within 24 hours. The most common reason for delay in the authorization process is insufficient information. Your prescribing provider may need to provide information on diagnosis and medication history and/or evidence in the form of documents, records or lab tests which establish that the use of the requested Prescription Drug Product meets plan criteria. You may determine whether a particular Prescription Drug Product is subject to prior authorization or step therapy requirements by going online at [myuhc.com](https://myuhc.com) or by calling at the toll-free phone number on the back of your member ID card.

An exception to a step therapy requirement will be granted if your prescribing provider submits necessary justification and supporting clinical documentation supporting their determination that the required Prescription Drug Product is inconsistent with good professional practice for provision of medically necessary covered services, taking into consideration your needs and medical history, along with the professional judgment of your prescribing provider.

Approvals for maintenance medications used to treat a chronic or long-term condition will be valid for at least 12 months. All other approvals, except for benzodiazepines and Schedule II narcotic drugs, will be valid for the lesser of six months, the length of treatment determined by your prescribing provider, or the renewal of your plan.

In the case of a standard prior authorization or step therapy exception request, we will notify you, your designee, or your prescribing provider of the Benefit determination no later than 72 hours following receipt of the request. In the case of an expedited prior authorization or step therapy exception request based on exigent circumstances, we will notify you, your designee, or your prescribing provider of the Benefit determination no later than 24 hours following receipt of the request. If we fail to respond to you, your designee, or your prescribing provider within the prescribed time limits, the request is deemed approved and we may not deny the request thereafter.

If you disagree with a determination, you can request an appeal. The complaint and appeals process, including independent medical review, is described in the Evidence of Coverage under Section 6: Questions, Complaints and Appeals. You may also call at the telephone number on your member ID card.

## How do I locate and fill a prescription through a retail network pharmacy?

UnitedHealthcare has a well-established network of pharmacies including most major pharmacy and supermarket chains as well as many independent pharmacies. For a listing of network pharmacies, call the toll-free phone number on your member ID card to help locate a network pharmacy near you or visit our website at [myuhc.com](https://myuhc.com) > *Find a pharmacy* for an up-to-date list.

## Prescription delivery options

You have choices on where to fill prescriptions you take regularly. You have the option to fill at a retail pharmacy or have them mailed to your home. It's up to you. Optum® Home Delivery Pharmacy is one of your network options. There may be other options in your network. Sign in at [myuhc.com](https://myuhc.com) > *Pharmacies & Prescriptions* > *Find a pharmacy*.

## How do I locate and fill a prescription through the mail order pharmacy?

UnitedHealthcare offers a Mail Order Pharmacy Program. Here's how to fill prescriptions through Optum Home Delivery Pharmacy.

**You can start a new prescription or refill an existing one in several ways:**

- **E-prescribe:** Ask your provider to send prescriptions directly to Optum Home Delivery Pharmacy (usually up to a 90-day supply).
- **Online:** Visit [myuhc.com](https://myuhc.com) > *Pharmacies & Prescriptions* > *Rx Account* to set up an account. Then choose which medication you want moved to home delivery.
- **Phone:** Call Optum Rx at **1-888-658-0539** / TTY **711**, any day, any time.

Most prescriptions arrive within about 5 business days once Optum receives the completed order.

## How do I locate and fill a prescription at a specialty pharmacy?

You have two options:

- **Sign in** to [myuhc.com](https://myuhc.com) > *Pharmacies & Prescriptions* > *Drug pricing*. The designated pharmacy will be listed below the drug price quoted.
- **Call** the number on your member ID card.

If you require certain Specialty Prescription Drug Products, we may direct you to a Designated Pharmacy with whom we have an arrangement to provide those Specialty Prescription Drug Products. There are both retail and mail pharmacies in the Designated Pharmacy network. Note that not all contracted retail pharmacies are in the Designated Pharmacy network. Only retail pharmacies that are in the Designated Pharmacy network will provide coverage to these Specialty Prescription Drug Products. If you choose not to obtain your Specialty Prescription Drug Product from the Designated Pharmacy, you will be responsible for the entire cost of the Specialty Prescription Drug Product and no benefits will be paid.

In urgent or emergent circumstances, you may contact customer service by calling the telephone number on the back of your member ID card. This will allow you access to the retail network override process and allow the urgent or emergent prescription claim to pay at your local pharmacy for same day access if they have the Prescription Drug Product available.

# How do I get updated information about my pharmacy benefit?

Since the PDL may change during your plan year, we encourage you to visit [myuhc.com](https://myuhc.com) or call the toll-free member phone number on your member ID card for more current information.

## **You will receive sixty days notice if one of the following changes impacts you:**

- A medication is moved to a higher tier\*
- A medication becomes non-formulary\*
- A medication becomes subject to new or revised utilization management procedures

\* **Please note:** you may be able to continue coverage of the medication at the same cost-share if your prescriber provides notice of medical necessity.

## **Sign in to [myuhc.com](https://myuhc.com) for the following pharmacy information and tools:**

- Pharmacy benefit and coverage information
- Possible lower-cost medication options
- Medication interactions and side effects
- Participating retail pharmacies by ZIP code
- Your prescription history

## **And, if mail order services are included in your pharmacy benefit, you can also:**

- Refill prescriptions
- Check the status of your order
- Set up reminders for refills
- Manage your account

## **Learn more**

Call the toll-free member phone number on your member ID card, or visit [myuhc.com](https://myuhc.com).

**ATTENTION:** Free language assistance services and free communications in other formats, such as large print, are available to you. Call the toll-free number on your member identification card. (TTY 711).

**ማሳሰቢያ፡- አማርኛ (Amharic)** የሚናገሩ ከሆኑ፣ ነፃ የቋንቋ እገዛ አገልግሎቶች እና ነፃ ተግባቦቶች እንደ ትልቅ አትም ባሉ ሌሎች ቅርፀቶች ለእርስዎ ይገኛሉ። በአባልነት መታወቂያ ካርድዎ ላይ ያለውን ነፃ የስልክ ቁጥር ይደውሉ።

**في احطه: انك ستحصل على مساعدة اللغة العربية (Arabic)، وسوف يترك خدم ابال لمساعدته اللغة العربية**  
**تماما على ابال لمساعدته بلسان اخرى، مثل طاعة بالحروف العربية لصل ال لمساعدته اللغة العربية، و**  
**طالع العربي فال مصود اصل.**

**দেখুন: আপক্ষ যক্ষ বাংলায় (Bengali-Bangala) কথা বটে : , তাহলে ক্র: মূর্' ভাষা সহায়তা**  
**পক্ষষবা এবং বড় মুদ্রা ফ্রমতো অ: ' i: ' ফ্রম্মা টে যোগাযোগপ্তক্ষ আপ: ফ্রজ: ' ক্র: মূর্'**  
**উপ ক্র। আপ: ফ্রস: সেরে ফ্রপক্ষচয়পর্ ফ্রকার্ডেফ্র ' i -ক্র: স্বফ্রেক কর:**

**ចំណាំ: ប្រសិនបើអ្នកនិយាយភាសាខ្មែរ (Cambodian-Mon-Khmer)**  
**សេវាជំនួយភាសាកម្ពុជា និងការទំនាក់ទំនងដកកម្ពុជាផ្គត់ផ្គង់ជូនប្រជាជនខ្មែរ**  
**ដូចជាពុម្ពអក្សរធំ មានសម្រាប់អ្នក។**  
**ទូរសព្ទមកលេខដកកម្ពុជាផ្គត់ផ្គង់នៅលើប័ណ្ណសម្គាល់សមាជិករបស់អ្នក។**

**請注意：如果您說中文 (Chinese - Traditional)，您可以獲得免費語言協助服務和大字體等**  
**其他格式的免費通訊。請致電您的會員身份卡上的免付費電話號碼。**

**ATTENTION :** Si vous parlez français (French), des services d'assistance linguistique et des communications dans d'autres formats, notamment en gros caractères, sont mis à votre disposition gratuitement. Appelez le numéro gratuit figurant sur votre carte de membre.

**ATANSYON:** Si w pale Kreyòl Ayisyen (Haitian Creole), gen sèvis lang gratis ak kominikasyon nan lòt fòm lo disponib, tankou sa ki enprime ak gwo lèt. Rele nimewo gratis ki sou kat idantifikasyon manm ou an.

**ACHTUNG:** Falls Sie Deutsch (German) sprechen, stehen Ihnen kostenlose Sprachassistentendienste und kostenlose Kommunikation in anderen Formaten, wie zum Beispiel große Schrift, zur Verfügung. Rufen Sie die gebührenfreie Nummer auf Ihrer Mitgliedskarte an.

**ΠΡΟΣΟΧΗ:** Εάν μιλάτε ελληνικά (Greek), υπάρχουν διαθέσιμες δωρεάν υπηρεσίες γλωσσικής βοήθειας και δωρεάν επικοινωνία σε άλλες μορφοποιήσεις, όπως μεγάλα γράμματα. Καλέστε τον αριθμό χωρίς χρέωση στην κάρτα μέλους σας.

**ધ્યાન આપો:** જો તમે ગુજરાતી (Gujarati) બોલતા હો તો વિના મૂલ્યે ભાષાકીય મદદરૂપ સેવાઓ અને અન્ય ફોર્મેટમાં વિના મૂલ્યે સંચાર, જેમ કે મોટી વિન્ટ, તમારા માટે ઉપલબ્ધ છે. તમારા સભ્ય ઓળખ કાર્ડ પરના ટોલ-ફ્રી નંબર પર કોલ કરો.

**ध्यान दें:** यदि आप हिंदी (Hindi) बोलते हैं, तो आपके लिए मुफ्त भाषा सहायता सेवाएँ और अन्य प्रारूपों में मुफ्त संचार, जैसे क्लर्क बॅ प्रिंट, उपलब्ध हैं। अपने सदस्य पहचान पत्र पर दिए गए टोल-फ्री नंबर पर कॉल करें।

**LUS TSEEM CEEB:** Yog tias koj hais lus Hmoob (Hmong), muaj cov kev pab cuam txhais lus thiab muaj kev sib txuas lus pab dawb ua lwm hom ntawv, xws li luam ua ntawv loj rau koj. Thov hu rau tus xov tooj hu dawb ntawm koj daim npav ID.

**ATENSION:** No agsasaoka iti Ilocano (Ilocano), magun-odmo dagiti libre a serbisio ti tulong iti pagsasao ken libre a komunikasion iti dadduma a pormat, kas iti dadakkel a letra. Tawagan ti awan-bayadna a numero a masarakan iti kard a pakabigbigam kas miembro.

**ATTENZIONE:** se parla italiano (Italian), può usufruire di servizi di assistenza linguistica gratuiti e comunicazioni gratuite in altri formati, come ad esempio la stampa a caratteri grandi. Chiami il numero verde riportato sul Suo tesserino identificativo.

**注意事項：**日本語 (Japanese) を話される場合、無料の言語支援サービスや、拡大文字など他の形式での無料のコミュニケーションをご利用いただけます。会員証に記載されているフリーダイヤルにお電話ください。

**알림 사항:** 한국어(Korean)를 사용하시는 경우 무료 언어 지원 서비스와 대형 활자체 등 다른 형식으로 된 의사 소통 매체를 이용하실 수 있습니다. 회원 ID 카드에 나와 있는 무료 전화번호로 전화해 주십시오.

**ໝາຍເຫດ:** ຖ້າຫາກທ່ານເວົ້າພາສາລາວ (Lao), ທ່ານສາມາດໃຊ້ບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາພຣີ ແລະ ການສື່ສານໃນຮູບແບບອື່ນໆພຣີ. ເຊັ່ນ: ກິນພິມຕວອັກສອນຂະໜາດໃຫຍ່. ໂທຫາເບີໂທພຣີຢູ່ທີ່ບັດປະຈຳຕົວສະມາຊິກຂອງທ່ານ.

**ध्यान दिनु ेस्:** यदि तपाईंले नेपाली (Nepali) बोल्नुहुन्छ भने, न्मःशुल्क भाषा सहायता सेवाहरू र अन्य ढाँचाहरूमा न्मःशुल्क संचारहरू, जस्तै ठूलो छाप, तपाईंका लागी उपलब्ध छन्। आफ्नो सदस्य पहिचान कार्डमा रहेको टोल फ्री नम्बरमा कल गर्नुहोस्।

**بوحه: لکړه يې د اې وایسي (Persian-Farsi) صحېپ می کندی** حتماً پېلکان کمکې دېلې و لېږداتاب  
 پېلکان دې والېه ای ښکړې هلېدې ح اې پرر کې دې سېرسېس مېا هېسېد. دېس ماره پېلکان مېدرج روی کارې  
 سېلېلې عصفې ښارېه ماس مېکېد.

**UWAGA:** Dla osób mówiących po polsku (**Polish**) dostępne są bezpłatne usługi pomocy językowej i bezpłatne komunikaty w innych formatach, takich jak duży druk. Prosimy zadzwonić pod bezpłatny numer podany na karcie identyfikacyjnej.

**ATENÇÃO:** se você fala português (**Portuguese**), tem à sua disposição serviços gratuitos de assistência linguística e comunicações gratuitas em outros formatos, como caracteres grandes. Ligue para o número gratuito que se encontra no seu cartão de identificação de membro.

ਦਿਆਨ ਦਿਓ ' ਤੁਸ਼ ਪੰਜਾਬੀ (**Punjabi**) ਬੋਲਦੇ ਹੋ, ਤਾਂ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਭਾਸ਼ਾ ਸਹਾਇਤਾ ਸੇਵਾਵਾਂ ਅਤੇ ਹੋਰ  
 ਫ਼ਾ ਮੈਟਾਂ, ਜਿਵੇਂ ਕਿ ਵੱਡੇ ਪ੍ਰਿੰਟ, ਵਿੱਚ ਮੁਫਤ ਸੰਚਾਰ ਉਪਲਬਧ ਹਨ। ਆਪਣੇ ਮੈਂਬਰ ਪਛਾਣ ਕਾਰਡ 'ਤੇ ਟੋਲ-ਫ੍ਰੀ ਨੰਬਰ 'ਤੇ  
 ਕਾਲ ਕਰੋ।

**ВНИМАНИЕ!** Если вы говорите на русском языке (**Russian**), вам доступны бесплатные услуги языковой поддержки и бесплатные материалы в других форматах, например напечатанные крупным шрифтом. Звоните по бесплатному номеру телефона, указанному на вашей идентификационной карте участника.

**ATENCIÓN:** Si habla español (**Spanish**), hay servicios de asistencia de idiomas y comunicaciones en otros formatos como letra grande, sin cargo, a su disposición. Llame al número gratuito que figura en su tarjeta de identificación de miembro. (TTY 711).

**PAUNAWA:** Kung nagsasalita ka ng Tagalog (**Tagalog**), may makukuha kang mga libreng serbisyo ng tulong sa wika at libreng komunikasyon sa ibang mga format, tulad ng malalaking print. Tawagan ang walang bayad na numero na nasa iyong ID card ng miyembro.

โปรดทราบหากคุณพูดภาษาไทย (**Thai**) ได้  
 คุณสามารถใช้บริการช่วยเหลือด้านภาษาฟรีและการสื่อสารในรูปแบบอื่นๆ ฟรีเช่น  
 การพิมพ์ด้วยตัวอักษรขนาดใหญ่ โทรไปยังหมายเลขโทรฟรีสำหรับสมาชิกตามบัตรประจำตัวของคุณ

**ЗВЕРНІТЬ УВАГУ!** Якщо ви розмовляєте українською (**Ukrainian**), ви можете безоплатно користуватися послугами мовної підтримки, а також безоплатно отримувати інформаційні матеріали в інших форматах, як от набрані великим шрифтом. Телефонуйте на безкоштовний номер телефону, зазначений на вашій ідентифікаційній картці учасника.

موجود ہیں: اگر اب اردو (Urdu) ردا ۽ لکھنوی و ردا ۽ کی معاو ۽ خدمات اور دیگر واپس میں  
مواطن اب، جسے درج ہے، اب کلے مقب سے اب میں ملے میں میں، احی کارہ سے کہہ ول وری  
میں ر کال کیس۔

LƯU Ý: Nếu quý vị nói Tiếng Việt (Vietnamese), quý vị sẽ được cung cấp các dịch vụ  
hỗ trợ ngôn ngữ miễn phí và các phương tiện trao đổi liên lạc miễn phí ở các định  
dạng khác, chẳng hạn như bản in chữ lớn. Gọi đến số điện thoại miễn phí có trên thẻ  
định danh thành viên của quý vị.



## State of Illinois

### Table of Contents of Prescription Drug List

|                                                                             |     |
|-----------------------------------------------------------------------------|-----|
| INFORMATIONAL SECTION .....                                                 | 1   |
| ANTIDOTE THERAPEUTICS .....                                                 | 16  |
| ANTIHISTAMINE DRUGS - Drugs for Allergy .....                               | 18  |
| ANTI-INFECTIVE AGENTS - Drugs for Infections .....                          | 20  |
| ANTINEOPLASTIC AGENTS - Drugs for Cancer .....                              | 43  |
| ANTITOXINS,IMMUNE GLOB,TOXOIDS,VACCINES - DRUGS FOR THE IMMUNE SYSTEM ..... | 55  |
| AUTONOMIC DRUGS .....                                                       | 60  |
| AUTONOMIC DRUGS - Drugs for the Nervous System .....                        | 61  |
| BLOOD FORMATION, COAGULATION, THROMBOSIS - Drugs for the Blood .....        | 72  |
| CARDIOVASCULAR DRUGS .....                                                  | 84  |
| CARDIOVASCULAR DRUGS - Drugs for the Heart .....                            | 86  |
| CENTRAL NERVOUS SYSTEM AGENTS .....                                         | 111 |
| CENTRAL NERVOUS SYSTEM AGENTS - Drugs for the Nervous System .....          | 111 |
| DENTAL AGENTS .....                                                         | 147 |
| DENTAL AGENTS - Oral Care .....                                             | 148 |
| DEVICES - Medical Supplies and Durable Medical Equipment .....              | 150 |
| DIAGNOSTIC AGENTS .....                                                     | 160 |
| DISINFECTANTS (FOR NON-DERMATOLOGIC USE) - Disinfectants .....              | 162 |
| ELECTROLYTIC, CALORIC, AND WATER BALANCE .....                              | 162 |
| ENZYMES .....                                                               | 169 |
| EYE, EAR, NOSE AND THROAT (EENT) PREPS. ....                                | 171 |
| GASTROINTESTINAL DRUGS .....                                                | 184 |
| GASTROINTESTINAL DRUGS - Drugs for the Stomach .....                        | 184 |
| HEAVY METAL ANTAGONISTS - Drugs to Reduce Iron .....                        | 194 |
| HORMONES AND SYNTHETIC SUBSTITUTES .....                                    | 194 |
| HORMONES AND SYNTHETIC SUBSTITUTES - Hormones .....                         | 194 |
| IMMUNOMODULATORY AGENTS (90:00) .....                                       | 236 |
| LOCAL ANESTHETICS - Drugs for Numbing .....                                 | 245 |
| MISCELLANEOUS THERAPEUTIC AGENTS .....                                      | 245 |
| NONHORMONAL CONTRACEPTIVES - Drugs for Women .....                          | 268 |
| OXYTOCICS - Drugs for Women .....                                           | 269 |
| PHARMACEUTICAL AIDS .....                                                   | 269 |
| RESPIRATORY TRACT AGENTS - Drugs for the Lungs .....                        | 270 |
| SKIN AND MUCOUS MEMBRANE AGENTS .....                                       | 283 |
| SKIN AND MUCOUS MEMBRANE AGENTS - Drugs for the Skin .....                  | 284 |
| SMOOTH MUSCLE RELAXANTS - Drugs to Relax Muscles .....                      | 307 |
| VITAMINS .....                                                              | 308 |



| Prescription Drug Name                                                                   | Drug Tier | Coverage Requirements & Limits              |
|------------------------------------------------------------------------------------------|-----------|---------------------------------------------|
| <b>ANTIDOTE THERAPEUTICS</b>                                                             |           |                                             |
| <b>ACETAMINOPHEN ANTIDOTE</b>                                                            |           |                                             |
| <i>acetylcysteine inhalation solution 10 %, 20 %</i>                                     | 1         |                                             |
| <b>ALCOHOL DETERRENTS (91:02)</b>                                                        |           |                                             |
| <i>acamprosate calcium oral tablet delayed release 333 mg</i>                            | 1         |                                             |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>                                             | 1         |                                             |
| <i>naltrexone hcl oral tablet 50 mg</i>                                                  | 1         |                                             |
| <b>ANTIDOTE THERAPEUTICS</b>                                                             |           |                                             |
| <i>atropine sulfate ophthalmic solution 1 %</i>                                          | 1         |                                             |
| BAQSIMI ONE PACK NASAL POWDER 3 MG/DOSE ( <i>glucagon</i> )                              | 2         | QL (2 intranasal devices per prescription.) |
| BAQSIMI TWO PACK NASAL POWDER 3 MG/DOSE ( <i>glucagon</i> )                              | 2         | QL (2 intranasal devices per prescription.) |
| CHEMET ORAL CAPSULE 100 MG ( <i>succimer</i> )                                           | 2         |                                             |
| DEPEN TITRATABS ORAL TABLET 250 MG ( <i>penicillamine</i> )                              | 3         | SP; SMCS                                    |
| <i>ft naloxone hcl nasal liquid 4 mg/0.1ml</i>                                           | 1         | SM                                          |
| <i>glucagon emergency kit injection solution reconstituted 1 mg</i>                      | 2         |                                             |
| GVOKE HYOPEN 1-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML ( <i>glucagon</i> ) | 2         | QL (0.2 ml per prescription.)               |
| GVOKE HYOPEN 1-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 1 MG/0.2ML ( <i>glucagon</i> )   | 2         | QL (0.4 ml per prescription.)               |
| GVOKE HYOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML ( <i>glucagon</i> ) | 2         | QL (0.2 ml per prescription.)               |
| GVOKE HYOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 1 MG/0.2ML ( <i>glucagon</i> )   | 2         | QL (0.4 ml per prescription.)               |
| GVOKE KIT SUBCUTANEOUS SOLUTION 1 MG/0.2ML ( <i>glucagon</i> )                           | 2         |                                             |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 1 MG/0.2ML ( <i>glucagon</i> )         | 2         |                                             |
| <i>hyoscyamine sulfate er oral tablet extended release 12 hour 0.375 mg</i>              | 1         |                                             |
| <i>hyoscyamine sulfate oral elixir 0.125 mg/5ml</i>                                      | 1         |                                             |
| <i>hyoscyamine sulfate oral solution 0.125 mg/ml</i>                                     | 1         |                                             |
| <i>hyoscyamine sulfate oral tablet 0.125 mg</i>                                          | 1         |                                             |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                              | Drug Tier | Coverage Requirements & Limits   |
|-------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>hyoscyamine sulfate oral tablet dispersible 0.125 mg</i>                         | 1         |                                  |
| <i>hyoscyamine sulfate sl sublingual tablet sublingual 0.125 mg</i>                 | 1         |                                  |
| <i>hyoscyamine sulfate sublingual tablet sublingual 0.125 mg</i>                    | 1         |                                  |
| <i>hyosyne oral elixir 0.125 mg/5ml</i>                                             | 1         |                                  |
| <i>hyosyne oral solution 0.125 mg/ml</i>                                            | 1         |                                  |
| <i>iodine strong oral solution 5 %</i>                                              | 1         |                                  |
| KLOXXADO NASAL LIQUID 8 MG/0.1ML ( <i>naloxone hcl</i> )                            | 1         | SM                               |
| LEVBID ORAL TABLET EXTENDED RELEASE 12 HOUR 0.375 MG ( <i>hyoscyamine sulfate</i> ) | 4         |                                  |
| LEVSIN ORAL TABLET 0.125 MG ( <i>hyoscyamine sulfate</i> )                          | 4         |                                  |
| LEVSIN/SL SUBLINGUAL TABLET SUBLINGUAL 0.125 MG ( <i>hyoscyamine sulfate</i> )      | 4         |                                  |
| <i>naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml</i>                         | 1         | SM                               |
| <i>naloxone hcl injection solution cartridge 0.4 mg/ml</i>                          | 1         | SM                               |
| <i>naloxone hcl injection solution prefilled syringe 0.4 mg/ml, 2 mg/2ml</i>        | 1         | SM                               |
| <i>naloxone hcl nasal liquid 4 mg/0.1ml</i>                                         | 1         | SM                               |
| NARCAN NASAL LIQUID 4 MG/0.1ML ( <i>naloxone hcl</i> )                              | 1         | SM                               |
| NULEV ORAL TABLET DISPERSIBLE 0.125 MG ( <i>hyoscyamine sulfate</i> )               | 4         |                                  |
| OSCIMIN ORAL TABLET 0.125 MG                                                        | 4         |                                  |
| OSCIMIN SUBLINGUAL TABLET SUBLINGUAL 0.125 MG                                       | 4         |                                  |
| <i>penicillamine oral tablet 250 mg</i>                                             | 3         | SP; SMCS                         |
| <i>phytonadione oral tablet 5 mg</i>                                                | 3         | QL (5 tablets per prescription.) |
| REXTOVY NASAL LIQUID 4 MG/0.25ML ( <i>naloxone hcl</i> )                            | 1         | SM                               |
| RIVIVE NASAL LIQUID 3 MG/0.1ML ( <i>naloxone hcl</i> )                              | 1         | SM                               |
| <b>ANTIDOTES (91:04)</b>                                                            |           |                                  |
| <i>naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml</i>                         | 1         | SM                               |
| <i>naloxone hcl injection solution cartridge 0.4 mg/ml</i>                          | 1         | SM                               |
| <i>naloxone hcl injection solution prefilled syringe 0.4 mg/ml, 2 mg/2ml</i>        | 1         | SM                               |
| <i>naltrexone hcl oral tablet 50 mg</i>                                             | 1         |                                  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                  | Drug Tier | Coverage Requirements & Limits    |
|---------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| RADIOGARDASE ORAL CAPSULE 0.5 GM ( <i>prussian blue insoluble</i> )                                     | 3         |                                   |
| <i>sevelamer carbonate oral packet 0.8 gm, 2.4 gm</i>                                                   | 2         | PA                                |
| <i>sevelamer carbonate oral tablet 800 mg</i>                                                           | 2         |                                   |
| <i>sodium polystyrene sulfonate oral powder</i>                                                         | 1         |                                   |
| SPS (SODIUM POLYSTYRENE SULF) COMBINATION SUSPENSION 15 GM/60ML ( <i>sodium polystyrene sulfonate</i> ) | 3         |                                   |
| SPS (SODIUM POLYSTYRENE SULF) RECTAL SUSPENSION 30 GM/120ML ( <i>sodium polystyrene sulfonate</i> )     | 3         |                                   |
| ZEGALOGUE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.6 MG/0.6ML ( <i>dasiglucagon hcl</i> )                  | 2         | QL (1.2 ml per prescription.)     |
| ZEGALOGUE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 0.6 MG/0.6ML ( <i>dasiglucagon hcl</i> )              | 2         | QL (1.2 ml per prescription.)     |
| <b>CHEMOTHERAPY ANTIDOTES/PROTECTANTS</b>                                                               |           |                                   |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>                                         | 1         |                                   |
| <b>CYANIDE ANTIDOTES</b>                                                                                |           |                                   |
| EXODERM EXTERNAL LOTION 25-1 % ( <i>sod thiosulfate-salicylic acd</i> )                                 | 3         |                                   |
| <b>FLUOROPYRIMIDINE ANTIDOTE</b>                                                                        |           |                                   |
| VISTOGARD ORAL PACKET 10 GM ( <i>uridine triacetate</i> )                                               | 3         | QL (20 packets per prescription.) |
| <b>ANTI-HISTAMINE DRUGS - Drugs for Allergy</b>                                                         |           |                                   |
| <b>ANTI-HISTAMINE DRUGS - Drugs for Allergy</b>                                                         |           |                                   |
| <i>promethazine hcl oral tablet 25 mg</i>                                                               | 1         |                                   |
| <b>ETHANOLAMINE DERIVATIVES - Drugs for Allergy</b>                                                     |           |                                   |
| <i>carbinoxamine maleate oral solution 4 mg/5ml</i>                                                     | 1         |                                   |
| <i>carbinoxamine maleate oral tablet 4 mg</i>                                                           | 1         |                                   |
| CARBZAH ORAL SOLUTION 4 MG/5ML                                                                          | 2         |                                   |
| <i>clemastine fumarate oral tablet 2.68 mg</i>                                                          | 1         |                                   |
| CLEMSZA ORAL TABLET 2.68 MG ( <i>clemastine fumarate</i> )                                              | 3         |                                   |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5ml</i>                                                      | 1         |                                   |
| <b>FIRST GEN. ANTIHIST. DERIVATIVES, MISC. - Drugs for Allergy</b>                                      |           |                                   |
| <i>cycloheptadine hcl oral syrup 2 mg/5ml</i>                                                           | 1         |                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                        | Drug Tier | Coverage Requirements & Limits                                 |
|-----------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------|
| <i>cypheptadine hcl oral tablet 4 mg</i>                                                      | 1         |                                                                |
| <b>FIRST GENERATION ANTIHISTAMINES - Drugs for Allergy</b>                                    |           |                                                                |
| <i>carbinoxamine maleate oral solution 4 mg/5ml</i>                                           | 1         |                                                                |
| <i>carbinoxamine maleate oral tablet 4 mg</i>                                                 | 1         |                                                                |
| CARBZAH ORAL SOLUTION 4 MG/5ML                                                                | 2         |                                                                |
| <i>clemastine fumarate oral tablet 2.68 mg</i>                                                | 1         |                                                                |
| CLEMSZA ORAL TABLET 2.68 MG ( <i>clemastine fumarate</i> )                                    | 3         |                                                                |
| <i>cypheptadine hcl oral syrup 2 mg/5ml</i>                                                   | 1         |                                                                |
| <i>cypheptadine hcl oral tablet 4 mg</i>                                                      | 1         |                                                                |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5ml</i>                                            | 1         |                                                                |
| <i>hydrocod poli-chlorphe poli er oral suspension extended release 10-8 mg/5ml</i>            | 3         | PA; QL (360 ml per month.)                                     |
| <i>hydroxyzine hcl oral syrup 10 mg/5ml</i>                                                   | 1         |                                                                |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                        | 1         |                                                                |
| <i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>                                  | 1         |                                                                |
| NEOTUSS PLUS ORAL LIQUID 7.5-4-30 MG/5ML ( <i>phenylephrine-chlorphen-dm</i> )                | 3         |                                                                |
| <i>promethazine hcl oral solution 12.5 mg/10ml, 6.25 mg/5ml</i>                               | 1         |                                                                |
| <i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>                                     | 1         |                                                                |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>                                     | 1         |                                                                |
| <i>promethazine-codeine oral solution 6.25-10 mg/5ml</i>                                      | 1         | PA; QL (360 ml per month.)                                     |
| <i>promethazine-dm oral syrup 15-6.25 mg/5ml, 6.25-15 mg/5ml</i>                              | 1         |                                                                |
| <i>promethazine-phenylephrine oral syrup 6.25-5 mg/5ml</i>                                    | 1         |                                                                |
| PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG, 50 MG ( <i>promethazine hcl</i> )              | 3         |                                                                |
| <i>pseudoephedrine-bromphen-dm oral syrup 30-2-10 mg/5ml</i>                                  | 1         |                                                                |
| TUXARIN ER ORAL TABLET EXTENDED RELEASE 12 HOUR 54.3-8 MG ( <i>chlorpheniramine-codeine</i> ) | 3         | PA; QL (10 tablets per prescription and 30 tablets per month.) |
| <b>OTHER ANTIHISTAMINES - Drugs for Allergy</b>                                               |           |                                                                |
| <i>cimetidine hcl oral solution 300 mg/5ml</i>                                                | 1         |                                                                |
| <i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i>                                  | 1         |                                                                |
| <i>famotidine oral suspension reconstituted 40 mg/5ml</i>                                     | 1         |                                                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                        | Drug Tier | Coverage Requirements & Limits                                 |
|-----------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------|
| <i>hydroxyzine hcl oral syrup 10 mg/5ml</i>                                                   | 1         |                                                                |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                        | 1         |                                                                |
| <i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>                                  | 1         |                                                                |
| <i>olopatadine hcl nasal solution 0.6 %</i>                                                   | 3         |                                                                |
| <b>PHENOTHIAZINE DERIVATIVES - Drugs for Allergy</b>                                          |           |                                                                |
| <i>promethazine hcl oral solution 12.5 mg/10ml, 6.25 mg/5ml</i>                               | 1         |                                                                |
| <i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>                                     | 1         |                                                                |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>                                     | 1         |                                                                |
| <i>promethazine-codeine oral solution 6.25-10 mg/5ml</i>                                      | 1         | PA; QL (360 ml per month.)                                     |
| <i>promethazine-dm oral syrup 15-6.25 mg/5ml, 6.25-15 mg/5ml</i>                              | 1         |                                                                |
| <i>promethazine-phenylephrine oral syrup 6.25-5 mg/5ml</i>                                    | 1         |                                                                |
| PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG, 50 MG ( <i>promethazine hcl</i> )              | 3         |                                                                |
| <b>PROPYLAMINE DERIVATIVES - Drugs for Allergy</b>                                            |           |                                                                |
| <i>hydrocod poli-chlorphe poli er oral suspension extended release 10-8 mg/5ml</i>            | 3         | PA; QL (360 ml per month.)                                     |
| NEOTUSS PLUS ORAL LIQUID 7.5-4-30 MG/5ML ( <i>phenylephrine-chlorphen-dm</i> )                | 3         |                                                                |
| <i>pseudoephedrine-bromphen-dm oral syrup 30-2-10 mg/5ml</i>                                  | 1         |                                                                |
| TUXARIN ER ORAL TABLET EXTENDED RELEASE 12 HOUR 54.3-8 MG ( <i>chlorpheniramine-codeine</i> ) | 3         | PA; QL (10 tablets per prescription and 30 tablets per month.) |
| <b>SECOND GENERATION ANTIHISTAMINES - Drugs for Allergy</b>                                   |           |                                                                |
| <i>epinastine hcl ophthalmic solution 0.05 %</i>                                              | 4         | QL (5 ml per prescription)                                     |
| <i>levocetirizine dihydrochloride oral solution 2.5 mg/5ml</i>                                | 3         |                                                                |
| <i>levocetirizine dihydrochloride oral tablet 5 mg</i>                                        | 1         |                                                                |
| <b>ANTI-INFECTIVE AGENTS - Drugs for Infections</b>                                           |           |                                                                |
| <b>1ST GENERATION CEPHALOSPORIN ANTIBIOTICS - Antibiotics</b>                                 |           |                                                                |
| <i>cefadroxil oral capsule 500 mg</i>                                                         | 1         |                                                                |
| <i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml</i>                        | 1         |                                                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                          | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>cefadroxil oral tablet 1 gm</i>                                              | 1         |                                |
| <i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i>                           | 1         |                                |
| <i>cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>          | 1         |                                |
| <i>cephalexin oral tablet 250 mg, 500 mg</i>                                    | 1         |                                |
| <b>2ND GENERATION CEPHALOSPORIN ANTIBIOTICS - Antibiotics</b>                   |           |                                |
| <i>cefaclor er oral tablet extended release 12 hour 500 mg</i>                  | 1         |                                |
| <i>cefaclor oral capsule 250 mg, 500 mg</i>                                     | 1         |                                |
| <i>cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>           | 1         |                                |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>                                     | 1         |                                |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>                             | 1         |                                |
| <b>3RD GENERATION CEPHALOSPORIN ANTIBIOTICS - Antibiotics</b>                   |           |                                |
| <i>cefdinir oral capsule 300 mg</i>                                             | 1         |                                |
| <i>cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>            | 1         |                                |
| <i>cefixime oral capsule 400 mg</i>                                             | 3         |                                |
| <i>cefixime oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>            | 3         |                                |
| <i>cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml, 50 mg/5ml</i> | 1         |                                |
| <i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i>                          | 1         |                                |
| <b>ADAMANTANE ANTIVIRALS - Drugs for Viral Infections</b>                       |           |                                |
| <i>amantadine hcl oral capsule 100 mg</i>                                       | 1         |                                |
| <i>amantadine hcl oral solution 50 mg/5ml</i>                                   | 1         |                                |
| <i>amantadine hcl oral tablet 100 mg</i>                                        | 1         |                                |
| <i>rimantadine hcl oral tablet 100 mg</i>                                       | 1         |                                |
| <b>ALLYLAMINE ANTIFUNGALS - Drugs for Fungus</b>                                |           |                                |
| <i>terbinafine hcl oral tablet 250 mg</i>                                       | 1         |                                |
| <b>AMEBICIDES - Drugs for the Mouth and Throat</b>                              |           |                                |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i>                     | 1         |                                |
| HUMATIN ORAL CAPSULE 250 MG ( <i>paromomycin sulfate</i> )                      | 2         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                           | Drug Tier | Coverage Requirements & Limits         |
|----------------------------------------------------------------------------------|-----------|----------------------------------------|
| <b>hydrocortisone-iodoquinol external cream 1-1 %</b>                            | 1         |                                        |
| LIKMEZ ORAL SUSPENSION 500 MG/5ML ( <b>metronidazole</b> )                       | 4         |                                        |
| METROCREAM EXTERNAL CREAM 0.75 % ( <b>metronidazole</b> )                        | 4         |                                        |
| <b>metronidazole external cream 0.75 %</b>                                       | 1         |                                        |
| <b>metronidazole external gel 0.75 %</b>                                         | 1         |                                        |
| <b>metronidazole external lotion 0.75 %</b>                                      | 1         |                                        |
| <b>metronidazole oral capsule 375 mg</b>                                         | 1         |                                        |
| <b>metronidazole oral tablet 250 mg, 500 mg</b>                                  | 1         |                                        |
| <b>metronidazole vaginal gel 0.75 %</b>                                          | 2         |                                        |
| PERIDEX MOUTH/THROAT SOLUTION 0.12 % ( <b>chlorhexidine gluconate</b> )          | 4         |                                        |
| <b>periogard mouth/throat solution 0.12 %</b>                                    | 1         |                                        |
| VANDAZOLE VAGINAL GEL 0.75 % ( <b>metronidazole</b> )                            | 4         |                                        |
| <b>AMINOGLYCOSIDE ANTIBIOTICS - Antibiotics</b>                                  |           |                                        |
| ARIKAYCE INHALATION SUSPENSION 590 MG/8.4ML ( <b>amikacin sulfate liposome</b> ) | 4         | PA; QL (8.4 ml per day.); SP; SMCS     |
| <b>gentamicin sulfate external cream 0.1 %</b>                                   | 1         | QL (30 grams per prescription.)        |
| <b>gentamicin sulfate external ointment 0.1 %</b>                                | 1         | QL (30 grams per prescription.)        |
| <b>gentamicin sulfate ophthalmic solution 0.3 %</b>                              | 1         | QL (15 ml per prescription.)           |
| HUMATIN ORAL CAPSULE 250 MG ( <b>paromomycin sulfate</b> )                       | 2         |                                        |
| <b>neomycin sulfate oral tablet 500 mg</b>                                       | 1         |                                        |
| TOBRADEX OPHTHALMIC OINTMENT 0.3-0.1 % ( <b>tobramycin-dexamethasone</b> )       | 3         |                                        |
| <b>tobramycin inhalation nebulization solution 300 mg/4ml</b>                    | 3         | PA; QL (224 ml per 56 days.); SP; SMCS |
| <b>tobramycin ophthalmic solution 0.3 %</b>                                      | 1         | QL (5 ml per prescription.)            |
| <b>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</b>                  | 2         |                                        |
| TOBREX OPHTHALMIC OINTMENT 0.3 % ( <b>tobramycin</b> )                           | 3         | QL (3.5 grams per prescription.)       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                                  | Drug Tier | Coverage Requirements & Limits     |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------|
| <b>AMINOMETHYLCYCLINES - Antibiotics</b>                                                                                                |           |                                    |
| NUZYRA ORAL TABLET 150 MG ( <i>omadacycline tosylate</i> )                                                                              | 4         | QL (30 tablets per prescription.)  |
| <b>AMINOPENICILLIN ANTIBIOTICS - Antibiotics</b>                                                                                        |           |                                    |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>                                                                                          | 1         |                                    |
| <i>amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i>                                         | 1         |                                    |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>                                                                                           | 1         |                                    |
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i>                                                                                  | 1         |                                    |
| <i>amoxicillin-potassium clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i> | 1         |                                    |
| <i>amoxicillin-potassium clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>                                                 | 1         |                                    |
| <i>ampicillin oral capsule 500 mg</i>                                                                                                   | 1         |                                    |
| VOQUEZNA DUAL PAK ORAL THERAPY PACK 500-20 MG ( <i>amoxicillin-vonoprazan</i> )                                                         | 4         | ST; QL (112 tablets per 180 days.) |
| VOQUEZNA TRIPLE PAK ORAL THERAPY PACK 500-500-20 MG ( <i>amoxicillin-clarithro-vonoprazan</i> )                                         | 4         | ST; QL (112 tablets per 180 days.) |
| <b>ANTHELMINTICS - Drugs for Parasites</b>                                                                                              |           |                                    |
| <i>albendazole oral tablet 200 mg</i>                                                                                                   | 3         | QL (124 tablets per month.)        |
| BILTRICIDE ORAL TABLET 600 MG ( <i>praziquantel</i> )                                                                                   | 4         |                                    |
| EGATEN ORAL TABLET 250 MG ( <i>triclabendazole</i> )                                                                                    | 3         |                                    |
| EMVERM ORAL TABLET CHEWABLE 100 MG ( <i>mebendazole</i> )                                                                               | 4         | QL (6 tablets per 3 days.)         |
| <i>ivermectin oral tablet 3 mg</i>                                                                                                      | 1         | PA; QL (20 tablets per 3 months.)  |
| <i>ivermectin oral tablet 6 mg</i>                                                                                                      | 1         | PA                                 |
| <i>praziquantel oral tablet 600 mg</i>                                                                                                  | 2         |                                    |
| STROMECTOL ORAL TABLET 3 MG ( <i>ivermectin</i> )                                                                                       | 4         | PA; QL (20 tablets per 3 months.)  |
| <b>ANTIFUNGALS, MISCELLANEOUS - Drugs for Fungus</b>                                                                                    |           |                                    |
| <i>griseofulvin microsize oral suspension 125 mg/5ml</i>                                                                                | 1         |                                    |
| <i>griseofulvin microsize oral tablet 500 mg</i>                                                                                        | 1         |                                    |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>                                                                           | 1         |                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                   | Drug Tier | Coverage Requirements & Limits   |
|--------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>iodine strong oral solution 5 %</i>                                                                                   | 1         |                                  |
| <b>ANTILEPROSY AGENTS - Antibiotics</b>                                                                                  |           |                                  |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                                                                 | 2         |                                  |
| <b>ANTIMALARIALS - Drugs for the Mouth and Throat</b>                                                                    |           |                                  |
| ARAKODA ORAL TABLET 100 MG ( <i>tafenoquine succinate</i> )                                                              | 4         | QL (16 tablets per month.)       |
| <i>atovaquone-proguanil hcl oral tablet 250-100 mg, 62.5-25 mg</i>                                                       | 2         |                                  |
| AVIDOXY ORAL TABLET 100 MG                                                                                               | 4         |                                  |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>                                                                  | 1         |                                  |
| COARTEM ORAL TABLET 20-120 MG ( <i>artemether-lumefantrine</i> )                                                         | 2         |                                  |
| DARAPRIM ORAL TABLET 25 MG ( <i>pyrimethamine</i> )                                                                      | 4         | PA; SP; SMCS                     |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>                                                                    | 2         |                                  |
| <i>doxycycline hyclate oral tablet 100 mg</i>                                                                            | 2         |                                  |
| <i>doxycycline hyclate oral tablet 20 mg</i>                                                                             | 1         |                                  |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>                                                                | 1         |                                  |
| <i>doxycycline monohydrate oral suspension reconstituted 25 mg/5ml</i>                                                   | 3         |                                  |
| <i>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>                                                  | 1         |                                  |
| <i>hydroxychloroquine sulfate oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i>                                             | 1         |                                  |
| KRINTAFEL ORAL TABLET 150 MG ( <i>tafenoquine succinate</i> )                                                            | 1         | QL (2 tablets per prescription.) |
| MALARONE ORAL TABLET 250-100 MG, 62.5-25 MG ( <i>atovaquone-proguanil hcl</i> )                                          | 4         |                                  |
| <i>mefloquine hcl oral tablet 250 mg</i>                                                                                 | 1         |                                  |
| <i>minocycline hcl er oral tablet extended release 24 hour 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg</i> | 2         |                                  |
| <i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i>                                                                 | 1         |                                  |
| <i>primaquine phosphate oral tablet 26.3 (15 base) mg</i>                                                                | 1         |                                  |
| <i>pyrimethamine oral tablet 25 mg</i>                                                                                   | 3         | PA; SP; SMCS                     |
| <i>quinidine gluconate er oral tablet extended release 324 mg</i>                                                        | 1         |                                  |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>                                                                      | 1         |                                  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                     | Drug Tier | Coverage Requirements & Limits          |
|----------------------------------------------------------------------------|-----------|-----------------------------------------|
| <i>quinine sulfate oral capsule 324 mg</i>                                 | 1         |                                         |
| <i>tetracycline hcl oral capsule 250 mg, 500 mg</i>                        | 3         |                                         |
| <b>ANTIMYCOBACTERIALS, MISCELLANEOUS - Antibiotics</b>                     |           |                                         |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                   | 2         |                                         |
| <b>ANTIPROTOZOALS, CRYPTOSPORIDIOSIS - Drugs for the Mouth and Throat</b>  |           |                                         |
| <i>nitazoxanide oral tablet 500 mg</i>                                     | 2         | QL (6 tablets per prescription.)        |
| <b>ANTIPROTOZOALS, MISCELLANEOUS - Drugs for the Mouth and Throat</b>      |           |                                         |
| <i>atovaquone oral suspension 750 mg/5ml</i>                               | 2         |                                         |
| BACTRIM DS ORAL TABLET 800-160 MG ( <i>sulfamethoxazole-trimethoprim</i> ) | 4         |                                         |
| BACTRIM ORAL TABLET 400-80 MG ( <i>sulfamethoxazole-trimethoprim</i> )     | 4         |                                         |
| BENZNIDAZOLE ORAL TABLET 100 MG                                            | 2         | QL (240 tablets per 720 days.)          |
| BENZNIDAZOLE ORAL TABLET 12.5 MG                                           | 2         | QL (720 tablets per 720 days.)          |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                   | 2         |                                         |
| IMPAVIDO ORAL CAPSULE 50 MG ( <i>miltefosine</i> )                         | 2         | QL (84 capsules per course of therapy.) |
| LAMPIT ORAL TABLET 120 MG ( <i>nifurtimox</i> )                            | 4         | QL (7.5 tablets per day.)               |
| LAMPIT ORAL TABLET 30 MG ( <i>nifurtimox</i> )                             | 4         | QL (9 tablets per day.)                 |
| LIKMEZ ORAL SUSPENSION 500 MG/5ML ( <i>metronidazole</i> )                 | 4         |                                         |
| <i>metronidazole oral capsule 375 mg</i>                                   | 1         |                                         |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>                            | 1         |                                         |
| <i>nitazoxanide oral tablet 500 mg</i>                                     | 2         | QL (6 tablets per prescription.)        |
| <i>pentamidine isethionate inhalation solution reconstituted 300 mg</i>    | 2         |                                         |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i>         | 1         |                                         |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>     | 1         |                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                         | Drug Tier | Coverage Requirements & Limits   |
|------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>sulfatrim pediatric oral suspension 200-40 mg/5ml</i>                                       | 1         |                                  |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>                                                   | 3         |                                  |
| <b>ANTIPROTOZOALS, NITROIMIDAZOLE-DERIVATIVE - Drugs for the Mouth and Throat</b>              |           |                                  |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>                                                   | 3         |                                  |
| <b>ANTIRETROVIRALS, MISCELLANEOUS - Drugs for Viral Infections</b>                             |           |                                  |
| SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG ( <i>lenacapavir sodium</i> )                     | 4         | PA; QL (4 tablets per 365 days.) |
| SUNLENCA ORAL TABLET THERAPY PACK 5 X 300 MG ( <i>lenacapavir sodium</i> )                     | 4         | PA; QL (5 tablets per 365 days.) |
| <b>ANTITUBERCULOSIS AGENTS - Antibiotics</b>                                                   |           |                                  |
| CIPRO ORAL SUSPENSION RECONSTITUTED 250 MG/5ML (5%), 500 MG/5ML (10%) ( <i>ciprofloxacin</i> ) | 3         |                                  |
| CIPRO ORAL TABLET 250 MG, 500 MG ( <i>ciprofloxacin hcl</i> )                                  | 4         |                                  |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i>                                    | 1         |                                  |
| <i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>                           | 2         |                                  |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                     | 2         |                                  |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                               | 1         |                                  |
| <i>cycloserine oral capsule 250 mg</i>                                                         | 1         |                                  |
| <i>ethambutol hcl oral tablet 100 mg, 400 mg</i>                                               | 1         |                                  |
| <i>isoniazid oral syrup 50 mg/5ml</i>                                                          | 1         |                                  |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                                                    | 1         |                                  |
| <i>levofloxacin oral solution 25 mg/ml</i>                                                     | 1         |                                  |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>                                         | 1         |                                  |
| <i>moxifloxacin hcl oral tablet 400 mg</i>                                                     | 3         |                                  |
| PRETOMANID ORAL TABLET 200 MG                                                                  | 4         |                                  |
| PRIFTIN ORAL TABLET 150 MG ( <i>rifapentine</i> )                                              | 2         |                                  |
| <i>pyrazinamide oral tablet 500 mg</i>                                                         | 1         |                                  |
| <i>rifabutin oral capsule 150 mg</i>                                                           | 1         |                                  |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                                                    | 1         |                                  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                         | Drug Tier | Coverage Requirements & Limits                             |
|----------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------|
| SIRTURO ORAL TABLET 100 MG, 20 MG ( <i>bedaquiline fumarate</i> )                                              | 2         |                                                            |
| <b>ANTIVIRALS, MISCELLANEOUS - Drugs for Viral Infections</b>                                                  |           |                                                            |
| LIVTENCITY ORAL TABLET 200 MG ( <i>maribavir</i> )                                                             | 4         | PA; QL (4 tablets per day.); SP; SMCS                      |
| PAXLOVID (150/100) ORAL TABLET THERAPY PACK 10 X 150 MG & 10 X 100MG ( <i>nirmatrelvir-ritonavir</i> )         | 3         | QL (40 tablets per 365 days. 20 tablets per prescription.) |
| PAXLOVID (300/100 & 150/100) ORAL TABLET THERAPY PACK 6 X 150 MG & 5 X 100MG ( <i>nirmatrelvir-ritonavir</i> ) | 3         | QL (22 tablets per 365 days. 11 tablets per copay.)        |
| PAXLOVID (300/100) ORAL TABLET THERAPY PACK 20 X 150 MG & 10 X 100MG ( <i>nirmatrelvir-ritonavir</i> )         | 3         | QL (60 tablets per 365 days. 30 tablets per prescription.) |
| PREVYMIS ORAL PACKET 120 MG, 20 MG ( <i>letermovir</i> )                                                       | 3         | PA                                                         |
| PREVYMIS ORAL TABLET 240 MG, 480 MG ( <i>letermovir</i> )                                                      | 3         | PA                                                         |
| XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK 1 X 40 MG ( <i>baloxavir marboxil</i> )                          | 3         | QL (1 tablet per month.)                                   |
| XOFLUZA (80 MG DOSE) ORAL TABLET THERAPY PACK 1 X 80 MG ( <i>baloxavir marboxil</i> )                          | 3         | QL (1 tablet per month.)                                   |
| <b>AZOLE ANTIFUNGALS - Drugs for Fungus</b>                                                                    |           |                                                            |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG ( <i>isavuconazonium sulfate</i> )                                       | 3         |                                                            |
| <i>fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml</i>                                            | 1         |                                                            |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>                                                   | 1         |                                                            |
| <i>itraconazole oral capsule 100 mg</i>                                                                        | 1         | QL (180 capsules per 365 days)                             |
| <i>itraconazole oral solution 10 mg/ml</i>                                                                     | 2         | QL (1800 ml per 365 days)                                  |
| <i>ketoconazole external cream 2 %</i>                                                                         | 1         | QL (30 grams per prescription.)                            |
| <i>ketoconazole external foam 2 %</i>                                                                          | 3         | ST                                                         |
| <i>ketoconazole external shampoo 2 %</i>                                                                       | 1         |                                                            |
| <i>ketoconazole oral tablet 200 mg</i>                                                                         | 1         |                                                            |
| <i>ketodan external foam 2 %</i>                                                                               | 3         | ST                                                         |
| NOXAFIL ORAL PACKET 300 MG ( <i>posaconazole</i> )                                                             | 2         |                                                            |
| NOXAFIL ORAL SUSPENSION 40 MG/ML ( <i>posaconazole</i> )                                                       | 4         | QL (20 ml per day.)                                        |
| <i>posaconazole oral suspension 40 mg/ml</i>                                                                   | 2         | QL (20 ml per day.)                                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                | Drug Tier | Coverage Requirements & Limits                             |
|-----------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------|
| <b><i>posaconazole oral tablet delayed release 100 mg</i></b>                                                         | 2         |                                                            |
| SPORANOX ORAL CAPSULE 100 MG ( <b><i>itraconazole</i></b> )                                                           | 4         | QL (180 capsules per 365 days)                             |
| VFEND ORAL SUSPENSION RECONSTITUTED 40 MG/ML ( <b><i>voriconazole</i></b> )                                           | 4         | QL (300 mL per prescription.)                              |
| VIVJOA ORAL CAPSULE THERAPY PACK 150 MG ( <b><i>oteseconazole</i></b> )                                               | 3         | PA; QL (18 capsules per 84 days.)                          |
| <b><i>voriconazole oral suspension reconstituted 40 mg/ml</i></b>                                                     | 1         | QL (300 mL per prescription.)                              |
| <b><i>voriconazole oral tablet 200 mg</i></b>                                                                         | 1         | QL (62 tablets per prescription.)                          |
| <b><i>voriconazole oral tablet 50 mg</i></b>                                                                          | 1         | QL (124 tablets per prescription)                          |
| <b>BACITRACIN ANTIBIOTICS - Antibiotics</b>                                                                           |           |                                                            |
| <b><i>bacitracin ophthalmic ointment 500 unit/gm</i></b>                                                              | 1         |                                                            |
| <b><i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i></b>                                            | 1         |                                                            |
| <b><i>bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 %</i></b>                                                   | 1         |                                                            |
| NEO-POLYCIN HC OPHTHALMIC OINTMENT 1 % ( <b><i>bacitracin-polymyx-neo-hc</i></b> )                                    | 3         |                                                            |
| POLYCIN OPHTHALMIC OINTMENT 500-10000 UNIT/GM ( <b><i>bacitracin-polymyxin b</i></b> )                                | 3         |                                                            |
| <b>CORONAVIRUS (COVID-19) - Drugs for Viral Infections</b>                                                            |           |                                                            |
| PAXLOVID (150/100) ORAL TABLET THERAPY PACK 10 X 150 MG & 10 X 100MG ( <b><i>nirmatrelvir-ritonavir</i></b> )         | 3         | QL (40 tablets per 365 days. 20 tablets per prescription.) |
| PAXLOVID (300/100 & 150/100) ORAL TABLET THERAPY PACK 6 X 150 MG & 5 X 100MG ( <b><i>nirmatrelvir-ritonavir</i></b> ) | 3         | QL (22 tablets per 365 days. 11 tablets per copay.)        |
| PAXLOVID (300/100) ORAL TABLET THERAPY PACK 20 X 150 MG & 10 X 100MG ( <b><i>nirmatrelvir-ritonavir</i></b> )         | 3         | QL (60 tablets per 365 days. 30 tablets per prescription.) |
| <b>ENDONUCLEASE INHIBITORS - Drugs for Viral Infections</b>                                                           |           |                                                            |
| XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK 1 X 40 MG ( <b><i>baloxavir marboxil</i></b> )                          | 3         | QL (1 tablet per month.)                                   |
| XOFLUZA (80 MG DOSE) ORAL TABLET THERAPY PACK 1 X 80 MG ( <b><i>baloxavir marboxil</i></b> )                          | 3         | QL (1 tablet per month.)                                   |
| <b>ERYTHROMYCIN ANTIBIOTICS - Antibiotics</b>                                                                         |           |                                                            |
| E.E.S. GRANULES ORAL SUSPENSION RECONSTITUTED 200 MG/5ML ( <b><i>erythromycin ethylsuccinate</i></b> )                | 3         |                                                            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits                                    |
|--------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------|
| <b>ery external pad 2 %</b>                                                                | 1         |                                                                   |
| ERYPED 400 ORAL SUSPENSION RECONSTITUTED 400 MG/5ML ( <b>erythromycin ethylsuccinate</b> ) | 4         |                                                                   |
| <b>erythromycin base oral capsule delayed release particles 250 mg</b>                     | 1         |                                                                   |
| <b>erythromycin base oral tablet 250 mg, 500 mg</b>                                        | 1         |                                                                   |
| <b>erythromycin base oral tablet delayed release 250 mg, 333 mg, 500 mg</b>                | 3         |                                                                   |
| <b>erythromycin ethylsuccinate oral suspension reconstituted 200 mg/5ml</b>                | 1         |                                                                   |
| <b>erythromycin ethylsuccinate oral suspension reconstituted 400 mg/5ml</b>                | 3         |                                                                   |
| <b>erythromycin external gel 2 %</b>                                                       | 1         |                                                                   |
| <b>erythromycin external solution 2 %</b>                                                  | 1         |                                                                   |
| <b>erythromycin oral tablet delayed release 250 mg, 333 mg, 500 mg</b>                     | 3         |                                                                   |
| <b>GLYCOPEPTIDE ANTIBIOTICS - Antibiotics</b>                                              |           |                                                                   |
| FIRVANQ ORAL SOLUTION RECONSTITUTED 25 MG/ML, 50 MG/ML ( <b>vancomycin hcl</b> )           | 4         |                                                                   |
| VANCOCIN ORAL CAPSULE 125 MG, 250 MG ( <b>vancomycin hcl</b> )                             | 4         |                                                                   |
| <b>vancomycin hcl oral capsule 125 mg, 250 mg</b>                                          | 1         |                                                                   |
| <b>vancomycin hcl oral solution reconstituted 25 mg/ml, 250 mg/5ml, 50 mg/ml</b>           | 1         |                                                                   |
| <b>HCV POLYMERASE INHIBITOR ANTIVIRALS - Drugs for Viral Infections</b>                    |           |                                                                   |
| EPCLUSA ORAL PACKET 150-37.5 MG ( <b>sofosbuvir-velpatasvir</b> )                          | 3         | PA; QL (2 packets per day and 84 packets per 720 days.); SP; SMCS |
| EPCLUSA ORAL PACKET 200-50 MG ( <b>sofosbuvir-velpatasvir</b> )                            | 3         | PA; QL (1 packet per day and 84 packets per 720 days.); SP; SMCS  |
| EPCLUSA ORAL TABLET 200-50 MG ( <b>sofosbuvir-velpatasvir</b> )                            | 3         | PA; QL (1 tablet per day.); SP; SMCS                              |
| EPCLUSA ORAL TABLET 400-100 MG ( <b>sofosbuvir-velpatasvir</b> )                           | 3         | PA; QL (84 tablets per 720 days.); SP; SMCS                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                       | Drug Tier | Coverage Requirements & Limits                                                             |
|------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------|
| HARVONI ORAL PACKET 33.75-150 MG, 45-200 MG ( <i>ledipasvir-sofosbuvir</i> ) | 3         | PA; ST; QL (1 pellet packet per day and 28 pellet packets per month.); SMCS                |
| HARVONI ORAL TABLET 45-200 MG ( <i>ledipasvir-sofosbuvir</i> )               | 3         | PA; ST; QL (84 tablets per 720 days.); SP; SMCS                                            |
| HARVONI ORAL TABLET 90-400 MG ( <i>ledipasvir-sofosbuvir</i> )               | 3         | PA; ST; QL (1 tablet per day and 28 tablets per month.); SP; SMCS                          |
| LEDIPASVIR-SOFOSBUVIR ORAL TABLET 90-400 MG                                  | 3         | PA; ST; QL (1 tablet per day and 28 tablets per month.); SP; SMCS                          |
| SOFOSBUVIR-VELPATASVIR ORAL TABLET 400-100 MG                                | 3         | PA; QL (84 tablets per 720 days.); SP; SMCS                                                |
| SOVALDI ORAL PACKET 150 MG, 200 MG ( <i>sofosbuvir</i> )                     | 4         | PA; ST; QL (1 packet of pellets per day and 84 packets of pellets per 720 days.); SP; SMCS |
| VOSEVI ORAL TABLET 400-100-100 MG ( <i>sofosbuv-velpatasv-voxilaprev</i> )   | 3         | PA; QL (84 tablets per 720 days.); SP; SMCS                                                |
| <b>HCV PROTEASE INHIBITOR ANTIVIRALS - Drugs for Viral Infections</b>        |           |                                                                                            |
| MAVYRET ORAL PACKET 50-20 MG ( <i>glecaprevir-pibrentasvir</i> )             | 3         | PA; QL (5 packets per day and 280 packets per 720 days.); SP; SMCS                         |
| MAVYRET ORAL TABLET 100-40 MG ( <i>glecaprevir-pibrentasvir</i> )            | 3         | PA; QL (168 tablets per 720 days.); SP; SMCS                                               |
| VOSEVI ORAL TABLET 400-100-100 MG ( <i>sofosbuv-velpatasv-voxilaprev</i> )   | 3         | PA; QL (84 tablets per 720 days.); SP; SMCS                                                |
| ZEPATIER ORAL TABLET 50-100 MG ( <i>elbasvir-grazoprevir</i> )               | 3         | PA; QL (84 tablets per 720 days (12 weeks).); SP; SMCS                                     |
| <b>HCV REPLICATION COMPLEX INHIBITORS - Drugs for Viral Infections</b>       |           |                                                                                            |
| EPCLUSA ORAL PACKET 150-37.5 MG ( <i>sofosbuvir-velpatasvir</i> )            | 3         | PA; QL (2 packets per day and 84 packets per 720 days.); SP; SMCS                          |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                           | Drug Tier | Coverage Requirements & Limits                                              |
|----------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------|
| EPCLUSA ORAL PACKET 200-50 MG ( <i>sofosbuvir-velpatasvir</i> )                  | 3         | PA; QL (1 packet per day and 84 packets per 720 days.); SP; SMCS            |
| EPCLUSA ORAL TABLET 200-50 MG ( <i>sofosbuvir-velpatasvir</i> )                  | 3         | PA; QL (1 tablet per day.); SP; SMCS                                        |
| EPCLUSA ORAL TABLET 400-100 MG ( <i>sofosbuvir-velpatasvir</i> )                 | 3         | PA; QL (84 tablets per 720 days.); SP; SMCS                                 |
| HARVONI ORAL PACKET 33.75-150 MG, 45-200 MG ( <i>ledipasvir-sofosbuvir</i> )     | 3         | PA; ST; QL (1 pellet packet per day and 28 pellet packets per month.); SMCS |
| HARVONI ORAL TABLET 45-200 MG ( <i>ledipasvir-sofosbuvir</i> )                   | 3         | PA; ST; QL (84 tablets per 720 days.); SP; SMCS                             |
| HARVONI ORAL TABLET 90-400 MG ( <i>ledipasvir-sofosbuvir</i> )                   | 3         | PA; ST; QL (1 tablet per day and 28 tablets per month.); SP; SMCS           |
| LEDIPASVIR-SOFOSBUVIR ORAL TABLET 90-400 MG                                      | 3         | PA; ST; QL (1 tablet per day and 28 tablets per month.); SP; SMCS           |
| MAVYRET ORAL PACKET 50-20 MG ( <i>glecaprevir-pibrentasvir</i> )                 | 3         | PA; QL (5 packets per day and 280 packets per 720 days.); SP; SMCS          |
| MAVYRET ORAL TABLET 100-40 MG ( <i>glecaprevir-pibrentasvir</i> )                | 3         | PA; QL (168 tablets per 720 days.); SP; SMCS                                |
| SOFOSBUVIR-VELPATASVIR ORAL TABLET 400-100 MG                                    | 3         | PA; QL (84 tablets per 720 days.); SP; SMCS                                 |
| VOSEVI ORAL TABLET 400-100-100 MG ( <i>sofosbuvir-velpatasvir-voxilaprevir</i> ) | 3         | PA; QL (84 tablets per 720 days.); SP; SMCS                                 |
| ZEPATIER ORAL TABLET 50-100 MG ( <i>elbasvir-grazoprevir</i> )                   | 3         | PA; QL (84 tablets per 720 days (12 weeks).); SP; SMCS                      |
| <b>HIV CAPSID INHIBITORS - Drugs for Viral Infections</b>                        |           |                                                                             |
| SUNLENCA ORAL TABLET 300 MG ( <i>lenacapavir sodium</i> )                        | 4         | PA; QL (24 tablets per year.)                                               |
| SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG ( <i>lenacapavir sodium</i> )       | 4         | PA; QL (4 tablets per 365 days.)                                            |
| SUNLENCA ORAL TABLET THERAPY PACK 5 X 300 MG ( <i>lenacapavir sodium</i> )       | 4         | PA; QL (5 tablets per 365 days.)                                            |
| YEZTUGO ORAL TABLET 300 MG ( <i>lenacapavir sodium</i> )                         | 4         | QL (4 tablets per year.); SM                                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                      | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>HIV ENTRY AND FUSION INHIBITORS - Drugs for Viral Infections</b>                         |           |                                |
| <i>maraviroc</i> oral tablet 150 mg, 300 mg                                                 | 2         | PA                             |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG ( <i>fostemsavir tromethamine</i> )     | 4         | PA                             |
| SELZENTRY ORAL SOLUTION 20 MG/ML ( <i>maraviroc</i> )                                       | 2         | PA                             |
| SELZENTRY ORAL TABLET 150 MG, 300 MG ( <i>maraviroc</i> )                                   | 4         | PA                             |
| <b>HIV INTEGRASE INHIBITOR ANTIRETROVIRALS - Drugs for Viral Infections</b>                 |           |                                |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG ( <i>bictegravir-emtricitab-tenofovir</i> ) | 4         | QL (1 tablet per day.)         |
| DOVATO ORAL TABLET 50-300 MG ( <i>dolutegravir-lamivudine</i> )                             | 2         | QL (1 tablet per day.)         |
| GENVOYA ORAL TABLET 150-150-200-10 MG ( <i>elviteg-cobic-emtricit-tenofaf</i> )             | 4         | QL (1 tablet per day.)         |
| ISENTRESS HD ORAL TABLET 600 MG ( <i>raltegravir potassium</i> )                            | 2         | SM                             |
| ISENTRESS ORAL PACKET 100 MG ( <i>raltegravir potassium</i> )                               | 2         | SM                             |
| ISENTRESS ORAL TABLET 400 MG ( <i>raltegravir potassium</i> )                               | 2         | SM                             |
| ISENTRESS ORAL TABLET CHEWABLE 100 MG, 25 MG ( <i>raltegravir potassium</i> )               | 2         | SM                             |
| JULUCA ORAL TABLET 50-25 MG ( <i>dolutegravir-rilpivirine</i> )                             | 2         | QL (1 tablet per day.)         |
| STRIBILD ORAL TABLET 150-150-200-300 MG ( <i>elviteg-cobic-emtricit-tenofdf</i> )           | 4         | QL (1 tablet per day.); SM     |
| TIVICAY ORAL TABLET 50 MG ( <i>dolutegravir sodium</i> )                                    | 3         | SM                             |
| TIVICAY PD ORAL TABLET SOLUBLE 5 MG ( <i>dolutegravir sodium</i> )                          | 3         | SM                             |
| TRIUMEQ ORAL TABLET 600-50-300 MG ( <i>abacavir-dolutegravir-lamivud</i> )                  | 2         | QL (1 tablet per day.)         |
| TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30 MG                                                   | 2         | QL (6 tablets per day.)        |
| <b>HIV NONNUCLEOSIDE REV.TRANScrip. INHIB. - Drugs for Viral Infections</b>                 |           |                                |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG ( <i>bictegravir-emtricitab-tenofovir</i> ) | 4         | QL (1 tablet per day.)         |
| COMPLERA ORAL TABLET 200-25-300 MG ( <i>emtricitab-rilpivir-tenofovir</i> )                 | 4         | QL (1 tablet per day.); SM     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                         | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| DELSTRIGO ORAL TABLET 100-300-300 MG ( <i>doravirine-lamivudine-tenofovir df</i> )             | 2         | QL (1 tablet per day.)         |
| EDURANT ORAL TABLET 25 MG ( <i>rilpivirine hcl</i> )                                           | 2         | SM                             |
| EDURANT PED ORAL TABLET SOLUBLE 2.5 MG ( <i>rilpivirine hcl</i> )                              | 2         | SM                             |
| <i>efavirenz oral tablet 600 mg</i>                                                            | 2         |                                |
| <i>efavirenz-emtricitabine-tenofovir df oral tablet 600-200-300 mg</i>                         | 2         | QL (1 tablet per day.)         |
| <i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg, 600-300-300 mg</i>               | 2         | QL (1 tablet per day.)         |
| <i>emtricitabine-rilpivirine-tenofovir df oral tablet 200-25-300 mg</i>                        | 3         | QL (1 tablet per day.); SM     |
| <i>etravirine oral tablet 100 mg, 200 mg</i>                                                   | 2         | SM                             |
| INTELENCE ORAL TABLET 100 MG, 200 MG ( <i>etravirine</i> )                                     | 4         | SM                             |
| INTELENCE ORAL TABLET 25 MG ( <i>etravirine</i> )                                              | 2         | SM                             |
| JULUCA ORAL TABLET 50-25 MG ( <i>dolutegravir-rilpivirine</i> )                                | 2         | QL (1 tablet per day.)         |
| <i>methocarbamol oral tablet 500 mg</i>                                                        | 1         |                                |
| <i>nevirapine er oral tablet extended release 24 hour 400 mg</i>                               | 3         |                                |
| <i>nevirapine oral suspension 50 mg/5ml</i>                                                    | 1         |                                |
| <i>nevirapine oral tablet 200 mg</i>                                                           | 1         |                                |
| ODEFSEY ORAL TABLET 200-25-25 MG ( <i>emtricitabine-rilpivirine-tenofovir af</i> )             | 4         | QL (1 tablet per day.)         |
| PIFELTRO ORAL TABLET 100 MG ( <i>doravirine</i> )                                              | 3         |                                |
| SYMFI ORAL TABLET 600-300-300 MG ( <i>efavirenz-lamivudine-tenofovir</i> )                     | 2         | QL (1 tablet per day.)         |
| <b>HIV NUCLEOSIDE, NUCLEOTIDE RT INHIBITORS - Drugs for Viral Infections</b>                   |           |                                |
| <i>abacavir sulfate oral solution 20 mg/ml</i>                                                 | 1         |                                |
| <i>abacavir sulfate oral tablet 300 mg</i>                                                     | 1         |                                |
| <i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i>                                      | 2         | QL (1 tablet per day.)         |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG ( <i>bictegravir-emtricitabine-tenofovir</i> ) | 4         | QL (1 tablet per day.)         |
| CIMDUO ORAL TABLET 300-300 MG ( <i>lamivudine-tenofovir</i> )                                  | 2         | QL (1 tablet per day.)         |
| COMPLERA ORAL TABLET 200-25-300 MG ( <i>emtricitabine-rilpivirine-tenofovir</i> )              | 4         | QL (1 tablet per day.); SM     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                            | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------|-----------|--------------------------------|
| DELSTRIGO ORAL TABLET 100-300-300 MG ( <b>doravirin-lamivudin-tenofov df</b> )    | 2         | QL (1 tablet per day.)         |
| DESCOVY ORAL TABLET 120-15 MG ( <b>emtricitabine-tenofovir af</b> )               | 4         | QL (1 tablet per day.); SM     |
| DESCOVY ORAL TABLET 200-25 MG ( <b>emtricitabine-tenofovir af</b> )               | 4         | QL (1 tablet per day.); H; SM  |
| DOVATO ORAL TABLET 50-300 MG ( <b>dolutegravir-lamivudine</b> )                   | 2         | QL (1 tablet per day.)         |
| <b>efavirenz-emtricitab-tenofo df oral tablet 600-200-300 mg</b>                  | 2         | QL (1 tablet per day.)         |
| <b>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg, 600-300-300 mg</b>  | 2         | QL (1 tablet per day.)         |
| <b>emtricitabine oral capsule 200 mg</b>                                          | 2         | SM                             |
| <b>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg</b>  | 1         | QL (1 tablet per day.); SM     |
| <b>emtricitabine-tenofovir df oral tablet 200-300 mg</b>                          | 1         | QL (1 tablet per day.); H; SM  |
| <b>emtricitab-rilpivir-tenofov df oral tablet 200-25-300 mg</b>                   | 3         | QL (1 tablet per day.); SM     |
| EMTRIVA ORAL SOLUTION 10 MG/ML ( <b>emtricitabine</b> )                           | 2         | SM                             |
| GENVOYA ORAL TABLET 150-150-200-10 MG ( <b>elviteg-cobic-emtricit-tenofaf</b> )   | 4         | QL (1 tablet per day.)         |
| <b>lamivudine oral solution 10 mg/ml</b>                                          | 1         | SM                             |
| <b>lamivudine oral tablet 100 mg</b>                                              | 1         |                                |
| <b>lamivudine oral tablet 150 mg, 300 mg</b>                                      | 1         | SM                             |
| <b>lamivudine-zidovudine oral tablet 150-300 mg</b>                               | 1         | SM                             |
| ODEFSEY ORAL TABLET 200-25-25 MG ( <b>emtricitab-rilpivir-tenofov af</b> )        | 4         | QL (1 tablet per day.)         |
| RETROVIR ORAL CAPSULE 100 MG ( <b>zidovudine</b> )                                | 4         | SM                             |
| RETROVIR ORAL SYRUP 50 MG/5ML ( <b>zidovudine</b> )                               | 3         | SM                             |
| STRIBILD ORAL TABLET 150-150-200-300 MG ( <b>elviteg-cobic-emtricit-tenofdf</b> ) | 4         | QL (1 tablet per day.); SM     |
| SYMFI ORAL TABLET 600-300-300 MG ( <b>efavirenz-lamivudine-tenofovir</b> )        | 2         | QL (1 tablet per day.)         |
| <b>tenofovir disoproxil fumarate oral tablet 300 mg</b>                           | 2         | H-N                            |
| TRIUMEQ ORAL TABLET 600-50-300 MG ( <b>abacavir-dolutegravir-lamivud</b> )        | 2         | QL (1 tablet per day.)         |
| TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30 MG                                         | 2         | QL (6 tablets per day.)        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                         | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG ( <i>emtricitabine-tenofovir df</i> )   | 4         | QL (1 tablet per day.); SM     |
| VIREAD ORAL POWDER 40 MG/GM ( <i>tenofovir disoproxil fumarate</i> )                           | 3         |                                |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG ( <i>tenofovir disoproxil fumarate</i> )             | 2         |                                |
| <i>zidovudine oral capsule 100 mg</i>                                                          | 1         | SM                             |
| <i>zidovudine oral syrup 50 mg/5ml</i>                                                         | 1         | SM                             |
| <i>zidovudine oral tablet 300 mg</i>                                                           | 1         | SM                             |
| <b>HIV PROTEASE INHIBITOR ANTIRETROVIRALS - Drugs for Viral Infections</b>                     |           |                                |
| APTIVUS ORAL CAPSULE 250 MG ( <i>tipranavir</i> )                                              | 2         |                                |
| <i>atazanavir sulfate oral capsule 150 mg, 200 mg, 300 mg</i>                                  | 2         | SM                             |
| <i>darunavir oral tablet 600 mg, 800 mg</i>                                                    | 1         | SM                             |
| EVOTAZ ORAL TABLET 300-150 MG ( <i>atazanavir-cobicistat</i> )                                 | 2         |                                |
| <i>fosamprenavir calcium oral tablet 700 mg</i>                                                | 2         |                                |
| KALETRA ORAL SOLUTION 400-100 MG/5ML ( <i>lopinavir-ritonavir</i> )                            | 3         |                                |
| KALETRA ORAL TABLET 100-25 MG, 200-50 MG ( <i>lopinavir-ritonavir</i> )                        | 4         |                                |
| <i>lopinavir-ritonavir oral tablet 100-25 mg, 200-50 mg</i>                                    | 2         |                                |
| NORVIR ORAL PACKET 100 MG ( <i>ritonavir</i> )                                                 | 2         | SM                             |
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG ( <i>darunavir-cobicistat</i> )                   | 2         |                                |
| PREZISTA ORAL SUSPENSION 100 MG/ML ( <i>darunavir</i> )                                        | 2         | SM                             |
| PREZISTA ORAL TABLET 150 MG, 75 MG ( <i>darunavir</i> )                                        | 2         | SM                             |
| REYATAZ ORAL PACKET 50 MG ( <i>atazanavir sulfate</i> )                                        | 2         | SM                             |
| <i>ritonavir oral tablet 100 mg</i>                                                            | 2         | SM                             |
| VIRACEPT ORAL TABLET 250 MG, 625 MG ( <i>nelfinavir mesylate</i> )                             | 2         |                                |
| <b>INTERFERON ANTIVIRALS - Drugs for Viral Infections</b>                                      |           |                                |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML ( <i>peginterferon alfa-2a</i> )                      | 3         | SP; SMCS                       |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML ( <i>peginterferon alfa-2a</i> ) | 3         | SP; SMCS                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                               | Drug Tier | Coverage Requirements & Limits              |
|------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------|
| <b>LINCOMYCIN ANTIBIOTICS - Antibiotics</b>                                                          |           |                                             |
| CLEOCIN ORAL CAPSULE 150 MG, 300 MG ( <i>clindamycin hcl</i> )                                       | 4         |                                             |
| CLEOCIN ORAL CAPSULE 75 MG ( <i>clindamycin hcl</i> )                                                | 2         |                                             |
| CLEOCIN ORAL SOLUTION RECONSTITUTED 75 MG/5ML ( <i>clindamycin palmitate hcl</i> )                   | 4         |                                             |
| CLEOCIN VAGINAL CREAM 2 % ( <i>clindamycin phosphate</i> )                                           | 4         |                                             |
| <i>clindacin etz external swab 1 %</i>                                                               | 1         |                                             |
| <i>clindacin external foam 1 %</i>                                                                   | 3         |                                             |
| <i>clindacin-p external swab 1 %</i>                                                                 | 1         |                                             |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>                                            | 1         |                                             |
| <i>clindamycin palmitate hcl oral solution reconstituted 75 mg/5ml</i>                               | 2         |                                             |
| <i>clindamycin phos (twice-daily) external gel 1 %</i>                                               | 2         | QL (75 grams per prescription.)             |
| <i>clindamycin phos-benzoyl perox external gel 1.2-5 %</i>                                           | 3         | QL (1 bottle (45 grams) per month.)         |
| <i>clindamycin phosphate external foam 1 %</i>                                                       | 3         |                                             |
| <i>clindamycin phosphate external lotion 1 %</i>                                                     | 3         |                                             |
| <i>clindamycin phosphate external solution 1 %</i>                                                   | 1         |                                             |
| <i>clindamycin phosphate external swab 1 %</i>                                                       | 1         |                                             |
| <i>clindamycin phosphate vaginal cream 2 %</i>                                                       | 2         |                                             |
| CLINDESSE VAGINAL CREAM 2 % ( <i>clindamycin phosphate (1 dose)</i> )                                | 2         |                                             |
| <i>neuac external gel 1.2-5 %</i>                                                                    | 3         | QL (1 bottle (45 grams) per month.)         |
| XACIATO VAGINAL GEL 2 % ( <i>clindamycin phosphate</i> )                                             | 2         | QL (1 gel tube (8 grams) per prescription.) |
| <b>MONOCLONAL ANTIBODIES (08:18) - Drugs for Viral Infections</b>                                    |           |                                             |
| BEYFORTUS INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 100 MG/ML, 50 MG/0.5ML ( <i>nirsevimab-alip</i> ) | 3         | H                                           |
| ENFLONSIA INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 105 MG/0.7ML ( <i>clesrovimab-cfor</i> )          | 3         | H                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits          |
|--------------------------------------------------------------------------------------------|-----------|-----------------------------------------|
| <b>NATURAL PENICILLIN ANTIBIOTICS - Antibiotics</b>                                        |           |                                         |
| <i>penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml</i>           | 1         |                                         |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>                                   | 1         |                                         |
| <b>NEURAMINIDASE INHIBITOR ANTIVIRALS - Drugs for Viral Infections</b>                     |           |                                         |
| <i>oseltamivir phosphate oral capsule 30 mg, 45 mg, 75 mg</i>                              | 2         |                                         |
| <i>oseltamivir phosphate oral suspension reconstituted 6 mg/ml</i>                         | 2         |                                         |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT ( <i>zanamivir</i> ) | 3         |                                         |
| <b>NITROIMIDAZOLE DERIVATIVE, ANTI-LEISHMAL - Drugs for the Mouth and Throat</b>           |           |                                         |
| IMPAVIDO ORAL CAPSULE 50 MG ( <i>miltefosine</i> )                                         | 2         | QL (84 capsules per course of therapy.) |
| <b>NITROIMIDAZOLE DERIVATIVE, TRYPANOCIDAL - Drugs for the Mouth and Throat</b>            |           |                                         |
| BENZNIDAZOLE ORAL TABLET 100 MG                                                            | 2         | QL (240 tablets per 720 days.)          |
| BENZNIDAZOLE ORAL TABLET 12.5 MG                                                           | 2         | QL (720 tablets per 720 days.)          |
| <b>NITROIMIDAZOLE DERIVATIVES, MISC - Drugs for the Mouth and Throat</b>                   |           |                                         |
| LIKMEZ ORAL SUSPENSION 500 MG/5ML ( <i>metronidazole</i> )                                 | 4         |                                         |
| METROCREAM EXTERNAL CREAM 0.75 % ( <i>metronidazole</i> )                                  | 4         |                                         |
| <i>metronidazole external cream 0.75 %</i>                                                 | 1         |                                         |
| <i>metronidazole external gel 0.75 %</i>                                                   | 1         |                                         |
| <i>metronidazole external lotion 0.75 %</i>                                                | 1         |                                         |
| <i>metronidazole oral capsule 375 mg</i>                                                   | 1         |                                         |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>                                            | 1         |                                         |
| <i>metronidazole vaginal gel 0.75 %</i>                                                    | 2         |                                         |
| VANDAZOLE VAGINAL GEL 0.75 % ( <i>metronidazole</i> )                                      | 4         |                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits                               |
|----------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------|
| <b>NUCLEOSIDE AND NUCLEOTIDE ANTIVIRALS - Drugs for Viral Infections</b>                     |           |                                                              |
| <i>acyclovir external ointment 5 %</i>                                                       | 3         | QL (15 grams per prescription.)                              |
| <i>acyclovir oral capsule 200 mg</i>                                                         | 1         |                                                              |
| <i>acyclovir oral suspension 200 mg/5ml</i>                                                  | 1         |                                                              |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                                                  | 1         |                                                              |
| <i>adefovir dipivoxil oral tablet 10 mg</i>                                                  | 3         |                                                              |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML ( <i>entecavir</i> )                                      | 2         |                                                              |
| COMPLERA ORAL TABLET 200-25-300 MG ( <i>emtricitabine-rilpivir-tenofovir</i> )               | 4         | QL (1 tablet per day.); SM                                   |
| DESCOVY ORAL TABLET 120-15 MG ( <i>emtricitabine-tenofovir af</i> )                          | 4         | QL (1 tablet per day.); SM                                   |
| DESCOVY ORAL TABLET 200-25 MG ( <i>emtricitabine-tenofovir af</i> )                          | 4         | QL (1 tablet per day.); H; SM                                |
| <i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>             | 1         | QL (1 tablet per day.); SM                                   |
| <i>emtricitabine-tenofovir df oral tablet 200-300 mg</i>                                     | 1         | QL (1 tablet per day.); H; SM                                |
| <i>emtricitabine-rilpivir-tenofovir df oral tablet 200-25-300 mg</i>                         | 3         | QL (1 tablet per day.); SM                                   |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i>                                                    | 2         |                                                              |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>                                        | 2         |                                                              |
| LAGEVRIO ORAL CAPSULE 200 MG ( <i>molnupiravir</i> )                                         | 3         | QL (80 capsules per 365 days. 40 capsules per prescription.) |
| ODEFSEY ORAL TABLET 200-25-25 MG ( <i>emtricitabine-rilpivir-tenofovir af</i> )              | 4         | QL (1 tablet per day.)                                       |
| <i>ribavirin inhalation solution reconstituted 6 gm</i>                                      | 3         |                                                              |
| <i>ribavirin oral capsule 200 mg</i>                                                         | 1         |                                                              |
| TEMBEXA ORAL SUSPENSION 10 MG/ML ( <i>brincidofovir</i> )                                    | 4         |                                                              |
| TEMBEXA ORAL TABLET 100 MG ( <i>brincidofovir</i> )                                          | 4         |                                                              |
| TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG ( <i>emtricitabine-tenofovir df</i> ) | 4         | QL (1 tablet per day.); SM                                   |
| <i>valacyclovir hcl oral tablet 1 gm</i>                                                     | 1         | QL (31 tablets per prescription)                             |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                        | Drug Tier | Coverage Requirements & Limits     |
|-----------------------------------------------------------------------------------------------|-----------|------------------------------------|
| <i>valacyclovir hcl oral tablet 500 mg</i>                                                    | 1         | QL (62 tablets per prescription.)  |
| <i>valganciclovir hcl oral solution reconstituted 50 mg/ml</i>                                | 1         |                                    |
| <i>valganciclovir hcl oral tablet 450 mg</i>                                                  | 1         |                                    |
| ZIRGAN OPHTHALMIC GEL 0.15 % ( <i>ganciclovir</i> )                                           | 4         |                                    |
| <b>OTHER MACROLIDE ANTIBIOTICS - Antibiotics</b>                                              |           |                                    |
| <i>azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>                      | 1         |                                    |
| <i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i>                                        | 1         |                                    |
| <i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>                          | 2         |                                    |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                    | 2         |                                    |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                              | 1         |                                    |
| DIFICID ORAL SUSPENSION RECONSTITUTED 40 MG/ML ( <i>fidaxomicin</i> )                         | 4         | QL (136 mL per 10 days.)           |
| <i>fidaxomicin oral tablet 200 mg</i>                                                         | 4         | QL (20 tablets per 7 days)         |
| VOQUEZNA TRIPLE PAK ORAL THERAPY PACK 500-500-20 MG ( <i>amoxicill-clarithro-vonoprazan</i> ) | 4         | ST; QL (112 tablets per 180 days.) |
| ZITHROMAX ORAL SUSPENSION RECONSTITUTED 200 MG/5ML ( <i>azithromycin</i> )                    | 4         |                                    |
| ZITHROMAX ORAL TABLET 250 MG, 500 MG ( <i>azithromycin</i> )                                  | 4         |                                    |
| ZITHROMAX TRI-PAK ORAL TABLET 500 MG ( <i>azithromycin</i> )                                  | 4         |                                    |
| ZITHROMAX Z-PAK ORAL TABLET 250 MG ( <i>azithromycin</i> )                                    | 4         |                                    |
| <b>OTHER MACROLIDES (8:12.12.92) - Antibiotics</b>                                            |           |                                    |
| <i>azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>                      | 1         |                                    |
| <i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i>                                        | 1         |                                    |
| <i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>                          | 2         |                                    |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                    | 2         |                                    |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                              | 1         |                                    |
| DIFICID ORAL SUSPENSION RECONSTITUTED 40 MG/ML ( <i>fidaxomicin</i> )                         | 4         | QL (136 mL per 10 days.)           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                        | Drug Tier | Coverage Requirements & Limits     |
|-----------------------------------------------------------------------------------------------|-----------|------------------------------------|
| <i>fidaxomicin oral tablet 200 mg</i>                                                         | 4         | QL (20 tablets per 7 days)         |
| VOQUEZNA TRIPLE PAK ORAL THERAPY PACK 500-500-20 MG ( <i>amoxicill-clarithro-vonoprazan</i> ) | 4         | ST; QL (112 tablets per 180 days.) |
| ZITHROMAX ORAL SUSPENSION RECONSTITUTED 200 MG/5ML ( <i>azithromycin</i> )                    | 4         |                                    |
| ZITHROMAX ORAL TABLET 250 MG, 500 MG ( <i>azithromycin</i> )                                  | 4         |                                    |
| ZITHROMAX TRI-PAK ORAL TABLET 500 MG ( <i>azithromycin</i> )                                  | 4         |                                    |
| ZITHROMAX Z-PAK ORAL TABLET 250 MG ( <i>azithromycin</i> )                                    | 4         |                                    |
| <b>OXAZOLIDINONE ANTIBIOTICS - Antibiotics</b>                                                |           |                                    |
| <i>linezolid oral suspension reconstituted 100 mg/5ml</i>                                     | 2         |                                    |
| <i>linezolid oral tablet 600 mg</i>                                                           | 2         |                                    |
| ZYVOX ORAL SUSPENSION RECONSTITUTED 100 MG/5ML ( <i>linezolid</i> )                           | 4         |                                    |
| <b>PENICILLINASE-RESISTANT PENICILLINS - Antibiotics</b>                                      |           |                                    |
| <i>dicloxacillin sodium oral capsule 250 mg, 500 mg</i>                                       | 1         |                                    |
| <b>POLYENE ANTIFUNGALS - Drugs for Fungus</b>                                                 |           |                                    |
| <i>klayesta external powder 100000 unit/gm</i>                                                | 1         | QL (120 grams per prescription.)   |
| <i>nyamyc external powder 100000 unit/gm</i>                                                  | 1         | QL (120 grams per prescription.)   |
| <i>nystatin external cream 100000 unit/gm</i>                                                 | 1         | QL (90 grams per prescription.)    |
| <i>nystatin external ointment 100000 unit/gm</i>                                              | 1         | QL (90 grams per prescription.)    |
| <i>nystatin external powder 100000 unit/gm</i>                                                | 1         | QL (120 grams per prescription.)   |
| <i>nystatin mouth/throat suspension 100000 unit/ml</i>                                        | 1         |                                    |
| <i>nystatin oral tablet 500000 unit</i>                                                       | 1         |                                    |
| <i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i>                             | 2         |                                    |
| <i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i>                          | 2         |                                    |
| <i>nystop external powder 100000 unit/gm</i>                                                  | 1         | QL (120 grams per prescription.)   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>POLYMYXIN ANTIBIOTICS - Antibiotics</b>                                                            |           |                                |
| <b><i>colistimethate sodium (cba) injection solution reconstituted 150 mg</i></b>                     | 1         |                                |
| COLY-MYCIN M INJECTION SOLUTION RECONSTITUTED 150 MG ( <b><i>colistimethate sodium</i></b> )          | 4         |                                |
| <b><i>polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%</i></b>                        | 1         |                                |
| <b>PYRIMIDINE ANTIFUNGALS - Drugs for Fungus</b>                                                      |           |                                |
| ANCOBON ORAL CAPSULE 250 MG ( <b><i>flucytosine</i></b> )                                             | 4         |                                |
| ANCOBON ORAL CAPSULE 500 MG ( <b><i>flucytosine</i></b> )                                             | 3         |                                |
| <b><i>flucytosine oral capsule 250 mg, 500 mg</i></b>                                                 | 1         |                                |
| <b>QUINOLONE ANTIBIOTICS - Antibiotics</b>                                                            |           |                                |
| BAXDELA ORAL TABLET 450 MG ( <b><i>delafloxacin meglumine</i></b> )                                   | 4         |                                |
| CIPRO ORAL SUSPENSION RECONSTITUTED 250 MG/5ML (5%), 500 MG/5ML (10%) ( <b><i>ciprofloxacin</i></b> ) | 3         |                                |
| CIPRO ORAL TABLET 250 MG, 500 MG ( <b><i>ciprofloxacin hcl</i></b> )                                  | 4         |                                |
| <b><i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i></b>                                    | 1         |                                |
| <b><i>levofloxacin ophthalmic solution 0.5 %, 1.5 %</i></b>                                           | 1         |                                |
| <b><i>levofloxacin oral solution 25 mg/ml</i></b>                                                     | 1         |                                |
| <b><i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i></b>                                         | 1         |                                |
| <b><i>moxifloxacin hcl (2x day) ophthalmic solution 0.5 %</i></b>                                     | 3         |                                |
| <b><i>moxifloxacin hcl ophthalmic solution 0.5 %</i></b>                                              | 3         |                                |
| <b><i>moxifloxacin hcl oral tablet 400 mg</i></b>                                                     | 3         |                                |
| OCUFLOX OPHTHALMIC SOLUTION 0.3 % ( <b><i>ofloxacin</i></b> )                                         | 4         |                                |
| <b><i>ofloxacin ophthalmic solution 0.3 %</i></b>                                                     | 1         |                                |
| <b><i>ofloxacin oral tablet 300 mg, 400 mg</i></b>                                                    | 1         |                                |
| <b><i>ofloxacin otic solution 0.3 %</i></b>                                                           | 2         |                                |
| <b>RIFAMYCIN ANTIBIOTICS - Antibiotics</b>                                                            |           |                                |
| PRIFTIN ORAL TABLET 150 MG ( <b><i>rifapentine</i></b> )                                              | 2         |                                |
| <b><i>rifabutin oral capsule 150 mg</i></b>                                                           | 1         |                                |
| <b><i>rifampin oral capsule 150 mg, 300 mg</i></b>                                                    | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                   | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>SULFONAMIDE ANTIBIOTICS (SYSTEMIC) - Antibiotics</b>                                                                  |           |                                |
| BACTRIM DS ORAL TABLET 800-160 MG ( <i>sulfamethoxazole-trimethoprim</i> )                                               | 4         |                                |
| BACTRIM ORAL TABLET 400-80 MG ( <i>sulfamethoxazole-trimethoprim</i> )                                                   | 4         |                                |
| <i>sulfadiazine oral tablet 500 mg</i>                                                                                   | 1         |                                |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i>                                                       | 1         |                                |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>                                                   | 1         |                                |
| <i>sulfasalazine oral tablet 500 mg</i>                                                                                  | 1         |                                |
| <i>sulfasalazine oral tablet delayed release 500 mg</i>                                                                  | 1         |                                |
| <i>sulfatrim pediatric oral suspension 200-40 mg/5ml</i>                                                                 | 1         |                                |
| <b>TETRACYCLINE ANTIBIOTICS - Antibiotics</b>                                                                            |           |                                |
| AVIDOXY DK COMBINATION KIT 100 MG ( <i>doxycycline-sunscreen-sal acid</i> )                                              | 3         |                                |
| AVIDOXY ORAL TABLET 100 MG                                                                                               | 4         |                                |
| <i>demeclocycline hcl oral tablet 150 mg, 300 mg</i>                                                                     | 1         |                                |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>                                                                    | 2         |                                |
| <i>doxycycline hyclate oral tablet 100 mg</i>                                                                            | 2         |                                |
| <i>doxycycline hyclate oral tablet 20 mg</i>                                                                             | 1         |                                |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>                                                                | 1         |                                |
| <i>doxycycline monohydrate oral suspension reconstituted 25 mg/5ml</i>                                                   | 3         |                                |
| <i>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>                                                  | 1         |                                |
| <i>minocycline hcl er oral tablet extended release 24 hour 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg</i> | 2         |                                |
| <i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i>                                                                 | 1         |                                |
| <i>tetracycline hcl oral capsule 250 mg, 500 mg</i>                                                                      | 3         |                                |
| <b>URINARY ANTI-INFECTIVES - Drugs for the Urinary System</b>                                                            |           |                                |
| BACTRIM DS ORAL TABLET 800-160 MG ( <i>sulfamethoxazole-trimethoprim</i> )                                               | 4         |                                |
| BACTRIM ORAL TABLET 400-80 MG ( <i>sulfamethoxazole-trimethoprim</i> )                                                   | 4         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                               | Drug Tier | Coverage Requirements & Limits         |
|--------------------------------------------------------------------------------------|-----------|----------------------------------------|
| <i>fosfomycin tromethamine oral packet 3 gm</i>                                      | 3         |                                        |
| HIPREX ORAL TABLET 1 GM ( <i>methenamine hippurate</i> )                             | 4         |                                        |
| MACROBID ORAL CAPSULE 100 MG ( <i>nitrofurantoin monohyd macro</i> )                 | 4         |                                        |
| MACRODANTIN ORAL CAPSULE 100 MG, 25 MG, 50 MG ( <i>nitrofurantoin macrocrystal</i> ) | 4         |                                        |
| <i>me/naphos/mb/hyo1 oral tablet 81.6 mg</i>                                         | 1         |                                        |
| <i>methenamine hippurate oral tablet 1 gm</i>                                        | 1         |                                        |
| <i>methenamine mandelate oral tablet 0.5 gm, 1 gm</i>                                | 1         |                                        |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>                 | 1         |                                        |
| <i>nitrofurantoin monohydrate macrocrystals oral capsule 100 mg</i>                  | 1         |                                        |
| <i>nitrofurantoin oral suspension 25 mg/5ml</i>                                      | 3         |                                        |
| ORLYNVAH ORAL TABLET 500-500 MG ( <i>sulopenem etzadrox-probenecid</i> )             | 4         | QL (10 tablets per course of therapy.) |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i>                   | 1         |                                        |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>               | 1         |                                        |
| <i>sulfatrim pediatric oral suspension 200-40 mg/5ml</i>                             | 1         |                                        |
| <i>trimethoprim oral tablet 100 mg</i>                                               | 1         |                                        |
| URELLE ORAL TABLET 81 MG ( <i>meth-hyo-m bl-na phos-ph sal</i> )                     | 4         |                                        |
| <i>uretron d/s oral tablet 81.6 mg</i>                                               | 4         |                                        |
| UROGESIC-BLUE ORAL TABLET 81.6 MG ( <i>methen-hyosc-meth blue-na phos</i> )          | 2         |                                        |
| VILEVEV MB ORAL TABLET 81 MG ( <i>meth-hyo-m bl-na phos-ph sal</i> )                 | 4         |                                        |
| <b>ANTINEOPLASTIC AGENTS - Drugs for Cancer</b>                                      |           |                                        |
| <b>ANTINEOPLASTIC AGENTS - Drugs for Cancer</b>                                      |           |                                        |
| <i>abiraterone acetate oral tablet 250 mg</i>                                        | 3         | QL (4 tablets per day.); SP; CM; SMCS  |
| <i>abirtega oral tablet 250 mg</i>                                                   | 3         | QL (4 tablets per day.); SP; CM; SMCS  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits                        |
|--------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------|
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG ( <i>niraparib-abiraterone acetate</i> )          | 4         | PA; ST; QL (2 tablets per day.); SP; CM; SMCS         |
| ALECENSA ORAL CAPSULE 150 MG ( <i>alectinib hcl</i> )                                      | 3         | PA; QL (8 capsules per day.); CM; SMCS                |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG ( <i>brigatinib</i> )                                   | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS              |
| ALUNBRIG ORAL TABLET 30 MG ( <i>brigatinib</i> )                                           | 3         | PA; QL (4 tablets per day.); SP; CM; SMCS             |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG ( <i>brigatinib</i> )                        | 3         | PA; QL (30 packs per year.); SP; CM; SMCS             |
| <i>anastrozole oral tablet 1 mg</i>                                                        | 1         | H-N                                                   |
| AUGTYRO ORAL CAPSULE 160 MG ( <i>repotrectinib</i> )                                       | 3         | PA; QL (60 capsules per month.); SP; CM; SMCS         |
| AUGTYRO ORAL CAPSULE 40 MG ( <i>repotrectinib</i> )                                        | 3         | PA; QL (8 capsules per day.); SP; CM; SMCS            |
| AVMAPKI FAKZYNJA CO-PACK ORAL THERAPY PACK 0.8 & 200 MG ( <i>avutometinib-defactinib</i> ) | 4         | PA; QL (66 capsules/tablets per month.); SP; CM; SMCS |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG ( <i>avapritinib</i> )            | 4         | PA; QL (1 tablet per day.); SP; CM; SMCS              |
| <i>bexarotene external gel 1 %</i>                                                         | 4         | QL (60 grams per prescription.); SP; SMCS             |
| <i>bexarotene oral capsule 75 mg</i>                                                       | 3         | SP; CM; SMCS                                          |
| <i>bicalutamide oral tablet 50 mg</i>                                                      | 1         | CM                                                    |
| BOSULIF ORAL CAPSULE 100 MG ( <i>bosutinib</i> )                                           | 3         | PA; ST; QL (3 Capsules per day.); SP; CM; SMCS        |
| BOSULIF ORAL CAPSULE 50 MG ( <i>bosutinib</i> )                                            | 3         | PA; ST; QL (1 Capsule per day.); SP; CM; SMCS         |
| BRUKINSA ORAL CAPSULE 80 MG ( <i>zanubrutinib</i> )                                        | 4         | PA; ST; SP; CM; SMCS                                  |
| BRUKINSA ORAL TABLET 160 MG ( <i>zanubrutinib</i> )                                        | 4         | QL (60 capsules per month.); SP; CM; SMCS             |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG ( <i>cabozantinib s-malate</i> )                 | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS              |
| CALQUENCE ORAL TABLET 100 MG ( <i>acalabrutinib maleate</i> )                              | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS             |
| <i>capecitabine oral tablet 150 mg, 500 mg</i>                                             | 2         | SP; CM; SMCS                                          |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                               | Drug Tier | Coverage Requirements & Limits                 |
|----------------------------------------------------------------------|-----------|------------------------------------------------|
| CAPRELSA ORAL TABLET 100 MG ( <b>vandetanib</b> )                    | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS      |
| CAPRELSA ORAL TABLET 300 MG ( <b>vandetanib</b> )                    | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS       |
| COMETRIQ ORAL KIT 20 MG ( <b>cabozantinib s-malate</b> )             | 3         | PA; QL (93 capsules per month.); SP; CM; SMCS  |
| COMETRIQ ORAL KIT 3 X 20 MG & 80 MG ( <b>cabozantinib s-malate</b> ) | 3         | PA; QL (124 capsules per month.); SP; CM; SMCS |
| COMETRIQ ORAL KIT 80 & 20 MG ( <b>cabozantinib s-malate</b> )        | 3         | PA; QL (62 capsules per month.); SP; CM; SMCS  |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG ( <b>duvelisib</b> )              | 4         | PA; QL (2 capsules per day.); SP; CM; SMCS     |
| COTELLIC ORAL TABLET 20 MG ( <b>cobimetinib fumarate</b> )           | 4         | PA; QL (63 tablets per 21 days); SP; CM; SMCS  |
| <b>cyclophosphamide oral capsule 25 mg, 50 mg</b>                    | 3         | CM                                             |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG                                   | 3         | CM                                             |
| <b>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</b>     | 3         | PA; QL (1 tablet per day.); SP; CM             |
| <b>dasatinib oral tablet 20 mg</b>                                   | 3         | PA; QL (90 tablets per month.); SP; CM         |
| DAURISMO ORAL TABLET 100 MG, 25 MG ( <b>glasdegib maleate</b> )      | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS      |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG ( <b>hydroxyurea</b> )    | 1         | CM                                             |
| ERIVEDGE ORAL CAPSULE 150 MG ( <b>vismodegib</b> )                   | 3         | PA; QL (1 capsule per day.); SP; CM; SMCS      |
| ERLEADA ORAL TABLET 240 MG ( <b>apalutamide</b> )                    | 3         | PA; QL (1 tablet per day.); SMCS               |
| ERLEADA ORAL TABLET 60 MG ( <b>apalutamide</b> )                     | 3         | PA; QL (4 tablets per day.); SP; CM; SMCS      |
| <b>erlotinib hcl oral tablet 100 mg, 150 mg</b>                      | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS       |
| <b>erlotinib hcl oral tablet 25 mg</b>                               | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS      |
| <b>etoposide oral capsule 50 mg</b>                                  | 1         | SP; CM; SMCS                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                              | Drug Tier | Coverage Requirements & Limits                      |
|-----------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------|
| <b>everolimus oral tablet 10 mg, 7.5 mg</b>                                                         | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS           |
| <b>everolimus oral tablet 2.5 mg, 5 mg</b>                                                          | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS            |
| <b>everolimus oral tablet soluble 2 mg, 3 mg, 5 mg</b>                                              | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS            |
| <b>exemestane oral tablet 25 mg</b>                                                                 | 2         | H-N                                                 |
| FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG/VIAL ( <b>degarelix acetate</b> ) | 4         | SP; SMCS                                            |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG ( <b>degarelix acetate</b> )                     | 4         | SP; SMCS                                            |
| <b>fluorouracil external cream 5 %</b>                                                              | 1         |                                                     |
| <b>fluorouracil external solution 2 %, 5 %</b>                                                      | 1         |                                                     |
| FRUZAQLA ORAL CAPSULE 1 MG ( <b>fruquintinib</b> )                                                  | 4         | PA; ST; QL (84 capsules per 21 days.); SP; CM; SMCS |
| FRUZAQLA ORAL CAPSULE 5 MG ( <b>fruquintinib</b> )                                                  | 4         | PA; ST; QL (21 capsules per 21 days.); SP; CM; SMCS |
| GAVRETO ORAL CAPSULE 100 MG ( <b>pralsetinib</b> )                                                  | 4         | PA; QL (4 capsules per day.); SP; CM; SMCS          |
| <b>gefitinib oral tablet 250 mg</b>                                                                 | 4         | PA; QL (2 tablets per day.); SP; CM; SMCS           |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG ( <b>afatinib dimaleate</b> )                              | 4         | PA; QL (1 tablet per day.); SP; CM; SMCS            |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG ( <b>lomustine</b> )                                    | 3         | SP; CM; SMCS                                        |
| GOMEKLI ORAL CAPSULE 1 MG ( <b>mirdametinib</b> )                                                   | 4         | PA; QL (42 capsules per 4 weeks.); SP; SMCS         |
| GOMEKLI ORAL CAPSULE 2 MG ( <b>mirdametinib</b> )                                                   | 4         | PA; QL (84 capsules per 4 weeks.); SP; SMCS         |
| GOMEKLI ORAL TABLET SOLUBLE 1 MG ( <b>mirdametinib</b> )                                            | 4         | PA; QL (168 tablets per 4 weeks.); SP; SMCS         |
| HEPZATO W/50MM CATHETER INTRA-ARTERIAL SOLUTION RECONSTITUTED 50 MG ( <b>melfalan hcl</b> )         | 3         |                                                     |
| HEPZATO W/62MM CATHETER INTRA-ARTERIAL SOLUTION RECONSTITUTED 50 MG ( <b>melfalan hcl</b> )         | 3         |                                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                            | Drug Tier | Coverage Requirements & Limits                       |
|-------------------------------------------------------------------|-----------|------------------------------------------------------|
| HYCAMTIN ORAL CAPSULE 0.25 MG ( <i>topotecan hcl</i> )            | 3         | PA; QL (20 capsules per three weeks.); SP; CM; SMCS  |
| HYCAMTIN ORAL CAPSULE 1 MG ( <i>topotecan hcl</i> )               | 3         | PA; QL (305 capsules per 15 days.); SP; CM; SMCS     |
| HYDREA ORAL CAPSULE 500 MG ( <i>hydroxyurea</i> )                 | 4         | CM                                                   |
| <i>hydroxyurea oral capsule 500 mg</i>                            | 1         | CM                                                   |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG ( <i>palbociclib</i> ) | 3         | PA; ST; QL (21 capsules per month.); SP; CM; SMCS    |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG ( <i>palbociclib</i> )  | 3         | PA; ST; QL (0.75 tablets per day.); SP; CM; SMCS     |
| ICLUSIG ORAL TABLET 15 MG, 45 MG ( <i>ponatinib hcl</i> )         | 4         | PA; QL (1 tablet per day.); SP; CM; SMCS             |
| IDHIFA ORAL TABLET 100 MG, 50 MG ( <i>enasidenib mesylate</i> )   | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS             |
| <i>imatinib mesylate oral tablet 100 mg</i>                       | 1         | QL (6 tablets per day.); SP; CM; SMCS                |
| <i>imatinib mesylate oral tablet 400 mg</i>                       | 1         | QL (1 tablet per day.); SP; CM; SMCS                 |
| IMBRUVICA ORAL CAPSULE 140 MG ( <i>ibrutinib</i> )                | 3         | PA; QL (4 capsules per day.); SP; CM; SMCS           |
| IMBRUVICA ORAL CAPSULE 70 MG ( <i>ibrutinib</i> )                 | 3         | PA; QL (1 capsule per day.); SP; CM; SMCS            |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML ( <i>ibrutinib</i> )           | 3         | PA; QL (7.2 ml per day.); SP; CM; SMCS               |
| IMBRUVICA ORAL TABLET 420 MG ( <i>ibrutinib</i> )                 | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS             |
| IMKELDI ORAL SOLUTION 80 MG/ML                                    | 4         | PA; QL (280 ml (2 bottles) per month.); SP; CM; SMCS |
| INLYTA ORAL TABLET 1 MG ( <i>axitinib</i> )                       | 4         | PA; QL (6 tablets per day.); SP; CM; SMCS            |
| INLYTA ORAL TABLET 5 MG ( <i>axitinib</i> )                       | 4         | PA; QL (124 tablets per 30 days.); SP; CM; SMCS      |
| INQOVI ORAL TABLET 35-100 MG ( <i>decitabine-cedazuridine</i> )   | 4         | PA; QL (5 tablets per month.); SP; CM; SMCS          |
| IRESSA ORAL TABLET 250 MG ( <i>gefitinib</i> )                    | 4         | PA; QL (2 tablets per day.); SP; CM; SMCS            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                | Drug Tier | Coverage Requirements & Limits                      |
|---------------------------------------------------------------------------------------|-----------|-----------------------------------------------------|
| ITOVEBI ORAL TABLET 3 MG ( <i>inavolisib</i> )                                        | 3         | PA; QL (56 tablets per month.); SP; CM; SMCS        |
| ITOVEBI ORAL TABLET 9 MG ( <i>inavolisib</i> )                                        | 3         | PA; QL (28 tablets per month.); SP; CM; SMCS        |
| IWILFIN ORAL TABLET 192 MG ( <i>eflornithine hcl</i> )                                | 3         | PA; QL (8 tablets per day.); SP; CM; SMCS           |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG ( <i>ruxolitinib phosphate</i> )  | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS           |
| JAYPIRCA ORAL TABLET 100 MG ( <i>pirtobrutinib</i> )                                  | 4         | PA; QL (3 tablets per day.); SP; CM; SMCS           |
| JAYPIRCA ORAL TABLET 50 MG ( <i>pirtobrutinib</i> )                                   | 4         | PA; QL (1 tablet per day.); SP; CM; SMCS            |
| JYLAMVO ORAL SOLUTION 2 MG/ML ( <i>methotrexate</i> )                                 | 4         | PA; CM                                              |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG ( <i>ribociclib succinate</i> ) | 3         | PA; QL (21 tablets per month.); SP; CM; SMCS        |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG ( <i>ribociclib succinate</i> ) | 3         | PA; QL (42 tablets per 21 days.); SP; CM; SMCS      |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG ( <i>ribociclib succinate</i> ) | 3         | PA; QL (63 tablets per 21 days.); SP; CM; SMCS      |
| KOSELUGO ORAL CAPSULE 10 MG ( <i>selumetinib sulfate</i> )                            | 3         | PA; QL (8 capsules per day.); SP; CM; SMCS          |
| KOSELUGO ORAL CAPSULE 25 MG ( <i>selumetinib sulfate</i> )                            | 3         | PA; QL (4 capsules per day.); SP; CM; SMCS          |
| KOSELUGO ORAL CAPSULE SPRINKLE 5 MG, 7.5 MG ( <i>selumetinib sulfate</i> )            | 3         |                                                     |
| KRAZATI ORAL TABLET 200 MG ( <i>adagrasib</i> )                                       | 4         | PA; QL (6 tablets per day.); SP; CM; SMCS           |
| <i>lapatinib ditosylate oral tablet 250 mg</i>                                        | 3         | PA; QL (186 tablets per prescription); SP; CM; SMCS |
| LAZCLUZE ORAL TABLET 240 MG ( <i>lazertinib mesylate</i> )                            | 4         | PA; QL (30 tablets per month.); SP; CM; SMCS        |
| LAZCLUZE ORAL TABLET 80 MG ( <i>lazertinib mesylate</i> )                             | 4         | PA; QL (60 tablets per month.); SP; CM; SMCS        |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 5 mg</i>                           | 3         | PA; QL (28 capsules per 21 days.); SP; CM; SMCS     |
| <i>lenalidomide oral capsule 20 mg, 25 mg</i>                                         | 3         | PA; QL (21 capsules per 21 days.); SP; CM; SMCS     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                              | Drug Tier | Coverage Requirements & Limits                   |
|-----------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| LENVIMA ORAL CAPSULE THERAPY PACK 10 & 4 MG, 2 X 10 MG, 2 X 4 MG ( <i>lenvatinib mesylate</i> )     | 4         | PA; QL (2 capsules per day.); SP; CM; SMCS       |
| LENVIMA ORAL CAPSULE THERAPY PACK 10 MG ( <i>lenvatinib mesylate</i> )                              | 4         | PA; QL (1 capsule per day.); SP; CM; SMCS        |
| LENVIMA ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG, 2 X 10 MG & 4 MG ( <i>lenvatinib mesylate</i> ) | 4         | PA; QL (3 capsules per day.); SP; CM; SMCS       |
| LENVIMA ORAL CAPSULE THERAPY PACK 3 X 4 MG ( <i>lenvatinib mesylate</i> )                           | 3         | PA; QL (3 capsules per day.); SP; CM; SMCS       |
| LENVIMA ORAL CAPSULE THERAPY PACK 4 MG ( <i>lenvatinib mesylate</i> )                               | 3         | PA; QL (1 capsule per day.); SP; CM; SMCS        |
| <i>letrozole oral tablet 2.5 mg</i>                                                                 | 1         | H-N                                              |
| LEUKERAN ORAL TABLET 2 MG ( <i>chlorambucil</i> )                                                   | 3         | CM                                               |
| <i>leuprolide acetate injection kit 1 mg/0.2ml</i>                                                  | 1         | PA; SM; SMCS                                     |
| <i>lomustine oral capsule 10 mg, 100 mg, 40 mg</i>                                                  | 1         | SP; CM; SMCS                                     |
| LORBRENA ORAL TABLET 100 MG ( <i>lorlatinib</i> )                                                   | 4         | PA; ST; QL (30 tablets per month.); SP; CM; SMCS |
| LORBRENA ORAL TABLET 25 MG ( <i>lorlatinib</i> )                                                    | 4         | PA; ST; QL (90 tablets per month.); SP; CM; SMCS |
| LUMAKRAS ORAL TABLET 120 MG ( <i>sotorasib</i> )                                                    | 4         | PA; QL (240 tablets per month.); SP; CM; SMCS    |
| LUMAKRAS ORAL TABLET 240 MG ( <i>sotorasib</i> )                                                    | 4         | PA; QL (120 tablets per month.); SP; CM; SMCS    |
| LUMAKRAS ORAL TABLET 320 MG ( <i>sotorasib</i> )                                                    | 4         | PA; QL (3 tablets per day.); SP; CM; SMCS        |
| LYNPARZA ORAL TABLET 100 MG, 150 MG ( <i>olaparib</i> )                                             | 3         | PA; QL (4 tablets per day.); SP; CM; SMCS        |
| LYSODREN ORAL TABLET 500 MG ( <i>mitotane</i> )                                                     | 3         | CM                                               |
| LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG ( <i>futibatinib</i> )                     | 4         | PA; QL (84 tablets per month.); SP; CM; SMCS     |
| LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG ( <i>futibatinib</i> )                     | 4         | PA; QL (112 tablets per month.); SP; CM; SMCS    |
| LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG ( <i>futibatinib</i> )                     | 4         | PA; QL (140 tablets per month.); SP; CM; SMCS    |
| MATULANE ORAL CAPSULE 50 MG ( <i>procarbazine hcl</i> )                                             | 3         | SP; CM; SMCS                                     |
| MAVENCLAD ORAL TABLET THERAPY PACK 10 MG ( <i>cladribine</i> )                                      | 4         | PA; ST; QL (40 tablets per 720 days.); SP; SMCS  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                             | Drug Tier | Coverage Requirements & Limits                      |
|----------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------|
| <b>megestrol acetate oral suspension 40 mg/ml</b>                                                  | 1         |                                                     |
| <b>megestrol acetate oral suspension 625 mg/5ml</b>                                                | 3         |                                                     |
| <b>megestrol acetate oral tablet 20 mg, 40 mg</b>                                                  | 1         |                                                     |
| MEKINIST ORAL SOLUTION RECONSTITUTED 0.05 MG/ML ( <b>trametinib dimethyl sulfoxide</b> )           | 4         | ST; QL (17.4 ml per day.); SP; CM; SMCS             |
| MEKINIST ORAL TABLET 0.5 MG ( <b>trametinib dimethyl sulfoxide</b> )                               | 4         | PA; ST; QL (2 tablets per day.); SP; CM; SMCS       |
| MEKINIST ORAL TABLET 2 MG ( <b>trametinib dimethyl sulfoxide</b> )                                 | 4         | PA; ST; QL (1 tablet per day.); SP; CM; SMCS        |
| <b>mercaptopurine oral suspension 2000 mg/100ml</b>                                                | 3         | SP; CM; SMCS                                        |
| <b>mercaptopurine oral tablet 50 mg</b>                                                            | 1         | CM                                                  |
| <b>methotrexate sodium (pf) injection solution 1 gm/40ml, 1000 mg/40ml, 250 mg/10ml, 50 mg/2ml</b> | 1         |                                                     |
| <b>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</b>                               | 1         |                                                     |
| <b>methotrexate sodium injection solution reconstituted 1 gm</b>                                   | 1         |                                                     |
| <b>methotrexate sodium oral tablet 2.5 mg</b>                                                      | 1         | CM                                                  |
| MYLERAN ORAL TABLET 2 MG ( <b>busulfan</b> )                                                       | 3         | CM                                                  |
| NERLYNX ORAL TABLET 40 MG ( <b>neratinib maleate</b> )                                             | 3         | PA; QL (6 tablets per day.); SP; CM; SMCS           |
| <b>nilotinib hcl oral capsule 150 mg, 200 mg</b>                                                   | 3         | PA; ST; QL (4 capsules per day.); SP; CM            |
| <b>nilotinib hcl oral capsule 50 mg</b>                                                            | 3         | PA; ST; QL (4 capsules per day.); SP; CM; SMCS      |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG ( <b>ixazomib citrate</b> )                                | 3         | PA; QL (3 capsules per prescription.); SP; CM; SMCS |
| NUBEQA ORAL TABLET 300 MG ( <b>darolutamide</b> )                                                  | 3         | PA; QL (4 tablets per day.); SP; CM; SMCS           |
| ODOMZO ORAL CAPSULE 200 MG ( <b>sonidegib phosphate</b> )                                          | 3         | PA; QL (1 capsule per day.); SP; CM; SMCS           |
| OGSIVEO ORAL TABLET 100 MG, 150 MG ( <b>nirogacestat hydrobromide</b> )                            | 3         | PA; SP; CM; SMCS                                    |
| OGSIVEO ORAL TABLET 50 MG ( <b>nirogacestat hydrobromide</b> )                                     | 3         | PA; QL (6 tablets per day.); SP; CM; SMCS           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                         | Drug Tier | Coverage Requirements & Limits                  |
|------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| OJEMDA ORAL SUSPENSION RECONSTITUTED 25 MG/ML ( <b>tovorafenib</b> )                           | 4         | PA; QL (96 ml per month.); SP; CM; SMCS         |
| OJEMDA ORAL TABLET 100 MG ( <b>tovorafenib</b> )                                               | 4         | PA; QL (24 tablets per month.); SP; CM; SMCS    |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG ( <b>momelotinib dihydrochloride</b> )              | 4         | PA; QL (1 tablet per day.); SP; CM; SMCS        |
| ONUREG ORAL TABLET 200 MG, 300 MG ( <b>azacitidine</b> )                                       | 3         | PA; QL (14 tablets per 24 days.); SP; CM; SMCS  |
| ORGOVYX ORAL TABLET 120 MG ( <b>relugolix</b> )                                                | 4         | PA; QL (1 tablet per day); SP; CM; SMCS         |
| ORSERDU ORAL TABLET 86 MG ( <b>elacestrant hydrochloride</b> )                                 | 3         | PA; QL (3 tablets per day.); SP; CM; SMCS       |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML ( <b>peginterferon alfa-2a</b> )                      | 3         | SP; SMCS                                        |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML ( <b>peginterferon alfa-2a</b> ) | 3         | SP; SMCS                                        |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG ( <b>pemigatinib</b> )                              | 4         | PA; QL (31 tablets per month.); SP; CM; SMCS    |
| PIQRAY ORAL TABLET THERAPY PACK 2 X 150 MG, 200 & 50 MG ( <b>alpelisib</b> )                   | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS       |
| PIQRAY ORAL TABLET THERAPY PACK 200 MG ( <b>alpelisib</b> )                                    | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS        |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG ( <b>pomalidomide</b> )                           | 4         | PA; QL (21 capsules per 21 days.); SP; CM; SMCS |
| PURIXAN ORAL SUSPENSION 2000 MG/100ML ( <b>mercaptopurine</b> )                                | 4         | SP; CM; SMCS                                    |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG ( <b>selpercatinib</b> )                             | 4         | PA; QL (60 tablets per month.); SP; CM; SMCS    |
| RETEVMO ORAL TABLET 40 MG ( <b>selpercatinib</b> )                                             | 4         | PA; QL (90 tablets per month.); SP; CM; SMCS    |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG ( <b>lenalidomide</b> )                       | 3         | PA; QL (28 capsules per 21 days.); SP; CM; SMCS |
| REVLIMID ORAL CAPSULE 20 MG, 25 MG ( <b>lenalidomide</b> )                                     | 3         | PA; QL (21 capsules per 21 days.); SP; CM; SMCS |
| REVUFORJ ORAL TABLET 110 MG ( <b>revumenib citrate</b> )                                       | 4         | PA; QL (120 tablets per month.); SP; CM; SMCS   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                              | Drug Tier | Coverage Requirements & Limits                         |
|---------------------------------------------------------------------|-----------|--------------------------------------------------------|
| REVUFORJ ORAL TABLET 160 MG ( <i>revumenib citrate</i> )            | 4         | PA; QL (60 tablets per month.); SP; CM; SMCS           |
| REVUFORJ ORAL TABLET 25 MG ( <i>revumenib citrate</i> )             | 4         | PA; QL (240 tablets per month.); SP; CM; SMCS          |
| REZLIDHIA ORAL CAPSULE 150 MG ( <i>olutasidenib</i> )               | 3         | PA; QL (2 capsules per day.); SP; CM; SMCS             |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG ( <i>vimseltinib</i> )    | 3         | PA; QL (8 capsules per 4 weeks.); SP; CM; SMCS         |
| ROZLYTREK ORAL CAPSULE 100 MG, 200 MG ( <i>entrectinib</i> )        | 3         | PA; QL (3 capsules per day.); SP; CM; SMCS             |
| ROZLYTREK ORAL PACKET 50 MG ( <i>entrectinib</i> )                  | 2         | PA; QL (84 packets (2 boxes) per month.); SP; CM; SMCS |
| RYDAPT ORAL CAPSULE 25 MG ( <i>midostaurin</i> )                    | 3         | PA; QL (8 capsules per day.); SP; CM; SMCS             |
| SCSEMBLIX ORAL TABLET 100 MG ( <i>asciminib hcl</i> )               | 4         | PA; QL (120 tablets per month.); SP; CM; SMCS          |
| SCSEMBLIX ORAL TABLET 20 MG, 40 MG ( <i>asciminib hcl</i> )         | 4         | PA; QL (2 tablets per day.); SP; CM; SMCS              |
| <i>sorafenib tosylate oral tablet 200 mg</i>                        | 3         | PA; QL (4 tablets per day.); SP; CM; SMCS              |
| STIVARGA ORAL TABLET 40 MG ( <i>regorafenib</i> )                   | 3         | PA; QL (84 tablets per 21 days.); SP; CM; SMCS         |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> | 3         | PA; QL (1 capsule per day.); SP; CM; SMCS              |
| TABLOID ORAL TABLET 40 MG ( <i>thioguanine</i> )                    | 3         | SP; CM; SMCS                                           |
| TABRECTA ORAL TABLET 150 MG, 200 MG ( <i>capmatinib hcl</i> )       | 4         | PA; QL (4 tablets per day.); SP; CM; SMCS              |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG ( <i>dabrafenib mesylate</i> )   | 4         | PA; ST; QL (4 capsules per day.); SP; CM; SMCS         |
| TAFINLAR ORAL TABLET SOLUBLE 10 MG ( <i>dabrafenib mesylate</i> )   | 4         | ST; QL (420 tablets per month.); SP; CM; SMCS          |
| TAGRISSE ORAL TABLET 40 MG, 80 MG ( <i>osimertinib mesylate</i> )   | 4         | PA; QL (1 tablet per day.); SP; CM; SMCS               |
| <i>tamoxifen citrate oral tablet 10 mg</i>                          | 1         |                                                        |
| <i>tamoxifen citrate oral tablet 20 mg</i>                          | 1         | H-N                                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                        | Drug Tier | Coverage Requirements & Limits                       |
|-------------------------------------------------------------------------------|-----------|------------------------------------------------------|
| TAZVERIK ORAL TABLET 200 MG ( <i>tazemetostat hbr</i> )                       | 4         | PA; QL (8 tablets per day.); SP; CM; SMCS            |
| <i>temozolomide oral capsule 100 mg, 140 mg, 180 mg, 20 mg, 250 mg, 5 mg</i>  | 1         | SP; CM; SMCS                                         |
| THALOMID ORAL CAPSULE 100 MG, 50 MG ( <i>thalidomide</i> )                    | 3         | PA; QL (28 capsules per prescription.); SP; CM; SMCS |
| TIBSOVO ORAL TABLET 250 MG ( <i>ivosidenib</i> )                              | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS            |
| <i>toremifene citrate oral tablet 60 mg</i>                                   | 3         | CM                                                   |
| <i>torpenz oral tablet 10 mg, 7.5 mg</i>                                      | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS            |
| <i>torpenz oral tablet 2.5 mg, 5 mg</i>                                       | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS             |
| <i>tretinoin external cream 0.025 %, 0.05 %, 0.1 %</i>                        | 3         | QL (20 grams per prescription.)                      |
| <i>tretinoin oral capsule 10 mg</i>                                           | 3         | QL (279 capsules per prescription.); SP; CM; SMCS    |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG ( <i>methotrexate sodium</i> ) | 2         | CM                                                   |
| TRUQAP ORAL TABLET 200 MG ( <i>capivasertib</i> )                             | 3         | PA; QL (64 tablets per month.); SP                   |
| TRUQAP ORAL TABLET THERAPY PACK 160 MG, 200 MG ( <i>capivasertib</i> )        | 3         | PA; QL (64 tablets every month.); SP; CM; SMCS       |
| TUKYSA ORAL TABLET 150 MG ( <i>tucatinib</i> )                                | 3         | PA; QL (4 tablets per day.); SP; CM; SMCS            |
| TUKYSA ORAL TABLET 50 MG ( <i>tucatinib</i> )                                 | 3         | PA; QL (10 tablets per day.); SP; CM; SMCS           |
| TURALIO ORAL CAPSULE 125 MG ( <i>pexidartinib hcl</i> )                       | 3         | PA; QL (4 capsules per day.); SP; CM; SMCS           |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG ( <i>quizartinib dihydrochloride</i> )  | 4         | PA; QL (2 tablets per day.); SP; CM; SMCS            |
| VENCLEXTA ORAL TABLET 10 MG ( <i>venetoclax</i> )                             | 3         | PA; QL (14 tablets per month.); SP; CM; SMCS         |
| VENCLEXTA ORAL TABLET 100 MG ( <i>venetoclax</i> )                            | 3         | PA; QL (4 tablets per day.); SP; CM; SMCS            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits                   |
|-----------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| VENCLEXTA ORAL TABLET 50 MG ( <i>venetoclax</i> )                                       | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS         |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG ( <i>venetoclax</i> ) | 3         | PA; QL (42 tablets per year.); SP; CM; SMCS      |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG ( <i>abemaciclib</i> )               | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS        |
| VITRAKVI ORAL CAPSULE 100 MG ( <i>larotrectinib sulfate</i> )                           | 3         | PA; QL (2 capsules per day.); SP; CM; SMCS       |
| VITRAKVI ORAL CAPSULE 25 MG ( <i>larotrectinib sulfate</i> )                            | 3         | PA; QL (6 capsules per day.); SP; CM; SMCS       |
| VITRAKVI ORAL SOLUTION 20 MG/ML ( <i>larotrectinib sulfate</i> )                        | 3         | PA; QL (10 mL per day.); SP; CM; SMCS            |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG ( <i>dacomitinib</i> )                         | 4         | PA; QL (1 tablet per day.); SP; CM; SMCS         |
| VORANIGO ORAL TABLET 10 MG ( <i>vorasidenib</i> )                                       | 3         | PA; QL (62 tablets per month.); SP; CM; SMCS     |
| VORANIGO ORAL TABLET 40 MG ( <i>vorasidenib</i> )                                       | 3         | PA; QL (31 tablets per month.); SP; CM; SMCS     |
| WELIREG ORAL TABLET 40 MG ( <i>belzutifan</i> )                                         | 4         | PA; QL (3 tablets day.); SP; CM; SMCS            |
| XATMEP ORAL SOLUTION 2.5 MG/ML ( <i>methotrexate</i> )                                  | 4         | PA; QL (4 ml per day.); CM                       |
| XOSPATA ORAL TABLET 40 MG ( <i>gilteritinib fumarate</i> )                              | 4         | PA; QL (3 tablets per day.); SP; CM; SMCS        |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG ( <i>selinexor</i> )         | 4         | PA; QL (0.26 tablet per day.); SP; CM; SMCS      |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG ( <i>selinexor</i> )          | 4         | PA; QL (16 tablets per month.); SP; CM; SMCS     |
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG ( <i>selinexor</i> )         | 4         | PA; QL (0.29 tablet per day.); SP; CM; SMCS      |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG ( <i>selinexor</i> )          | 4         | PA; QL (1 therapy pack per month.); SP; CM; SMCS |
| XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG ( <i>selinexor</i> )         | 4         | PA; QL (0.86 tablets per day.); SP; CM; SMCS     |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG ( <i>selinexor</i> )          | 4         | PA; QL (0.29 tablet per day.); SP; CM; SMCS      |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG ( <i>selinexor</i> )         | 4         | PA; QL (1.15 tablets per day.); SP; CM; SMCS     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                       | Drug Tier | Coverage Requirements & Limits               |
|--------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------|
| XTANDI ORAL CAPSULE 40 MG ( <i>enzalutamide</i> )                                                            | 3         | PA; QL (4 capsules per day.); SP; CM; SMCS   |
| ZELBORAF ORAL TABLET 240 MG ( <i>vemurafenib</i> )                                                           | 3         | PA; QL (8 tablets per day.); SP; CM; SMCS    |
| ZOLINZA ORAL CAPSULE 100 MG ( <i>vorinostat</i> )                                                            | 3         | PA; QL (4 capsules per day.); SP; CM; SMCS   |
| ZYDELIG ORAL TABLET 100 MG, 150 MG ( <i>idelalisib</i> )                                                     | 4         | PA; QL (60 tablets per month.); SP; CM; SMCS |
| <b>ANTITOXINS,IMMUNE GLOB,TOXOIDS,VACCINES - DRUGS FOR THE IMMUNE SYSTEM</b>                                 |           |                                              |
| <b>ALLERGENIC EXTRACTS (THERAPEUTIC) - DRUGS FOR THE IMMUNE SYSTEM</b>                                       |           |                                              |
| GRASTEK SUBLINGUAL TABLET SUBLINGUAL 2800 BAU ( <i>timothy grass pollen allergen</i> )                       | 4         | PA; QL (1 tablet per day.)                   |
| ODACTRA SUBLINGUAL TABLET SUBLINGUAL 12 SQ-HDM ( <i>dust mite mixed allergen ext</i> )                       | 4         | PA; QL (1 tablet per day.)                   |
| ORALAIR ADULT STARTER PACK SUBLINGUAL TABLET SUBLINGUAL 300 IR ( <i>grass mix pollens allergen ext</i> )     | 4         | PA; QL (1 tablet per day.)                   |
| ORALAIR CHILDRENS STARTER PACK SUBLINGUAL TABLET SUBLINGUAL 100 IR ( <i>grass mix pollens allergen ext</i> ) | 4         | PA; QL (3 tablets per year.)                 |
| ORALAIR SUBLINGUAL TABLET SUBLINGUAL 300 IR ( <i>grass mix pollens allergen ext</i> )                        | 4         | PA; QL (1 tablet per day.)                   |
| PALFORZIA (1 MG DAILY DOSE) ORAL 1 X 1 MG ( <i>peanut powder-dnfp</i> )                                      | 4         | PA                                           |
| PALFORZIA INITIAL DOSE 1-3YRS ORAL 0.5 & 1 & 1.5 & 3 MG ( <i>peanut powder-dnfp</i> )                        | 4         | PA; QL (7 capsules (1 pack) per 365 days.)   |
| PALFORZIA INITIAL DOSE 4-17YRS ORAL 0.5 & 1 & 1.5 & 3 & 6 MG ( <i>peanut powder-dnfp</i> )                   | 4         | PA; QL (13 capsules per year.)               |
| PALFORZIA ORAL 0.5 & 1 & 1.5 & 3 & 6 MG ( <i>peanut powder-dnfp</i> )                                        | 4         | PA; QL (13 capsules per year.)               |
| PALFORZIA ORAL 2 X 1 MG & 10 MG, 3 X 1 MG ( <i>peanut powder-dnfp</i> )                                      | 4         | PA; QL (45 capsules per 13 days.)            |
| PALFORZIA ORAL 2 X 100 MG, 2 X 20 MG, 20 MG & 100 MG ( <i>peanut powder-dnfp</i> )                           | 4         | PA; QL (30 capsules per 13 days.)            |
| PALFORZIA ORAL 2 X 20 MG & 2 X 100 MG, 4 X 20 MG ( <i>peanut powder-dnfp</i> )                               | 4         | PA; QL (60 capsules per 13 days.)            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                              | Drug Tier | Coverage Requirements & Limits    |
|---------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| PALFORZIA ORAL 20 MG ( <i>peanut powder-dnfp</i> )                                                                  | 4         | PA; QL (15 capsules per 13 days.) |
| PALFORZIA ORAL 3 X 20 MG & 100 MG ( <i>peanut powder-dnfp</i> )                                                     | 4         | PA; QL (60 capsule per 13 days.)  |
| PALFORZIA ORAL 6 X 1 MG ( <i>peanut powder-dnfp</i> )                                                               | 4         | PA; QL (90 capsules per 13 days.) |
| PALFORZIA ORAL PACKET 300 MG ( <i>peanut powder-dnfp</i> )                                                          | 4         | PA; QL (1 capsule per day.)       |
| PALFORZIA ORAL PACKET 300 MG ( <i>peanut powder-dnfp</i> )                                                          | 4         | PA; QL (15 capsules per 13 days.) |
| RAGWITEK SUBLINGUAL TABLET SUBLINGUAL 12 AMB A 1-U ( <i>short ragweed pollen ext</i> )                              | 4         | PA; QL (1 tablet per day.)        |
| <b>TOXOIDS - Vaccines</b>                                                                                           |           |                                   |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 LF-MCG/0.5 ( <i>tetanus-diphth-acell pertussis</i> )                       | 3         | H                                 |
| ADACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2-15.5 LF-MCG/0.5 ( <i>tetanus-diphth-acell pertussis</i> )     | 3         | H                                 |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5 ( <i>tetanus-diphth-acell pertussis</i> ) | 2         | H                                 |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5 ( <i>diphth-acell pertussis-tetanus</i> )                                 | 2         | H                                 |
| INFANRIX SUSPENSION 25-58-10 INTRAMUSCULAR ( <i>diphth-acell pertussis-tetanus</i> )                                | 2         | H                                 |
| INFANRIX SUSPENSION 25-58-10 INTRAMUSCULAR ( <i>diphth-acell pertussis-tetanus</i> )                                | 3         | H                                 |
| PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE ( <i>dtap-hepatitis b recomb-ipv</i> )                          | 3         | H                                 |
| PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED ( <i>dtap-ipv-hib vaccine</i> )                                     | 3         | H                                 |
| QUADRACEL INTRAMUSCULAR SUSPENSION ( <i>dtap-ipv vaccine</i> )                                                      | 3         | H                                 |
| TENIVAC INTRAMUSCULAR SUSPENSION 5-2 LF/0.5ML ( <i>tetanus-diphtheria toxoids td</i> )                              | 3         | H                                 |
| VAXELIS INTRAMUSCULAR SUSPENSION ( <i>dtap-ipv-hib-hepatitis b recmb</i> )                                          | 3         | H                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                               | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| VAXELIS INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE ( <i>dtap-ipv-hib-hepatitis b recomb</i> )                        | 3         | H                              |
| <b>VACCINES - Vaccines</b>                                                                                           |           |                                |
| ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120 MCG/0.5ML ( <i>rsv pre-fusion f a&amp;b vac rcmb</i> )              | 3         | H                              |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED ( <i>haemophilus b polysac conj vac</i> )                                | 2         | H                              |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 LF-MCG/0.5 ( <i>tetanus-diphth-acell pertussis</i> )                        | 3         | H                              |
| ADACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2-15.5 LF-MCG/0.5 ( <i>tetanus-diphth-acell pertussis</i> )      | 3         | H                              |
| AFLURIA INTRAMUSCULAR SUSPENSION ( <i>influenza virus vaccine split</i> )                                            | 3         | H                              |
| AFLURIA PRESERVATIVE FREE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>influenza virus vacc split pf</i> ) | 3         | H                              |
| AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120 MCG/0.5ML ( <i>rsvpref3 vac recomb adjuvanted</i> )                | 3         | H                              |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>meningococcal b recomb omv adj</i> )                  | 3         | H                              |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5 ( <i>tetanus-diphth-acell pertussis</i> )  | 2         | H                              |
| CAPVAXIVE INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 0.5 ML ( <i>pneumococcal 21-valent conjuga</i> )                  | 3         | H                              |
| COMIRNATY 5-11 YEARS INTRAMUSCULAR SUSPENSION 10 MCG/0.3ML ( <i>covid-19 mrna virus vaccine</i> )                    | 3         | H                              |
| COMIRNATY INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 30 MCG/0.3ML ( <i>covid-19 mrna virus vaccine</i> )             | 3         | H                              |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5 ( <i>diphth-acell pertussis-tetanus</i> )                                  | 2         | H                              |
| DENG VAXIA SUBCUTANEOUS SUSPENSION RECONSTITUTED ( <i>dengue virus vaccine live tetr</i> )                           | 3         | H                              |
| ENGRIX-B INJECTION SUSPENSION 20 MCG/ML ( <i>hepatitis b vac recombinant</i> )                                       | 2         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                          | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML, 20 MCG/ML ( <i>hepatitis b vac recombinant</i> ) | 2         | H                              |
| FLUAD INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>influenza vac a&amp;b surf ant adj</i> )           | 3         | H                              |
| FLUARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>influenza virus vacc split pf</i> )              | 3         | H                              |
| FLUCELVAX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>influenza vac tiss-cult subunt</i> )           | 3         | H                              |
| FLULAVAL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>influenza virus vacc split pf</i> )             | 3         | H                              |
| FLUMIST NASAL LIQUID ( <i>influenza virus vaccine live</i> )                                                    | 3         | H                              |
| FLUZONE HIGH-DOSE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>influenza vac split high-dose</i> )    | 3         | H                              |
| FLUZONE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>influenza virus vacc split pf</i> )              | 3         | H                              |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION 0.5 ML ( <i>hpv 9-valent recomb vaccine</i> )                               | 3         | H                              |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>hpv 9-valent recomb vaccine</i> )             | 3         | H                              |
| HAVRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1440 EL U/ML, 720 EL U/0.5ML ( <i>hepatitis a vaccine</i> )   | 3         | H                              |
| HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20 MCG/0.5ML ( <i>hepatitis b vac recomb adj</i> )          | 3         | H                              |
| HIBERIX INJECTION SOLUTION RECONSTITUTED 10 MCG ( <i>haemophilus b polysac conj vac</i> )                       | 3         | H                              |
| INFANRIX SUSPENSION 25-58-10 INTRAMUSCULAR ( <i>diphth-acell pertussis-tetanus</i> )                            | 2         | H                              |
| INFANRIX SUSPENSION 25-58-10 INTRAMUSCULAR ( <i>diphth-acell pertussis-tetanus</i> )                            | 3         | H                              |
| IPOL INJECTION SUSPENSION ( <i>poliovirus vaccine inactivated</i> )                                             | 2         | H                              |
| MENQUADFI INTRAMUSCULAR SOLUTION 0.5 ML ( <i>mening acy&amp;w-135 tetanus conj</i> )                            | 3         | H                              |
| MENVEO INTRAMUSCULAR SOLUTION ( <i>meningococcal a c y&amp;w-135 olig</i> )                                     | 3         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                             | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED ( <i>meningococcal a c y&amp;w-135 olig</i> )                          | 3         | H                              |
| M-M-R II INJECTION SOLUTION RECONSTITUTED ( <i>measles, mumps &amp; rubella vac</i> )                              | 2         | H                              |
| MNEXSPIKE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 10 MCG/0.2ML ( <i>covid-19 mrna virus vaccine</i> )           | 3         | H                              |
| PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE ( <i>dtap-hepatitis b recomb-ipv</i> )                         | 3         | H                              |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION 7.5 MCG/0.5ML ( <i>haemophilus b polysac conj vac</i> )                        | 2         | H                              |
| PENBRAYA INTRAMUSCULAR SUSPENSION RECONSTITUTED ( <i>mening acyw(tet conj)-b(rcmb)</i> )                           | 3         | H                              |
| PENMENVY INTRAMUSCULAR SUSPENSION RECONSTITUTED                                                                    | 3         | H                              |
| PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED ( <i>dtap-ipv-hib vaccine</i> )                                    | 3         | H                              |
| PNEUMOVAX 23 INJECTION SOLUTION PREFILLED SYRINGE 25 MCG/0.5ML ( <i>pneumococcal vac polyvalent</i> )              | 2         | H                              |
| PREVNAR 20 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>pneumococcal 20-val conj vacc</i> )              | 3         | H                              |
| PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED ( <i>measles, mumps &amp; rubella vac</i> )                          | 3         | H                              |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED ( <i>measles-mumps-rubella-varicell</i> )                            | 3         | H                              |
| QUADRACEL INTRAMUSCULAR SUSPENSION ( <i>dtap-ipv vaccine</i> )                                                     | 3         | H                              |
| RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML ( <i>hepatitis b vac recombinant</i> )        | 2         | H                              |
| RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML ( <i>hepatitis b vac recombinant</i> ) | 2         | H                              |
| ROTARIX ORAL SUSPENSION ( <i>rotavirus vaccine live oral</i> )                                                     | 3         | H                              |
| ROTATEQ ORAL SOLUTION ( <i>rotavirus vac live pentavalent</i> )                                                    | 3         | H                              |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML ( <i>zoster vac recomb adjuvanted</i> )               | 3         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                          | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| SPIKEVAX 6M-11Y INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 25 MCG/0.25ML ( <i>covid-19 mrna virus vaccine</i> ) | 3         | H                              |
| SPIKEVAX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 50 MCG/0.5ML ( <i>covid-19 mrna virus vaccine</i> )         | 3         | H                              |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>meningococcal b vac (recomb)</i> )              | 3         | H                              |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML ( <i>hepatitis a-hep b recomb vac</i> )    | 3         | H                              |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 50 UNIT/ML ( <i>hepatitis a vaccine</i> )                         | 2         | H                              |
| VAQTA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 25 UNIT/0.5ML, 50 UNIT/ML ( <i>hepatitis a vaccine</i> )       | 2         | H                              |
| VARIVAX INJECTION SUSPENSION RECONSTITUTED 1350 PFU/0.5ML ( <i>varicella virus vaccine live</i> )               | 3         | H                              |
| VAXELIS INTRAMUSCULAR SUSPENSION ( <i>dtap-ipv-hib-hepatitis b recmb</i> )                                      | 3         | H                              |
| VAXELIS INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE ( <i>dtap-ipv-hib-hepatitis b recmb</i> )                    | 3         | H                              |
| VAXNEUVANCE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML ( <i>pneumococcal 15-val conj vacc</i> )          | 3         | H                              |
| <b>AUTONOMIC DRUGS</b>                                                                                          |           |                                |
| <b>SMOKING CESSATION AGENTS</b>                                                                                 |           |                                |
| <i>bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg</i>                               | 1         | H                              |
| CHANTIX CONTINUING MONTH PAK ORAL TABLET 1 MG ( <i>varenicline tartrate</i> )                                   | 1         | H                              |
| CHANTIX ORAL TABLET 0.5 MG, 1 MG ( <i>varenicline tartrate</i> )                                                | 1         | H                              |
| CHANTIX STARTING MONTH PAK ORAL TABLET THERAPY PACK 0.5 MG X 11 & 1 MG X 42 ( <i>varenicline tartrate</i> )     | 1         | H                              |
| <i>ft nicotine mini mouth/throat lozenge 2 mg, 4 mg</i>                                                         | 1         | H                              |
| <i>ft nicotine mouth/throat gum 2 mg, 4 mg</i>                                                                  | 1         | H                              |
| <i>ft nicotine mouth/throat lozenge 2 mg, 4 mg</i>                                                              | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits    |
|--------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>ft nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr, 7 mg/24hr</i>             | 1         | H                                 |
| <i>goodsense nicotine mouth/throat gum 2 mg, 4 mg</i>                                      | 1         | H                                 |
| <i>goodsense nicotine mouth/throat lozenge 4 mg</i>                                        | 1         | H                                 |
| <i>goodsense nicotine polacrilex mouth/throat gum 4 mg</i>                                 | 1         | H                                 |
| <i>habitrol transdermal patch 24 hour 21 mg/24hr</i>                                       | 1         | H                                 |
| <i>naltrexone hcl oral tablet 50 mg</i>                                                    | 1         |                                   |
| NICORETTE MINI MOUTH/THROAT LOZENGE 2 MG, 4 MG ( <i>nicotine polacrilex</i> )              | 1         | H                                 |
| NICORETTE MOUTH/THROAT GUM 2 MG ( <i>nicotine polacrilex</i> )                             | 1         | H                                 |
| NICORETTE MOUTH/THROAT LOZENGE 2 MG, 4 MG ( <i>nicotine polacrilex</i> )                   | 1         | H                                 |
| <i>nicotine mini mouth/throat lozenge 2 mg, 4 mg</i>                                       | 1         | H                                 |
| <i>nicotine polacrilex mini mouth/throat lozenge 2 mg</i>                                  | 1         | H                                 |
| <i>nicotine polacrilex mouth/throat gum 2 mg, 4 mg</i>                                     | 1         | H                                 |
| <i>nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg</i>                                 | 1         | H                                 |
| <i>nicotine step 1 transdermal patch 24 hour 21 mg/24hr</i>                                | 1         | H                                 |
| <i>nicotine step 2 transdermal patch 24 hour 14 mg/24hr</i>                                | 1         | H                                 |
| <i>nicotine step 3 transdermal patch 24 hour 7 mg/24hr</i>                                 | 1         | H                                 |
| <i>nicotine transdermal kit 21-14-7 mg/24hr</i>                                            | 1         | H                                 |
| <i>nicotine transdermal patch 24 hour 21 mg/24hr, 7 mg/24hr</i>                            | 1         | H                                 |
| NICOTROL NS NASAL SOLUTION 10 MG/ML ( <i>nicotine</i> )                                    | 1         | H                                 |
| <i>varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 &amp; 1 mg x 42</i> | 1         | H                                 |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i>                                       | 1         | H                                 |
| <i>varenicline tartrate(continue) oral tablet 1 mg</i>                                     | 1         | H                                 |
| <b>AUTONOMIC DRUGS - Drugs for the Nervous System</b>                                      |           |                                   |
| <b>ALPHA- AND BETA-ADRENERGIC AGONISTS - Drugs for Heart and Lungs</b>                     |           |                                   |
| ADRENALIN NASAL SOLUTION 0.1 % ( <i>epinephrine hcl (nasal)</i> )                          | 2         |                                   |
| AUVI-Q INJECTION SOLUTION AUTO-INJECTOR 0.1 MG/0.1ML ( <i>epinephrine</i> )                | 2         | QL (2 pens per prescription.); SM |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                      | Drug Tier | Coverage Requirements & Limits          |
|-------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------|
| AUVI-Q INJECTION SOLUTION AUTO-INJECTOR 0.15 MG/0.15ML, 0.3 MG/0.3ML ( <i>epinephrine</i> )                 | 2         | QL (2 injections per prescription.); SM |
| <i>epinephrine hcl (nasal) nasal solution 0.1 %</i>                                                         | 1         |                                         |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.15ml, 0.3 mg/0.3ml</i>                            | 1         | QL (2 injections per prescription.); SM |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.3ml</i>                                           | 1         | QL (4 injections per prescription.); SM |
| EPINEPHRINE INJECTION SOLUTION PREFILLED SYRINGE 0.3 MG/0.3ML                                               | 2         | SM                                      |
| NEFFY NASAL SOLUTION 1 MG/0.1ML, 2 MG/0.1ML ( <i>epinephrine</i> )                                          | 4         | QL (2 nasal sprays (1 box) per copay.)  |
| <i>pseudoephedrine-bromphen-dm oral syrup 30-2-10 mg/5ml</i>                                                | 1         |                                         |
| <b>ALPHA-ADRENERGIC AGONISTS (12:12) - Drugs for Heart and Lungs</b>                                        |           |                                         |
| <i>clonidine hcl er oral tablet extended release 12 hour 0.1 mg</i>                                         | 2         |                                         |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>                                                     | 1         |                                         |
| <i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>                             | 3         |                                         |
| <i>lofexidine hcl oral tablet 0.18 mg</i>                                                                   | 1         |                                         |
| LUCEMYRA ORAL TABLET 0.18 MG ( <i>lofexidine hcl</i> )                                                      | 1         |                                         |
| <i>methyldopa oral tablet 250 mg, 500 mg</i>                                                                | 4         | PA; ST                                  |
| <i>midodrine hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                        | 1         |                                         |
| NEOTUSS PLUS ORAL LIQUID 7.5-4-30 MG/5ML ( <i>phenylephrine-chlorphen-dm</i> )                              | 3         |                                         |
| ONYDA XR ORAL SUSPENSION EXTENDED RELEASE 0.1 MG/ML ( <i>clonidine hcl</i> )                                | 3         | QL (120 mL per month.)                  |
| <i>promethazine-phenylephrine oral syrup 6.25-5 mg/5ml</i>                                                  | 1         |                                         |
| <b>ANTIMUSCARINICS/ANTISPASMODICS - Drugs for Parkinson</b>                                                 |           |                                         |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT ( <i>umeclidinium-vilanterol</i> ) | 3         |                                         |
| <i>atropine sulfate ophthalmic solution 1 %</i>                                                             | 1         |                                         |
| ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT ( <i>ipratropium bromide hfa</i> )                      | 3         | QL (0.87 grams per day.)                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                   | Drug Tier | Coverage Requirements & Limits                         |
|----------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------|
| <b><i>belladonna alkaloids-opium rectal suppository 16.2-60 mg</i></b>                                   | 1         |                                                        |
| BEVESPI AEROSPHERE INHALATION AEROSOL 9-4.8 MCG/ACT ( <b><i>glycopyrrolate-formoterol</i></b> )          | 2         | QL (0.36 grams per day.)                               |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT ( <b><i>budeson-glycopyrrol-formoterol</i></b> ) | 3         | QL (0.36 grams per day.)                               |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT ( <b><i>ipratropium-albuterol</i></b> )    | 4         | QL (0.28 grams per day.)                               |
| CUVPOSA ORAL SOLUTION 1 MG/5ML ( <b><i>glycopyrrolate</i></b> )                                          | 4         |                                                        |
| <b><i>dicyclomine hcl oral capsule 10 mg</i></b>                                                         | 1         |                                                        |
| <b><i>dicyclomine hcl oral solution 10 mg/5ml</i></b>                                                    | 1         |                                                        |
| <b><i>dicyclomine hcl oral tablet 20 mg</i></b>                                                          | 1         |                                                        |
| <b><i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml</i></b>                                        | 1         |                                                        |
| <b><i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i></b>                                            | 1         |                                                        |
| <b><i>glycopyrrolate oral solution 1 mg/5ml</i></b>                                                      | 3         |                                                        |
| <b><i>glycopyrrolate oral tablet 1 mg, 2 mg</i></b>                                                      | 1         |                                                        |
| <b><i>hydrocodone bit-homatrop mbr oral solution 5-1.5 mg/5ml</i></b>                                    | 1         | PA; QL (120 mL per prescription and 360 ml per month.) |
| <b><i>hydrocodone bit-homatrop mbr oral tablet 5-1.5 mg</i></b>                                          | 1         | PA                                                     |
| <b><i>hydromet oral solution 5-1.5 mg/5ml</i></b>                                                        | 1         | PA; QL (120 mL per prescription and 360 ml per month.) |
| <b><i>hyoscyamine sulfate er oral tablet extended release 12 hour 0.375 mg</i></b>                       | 1         |                                                        |
| <b><i>hyoscyamine sulfate oral elixir 0.125 mg/5ml</i></b>                                               | 1         |                                                        |
| <b><i>hyoscyamine sulfate oral solution 0.125 mg/ml</i></b>                                              | 1         |                                                        |
| <b><i>hyoscyamine sulfate oral tablet 0.125 mg</i></b>                                                   | 1         |                                                        |
| <b><i>hyoscyamine sulfate oral tablet dispersible 0.125 mg</i></b>                                       | 1         |                                                        |
| <b><i>hyoscyamine sulfate sl sublingual tablet sublingual 0.125 mg</i></b>                               | 1         |                                                        |
| <b><i>hyoscyamine sulfate sublingual tablet sublingual 0.125 mg</i></b>                                  | 1         |                                                        |
| <b><i>hyosyne oral elixir 0.125 mg/5ml</i></b>                                                           | 1         |                                                        |
| <b><i>hyosyne oral solution 0.125 mg/ml</i></b>                                                          | 1         |                                                        |
| <b><i>ipratropium bromide inhalation solution 0.02 %</i></b>                                             | 1         |                                                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                             | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b><i>ipratropium bromide nasal solution 0.03 %, 0.06 %</i></b>                                                                                    | 1         |                                |
| <b><i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i></b>                                                                         | 2         |                                |
| LEVBID ORAL TABLET EXTENDED RELEASE 12 HOUR 0.375 MG ( <b><i>hyoscyamine sulfate</i></b> )                                                         | 4         |                                |
| LEVSIN ORAL TABLET 0.125 MG ( <b><i>hyoscyamine sulfate</i></b> )                                                                                  | 4         |                                |
| LEVSIN/SL SUBLINGUAL TABLET SUBLINGUAL 0.125 MG ( <b><i>hyoscyamine sulfate</i></b> )                                                              | 4         |                                |
| LOMOTIL ORAL TABLET 2.5-0.025 MG ( <b><i>diphenoxylate-atropine</i></b> )                                                                          | 4         |                                |
| <b><i>me/naphos/mb/hyo1 oral tablet 81.6 mg</i></b>                                                                                                | 1         |                                |
| <b><i>methscopolamine bromide oral tablet 2.5 mg, 5 mg</i></b>                                                                                     | 1         |                                |
| NULEV ORAL TABLET DISPERSIBLE 0.125 MG ( <b><i>hyoscyamine sulfate</i></b> )                                                                       | 4         |                                |
| OSCIMIN ORAL TABLET 0.125 MG                                                                                                                       | 4         |                                |
| OSCIMIN SUBLINGUAL TABLET SUBLINGUAL 0.125 MG                                                                                                      | 4         |                                |
| <b><i>scopolamine transdermal patch 72 hour 1 mg/3days</i></b>                                                                                     | 3         |                                |
| SPIRIVA HANDIHALER INHALATION CAPSULE 18 MCG ( <b><i>tiotropium bromide</i></b> )                                                                  | 2         | QL (1 capsule per day)         |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT ( <b><i>tiotropium bromide</i></b> )                                                     | 2         | QL (0.15 grams per day.)       |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 2.5 MCG/ACT ( <b><i>tiotropium bromide</i></b> )                                                      | 2         |                                |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT ( <b><i>tiotropium bromide-olodaterol</i></b> )                                       | 2         |                                |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT ( <b><i>fluticasone-umeclidin-vilant</i></b> ) | 3         | QL (2 blisters per day.)       |
| URELLE ORAL TABLET 81 MG ( <b><i>meth-hyo-m bl-na phos-ph sal</i></b> )                                                                            | 4         |                                |
| <b><i>uretron d/s oral tablet 81.6 mg</i></b>                                                                                                      | 4         |                                |
| UROGESIC-BLUE ORAL TABLET 81.6 MG ( <b><i>methen-hyosc-meth blue-na phos</i></b> )                                                                 | 2         |                                |
| VILEVEV MB ORAL TABLET 81 MG ( <b><i>meth-hyo-m bl-na phos-ph sal</i></b> )                                                                        | 4         |                                |
| YUPELRI INHALATION SOLUTION 175 MCG/3ML ( <b><i>revefenacin</i></b> )                                                                              | 4         | PA; QL (3 ml per day.)         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                      | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>ANTIPARKINSONIAN AGENTS - Drugs for Parkinson</b>                                                        |           |                                |
| <i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                  | 1         |                                |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5ml</i>                                                          | 1         |                                |
| <i>trihexyphenidyl hcl oral solution 0.4 mg/ml</i>                                                          | 1         |                                |
| <i>trihexyphenidyl hcl oral tablet 2 mg, 5 mg</i>                                                           | 1         |                                |
| <b>AUTONOMIC DRUGS, MISCELLANEOUS - Drugs for the Nervous System</b>                                        |           |                                |
| CHANTIX CONTINUING MONTH PAK ORAL TABLET 1 MG ( <i>varenicline tartrate</i> )                               | 1         | H                              |
| CHANTIX ORAL TABLET 0.5 MG, 1 MG ( <i>varenicline tartrate</i> )                                            | 1         | H                              |
| CHANTIX STARTING MONTH PAK ORAL TABLET THERAPY PACK 0.5 MG X 11 & 1 MG X 42 ( <i>varenicline tartrate</i> ) | 1         | H                              |
| <i>ft nicotine mini mouth/throat lozenge 2 mg, 4 mg</i>                                                     | 1         | H                              |
| <i>ft nicotine mouth/throat gum 2 mg, 4 mg</i>                                                              | 1         | H                              |
| <i>ft nicotine mouth/throat lozenge 2 mg, 4 mg</i>                                                          | 1         | H                              |
| <i>ft nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr, 7 mg/24hr</i>                              | 1         | H                              |
| <i>goodsense nicotine mouth/throat gum 2 mg, 4 mg</i>                                                       | 1         | H                              |
| <i>goodsense nicotine mouth/throat lozenge 4 mg</i>                                                         | 1         | H                              |
| <i>goodsense nicotine polacrilex mouth/throat gum 4 mg</i>                                                  | 1         | H                              |
| <i>habitrol transdermal patch 24 hour 21 mg/24hr</i>                                                        | 1         | H                              |
| NICORETTE MINI MOUTH/THROAT LOZENGE 2 MG, 4 MG ( <i>nicotine polacrilex</i> )                               | 1         | H                              |
| NICORETTE MOUTH/THROAT GUM 2 MG ( <i>nicotine polacrilex</i> )                                              | 1         | H                              |
| NICORETTE MOUTH/THROAT LOZENGE 2 MG, 4 MG ( <i>nicotine polacrilex</i> )                                    | 1         | H                              |
| <i>nicotine mini mouth/throat lozenge 2 mg, 4 mg</i>                                                        | 1         | H                              |
| <i>nicotine polacrilex mini mouth/throat lozenge 2 mg</i>                                                   | 1         | H                              |
| <i>nicotine polacrilex mouth/throat gum 2 mg, 4 mg</i>                                                      | 1         | H                              |
| <i>nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg</i>                                                  | 1         | H                              |
| <i>nicotine step 1 transdermal patch 24 hour 21 mg/24hr</i>                                                 | 1         | H                              |
| <i>nicotine step 2 transdermal patch 24 hour 14 mg/24hr</i>                                                 | 1         | H                              |
| <i>nicotine step 3 transdermal patch 24 hour 7 mg/24hr</i>                                                  | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>nicotine transdermal kit 21-14-7 mg/24hr</i>                                            | 1         | H                              |
| <i>nicotine transdermal patch 24 hour 21 mg/24hr, 7 mg/24hr</i>                            | 1         | H                              |
| NICOTROL NS NASAL SOLUTION 10 MG/ML ( <i>nicotine</i> )                                    | 1         | H                              |
| <i>varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 &amp; 1 mg x 42</i> | 1         | H                              |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i>                                       | 1         | H                              |
| <i>varenicline tartrate(continue) oral tablet 1 mg</i>                                     | 1         | H                              |
| <b>CENTRALLY ACTING SKELETAL MUSCLE RELAXANT - Drugs for Relaxing Muscles</b>              |           |                                |
| <i>carisoprodol oral tablet 350 mg</i>                                                     | 1         |                                |
| <i>chlorzoxazone oral tablet 500 mg</i>                                                    | 1         |                                |
| <i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg</i>                                         | 1         |                                |
| <i>metaxalone oral tablet 400 mg, 800 mg</i>                                               | 3         |                                |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i>                                            | 1         |                                |
| TANLOR ORAL TABLET 1000 MG ( <i>methocarbamol</i> )                                        | 3         |                                |
| <i>tizanidine hcl oral capsule 2 mg, 4 mg, 6 mg</i>                                        | 3         |                                |
| <i>tizanidine hcl oral tablet 2 mg, 4 mg</i>                                               | 1         |                                |
| ZANAFLEX ORAL TABLET 4 MG ( <i>tizanidine hcl</i> )                                        | 4         |                                |
| <b>DIRECT-ACTING SKELETAL MUSCLE RELAXANTS - Drugs for Relaxing Muscles</b>                |           |                                |
| DANTRIUM ORAL CAPSULE 25 MG ( <i>dantrolene sodium</i> )                                   | 4         |                                |
| <i>dantrolene sodium oral capsule 100 mg, 25 mg, 50 mg</i>                                 | 1         |                                |
| <b>GABA-DERIVATIVE SKELETAL MUSCLE RELAXANT - Drugs for Relaxing Muscles</b>               |           |                                |
| <i>baclofen oral solution 10 mg/5ml</i>                                                    | 3         | PA                             |
| <i>baclofen oral solution 5 mg/5ml</i>                                                     | 3         |                                |
| <i>baclofen oral suspension 25 mg/5ml</i>                                                  | 3         | PA                             |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>                                             | 1         |                                |
| FLEQSUVY ORAL SUSPENSION 25 MG/5ML ( <i>baclofen</i> )                                     | 4         | PA                             |
| OZOBAX DS ORAL SOLUTION 10 MG/5ML ( <i>baclofen</i> )                                      | 4         | PA                             |
| <b>INDIRECT-ACTING SKELETAL MUSCLE RELAXANT - Drugs for Relaxing Muscles</b>               |           |                                |
| <i>orphenadrine citrate er oral tablet extended release 12 hour 100 mg</i>                 | 2         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>NON-SEL. BETA-ADRENERGIC BLOCKING AGENTS -<br/>Drugs for the Heart</b>                    |           |                                |
| BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG<br>( <i>sotalol hcl af</i> )                   | 4         |                                |
| BETIMOL OPHTHALMIC SOLUTION 0.5 % ( <i>timolol hemihydrate</i> )                             | 4         | QL (5 ml per prescription.)    |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>                              | 1         |                                |
| ISTALOL OPHTHALMIC SOLUTION 0.5 % ( <i>timolol maleate</i> )                                 | 4         |                                |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i>                              | 1         |                                |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>                                               | 1         |                                |
| <i>nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>                                  | 3         |                                |
| <i>pindolol oral tablet 10 mg, 5 mg</i>                                                      | 1         |                                |
| <i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i> | 2         |                                |
| <i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i>                                    | 1         |                                |
| <i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                         | 1         |                                |
| <i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i>                                    | 1         |                                |
| <i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>                                 | 1         |                                |
| SOTYLIZE ORAL SOLUTION 5 MG/ML ( <i>sotalol hcl</i> )                                        | 4         | PA                             |
| <i>timolol hemihydrate ophthalmic solution 0.5 %</i>                                         | 2         | QL (5 ml per prescription.)    |
| <i>timolol maleate (once-daily) ophthalmic solution 0.5 %</i>                                | 3         |                                |
| <i>timolol maleate ocudose ophthalmic solution 0.5 %</i>                                     | 2         |                                |
| <i>timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 %</i>                         | 1         |                                |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>                                     | 1         |                                |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                        | 1         |                                |
| <i>timolol maleate pf ophthalmic solution 0.25 %, 0.5 %</i>                                  | 2         |                                |
| TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION 0.25 %, 0.5 % ( <i>timolol maleate</i> )                | 4         |                                |
| <b>NON-SEL.ALPHA-1-ADRENERGIC BLOCKING AGTS -<br/>Drugs for the Heart</b>                    |           |                                |
| CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG, 8 MG<br>( <i>doxazosin mesylate</i> )                  | 4         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                      | Drug Tier | Coverage Requirements & Limits            |
|---------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| CARDURA XL ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG, 8 MG ( <i>doxazosin mesylate</i> )    | 3         |                                           |
| <i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>                                | 1         |                                           |
| <i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>                                           | 1         |                                           |
| <i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                   | 1         |                                           |
| <b>NON-SEL.ALPHA-ADRENERGIC BLOCKING AGENTS -<br/>Drugs for the Heart</b>                   |           |                                           |
| <i>dihydroergotamine mesylate injection solution 1 mg/ml</i>                                | 1         |                                           |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i>                                             | 3         |                                           |
| MIGERGOT RECTAL SUPPOSITORY 2-100 MG ( <i>ergotamine-caffeine</i> )                         | 3         |                                           |
| <i>phenoxybenzamine hcl oral capsule 10 mg</i>                                              | 2         |                                           |
| <b>PARASYMPATHOMIMETIC (CHOLINERGIC AGENTS) -<br/>Drugs for Bladder Incontinence</b>        |           |                                           |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>                           | 1         |                                           |
| <i>cevimeline hcl oral capsule 30 mg</i>                                                    | 1         |                                           |
| <i>donepezil hcl oral tablet 10 mg, 23 mg, 5 mg</i>                                         | 1         |                                           |
| <i>donepezil hcl oral tablet dispersible 10 mg, 5 mg</i>                                    | 1         |                                           |
| FIRDAPSE ORAL TABLET 10 MG ( <i>amifampridine phosphate</i> )                               | 3         | PA; QL (300 tablets per month.); SP; SMCS |
| <i>galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg, 8 mg</i> | 1         |                                           |
| <i>galantamine hydrobromide oral solution 4 mg/ml</i>                                       | 1         |                                           |
| <i>galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg</i>                               | 1         |                                           |
| MESTINON ORAL SOLUTION 60 MG/5ML ( <i>pyridostigmine bromide</i> )                          | 4         |                                           |
| <i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i>                                    | 1         |                                           |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>                                             | 1         |                                           |
| <i>pyridostigmine bromide er oral tablet extended release 180 mg</i>                        | 1         |                                           |
| PYRIDOSTIGMINE BROMIDE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 105 MG                       | 3         |                                           |
| <i>pyridostigmine bromide oral solution 60 mg/5ml</i>                                       | 3         |                                           |
| <i>pyridostigmine bromide oral tablet 60 mg</i>                                             | 1         |                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                | Drug Tier | Coverage Requirements & Limits    |
|-----------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>                                                  | 1         |                                   |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr</i>                                  | 3         |                                   |
| SALAGEN ORAL TABLET 5 MG, 7.5 MG ( <i>pilocarpine hcl</i> )                                                           | 4         |                                   |
| <b>SELECTIVE ALPHA-1-ADRENERGIC BLOCK.AGENT - Drugs for the Heart</b>                                                 |           |                                   |
| <i>alfuzosin hcl er oral tablet extended release 24 hour 10 mg</i>                                                    | 1         |                                   |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>                                                       | 1         |                                   |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i>                                                       | 1         |                                   |
| <i>silodosin oral capsule 4 mg, 8 mg</i>                                                                              | 3         |                                   |
| <i>tamsulosin hcl oral capsule 0.4 mg</i>                                                                             | 1         |                                   |
| <b>SELECTIVE BETA-2-ADRENERGIC AGONISTS - Drugs for Heart and Lungs</b>                                               |           |                                   |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT ( <i>fluticasone-salmeterol</i> )         | 3         | QL (0.4 grams per day.)           |
| AIRSUPRA INHALATION AEROSOL 90-80 MCG/ACT ( <i>albuterol-budesonide</i> )                                             | 3         | QL (10.7 grams per prescription.) |
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>                                        | 2         | QL (1 inhaler per copay.)         |
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>                                        | 2         | QL (1 inhaler per prescription.)  |
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>                                        | 2         | QL (18 grams per prescription.)   |
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>                                        | 2         | QL (6.7 grams per prescription.)  |
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>                                        | 2         | QL (8.5 grams per prescription.)  |
| <i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml</i> | 1         |                                   |
| <i>albuterol sulfate nebulization solution (5 mg/ml) 0.5% inhalation</i>                                              | 1         |                                   |
| ALBUTEROL SULFATE NEBULIZATION SOLUTION (5 MG/ML) 0.5% INHALATION                                                     | 3         |                                   |
| <i>albuterol sulfate oral syrup 2 mg/5ml</i>                                                                          | 1         |                                   |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i>                                                                       | 3         | PA                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                          | Drug Tier | Coverage Requirements & Limits         |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT ( <b>umeclidinium-vilanterol</b> )                     | 3         |                                        |
| <b>arformoterol tartrate inhalation nebulization solution 15 mcg/2ml</b>                                                        | 4         | QL (2 nebulizers per day)              |
| BEVESPI AEROSPHERE INHALATION AEROSOL 9-4.8 MCG/ACT ( <b>glycopyrrolate-formoterol</b> )                                        | 2         | QL (0.36 grams per day.)               |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 50-25 MCG/INH ( <b>fluticasone furoate-vilanterol</b> ) | 3         |                                        |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 200-25 MCG/ACT ( <b>fluticasone furoate-vilanterol</b> )                | 3         | QL (2 blisters per day.)               |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT ( <b>budeson-glycopyrrol-formoterol</b> )                               | 3         | QL (0.36 grams per day.)               |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT ( <b>ipratropium-albuterol</b> )                                  | 4         | QL (0.28 grams per day.)               |
| <b>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</b>         | 3         | QL (2 blisters per day.)               |
| FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT, 232-14 MCG/ACT, 55-14 MCG/ACT                 | 3         | QL (0.04 mcg per day.)                 |
| <b>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</b>                                                             | 2         |                                        |
| <b>levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/3ml</b>                                  | 3         | QL (90 ml per prescription.)           |
| <b>levalbuterol hcl inhalation nebulization solution 1.25 mg/0.5ml</b>                                                          | 3         | QL (30 vials per prescription)         |
| LEVALBUTEROL HFA INHALATION AEROSOL 45 MCG/ACT                                                                                  | 3         | QL (15 grams per prescription.)        |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT ( <b>salmeterol xinafoate</b> )                           | 2         | QL (1 diskus (60 blisters) per month.) |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT ( <b>tiotropium bromide-olodaterol</b> )                           | 2         |                                        |
| STRIVERDI RESPIMAT INHALATION AEROSOL SOLUTION 2.5 MCG/ACT ( <b>olodaterol hcl</b> )                                            | 2         |                                        |
| SYMBICORT INHALATION AEROSOL 160-4.5 MCG/ACT ( <b>budesonide-formoterol fumarate</b> )                                          | 3         | QL (0.35 grams per day.)               |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                                            | Drug Tier | Coverage Requirements & Limits     |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------|
| SYMBICORT INHALATION AEROSOL 80-4.5 MCG/ACT<br>( <i>budesonide-formoterol fumarate</i> )                                                          | 3         |                                    |
| <i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i>                                                                                               | 1         |                                    |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER<br>BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25<br>MCG/ACT ( <i>fluticasone-umeclidin-vilant</i> ) | 3         | QL (2 blisters per day.)           |
| <i>wixela inhub inhalation aerosol powder breath activated<br/>100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i>                                 | 3         | QL (2 blisters per day.)           |
| XOPENEX HFA INHALATION AEROSOL 45 MCG/ACT<br>( <i>levalbuterol tartrate</i> )                                                                     | 3         | QL (15 grams per<br>prescription.) |
| <b>SELECTIVE BETA-ADRENERGIC BLOCKING AGENT -<br/>Drugs for the Heart</b>                                                                         |           |                                    |
| <i>acebutolol hcl oral capsule 200 mg, 400 mg</i>                                                                                                 | 1         |                                    |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>                                                                                                  | 1         |                                    |
| <i>betaxolol hcl ophthalmic solution 0.5 %</i>                                                                                                    | 1         |                                    |
| <i>betaxolol hcl oral tablet 10 mg, 20 mg</i>                                                                                                     | 1         |                                    |
| BETOPTIC-S OPHTHALMIC SUSPENSION 0.25 % ( <i>betaxolol<br/>hcl</i> )                                                                              | 3         |                                    |
| <i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                                                        | 1         |                                    |
| KAPSPARGO SPRINKLE ORAL CAPSULE ER 24 HOUR<br>SPRINKLE 100 MG, 200 MG, 25 MG, 50 MG ( <i>metoprolol<br/>succinate</i> )                           | 4         |                                    |
| LOPRESSOR ORAL TABLET 100 MG, 50 MG ( <i>metoprolol<br/>tartrate</i> )                                                                            | 4         |                                    |
| <i>metoprolol succinate er oral tablet extended release 24<br/>hour 100 mg, 200 mg, 50 mg</i>                                                     | 2         |                                    |
| <i>metoprolol succinate er oral tablet extended release 24<br/>hour 25 mg</i>                                                                     | 1         |                                    |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>                                                                                       | 1         |                                    |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>                                                                                                    | 1         |                                    |
| <b>SKELETAL MUSCLE RELAXANTS, MISCELLANEOUS -<br/>Drugs for Relaxing Muscles</b>                                                                  |           |                                    |
| <i>orphenadrine citrate er oral tablet extended release 12 hour<br/>100 mg</i>                                                                    | 2         |                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                             | Drug Tier | Coverage Requirements & Limits             |
|------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| <b>BLOOD FORMATION, COAGULATION, THROMBOSIS - Drugs for the Blood</b>                                                              |           |                                            |
| <b>ANTIANEMIA DRUGS - Vitamins and Minerals</b>                                                                                    |           |                                            |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML ( <i>darbepoetin alfa</i> )                                                   | 3         | QL (2 syringes per month); SP; SMCS        |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML ( <i>darbepoetin alfa</i> )                  | 3         | QL (4 syringes per month); SP; SMCS        |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 10 MCG/0.4ML ( <i>darbepoetin alfa</i> )                               | 3         | QL (1.6 ml per month.); SP; SMCS           |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 100 MCG/0.5ML ( <i>darbepoetin alfa</i> )                              | 3         | QL (1 prefill syringe per month); SP; SMCS |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 150 MCG/0.3ML, 60 MCG/0.3ML ( <i>darbepoetin alfa</i> )                | 3         | QL (2 vials per month); SP; SMCS           |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 200 MCG/0.4ML, 25 MCG/0.42ML, 40 MCG/0.4ML ( <i>darbepoetin alfa</i> ) | 3         | QL (4 vials per month); SP; SMCS           |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.6ML ( <i>darbepoetin alfa</i> )                              | 3         | QL (2 vials per prescription); SP; SMCS    |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 500 MCG/ML ( <i>darbepoetin alfa</i> )                                 | 3         | QL (2 syringes per month); SP; SMCS        |
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML ( <i>epoetin alfa-epbx</i> )                                                             | 3         | QL (8 ml per 21 days); SP; SMCS            |
| RETACRIT INJECTION SOLUTION 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML ( <i>epoetin alfa-epbx</i> )                                  | 3         | QL (12 ml per 21 days.); SP; SMCS          |
| RETACRIT INJECTION SOLUTION 20000 UNIT/ML ( <i>epoetin alfa-epbx</i> )                                                             | 3         | SMCS                                       |
| RETACRIT INJECTION SOLUTION 40000 UNIT/ML ( <i>epoetin alfa-epbx</i> )                                                             | 3         | QL (4 ml per 21 days.); SP; SMCS           |
| <b>ANTICOAGULANTS, MISCELLANEOUS - Drugs to Prevent Blood Clots</b>                                                                |           |                                            |
| ACD-A NOCLOT-50 IN VITRO SOLUTION 0.73-2.45-2.2 GM/100ML ( <i>anticoagulant cit dext soln a</i> )                                  | 3         |                                            |
| ANTICOAGULANT SODIUM CITRATE IN VITRO SOLUTION 4 %, 4 GM/100ML                                                                     | 3         |                                            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                | Drug Tier | Coverage Requirements & Limits                               |
|-----------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------|
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml</i>                                                          | 2         | QL (24 ml (30 syringes) per prescription)                    |
| <i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i>                                                         | 2         | QL (15 ml (30 syringes) per prescription)                    |
| <i>fondaparinux sodium subcutaneous solution 5 mg/0.4ml</i>                                                           | 2         | QL (12 ml (30 syringes) per prescription)                    |
| <i>fondaparinux sodium subcutaneous solution 7.5 mg/0.6ml</i>                                                         | 2         | QL (18 ml (30 syringes) per prescription)                    |
| TRICITRASOL IN VITRO CONCENTRATE 46.7 %<br>( <i>anticoagulant sodium citrate</i> )                                    | 3         |                                                              |
| <b>ANTITHROMBOTIC AGENTS, MISCELLANEOUS - Drugs to Prevent Blood Clots</b>                                            |           |                                                              |
| CABLIVI INJECTION KIT 11 MG ( <i>caplacizumab-yhdp</i> )                                                              | 3         | PA; QL (1 vial per day and 58 vials per 120 days.); SP; SMCS |
| LODOCO ORAL TABLET 0.5 MG ( <i>colchicine</i> )                                                                       | 4         | QL (1 tablet per day.)                                       |
| <b>BLOOD FORM.,COAG,THROMBOSIS AGENTS MISC. - Drugs to Prevent Bleeding</b>                                           |           |                                                              |
| PYRUKYND ORAL TABLET 20 MG, 5 MG, 50 MG ( <i>mitapivat sulfate</i> )                                                  | 4         | PA; QL (56 tablets per 28 days.); SP; CM; SMCS               |
| PYRUKYND TAPER PACK ORAL TABLET THERAPY PACK 5 MG ( <i>mitapivat sulfate</i> )                                        | 4         | PA; QL (7 tablets per 365 days.); SP; CM; SMCS               |
| PYRUKYND TAPER PACK ORAL TABLET THERAPY PACK 7 X 20 MG & 7 X 5 MG, 7 X 50 MG & 7 X 20 MG ( <i>mitapivat sulfate</i> ) | 4         | PA; QL (14 tablets per 365 days.); SP; CM; SMCS              |
| TAVALISSE ORAL TABLET 100 MG, 150 MG ( <i>fostamatinib disodium</i> )                                                 | 4         | PA; QL (2 tablets per day.); SP; SMCS                        |
| <b>COUMARIN DERIVATIVES - Drugs to Prevent Blood Clots</b>                                                            |           |                                                              |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>                                 | 1         |                                                              |
| <i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>                          | 1         |                                                              |
| <b>DIRECT FACTOR XA INHIBITORS - Drugs to Prevent Blood Clots</b>                                                     |           |                                                              |
| ELIQUIS (1.5 MG PACK) ORAL TABLET SOLUBLE 3 X 0.5 MG ( <i>apixaban</i> )                                              | 2         |                                                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                            | Drug Tier | Coverage Requirements & Limits                                      |
|-------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------|
| ELIQUIS (2 MG PACK) ORAL TABLET SOLUBLE 4 X 0.5 MG ( <i>apixaban</i> )                                            | 2         |                                                                     |
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5 MG ( <i>apixaban</i> )                                     | 2         | QL (2.5 tablets per day.)                                           |
| ELIQUIS ORAL CAPSULE SPRINKLE 0.15 MG ( <i>apixaban</i> )                                                         | 2         |                                                                     |
| ELIQUIS ORAL TABLET 2.5 MG ( <i>apixaban</i> )                                                                    | 2         | QL (2 tablets per day.)                                             |
| ELIQUIS ORAL TABLET 5 MG ( <i>apixaban</i> )                                                                      | 2         | QL (2.5 tablets per day.)                                           |
| ELIQUIS ORAL TABLET SOLUBLE 0.5 MG ( <i>apixaban</i> )                                                            | 2         |                                                                     |
| <i>rivaroxaban oral suspension reconstituted 1 mg/ml</i>                                                          | 2         | QL (20 ml per day.)                                                 |
| <i>rivaroxaban oral tablet 2.5 mg</i>                                                                             | 2         | QL (2 tablets per day.)                                             |
| XARELTO ORAL SUSPENSION RECONSTITUTED 1 MG/ML ( <i>rivaroxaban</i> )                                              | 2         | QL (20 ml per day.)                                                 |
| XARELTO ORAL TABLET 10 MG ( <i>rivaroxaban</i> )                                                                  | 2         | QL (1 tablet per day.)                                              |
| XARELTO ORAL TABLET 15 MG ( <i>rivaroxaban</i> )                                                                  | 2         | QL (52 tablets per month initial 1 tablet per day for maintenance.) |
| XARELTO ORAL TABLET 2.5 MG ( <i>rivaroxaban</i> )                                                                 | 2         | QL (2 tablets per day.)                                             |
| XARELTO ORAL TABLET 20 MG ( <i>rivaroxaban</i> )                                                                  | 2         | QL (31 tablets per 31 days.)                                        |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG ( <i>rivaroxaban</i> )                                   | 2         | QL (51 tablets per year.)                                           |
| <b>DIRECT THROMBIN INHIBITORS - Drugs to Prevent Blood Clots</b>                                                  |           |                                                                     |
| <i>dabigatran etexilate mesylate oral capsule 110 mg</i>                                                          | 2         | QL (2 tablets per day.)                                             |
| <i>dabigatran etexilate mesylate oral capsule 150 mg, 75 mg</i>                                                   | 2         | QL (62 capsules per 31 days.)                                       |
| <b>HEMATOPOIETIC AGENTS - Drugs for Anemia</b>                                                                    |           |                                                                     |
| ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG ( <i>eltrombopag choline</i> )                                       | 4         | PA; SP; SMCS                                                        |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML ( <i>darbepoetin alfa</i> )                                  | 3         | QL (2 syringes per month); SP; SMCS                                 |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML ( <i>darbepoetin alfa</i> ) | 3         | QL (4 syringes per month); SP; SMCS                                 |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 10 MCG/0.4ML ( <i>darbepoetin alfa</i> )              | 3         | QL (1.6 ml per month.); SP; SMCS                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                             | Drug Tier | Coverage Requirements & Limits                 |
|------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------|
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 100 MCG/0.5ML ( <b>darbepoetin alfa</b> )                              | 3         | QL (1 prefill syringe per month); SP; SMCS     |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 150 MCG/0.3ML, 60 MCG/0.3ML ( <b>darbepoetin alfa</b> )                | 3         | QL (2 vials per month); SP; SMCS               |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 200 MCG/0.4ML, 25 MCG/0.42ML, 40 MCG/0.4ML ( <b>darbepoetin alfa</b> ) | 3         | QL (4 vials per month); SP; SMCS               |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.6ML ( <b>darbepoetin alfa</b> )                              | 3         | QL (2 vials per prescription); SP; SMCS        |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE 500 MCG/ML ( <b>darbepoetin alfa</b> )                                 | 3         | QL (2 syringes per month); SP; SMCS            |
| DOPTELET ORAL TABLET 20 MG ( <b>avatrombopag maleate</b> )                                                                         | 4         | PA; QL (60 tablets per month.); SP; SMCS       |
| DOPTELET SPRINKLE ORAL CAPSULE SPRINKLE 10 MG ( <b>avatrombopag maleate</b> )                                                      | 4         | PA; SP; SMCS                                   |
| <b>eltrombopag olamine oral packet 12.5 mg</b>                                                                                     | 1         | PA; QL (6 packets per day.); SP; SMCS          |
| <b>eltrombopag olamine oral packet 25 mg</b>                                                                                       | 1         | PA; QL (6 packets per day.); SMCS              |
| LEUKINE INJECTION SOLUTION RECONSTITUTED 250 MCG ( <b>sargramostim</b> )                                                           | 3         | SMCS                                           |
| MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2ML ( <b>plerixafor</b> )                                                                    | 4         | SP; SMCS                                       |
| MULPLETA ORAL TABLET 3 MG ( <b>lusutrombopag</b> )                                                                                 | 4         | PA; QL (7 tablets per prescription.); SP; SMCS |
| NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML ( <b>pegfilgrastim</b> )                                               | 3         | SMCS                                           |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6ML ( <b>filgrastim-aafi</b> )                                                   | 3         | SMCS                                           |
| NIVESTYM INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML ( <b>filgrastim-aafi</b> )                              | 3         | SMCS                                           |
| <b>plerixafor subcutaneous solution 24 mg/1.2ml</b>                                                                                | 3         | SP; SMCS                                       |
| PROMACTA ORAL PACKET 12.5 MG ( <b>eltrombopag olamine</b> )                                                                        | 4         | PA; QL (6 packets per day.); SP; SMCS          |
| PROMACTA ORAL PACKET 25 MG ( <b>eltrombopag olamine</b> )                                                                          | 4         | PA; QL (6 packets per day.); SMCS              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                        | Drug Tier | Coverage Requirements & Limits             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML ( <i>epoetin alfa-epbx</i> )                                                                                        | 3         | QL (8 ml per 21 days); SP; SMCS            |
| RETACRIT INJECTION SOLUTION 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML ( <i>epoetin alfa-epbx</i> )                                                             | 3         | QL (12 ml per 21 days.); SP; SMCS          |
| RETACRIT INJECTION SOLUTION 20000 UNIT/ML ( <i>epoetin alfa-epbx</i> )                                                                                        | 3         | SMCS                                       |
| RETACRIT INJECTION SOLUTION 40000 UNIT/ML ( <i>epoetin alfa-epbx</i> )                                                                                        | 3         | QL (4 ml per 21 days.); SP; SMCS           |
| UDENYCA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6 MG/0.6ML ( <i>pegfilgrastim-cbqv</i> )                                                                          | 3         | SMCS                                       |
| UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML ( <i>pegfilgrastim-cbqv</i> )                                                                      | 3         | SMCS                                       |
| XOLREMDI ORAL CAPSULE 100 MG ( <i>mavorixafor</i> )                                                                                                           | 3         | PA; QL (120 capsules per month.); SP; SMCS |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML ( <i>filgrastim-sndz</i> )                                                           | 3         | SMCS                                       |
| <b>HEMORRHEOLOGIC AGENTS - Drugs for Blood Flow</b>                                                                                                           |           |                                            |
| <i>pentoxifylline er oral tablet extended release 400 mg</i>                                                                                                  | 1         |                                            |
| <b>HEMOSTATICS - Drugs to Prevent Bleeding</b>                                                                                                                |           |                                            |
| ADVATE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT ( <i>antihemophil factor (rahf-pfm)</i> ) | 3         | SP; SMCS                                   |
| ADYNOVATE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT, 750 UNIT                                         | 4         | SP; SMCS                                   |
| AFSTYLA INTRAVENOUS KIT 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT ( <i>antihemophil fact single chain</i> )                                         | 4         | SMCS                                       |
| AFSTYLA INTRAVENOUS KIT 1500 UNIT, 2500 UNIT ( <i>antihemophil fact single chain</i> )                                                                        | 4         | SP; SMCS                                   |
| ALPHANATE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 500 UNIT ( <i>antihemophilic factor-vwf</i> )                         | 3         | SP; SMCS                                   |
| ALPHANINE SD INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 500 UNIT ( <i>coagulation factor ix</i> )                                               | 3         | SP; SMCS                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                                             | Drug Tier | Coverage Requirements & Limits                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| ALPROLIX INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT ( <b>coagulation factor ix (rfixfc)</b> )         | 4         | SP; SMCS                                         |
| ALPROLIX INTRAVENOUS SOLUTION RECONSTITUTED 250 UNIT ( <b>coagulation factor ix (rfixfc)</b> )                                                     | 3         | SP; SMCS                                         |
| ALTUVIII INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT ( <b>antihem fact fc-vwf-xten-eh1</b> ) | 4         | SP; SMCS                                         |
| <b>aminocaproic acid oral solution 0.25 gm/ml</b>                                                                                                  | 3         |                                                  |
| <b>aminocaproic acid oral tablet 1000 mg, 500 mg</b>                                                                                               | 3         |                                                  |
| ASTRINGYN EXTERNAL SOLUTION 259 MG/GM ( <b>ferric subsulfate</b> )                                                                                 | 3         |                                                  |
| BENEFIX INTRAVENOUS KIT 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT ( <b>coagulation factor ix (recomb)</b> )                              | 3         | SP; SMCS                                         |
| COAGADEX INTRAVENOUS SOLUTION RECONSTITUTED 250 UNIT, 500 UNIT ( <b>coagulation factor x (human)</b> )                                             | 3         | SP; SMCS                                         |
| CORIFACT INTRAVENOUS KIT 1000-1600 UNIT ( <b>factor xiii concentrate human</b> )                                                                   | 3         | SP; SMCS                                         |
| CRENESSITY ORAL CAPSULE 100 MG, 50 MG ( <b>crinecerfont</b> )                                                                                      | 4         | PA; QL (62 capsules per month.); SP; SMCS        |
| CRENESSITY ORAL SOLUTION 50 MG/ML ( <b>crinecerfont</b> )                                                                                          | 4         | PA; QL (120 mL (4 bottles) per month.); SP; SMCS |
| <b>desmopressin ace spray refrig nasal solution 0.01 %</b>                                                                                         | 1         |                                                  |
| <b>desmopressin acetate injection solution 4 mcg/ml</b>                                                                                            | 1         |                                                  |
| <b>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</b>                                                                                             | 1         |                                                  |
| <b>desmopressin acetate pf injection solution 4 mcg/ml</b>                                                                                         | 1         |                                                  |
| <b>desmopressin acetate spray nasal solution 0.01 %</b>                                                                                            | 1         |                                                  |
| FEIBA INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2500 UNIT, 500 UNIT ( <b>antiinhibitor coagulant cmplx</b> )                                   | 3         | SP; SMCS                                         |
| GELFILM OPHTHALMIC FILM ( <b>gelatin adsorbable</b> )                                                                                              | 2         |                                                  |
| HEMLIBRA SUBCUTANEOUS SOLUTION 105 MG/0.7ML, 150 MG/ML, 30 MG/ML, 300 MG/2ML, 60 MG/0.4ML ( <b>emicizumab-kxwh</b> )                               | 3         | PA; SP; SMCS                                     |
| HEMOFIL M INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1700 UNIT, 250 UNIT, 500 UNIT ( <b>antihemophilic factor</b> )                             | 3         | SP; SMCS                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                                                      | Drug Tier | Coverage Requirements & Limits                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------|
| HUMATE-P INTRAVENOUS SOLUTION RECONSTITUTED 1000-2400 UNIT, 250-600 UNIT, 500-1200 UNIT ( <i>antihemophilic factor-vwf</i> )                                | 3         | SP; SMCS                                              |
| HYMPAVZI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <i>marstacimab-hncq</i> )                                                                          | 3         | PA; QL (4 mL (4 Auto-injectors) per month.); SP; SMCS |
| IDELVION INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 3500 UNIT, 500 UNIT ( <i>coagulation factor ix (rix-fp)</i> )                   | 4         | SP; SMCS                                              |
| JIVI INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT ( <i>ahf (bdd-rfviii peg-auc1)</i> )                           | 4         | SP; SMCS                                              |
| KOATE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 250 UNIT, 500 UNIT ( <i>antihemophilic factor</i> )                                                     | 3         | SP; SMCS                                              |
| KOATE-DVI INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT ( <i>antihemophilic factor</i> )                                                                     | 3         | SP; SMCS                                              |
| KOGENATE FS INTRAVENOUS KIT 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT ( <i>antihem factor recomb (rfviii)</i> )                                   | 3         | SP; SMCS                                              |
| KOVALTRY INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT ( <i>antihemophil factor (rahf-pfm)</i> )                   | 3         | SP; SMCS                                              |
| MONSELS FERRIC SUBSULFATE EXTERNAL SOLUTION                                                                                                                 | 3         |                                                       |
| NOVOEIGHT INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT ( <i>antihemophil fact bd truncated</i> )       | 3         | SP; SMCS                                              |
| NOVOSEVEN RT INTRAVENOUS SOLUTION RECONSTITUTED 1 MG, 2 MG, 5 MG, 8 MG ( <i>coagulation factor viia recomb</i> )                                            | 3         | SP; SMCS                                              |
| NUWIQ INTRAVENOUS KIT 1000 UNIT, 2000 UNIT, 250 UNIT, 2500 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT ( <i>antihem fact (bdd-rfviii,sim)</i> )                    | 3         | SP; SMCS                                              |
| NUWIQ INTRAVENOUS KIT 1500 UNIT ( <i>antihem fact (bdd-rfviii,sim)</i> )                                                                                    | 3         | SMCS                                                  |
| NUWIQ INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 2500 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT ( <i>antihem fact (bdd-rfviii,sim)</i> ) | 3         | SP; SMCS                                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                             | Drug Tier | Coverage Requirements & Limits                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------|
| NUWIQ INTRAVENOUS SOLUTION RECONSTITUTED 1500 UNIT ( <i>antihem fact (bdd-rfviii,sim)</i> )                                                                        | 3         | SMCS                                              |
| OBIZUR INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT                                                                                                                 | 4         | SP; SMCS                                          |
| PROFILNINE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 500 UNIT ( <i>factor ix complex</i> )                                                          | 3         | SP; SMCS                                          |
| QFITLIA SUBCUTANEOUS SOLUTION 20 MG/0.2ML ( <i>fitusiran sodium</i> )                                                                                              | 4         | PA; ST; QL (0.2 mL (1 vial) per month.); SP; SMCS |
| QFITLIA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/0.5ML ( <i>fitusiran sodium</i> )                                                                                | 4         | PA; ST; QL (0.5 mL (1 pen) per month.); SP; SMCS  |
| RECOMBIMATE INTRAVENOUS SOLUTION RECONSTITUTED 1241-1800 UNIT, 1801-2400 UNIT, 220-400 UNIT, 401-800 UNIT, 801-1240 UNIT ( <i>antihem factor recomb (rfviii)</i> ) | 3         | SP; SMCS                                          |
| RECOTHROM EXTERNAL SOLUTION RECONSTITUTED 5000 UNIT ( <i>thrombin (recombinant)</i> )                                                                              | 3         |                                                   |
| RECOTHROM SPRAY KIT EXTERNAL SOLUTION RECONSTITUTED 20000 UNIT ( <i>thrombin (recombinant)</i> )                                                                   | 3         |                                                   |
| RIXUBIS INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 500 UNIT                                                                     | 3         | SP; SMCS                                          |
| THROMBIN-JMI EPISTAXIS EXTERNAL KIT 5000 UNIT ( <i>thrombin</i> )                                                                                                  | 3         |                                                   |
| THROMBIN-JMI EXTERNAL KIT 20000 UNIT, 5000 UNIT ( <i>thrombin</i> )                                                                                                | 3         |                                                   |
| THROMBOGEN EXTERNAL KIT 10000 UNIT ( <i>thrombin</i> )                                                                                                             | 3         |                                                   |
| THROMBOGEN EXTERNAL SOLUTION RECONSTITUTED 1000 UNIT, 10000 UNIT ( <i>thrombin</i> )                                                                               | 3         |                                                   |
| <i>tranexamic acid oral tablet 650 mg</i>                                                                                                                          | 2         | QL (Benefit maximum quantity 1 per day.)          |
| TRETEN INTRAVENOUS SOLUTION RECONSTITUTED 2500 UNIT ( <i>coagulation factor xiii a-sub</i> )                                                                       | 4         | SP; SMCS                                          |
| VONVENDI INTRAVENOUS SOLUTION RECONSTITUTED 1300 UNIT, 650 UNIT ( <i>von willebrand factor (recomb)</i> )                                                          | 3         | SP; SMCS                                          |
| WILATE INTRAVENOUS KIT 1000-1000 UNIT, 500-500 UNIT ( <i>antihemophilic factor-vwf</i> )                                                                           | 3         | SMCS                                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                      | Drug Tier | Coverage Requirements & Limits            |
|-------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <b>HEPARINS - Drugs to Prevent Blood Clots</b>                                                              |           |                                           |
| <i>enoxaparin sodium injection solution 300 mg/3ml</i>                                                      | 2         | QL (42 ml (14 vials) per prescription)    |
| <i>enoxaparin sodium injection solution prefilled syringe 100 mg/ml, 150 mg/ml</i>                          | 2         | QL (30 syringes per prescription)         |
| <i>enoxaparin sodium injection solution prefilled syringe 120 mg/0.8ml, 80 mg/0.8ml</i>                     | 2         | QL (24 ml (30 syringes) per prescription) |
| <i>enoxaparin sodium injection solution prefilled syringe 30 mg/0.3ml</i>                                   | 2         | QL (9 ml (30 syringes) per prescription)  |
| <i>enoxaparin sodium injection solution prefilled syringe 40 mg/0.4ml</i>                                   | 2         | QL (12 ml (30 syringes) per prescription) |
| <i>enoxaparin sodium injection solution prefilled syringe 60 mg/0.6ml</i>                                   | 2         | QL (18 ml (30 syringes) per prescription) |
| <i>heparin na (pork) lock flsh pf intravenous solution 10 unit/ml, 100 unit/ml</i>                          | 1         |                                           |
| <i>heparin sod (pork) lock flush intravenous solution 10 unit/ml, 100 unit/ml</i>                           | 1         |                                           |
| <i>heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i> | 1         |                                           |
| <i>heparin sodium (porcine) injection solution prefilled syringe 5000 unit/0.5ml</i>                        | 1         |                                           |
| <i>heparin sodium (porcine) pf injection solution 1000 unit/ml, 5000 unit/0.5ml, 5000 unit/ml</i>           | 1         |                                           |
| <b>INDIRECT FACTOR XA INHIBITORS - Drugs to Prevent Blood Clots</b>                                         |           |                                           |
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml</i>                                                | 2         | QL (24 ml (30 syringes) per prescription) |
| <i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i>                                               | 2         | QL (15 ml (30 syringes) per prescription) |
| <i>fondaparinux sodium subcutaneous solution 5 mg/0.4ml</i>                                                 | 2         | QL (12 ml (30 syringes) per prescription) |
| <i>fondaparinux sodium subcutaneous solution 7.5 mg/0.6ml</i>                                               | 2         | QL (18 ml (30 syringes) per prescription) |
| <b>IRON PREPARATIONS - Vitamins and Minerals</b>                                                            |           |                                           |
| ATABEX OB ORAL TABLET 29-1 MG ( <i>prenatal vit w/ fe bisg-fa</i> )                                         | 3         |                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------|-----------|--------------------------------|
| ELITE-OB ORAL TABLET 50-1.25 MG ( <i>prenatal vit-iron carbonyl-fa</i> )                   | 3         |                                |
| ENBRACE HR ORAL CAPSULE ( <i>prenat vit-fe gly cys-fa-omega</i> )                          | 3         |                                |
| <i>hematinic/folic acid oral tablet 324-1 mg</i>                                           | 1         |                                |
| M-NATAL PLUS ORAL TABLET 27-1 MG                                                           | 3         |                                |
| <i>multi-vitamin/fluoride/iron oral solution 0.25-10 mg/ml</i>                             | 1         |                                |
| NATAL PNV ORAL TABLET 6-0.5 MG                                                             | 3         |                                |
| NEONATAL COMPLETE ORAL TABLET 27-1 MG                                                      | 3         |                                |
| NEONATAL PLUS ORAL TABLET 27-1 MG ( <i>prenatal vit-fe fumarate-fa</i> )                   | 3         |                                |
| NESTABS ONE ORAL CAPSULE 38-1-225 MG ( <i>prenat-fe-methylfol-dha w/o a</i> )              | 3         |                                |
| NESTABS ORAL TABLET 32-1 MG ( <i>prenat-fe bisgly-fa-w/o vit a</i> )                       | 3         |                                |
| ONE VITE WOMENS PLUS ORAL TABLET 27-1 MG                                                   | 3         |                                |
| ONENATAL RX ORAL TABLET 1 MG ( <i>prenatal multivit-min-fe-fa</i> )                        | 3         |                                |
| <i>pnv 27-ca/fe/fa oral tablet 60-1 mg</i>                                                 | 1         |                                |
| POLY-VI-FLOR/IRON ORAL SUSPENSION 0.25-7 MG/ML ( <i>ped multivitamins-fl-iron</i> )        | 3         |                                |
| POLY-VI-FLOR/IRON ORAL TABLET CHEWABLE 0.5-10 MG ( <i>ped multivitamins-fl-iron</i> )      | 3         |                                |
| <i>prenatal oral tablet 27-1 mg</i>                                                        | 1         |                                |
| <i>prenatal plus vitamin/mineral oral tablet 27-1 mg</i>                                   | 1         |                                |
| PRENATE DHA ORAL CAPSULE 18-0.6-0.4-300 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> )       | 3         |                                |
| PRENATE ELITE ORAL TABLET 20-0.6-0.4 MG ( <i>prenatal-feaspgly-methylfol-fa</i> )          | 3         |                                |
| PRENATE ENHANCE ORAL CAPSULE 28-0.6-0.4-400 MG ( <i>prenat w/o a-fe-methfol-fa-dha</i> )   | 3         |                                |
| PRENATE ESSENTIAL ORAL CAPSULE 18-0.6-0.4-300 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> ) | 3         |                                |
| PRENATE MINI ORAL CAPSULE 18-0.6-0.4-350 MG ( <i>prenat-fechn-feasp-meth-fa-dha</i> )      | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                   | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------------------|-----------|--------------------------------|
| PRENATE PIXIE ORAL CAPSULE 10-0.6-0.4-200 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> )   | 3         |                                |
| PRENATE RESTORE ORAL CAPSULE 27-0.6-0.4-400 MG ( <i>prenat w/o a-fe-methfol-fa-dha</i> ) | 3         |                                |
| RELNATE DHA ORAL CAPSULE 28-1-200 MG                                                     | 3         |                                |
| SELECT-OB ORAL TABLET CHEWABLE 29-1 MG ( <i>prenatal vit-fe psac cmplx-fa</i> )          | 4         |                                |
| TRINATE ORAL TABLET ( <i>prenatal vit-fe fumarate-fa</i> )                               | 3         |                                |
| TRISTART DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                              | 3         |                                |
| VITAFOL FE+ ORAL CAPSULE 90-0.6-0.4-200 MG ( <i>prenat-fe poly-methfol-fa-dha</i> )      | 3         |                                |
| VITAFOL-OB+DHA ORAL 65-1 & 250 MG ( <i>prenatal mv-min-fe fum-fa-dha</i> )               | 3         |                                |
| VITATHELY WITH GINGER ORAL TABLET 27-1 MG ( <i>prenatal vit-fe fumarate-fa</i> )         | 3         |                                |
| WESCAP-PN DHA ORAL CAPSULE 27-0.6-0.4-300 MG                                             | 4         |                                |
| WESNATAL DHA COMPLETE ORAL 29-1-200 & 200 MG                                             | 2         |                                |
| WESNATE DHA ORAL CAPSULE 28-1-200 MG                                                     | 3         |                                |
| WESTGEL DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                               | 3         |                                |
| <b>LIVER AND STOMACH PREPARATIONS - Vitamins and Minerals</b>                            |           |                                |
| <i>cyanocobalamin injection solution 1000 mcg/ml</i>                                     | 1         |                                |
| CYANOCOBALAMIN INJECTION SOLUTION 2000 MCG/ML                                            | 3         |                                |
| <i>cyanocobalamin nasal solution 500 mcg/0.1ml</i>                                       | 3         |                                |
| NASCOBAL NASAL SOLUTION 500 MCG/0.1ML ( <i>cyanocobalamin</i> )                          | 4         |                                |
| <b>PLATELET-AGGREGATION INHIBITORS - Drugs to Prevent Blood Clots</b>                    |           |                                |
| <i>aspirin 81 oral tablet delayed release 81 mg</i>                                      | E         | H                              |
| <i>aspirin adult low dose oral tablet delayed release 81 mg</i>                          | E         | H                              |
| <i>aspirin adult low strength oral tablet delayed release 81 mg</i>                      | E         | H                              |
| <i>aspirin childrens oral tablet chewable 81 mg</i>                                      | E         | H                              |
| <i>aspirin ec adult low dose oral tablet delayed release 81 mg</i>                       | E         | H                              |
| <i>aspirin ec low dose oral tablet delayed release 81 mg</i>                             | E         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                         | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>aspirin ec low strength oral tablet delayed release 81 mg</i>               | E         | H                              |
| <i>aspirin low dose oral tablet chewable 81 mg</i>                             | E         | H                              |
| <i>aspirin low dose oral tablet delayed release 81 mg</i>                      | E         | H                              |
| <i>aspirin oral tablet chewable 81 mg</i>                                      | E         | H                              |
| <i>aspirin oral tablet delayed release 81 mg</i>                               | E         | H                              |
| <i>aspirin regimen oral tablet delayed release 81 mg</i>                       | E         | H                              |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i> | 3         |                                |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                                    | 1         |                                |
| <i>clopidogrel bisulfate oral tablet 300 mg, 75 mg</i>                         | 1         |                                |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>                            | 1         |                                |
| <i>ft aspirin low dose oral tablet delayed release 81 mg</i>                   | E         | H                              |
| <i>ft aspirin oral tablet chewable 81 mg</i>                                   | E         | H                              |
| <i>goodsense aspirin low dose oral tablet delayed release 81 mg</i>            | E         | H                              |
| <i>mm aspirin oral tablet delayed release 81 mg</i>                            | E         | H                              |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i>                                   | 3         |                                |
| ST JOSEPH LOW DOSE ORAL TABLET CHEWABLE 81 MG ( <i>aspirin</i> )               | E         | H                              |
| ST JOSEPH LOW DOSE ORAL TABLET DELAYED RELEASE 81 MG ( <i>aspirin</i> )        | E         | H                              |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i>                                     | 3         | QL (2 tablets per day.)        |
| ZONTIVITY ORAL TABLET 2.08 MG ( <i>vorapaxar sulfate</i> )                     | 4         | QL (1 tablet per day.)         |
| <b>PLATELET-REDUCING AGENTS - Drugs to Prevent Blood Clots</b>                 |           |                                |
| <i>anagrelide hcl oral capsule 0.5 mg, 1 mg</i>                                | 1         |                                |
| <b>THROMBOLYTIC AGENTS - Drugs to Prevent Blood Clots</b>                      |           |                                |
| <i>aspirin 81 oral tablet delayed release 81 mg</i>                            | E         | H                              |
| <i>aspirin adult low dose oral tablet delayed release 81 mg</i>                | E         | H                              |
| <i>aspirin adult low strength oral tablet delayed release 81 mg</i>            | E         | H                              |
| <i>aspirin childrens oral tablet chewable 81 mg</i>                            | E         | H                              |
| <i>aspirin ec adult low dose oral tablet delayed release 81 mg</i>             | E         | H                              |
| <i>aspirin ec low dose oral tablet delayed release 81 mg</i>                   | E         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                             | Drug Tier | Coverage Requirements & Limits                               |
|------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------|
| <i>aspirin ec low strength oral tablet delayed release 81 mg</i>                   | E         | H                                                            |
| <i>aspirin low dose oral tablet chewable 81 mg</i>                                 | E         | H                                                            |
| <i>aspirin low dose oral tablet delayed release 81 mg</i>                          | E         | H                                                            |
| <i>aspirin oral tablet chewable 81 mg</i>                                          | E         | H                                                            |
| <i>aspirin oral tablet delayed release 81 mg</i>                                   | E         | H                                                            |
| <i>aspirin regimen oral tablet delayed release 81 mg</i>                           | E         | H                                                            |
| <i>ft aspirin low dose oral tablet delayed release 81 mg</i>                       | E         | H                                                            |
| <i>ft aspirin oral tablet chewable 81 mg</i>                                       | E         | H                                                            |
| <i>goodsense aspirin low dose oral tablet delayed release 81 mg</i>                | E         | H                                                            |
| <i>mm aspirin oral tablet delayed release 81 mg</i>                                | E         | H                                                            |
| ST JOSEPH LOW DOSE ORAL TABLET CHEWABLE 81 MG ( <i>aspirin</i> )                   | E         | H                                                            |
| ST JOSEPH LOW DOSE ORAL TABLET DELAYED RELEASE 81 MG ( <i>aspirin</i> )            | E         | H                                                            |
| <b>VON WILLEBRAND FACTOR-RELATED ANTITHROMB -<br/>Drugs to Prevent Blood Clots</b> |           |                                                              |
| CABLIVI INJECTION KIT 11 MG ( <i>caplacizumab-yhdp</i> )                           | 3         | PA; QL (1 vial per day and 58 vials per 120 days.); SP; SMCS |
| <b>CARDIOVASCULAR DRUGS</b>                                                        |           |                                                              |
| <b>BRADYKININ RECEPTORS ANTAGONISTS</b>                                            |           |                                                              |
| <i>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</i>         | 3         | PA; QL (0.6 ml per day.); SP; SMCS                           |
| <b>CARBONIC ANHYDRASE INHIBITORS (24:36)</b>                                       |           |                                                              |
| <i>acetazolamide er oral capsule extended release 12 hour 500 mg</i>               | 1         |                                                              |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                                    | 1         |                                                              |
| <i>dichlorphenamide oral tablet 50 mg</i>                                          | 3         | PA; QL (4 tablets per day.); SP; SMCS                        |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                                      | 1         |                                                              |
| <b>KALLIKREIN INHIBITORS (24:48:08)</b>                                            |           |                                                              |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2ML ( <i>lanadelumab-flyo</i> )              | 3         | PA; QL (0.072 ml per day.); SP; SMCS                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits        |
|-----------------------------------------------------------------------------------------|-----------|---------------------------------------|
| TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>lanadelumab-flyo</i> )  | 3         | PA; QL (0.0375 ml per day.); SP; SMCS |
| TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML ( <i>lanadelumab-flyo</i> ) | 3         | PA; QL (0.072 ml per day.); SP; SMCS  |
| <b>LOOP DIURETICS (24:36)</b>                                                           |           |                                       |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                                        | 1         |                                       |
| BUMEX ORAL TABLET 0.5 MG ( <i>bumetanide</i> )                                          | 3         |                                       |
| <i>ethacrynic acid oral tablet 25 mg</i>                                                | 4         |                                       |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i>                                       | 1         |                                       |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>                                       | 1         |                                       |
| LASIX ORAL TABLET 20 MG, 40 MG, 80 MG ( <i>furosemide</i> )                             | 4         |                                       |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                                 | 1         |                                       |
| <b>OSMOTIC DIURETICS (24:36)</b>                                                        |           |                                       |
| HYDRO 40 EXTERNAL FOAM 40 % ( <i>urea</i> )                                             | 3         |                                       |
| <i>urea external cream 20 %, 40 %</i>                                                   | 1         |                                       |
| <i>urea external lotion 40 %</i>                                                        | 1         |                                       |
| UREMEZ-40 EXTERNAL CREAM 40 %                                                           | 3         |                                       |
| <b>POTASSIUM-SPARING DIURETICS (24:36)</b>                                              |           |                                       |
| <i>amiloride hcl oral tablet 5 mg</i>                                                   | 1         |                                       |
| CAROSPIR ORAL SUSPENSION 25 MG/5ML ( <i>spironolactone</i> )                            | 4         | PA; SM                                |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>                                              | 2         |                                       |
| <i>spironolactone oral suspension 25 mg/5ml</i>                                         | 3         | PA; SM                                |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>                                  | 1         | SM                                    |
| <i>spironolactone-hctz oral tablet 25-25 mg</i>                                         | 1         |                                       |
| <i>triamterene oral capsule 100 mg, 50 mg</i>                                           | 3         |                                       |
| <b>THIAZIDE DIURETICS (24:36)</b>                                                       |           |                                       |
| DIURIL ORAL SUSPENSION 250 MG/5ML ( <i>chlorothiazide</i> )                             | 2         |                                       |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                                         | 1         |                                       |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>                            | 1         |                                       |
| <b>THIAZIDE-LIKE DIURETICS (24:36)</b>                                                  |           |                                       |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                                          | 1         |                                       |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                                           | 1         |                                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                      | Drug Tier | Coverage Requirements & Limits                      |
|---------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------|
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                                           | 1         |                                                     |
| <b>CARDIOVASCULAR DRUGS - Drugs for the Heart</b>                                           |           |                                                     |
| <b>ACL INHIBITORS - Drugs for Cholesterol</b>                                               |           |                                                     |
| NEXLETOL ORAL TABLET 180 MG ( <i>bempedoic acid</i> )                                       | 2         | PA; ST; QL (1 tablet per day.)                      |
| NEXLIZET ORAL TABLET 180-10 MG ( <i>bempedoic acid-ezetimibe</i> )                          | 2         | PA; ST; QL (1 tablet per day.)                      |
| <b>ALPHA-ADRENERGIC BLOCKING AGENTS (24:16) - Drugs for Varicose Veins</b>                  |           |                                                     |
| CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG, 8 MG ( <i>doxazosin mesylate</i> )                    | 4         |                                                     |
| <i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>                                | 1         |                                                     |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>                                              | 1         |                                                     |
| <i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>                                           | 1         |                                                     |
| <i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                   | 1         |                                                     |
| <b>ALPHA-ADRENERGIC BLOCKING AGT.(HYPOTEN) - Drugs for High Blood Pressure &amp; Angina</b> |           |                                                     |
| CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG, 8 MG ( <i>doxazosin mesylate</i> )                    | 4         |                                                     |
| CARDURA XL ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG, 8 MG ( <i>doxazosin mesylate</i> )    | 3         |                                                     |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>                             | 1         |                                                     |
| <i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>                                | 1         |                                                     |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i>                                     | 1         |                                                     |
| <i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>                                           | 1         |                                                     |
| <i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                   | 1         |                                                     |
| <b>ANGIOTENSIN II RECEPTOR ANTAGONIST/NEPROLYS - Drugs for the Heart</b>                    |           |                                                     |
| ENTRESTO ORAL CAPSULE SPRINKLE 15-16 MG ( <i>sacubitril-valsartan</i> )                     | 4         | PA; QL (240 sprinkle capsules (pellets) per month.) |
| ENTRESTO ORAL CAPSULE SPRINKLE 6-6 MG ( <i>sacubitril-valsartan</i> )                       | 4         | PA; QL (240 sprinkle capsules (pellets) per month)  |
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i>                       | 3         | PA; QL (2 tablets per day.)                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits                      |
|----------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------|
| <b>ANGIOTENSIN II RECEPTOR ANTAGON.(HYPOTN) - Drugs for High Blood Pressure &amp; Angina</b> |           |                                                     |
| <i>candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>                            | 3         |                                                     |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>                                          | 1         |                                                     |
| <i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i>                                   | 1         |                                                     |
| <i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i>                                   | 2         |                                                     |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>                                           | 2         |                                                     |
| <i>valsartan oral solution 4 mg/ml</i>                                                       | 4         | PA                                                  |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>                                    | 2         |                                                     |
| <b>ANGIOTENSIN II RECEPTOR ANTAGONISTS - Drugs for the Heart</b>                             |           |                                                     |
| <i>amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>    | 2         |                                                     |
| <i>candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>                            | 3         |                                                     |
| <i>candesartan cilexetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>               | 3         |                                                     |
| ENTRESTO ORAL CAPSULE SPRINKLE 15-16 MG ( <i>sacubitril-valsartan</i> )                      | 4         | PA; QL (240 sprinkle capsules (pellets) per month.) |
| ENTRESTO ORAL CAPSULE SPRINKLE 6-6 MG ( <i>sacubitril-valsartan</i> )                        | 4         | PA; QL (240 sprinkle capsules (pellets) per month)  |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>                                          | 1         |                                                     |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>                   | 1         |                                                     |
| <i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i>                                   | 1         |                                                     |
| <i>losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>                | 1         |                                                     |
| <i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i>                                   | 2         |                                                     |
| <i>olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>                | 2         |                                                     |
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i>                        | 3         | PA; QL (2 tablets per day.)                         |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>                                           | 2         |                                                     |
| <i>telmisartan-hctz oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>                         | 2         |                                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                          | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>valsartan oral solution 4 mg/ml</i>                                                                          | 4         | PA                             |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>                                                       | 2         |                                |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>     | 1         |                                |
| <b>ANGIOTENSIN-CONVERT. ENZYME INHIB(HYPOTN) - Drugs for High Blood Pressure &amp; Angina</b>                   |           |                                |
| <i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                                                     | 1         |                                |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>                                                      | 1         |                                |
| <i>enalapril maleate oral solution 1 mg/ml</i>                                                                  | 3         | PA                             |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>                                                 | 1         |                                |
| EPANED ORAL SOLUTION 1 MG/ML ( <i>enalapril maleate</i> )                                                       | 4         | PA                             |
| <i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i>                                                        | 1         |                                |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>                                          | 1         |                                |
| LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG ( <i>benazepril hcl</i> )                                              | 4         |                                |
| <i>moexipril hcl oral tablet 15 mg, 7.5 mg</i>                                                                  | 1         |                                |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                                                        | 2         |                                |
| <i>quinapril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                                                      | 1         |                                |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>                                                       | 1         |                                |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                                                                | 1         |                                |
| <b>ANGIOTENSIN-CONVERTING ENZYME INHIBITORS - Drugs for the Heart</b>                                           |           |                                |
| <i>amlodipine besylate-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> | 1         |                                |
| <i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                                                     | 1         |                                |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>                   | 1         |                                |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>                                                      | 1         |                                |
| <i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>                         | 1         |                                |
| <i>enalapril maleate oral solution 1 mg/ml</i>                                                                  | 3         | PA                             |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>                                                 | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                   | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</b>                                     | 1         |                                |
| EPANED ORAL SOLUTION 1 MG/ML ( <i>enalapril maleate</i> )                                                | 4         | PA                             |
| <b>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</b>                                                 | 1         |                                |
| <b>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</b>                                         | 1         |                                |
| <b>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</b>                                   | 1         |                                |
| <b>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</b>                       | 1         |                                |
| LOTENSIN HCT ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG ( <i>benazepril-hydrochlorothiazide</i> )      | 4         |                                |
| LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG ( <i>benazepril hcl</i> )                                       | 4         |                                |
| <b>moexipril hcl oral tablet 15 mg, 7.5 mg</b>                                                           | 1         |                                |
| <b>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</b>                                                 | 2         |                                |
| QBRELIS ORAL SOLUTION 1 MG/ML ( <i>lisinopril</i> )                                                      | 4         | PA                             |
| <b>quinapril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</b>                                               | 1         |                                |
| <b>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</b>                        | 2         |                                |
| <b>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</b>                                                | 1         |                                |
| <b>trandolapril oral tablet 1 mg, 2 mg, 4 mg</b>                                                         | 1         |                                |
| <b>trandolapril-verapamil hcl er oral tablet extended release 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</b> | 3         |                                |
| <b>ANTIARRHYTHMICS, MISCELLANEOUS - Drugs for Angina</b>                                                 |           |                                |
| <b>digoxin oral solution 0.05 mg/ml</b>                                                                  | 1         |                                |
| <b>digoxin oral tablet 125 mcg, 250 mcg, 62.5 mcg</b>                                                    | 1         |                                |
| LANOXIN ORAL TABLET 125 MCG, 250 MCG ( <i>digoxin</i> )                                                  | 3         |                                |
| LANOXIN ORAL TABLET 62.5 MCG ( <i>digoxin</i> )                                                          | 4         |                                |
| <b>ANTILIPEMIC AGENTS, MISCELLANEOUS - Drugs for Cholesterol</b>                                         |           |                                |
| NEXLETOL ORAL TABLET 180 MG ( <i>bempedoic acid</i> )                                                    | 2         | PA; ST; QL (1 tablet per day.) |
| NEXLIZET ORAL TABLET 180-10 MG ( <i>bempedoic acid-ezetimibe</i> )                                       | 2         | PA; ST; QL (1 tablet per day.) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                           | Drug Tier | Coverage Requirements & Limits                         |
|------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------|
| <b>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</b>                       | 3         |                                                        |
| <b>omega-3-acid ethyl esters oral capsule 1 gm</b>                                                               | 2         |                                                        |
| TRYNGOLZA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/0.8ML ( <b>olezarsen sodium</b> )                            | 4         | PA; QL (1 Auto-injector (0.8 mL) per month.); SP; SMCS |
| <b>BETA-ADRENERGIC BLOCKING AGENTS (24:20) - Drugs for High Blood Pressure</b>                                   |           |                                                        |
| <b>acebutolol hcl oral capsule 200 mg, 400 mg</b>                                                                | 1         |                                                        |
| <b>atenolol oral tablet 100 mg, 25 mg, 50 mg</b>                                                                 | 1         |                                                        |
| <b>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</b>                                                   | 1         |                                                        |
| BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG ( <b>sotalol hcl af</b> )                                          | 4         |                                                        |
| <b>betaxolol hcl oral tablet 10 mg, 20 mg</b>                                                                    | 1         |                                                        |
| BETIMOL OPHTHALMIC SOLUTION 0.5 % ( <b>timolol hemihydrate</b> )                                                 | 4         | QL (5 ml per prescription.)                            |
| <b>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</b>                                                       | 1         |                                                        |
| <b>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</b>                             | 1         |                                                        |
| CARDURA ORAL TABLET 1 MG, 2 MG, 4 MG, 8 MG ( <b>doxazosin mesylate</b> )                                         | 4         |                                                        |
| CARDURA XL ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG, 8 MG ( <b>doxazosin mesylate</b> )                         | 3         |                                                        |
| <b>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</b>                                                  | 1         |                                                        |
| <b>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</b>                                                     | 1         |                                                        |
| ISTALOL OPHTHALMIC SOLUTION 0.5 % ( <b>timolol maleate</b> )                                                     | 4         |                                                        |
| KAPSPARGO SPRINKLE ORAL CAPSULE ER 24 HOUR SPRINKLE 100 MG, 200 MG, 25 MG, 50 MG ( <b>metoprolol succinate</b> ) | 4         |                                                        |
| <b>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg, 400 mg</b>                                                  | 1         |                                                        |
| LOPRESSOR ORAL TABLET 100 MG, 50 MG ( <b>metoprolol tartrate</b> )                                               | 4         |                                                        |
| <b>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 50 mg</b>                        | 2         |                                                        |
| <b>metoprolol succinate er oral tablet extended release 24 hour 25 mg</b>                                        | 1         |                                                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>                                  | 1         |                                |
| <i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>             | 1         |                                |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>                                               | 1         |                                |
| <i>nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>                                  | 3         |                                |
| <i>pindolol oral tablet 10 mg, 5 mg</i>                                                      | 1         |                                |
| <i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>                                            | 1         |                                |
| <i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i> | 2         |                                |
| <i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i>                                    | 1         |                                |
| <i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                         | 1         |                                |
| <i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i>                                    | 1         |                                |
| <i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>                                 | 1         |                                |
| SOTYLIZE ORAL SOLUTION 5 MG/ML ( <i>sotalol hcl</i> )                                        | 4         | PA                             |
| <i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                    | 1         |                                |
| <i>timolol hemihydrate ophthalmic solution 0.5 %</i>                                         | 2         | QL (5 ml per prescription.)    |
| <i>timolol maleate (once-daily) ophthalmic solution 0.5 %</i>                                | 3         |                                |
| <i>timolol maleate ocudose ophthalmic solution 0.5 %</i>                                     | 2         |                                |
| <i>timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 %</i>                         | 1         |                                |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>                                     | 1         |                                |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                        | 1         |                                |
| <i>timolol maleate pf ophthalmic solution 0.25 %, 0.5 %</i>                                  | 2         |                                |
| TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION 0.25 %, 0.5 % ( <i>timolol maleate</i> )                | 4         |                                |
| <b>BILE ACID SEQUESTRANTS - Drugs for Cholesterol</b>                                        |           |                                |
| <i>cholestyramine light oral packet 4 gm</i>                                                 | 1         |                                |
| <i>cholestyramine light oral powder 4 gm/dose</i>                                            | 1         |                                |
| <i>cholestyramine oral packet 4 gm</i>                                                       | 1         |                                |
| <i>cholestyramine oral powder 4 gm/dose</i>                                                  | 1         |                                |
| <i>colesevelam hcl oral packet 3.75 gm</i>                                                   | 2         |                                |
| <i>colesevelam hcl oral tablet 625 mg</i>                                                    | 2         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                        | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| COLESTID ORAL GRANULES 5 GM ( <i>colestipol hcl</i> )                                                                         | 3         |                                |
| COLESTID ORAL TABLET 1 GM ( <i>colestipol hcl</i> )                                                                           | 4         |                                |
| <i>colestipol hcl oral granules 5 gm</i>                                                                                      | 1         |                                |
| <i>colestipol hcl oral packet 5 gm</i>                                                                                        | 1         |                                |
| <i>colestipol hcl oral tablet 1 gm</i>                                                                                        | 1         |                                |
| <i>prevalite oral packet 4 gm</i>                                                                                             | 1         |                                |
| <i>prevalite oral powder 4 gm/dose</i>                                                                                        | 1         |                                |
| QUESTRAN LIGHT ORAL POWDER 4 GM/DOSE ( <i>cholestyramine light</i> )                                                          | 4         |                                |
| QUESTRAN ORAL PACKET 4 GM ( <i>cholestyramine</i> )                                                                           | 4         |                                |
| QUESTRAN ORAL POWDER 4 GM/DOSE ( <i>cholestyramine</i> )                                                                      | 4         |                                |
| <b>CALCIUM-CHANNEL BLOCK.AGT,MISC(HYPOTEN) - Drugs for High Blood Pressure &amp; Angina</b>                                   |           |                                |
| <i>cartia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>                                         | 2         |                                |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>            | 2         |                                |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>             | 2         |                                |
| <i>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i>                                            | 1         |                                |
| <i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                          | 1         |                                |
| <i>diltiazem hcl er oral tablet extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                   | 2         |                                |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>                                                                  | 1         |                                |
| <i>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                                   | 1         |                                |
| <i>matzim la oral tablet extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                                  | 2         |                                |
| <i>tiadylt er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                        | 2         |                                |
| TIAZAC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG ( <i>diltiazem hcl er beads</i> ) | 4         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                        | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 200 mg, 300 mg</i>                                          | 3         |                                |
| <i>verapamil hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 360 mg</i>                                  | 1         |                                |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i>                                                   | 1         |                                |
| <i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i>                                                                         | 1         |                                |
| <b>CALCIUM-CHANNEL BLOCKING AGENTS - Drugs for High Blood Pressure &amp; Angina</b>                                           |           |                                |
| <i>cartia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>                                         | 2         |                                |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>            | 2         |                                |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>             | 2         |                                |
| <i>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i>                                            | 1         |                                |
| <i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                          | 1         |                                |
| <i>diltiazem hcl er oral tablet extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                   | 2         |                                |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>                                                                  | 1         |                                |
| <i>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                                   | 1         |                                |
| <i>matzim la oral tablet extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                                  | 2         |                                |
| <i>tiadylt er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                        | 2         |                                |
| TIAZAC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG ( <i>diltiazem hcl er beads</i> ) | 4         |                                |
| <i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 200 mg, 300 mg</i>                                          | 3         |                                |
| <i>verapamil hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 360 mg</i>                                  | 1         |                                |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i>                                                   | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                        | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i>                                                                         | 1         |                                |
| <b>CALCIUM-CHANNEL BLOCKING AGENTS, MISC. - Drugs for High Blood Pressure &amp; Angina</b>                                    |           |                                |
| <i>cartia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>                                         | 2         |                                |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>            | 2         |                                |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>             | 2         |                                |
| <i>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i>                                            | 1         |                                |
| <i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                          | 1         |                                |
| <i>diltiazem hcl er oral tablet extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                   | 2         |                                |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>                                                                  | 1         |                                |
| <i>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                                   | 1         |                                |
| <i>matzim la oral tablet extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                                  | 2         |                                |
| <i>tiadylt er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                        | 2         |                                |
| TIAZAC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG ( <i>diltiazem hcl er beads</i> ) | 4         |                                |
| <i>trandolapril-verapamil hcl er oral tablet extended release 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>                      | 3         |                                |
| <i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 200 mg, 300 mg</i>                                          | 3         |                                |
| <i>verapamil hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 360 mg</i>                                  | 1         |                                |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i>                                                   | 1         |                                |
| <i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i>                                                                         | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits            |
|--------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <b>CARBONIC ANHYDRASE INHIBITORS(HYPOTEN) - Drugs for High Blood Pressure &amp; Angina</b> |           |                                           |
| <i>acetazolamide er oral capsule extended release 12 hour 500 mg</i>                       | 1         |                                           |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                                            | 1         |                                           |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                                              | 1         |                                           |
| <b>CARDIAC DRUGS, MISCELLANEOUS - Drugs for Angina</b>                                     |           |                                           |
| ATTRUBY ORAL TABLET THERAPY PACK 356 MG ( <i>acoramidis hcl</i> )                          | 3         | PA; QL (124 tablets per month.); SP; SMCS |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG ( <i>mavacamten</i> )                      | 4         | PA; QL (1 capsule per day.); SP; SMCS     |
| CORLANOR ORAL SOLUTION 5 MG/5ML ( <i>ivabradine hcl</i> )                                  | 3         | PA; QL (20 ml per day.)                   |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG ( <i>ivabradine hcl</i> )                                | 3         | PA; QL (2 tablets per day.)               |
| <i>ivabradine hcl oral tablet 5 mg, 7.5 mg</i>                                             | 3         | PA; QL (2 tablets per day.)               |
| <i>ranolazine er oral tablet extended release 12 hour 1000 mg, 500 mg</i>                  | 2         |                                           |
| VYNDAMAX ORAL CAPSULE 61 MG ( <i>tafamidis</i> )                                           | 3         | PA; QL (1 capsule per day.); SP; SMCS     |
| VYNDAQEL ORAL CAPSULE 20 MG ( <i>tafamidis meglumine (cardiac)</i> )                       | 3         | PA; QL (4 capsules per day.); SP; SMCS    |
| <b>CARDIOTONIC AGENTS - Drugs for Angina</b>                                               |           |                                           |
| CORLANOR ORAL SOLUTION 5 MG/5ML ( <i>ivabradine hcl</i> )                                  | 3         | PA; QL (20 ml per day.)                   |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG ( <i>ivabradine hcl</i> )                                | 3         | PA; QL (2 tablets per day.)               |
| <i>digoxin oral solution 0.05 mg/ml</i>                                                    | 1         |                                           |
| <i>digoxin oral tablet 125 mcg, 250 mcg, 62.5 mcg</i>                                      | 1         |                                           |
| <i>ivabradine hcl oral tablet 5 mg, 7.5 mg</i>                                             | 3         | PA; QL (2 tablets per day.)               |
| LANOXIN ORAL TABLET 125 MCG, 250 MCG ( <i>digoxin</i> )                                    | 3         |                                           |
| LANOXIN ORAL TABLET 62.5 MCG ( <i>digoxin</i> )                                            | 4         |                                           |
| <b>CENTRAL ALPHA-AGONISTS - Drugs for Abnormal Heart Rhythms</b>                           |           |                                           |
| <i>acebutolol hcl oral capsule 200 mg, 400 mg</i>                                          | 1         |                                           |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>                                           | 1         |                                           |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>                             | 1         |                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                           | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG ( <i>sotalol hcl af</i> )                                          | 4         |                                |
| <i>betaxolol hcl oral tablet 10 mg, 20 mg</i>                                                                    | 1         |                                |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>                                                               | 1         |                                |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>                             | 1         |                                |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>                                                  | 1         |                                |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>                                                          | 1         |                                |
| <i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>                                  | 3         |                                |
| <i>guanfacine hcl oral tablet 1 mg, 2 mg</i>                                                                     | 1         |                                |
| KAPSPARGO SPRINKLE ORAL CAPSULE ER 24 HOUR SPRINKLE 100 MG, 200 MG, 25 MG, 50 MG ( <i>metoprolol succinate</i> ) | 4         |                                |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i>                                                          | 1         |                                |
| LOPRESSOR ORAL TABLET 100 MG, 50 MG ( <i>metoprolol tartrate</i> )                                               | 4         |                                |
| <i>methyldopa oral tablet 250 mg, 500 mg</i>                                                                     | 4         | PA; ST                         |
| <i>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 50 mg</i>                        | 2         |                                |
| <i>metoprolol succinate er oral tablet extended release 24 hour 25 mg</i>                                        | 1         |                                |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>                                                      | 1         |                                |
| <i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>                                 | 1         |                                |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>                                                                   | 1         |                                |
| <i>nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>                                                      | 3         |                                |
| <i>pindolol oral tablet 10 mg, 5 mg</i>                                                                          | 1         |                                |
| <i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i>                     | 2         |                                |
| <i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i>                                                        | 1         |                                |
| <i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                                             | 1         |                                |
| <i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i>                                                        | 1         |                                |
| <i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>                                                     | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                            | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| SOTYLIZE ORAL SOLUTION 5 MG/ML ( <i>sotalol hcl</i> )                                             | 4         | PA                             |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                             | 1         |                                |
| <b>CHOLESTEROL ABSORPTION INHIBITORS - Drugs for Cholesterol</b>                                  |           |                                |
| <i>ezetimibe oral tablet 10 mg</i>                                                                | 2         |                                |
| NEXLIZET ORAL TABLET 180-10 MG ( <i>bempedoic acid-ezetimibe</i> )                                | 2         | PA; ST; QL (1 tablet per day.) |
| <b>CLASS IA ANTIARRHYTHMICS - Drugs for Angina</b>                                                |           |                                |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>                                         | 1         |                                |
| NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 150 MG ( <i>disopyramide phosphate</i> ) | 2         |                                |
| NORPACE ORAL CAPSULE 100 MG, 150 MG ( <i>disopyramide phosphate</i> )                             | 4         |                                |
| <i>quinidine gluconate er oral tablet extended release 324 mg</i>                                 | 1         |                                |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>                                               | 1         |                                |
| <b>CLASS IB ANTIARRHYTHMICS - Drugs for Angina</b>                                                |           |                                |
| DILANTIN INFATABS ORAL TABLET CHEWABLE 50 MG ( <i>phenytoin</i> )                                 | 3         |                                |
| DILANTIN ORAL CAPSULE 100 MG, 30 MG ( <i>phenytoin sodium extended</i> )                          | 3         |                                |
| DILANTIN-125 ORAL SUSPENSION 125 MG/5ML ( <i>phenytoin</i> )                                      | 3         |                                |
| <i>mexiletine hcl oral capsule 150 mg, 200 mg, 250 mg</i>                                         | 1         |                                |
| <i>phenytek oral capsule 200 mg</i>                                                               | 1         |                                |
| <i>phenytek oral capsule 300 mg</i>                                                               | 4         |                                |
| <i>phenytoin infatabs oral tablet chewable 50 mg</i>                                              | 1         |                                |
| <i>phenytoin oral suspension 125 mg/5ml</i>                                                       | 1         |                                |
| <i>phenytoin oral tablet chewable 50 mg</i>                                                       | 1         |                                |
| <i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>                              | 1         |                                |
| <b>CLASS IC ANTIARRHYTHMICS - Drugs for Angina</b>                                                |           |                                |
| <i>flecainide acetate oral tablet 100 mg, 150 mg, 50 mg</i>                                       | 1         |                                |
| <i>propafenone hcl er oral capsule extended release 12 hour 225 mg, 325 mg, 425 mg</i>            | 4         |                                |
| <i>propafenone hcl oral tablet 150 mg, 225 mg, 300 mg</i>                                         | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                              | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>CLASS II ANTIARRHYTHMICS - Drugs for Angina</b>                                                                  |           |                                |
| <b>acebutolol hcl oral capsule 200 mg, 400 mg</b>                                                                   | 1         |                                |
| <b>atenolol oral tablet 100 mg, 25 mg, 50 mg</b>                                                                    | 1         |                                |
| BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG<br>( <b>sotalol hcl af</b> )                                          | 4         |                                |
| <b>betaxolol hcl ophthalmic solution 0.5 %</b>                                                                      | 1         |                                |
| <b>betaxolol hcl oral tablet 10 mg, 20 mg</b>                                                                       | 1         |                                |
| BETIMOL OPHTHALMIC SOLUTION 0.5 % ( <b>timolol hemihydrate</b> )                                                    | 4         | QL (5 ml per prescription.)    |
| BETOPTIC-S OPHTHALMIC SUSPENSION 0.25 % ( <b>betaxolol hcl</b> )                                                    | 3         |                                |
| <b>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</b>                                                          | 1         |                                |
| <b>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</b>                                                     | 1         |                                |
| ISTALOL OPHTHALMIC SOLUTION 0.5 % ( <b>timolol maleate</b> )                                                        | 4         |                                |
| KAPSPARGO SPRINKLE ORAL CAPSULE ER 24 HOUR<br>SPRINKLE 100 MG, 200 MG, 25 MG, 50 MG ( <b>metoprolol succinate</b> ) | 4         |                                |
| <b>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg, 400 mg</b>                                                     | 1         |                                |
| LOPRESSOR ORAL TABLET 100 MG, 50 MG ( <b>metoprolol tartrate</b> )                                                  | 4         |                                |
| <b>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 50 mg</b>                           | 2         |                                |
| <b>metoprolol succinate er oral tablet extended release 24 hour 25 mg</b>                                           | 1         |                                |
| <b>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</b>                                                         | 1         |                                |
| <b>nadolol oral tablet 20 mg, 40 mg, 80 mg</b>                                                                      | 1         |                                |
| <b>nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</b>                                                         | 3         |                                |
| <b>pindolol oral tablet 10 mg, 5 mg</b>                                                                             | 1         |                                |
| <b>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</b>                        | 2         |                                |
| <b>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</b>                                                           | 1         |                                |
| <b>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</b>                                                | 1         |                                |
| <b>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</b>                                                           | 1         |                                |
| <b>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</b>                                                        | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                             | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| SOTYLIZE ORAL SOLUTION 5 MG/ML ( <i>sotalol hcl</i> )                                                              | 4         | PA                             |
| <i>timolol hemihydrate ophthalmic solution 0.5 %</i>                                                               | 2         | QL (5 ml per prescription.)    |
| <i>timolol maleate (once-daily) ophthalmic solution 0.5 %</i>                                                      | 3         |                                |
| <i>timolol maleate ocudose ophthalmic solution 0.5 %</i>                                                           | 2         |                                |
| <i>timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 %</i>                                               | 1         |                                |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>                                                           | 1         |                                |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                                              | 1         |                                |
| <i>timolol maleate pf ophthalmic solution 0.25 %, 0.5 %</i>                                                        | 2         |                                |
| TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION 0.25 %, 0.5 % ( <i>timolol maleate</i> )                                      | 4         |                                |
| <b>CLASS III ANTIARRHYTHMICS - Drugs for Angina</b>                                                                |           |                                |
| <i>amiodarone hcl oral tablet 100 mg, 200 mg, 400 mg</i>                                                           | 1         |                                |
| BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG ( <i>sotalol hcl af</i> )                                            | 4         |                                |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>                                                           | 2         |                                |
| PACERONE ORAL TABLET 100 MG ( <i>amiodarone hcl</i> )                                                              | 3         |                                |
| PACERONE ORAL TABLET 200 MG ( <i>amiodarone hcl</i> )                                                              | 4         |                                |
| <i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i>                                                          | 1         |                                |
| <i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>                                                       | 1         |                                |
| SOTYLIZE ORAL SOLUTION 5 MG/ML ( <i>sotalol hcl</i> )                                                              | 4         | PA                             |
| TIKOSYN ORAL CAPSULE 125 MCG, 250 MCG, 500 MCG ( <i>dofetilide</i> )                                               | 4         |                                |
| <b>CLASS IV ANTIARRHYTHMICS - Drugs for Angina</b>                                                                 |           |                                |
| <i>cartia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>                              | 2         |                                |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 2         |                                |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>  | 2         |                                |
| <i>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i>                                 | 1         |                                |
| <i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                               | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                           | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>diltiazem hcl er oral tablet extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                      | 2         |                                |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>                                                                     | 1         |                                |
| <i>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                                                      | 1         |                                |
| <i>matzim la oral tablet extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                                     | 2         |                                |
| <i>tiadylt er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                           | 2         |                                |
| TIAZAC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG<br>( <i>diltiazem hcl er beads</i> ) | 4         |                                |
| <i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 200 mg, 300 mg</i>                                             | 3         |                                |
| <i>verapamil hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 360 mg</i>                                     | 1         |                                |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i>                                                      | 1         |                                |
| <i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i>                                                                            | 1         |                                |
| <b>DIHYDROPYRIDINES - Drugs for High Blood Pressure &amp; Angina</b>                                                             |           |                                |
| <i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                                       | 1         |                                |
| <i>amlodipine besylate-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>                  | 1         |                                |
| <i>amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>                                        | 2         |                                |
| <i>felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i>                                                    | 1         |                                |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i>                                                                                      | 1         |                                |
| <i>nicardipine hcl oral capsule 20 mg, 30 mg</i>                                                                                 | 1         |                                |
| <i>nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>                                                    | 1         |                                |
| <i>nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>                                    | 1         |                                |
| <i>nifedipine oral capsule 10 mg, 20 mg</i>                                                                                      | 1         |                                |
| <i>nimodipine oral capsule 30 mg</i>                                                                                             | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                        | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| NIMODIPINE ORAL SOLUTION 60 MG/20ML                                                                           | 2         |                                |
| <i>nisoldipine er oral tablet extended release 24 hour 17 mg, 20 mg, 25.5 mg, 30 mg, 34 mg, 40 mg, 8.5 mg</i> | 2         |                                |
| NORLIQVA ORAL SOLUTION 1 MG/ML ( <i>amlodipine besylate</i> )                                                 | 4         | PA                             |
| NYMALIZE ORAL SOLUTION 6 MG/ML ( <i>nimodipine</i> )                                                          | 2         |                                |
| SULAR ORAL TABLET EXTENDED RELEASE 24 HOUR 17 MG, 34 MG, 8.5 MG ( <i>nisoldipine</i> )                        | 4         |                                |
| <b>DIHYDROPYRIDINES (ANTIHYPERTENSIVE) - Drugs for High Blood Pressure &amp; Angina</b>                       |           |                                |
| <i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                    | 1         |                                |
| <i>felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i>                                 | 1         |                                |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i>                                                                   | 1         |                                |
| <i>nicardipine hcl oral capsule 20 mg, 30 mg</i>                                                              | 1         |                                |
| <i>nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>                                 | 1         |                                |
| <i>nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>                 | 1         |                                |
| <i>nifedipine oral capsule 10 mg, 20 mg</i>                                                                   | 1         |                                |
| <i>nimodipine oral capsule 30 mg</i>                                                                          | 1         |                                |
| NIMODIPINE ORAL SOLUTION 60 MG/20ML                                                                           | 2         |                                |
| <i>nisoldipine er oral tablet extended release 24 hour 17 mg, 20 mg, 25.5 mg, 30 mg, 34 mg, 40 mg, 8.5 mg</i> | 2         |                                |
| NORLIQVA ORAL SOLUTION 1 MG/ML ( <i>amlodipine besylate</i> )                                                 | 4         | PA                             |
| NYMALIZE ORAL SOLUTION 6 MG/ML ( <i>nimodipine</i> )                                                          | 2         |                                |
| SULAR ORAL TABLET EXTENDED RELEASE 24 HOUR 17 MG, 34 MG, 8.5 MG ( <i>nisoldipine</i> )                        | 4         |                                |
| <b>DIRECT VASODILATORS - Drugs for High Blood Pressure &amp; Angina</b>                                       |           |                                |
| CAVERJECT IMPULSE INTRACAVERNOSAL KIT 10 MCG, 20 MCG ( <i>alprostadil (vasodilator)</i> )                     | 3         | QL (6 units per month.)        |
| CAVERJECT INTRACAVERNOSAL SOLUTION RECONSTITUTED 20 MCG, 40 MCG ( <i>alprostadil (vasodilator)</i> )          | 3         | QL (6 units per month.)        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                               | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>clonidine hcl er oral tablet extended release 12 hour 0.1 mg</i>                                  | 2         |                                |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>                                              | 1         |                                |
| <i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>                      | 3         |                                |
| EDEX INTRACAVERNOSAL KIT 10 MCG, 20 MCG, 40 MCG ( <i>alprostadil (vasodilator)</i> )                 | 3         | QL (6 units per month.)        |
| <i>guanfacine hcl oral tablet 1 mg, 2 mg</i>                                                         | 1         |                                |
| <i>hydralazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                       | 1         |                                |
| <i>isosorb dinitrate-hydralazine oral tablet 20-37.5 mg</i>                                          | 2         |                                |
| <i>methyldopa oral tablet 250 mg, 500 mg</i>                                                         | 4         | PA; ST                         |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>                                                           | 1         |                                |
| <b>DIURETICS, MISCELLANEOUS (HYPOTENSIVE) - Drugs for High Blood Pressure &amp; Angina</b>           |           |                                |
| <i>elixophyllin oral elixir 80 mg/15ml</i>                                                           | 3         |                                |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 300 MG, 400 MG ( <i>theophylline</i> ) | 3         |                                |
| <i>theophylline er oral tablet extended release 12 hour 100 mg, 200 mg, 300 mg, 450 mg</i>           | 1         |                                |
| <i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i>                           | 1         |                                |
| <i>theophylline oral elixir 80 mg/15ml</i>                                                           | 1         |                                |
| <i>theophylline oral solution 80 mg/15ml</i>                                                         | 1         |                                |
| <b>FIBRIC ACID DERIVATIVES - Drugs for Cholesterol</b>                                               |           |                                |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>                      | 2         |                                |
| <i>fenofibrate oral capsule 134 mg, 200 mg, 67 mg</i>                                                | 2         |                                |
| <i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i>                                          | 2         |                                |
| <i>fenofibric acid oral capsule delayed release 135 mg, 45 mg</i>                                    | 2         |                                |
| <i>gemfibrozil oral tablet 600 mg</i>                                                                | 1         |                                |
| LOPID ORAL TABLET 600 MG ( <i>gemfibrozil</i> )                                                      | 4         |                                |
| <b>HMG-COA REDUCTASE INHIBITORS - Drugs for Cholesterol</b>                                          |           |                                |
| ATORVALIQ ORAL SUSPENSION 20 MG/5ML ( <i>atorvastatin calcium</i> )                                  | 4         | PA                             |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                           | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>atorvastatin calcium oral tablet 10 mg, 20 mg</i>                                             | 1         | H-N                            |
| <i>atorvastatin calcium oral tablet 40 mg, 80 mg</i>                                             | 1         |                                |
| EZALLOR SPRINKLE ORAL CAPSULE SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG ( <i>rosuvastatin calcium</i> ) | 3         | PA                             |
| FLOLIPID ORAL SUSPENSION 20 MG/5ML, 40 MG/5ML                                                    | 4         | PA                             |
| <i>fluvastatin sodium oral capsule 20 mg, 40 mg</i>                                              | 1         |                                |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>                                                | 1         | H                              |
| <i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>                                 | 1         |                                |
| <i>rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                                | 2         |                                |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                                         | 1         | H-N                            |
| <i>simvastatin oral tablet 80 mg</i>                                                             | 1         |                                |
| <b>LOOP DIURETICS (HYPOTENSIVE AGENTS) - Drugs for High Blood Pressure &amp; Angina</b>          |           |                                |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                 | 1         |                                |
| BUMEX ORAL TABLET 0.5 MG ( <i>bumetanide</i> )                                                   | 3         |                                |
| <i>ethacrynic acid oral tablet 25 mg</i>                                                         | 4         |                                |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i>                                                | 1         |                                |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>                                                | 1         |                                |
| LASIX ORAL TABLET 20 MG, 40 MG, 80 MG ( <i>furosemide</i> )                                      | 4         |                                |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                                          | 1         |                                |
| <b>MINERALOCORTICOID (ALDOSTERONE) ANTAGNTS - Drugs for the Heart</b>                            |           |                                |
| CAROSPIR ORAL SUSPENSION 25 MG/5ML ( <i>spironolactone</i> )                                     | 4         | PA; SM                         |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>                                                       | 2         |                                |
| <i>spironolactone oral suspension 25 mg/5ml</i>                                                  | 3         | PA; SM                         |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>                                           | 1         | SM                             |
| <i>spironolactone-hctz oral tablet 25-25 mg</i>                                                  | 1         |                                |
| <b>MINERALOCORTICOID(ALDOSTER.)ANTAG(HYPOT) - Drugs for High Blood Pressure &amp; Angina</b>     |           |                                |
| CAROSPIR ORAL SUSPENSION 25 MG/5ML ( <i>spironolactone</i> )                                     | 4         | PA; SM                         |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>                                                       | 2         |                                |
| <i>spironolactone oral suspension 25 mg/5ml</i>                                                  | 3         | PA; SM                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                        | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>                                                                        | 1         | SM                             |
| <b>NITRATES AND NITRITES - Drugs for High Blood Pressure &amp; Angina</b>                                                     |           |                                |
| <i>acebutolol hcl oral capsule 200 mg, 400 mg</i>                                                                             | 1         |                                |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>                                                                              | 1         |                                |
| BETAPACE AF ORAL TABLET 120 MG, 160 MG, 80 MG ( <i>sotalol hcl af</i> )                                                       | 4         |                                |
| <i>betaxolol hcl oral tablet 10 mg, 20 mg</i>                                                                                 | 1         |                                |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>                                                                            | 1         |                                |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>                                                               | 1         |                                |
| <i>isosorb dinitrate-hydralazine oral tablet 20-37.5 mg</i>                                                                   | 2         |                                |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>                                                             | 1         |                                |
| <i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i>                                    | 1         |                                |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                                                        | 1         |                                |
| KAPSPARGO SPRINKLE ORAL CAPSULE ER 24 HOUR SPRINKLE 100 MG, 200 MG, 25 MG, 50 MG ( <i>metoprolol succinate</i> )              | 4         |                                |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i>                                                                       | 1         |                                |
| LOPRESSOR ORAL TABLET 100 MG, 50 MG ( <i>metoprolol tartrate</i> )                                                            | 4         |                                |
| <i>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 50 mg</i>                                     | 2         |                                |
| <i>metoprolol succinate er oral tablet extended release 24 hour 25 mg</i>                                                     | 1         |                                |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>                                                                   | 1         |                                |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>                                                                                | 1         |                                |
| NITRO-BID TRANSDERMAL OINTMENT 2 % ( <i>nitroglycerin</i> )                                                                   | 2         |                                |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.3 MG/HR, 0.4 MG/HR, 0.6 MG/HR, 0.8 MG/HR ( <i>nitroglycerin</i> ) | 3         |                                |
| <i>nitroglycerin rectal ointment 0.4 %</i>                                                                                    | 4         | QL (30 grams per month.)       |
| <i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i>                                                      | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                               | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b><i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i></b>                                     | 1         |                                |
| NITROSTAT SUBLINGUAL TABLET SUBLINGUAL 0.3 MG, 0.4 MG, 0.6 MG ( <b><i>nitroglycerin</i></b> )                                        | 4         |                                |
| NITRO-TIME ORAL CAPSULE EXTENDED RELEASE 2.5 MG, 6.5 MG, 9 MG ( <b><i>nitroglycerin</i></b> )                                        | 3         |                                |
| <b><i>pindolol oral tablet 10 mg, 5 mg</i></b>                                                                                       | 1         |                                |
| <b><i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i></b>                                  | 2         |                                |
| <b><i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i></b>                                                                     | 1         |                                |
| <b><i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i></b>                                                          | 1         |                                |
| <b><i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i></b>                                                                     | 1         |                                |
| <b><i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i></b>                                                                  | 1         |                                |
| SOTYLIZE ORAL SOLUTION 5 MG/ML ( <b><i>sotalol hcl</i></b> )                                                                         | 4         | PA                             |
| <b><i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i></b>                                                                         | 1         |                                |
| <b>NITRATES AND NITRITES - Drugs for the Heart</b>                                                                                   |           |                                |
| <b><i>isosorb dinitrate-hydralazine oral tablet 20-37.5 mg</i></b>                                                                   | 2         |                                |
| <b><i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i></b>                                                             | 1         |                                |
| <b><i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i></b>                                    | 1         |                                |
| <b><i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i></b>                                                                        | 1         |                                |
| NITRO-BID TRANSDERMAL OINTMENT 2 % ( <b><i>nitroglycerin</i></b> )                                                                   | 2         |                                |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.3 MG/HR, 0.4 MG/HR, 0.6 MG/HR, 0.8 MG/HR ( <b><i>nitroglycerin</i></b> ) | 3         |                                |
| <b><i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i></b>                                                      | 1         |                                |
| <b><i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i></b>                                     | 1         |                                |
| NITROSTAT SUBLINGUAL TABLET SUBLINGUAL 0.3 MG, 0.4 MG, 0.6 MG ( <b><i>nitroglycerin</i></b> )                                        | 4         |                                |
| NITRO-TIME ORAL CAPSULE EXTENDED RELEASE 2.5 MG, 6.5 MG, 9 MG ( <b><i>nitroglycerin</i></b> )                                        | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits       |
|-----------------------------------------------------------------------------------------|-----------|--------------------------------------|
| <b>OMEGA-3-MEDIATED ANTILIPEMICS - Drugs for Cholesterol</b>                            |           |                                      |
| <i>omega-3-acid ethyl esters oral capsule 1 gm</i>                                      | 2         |                                      |
| <b>PCSK9 INHIBITORS - Drugs for Cholesterol</b>                                         |           |                                      |
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140 MG/ML ( <i>evolocumab</i> )         | 2         | QL (2 syringes per 28 days.)         |
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML ( <i>evolocumab</i> )   | 2         | QL (2 ml per month.)                 |
| <b>PHOSPHODIESTERASE TYPE 5 INHIBITORS - Drugs for High Blood Pressure &amp; Angina</b> |           |                                      |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i>          | 3         |                                      |
| <i>avanafil oral tablet 100 mg, 200 mg, 50 mg</i>                                       | 3         | PA; QL (3 tablets per month.)        |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                                             | 1         |                                      |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>                                     | 1         |                                      |
| <i>sildenafil citrate oral suspension reconstituted 10 mg/ml</i>                        | 4         | PA; QL (186 ml per month.); SP; SMCS |
| <i>sildenafil citrate oral tablet 100 mg, 25 mg, 50 mg</i>                              | 2         | QL (0.5 tablet per day.)             |
| <i>sildenafil citrate oral tablet 20 mg</i>                                             | 1         | QL (0.5 tablet per day.); SP; SMCS   |
| STENDRA ORAL TABLET 100 MG, 200 MG, 50 MG ( <i>avanafil</i> )                           | 4         | PA; QL (3 tablets per month.)        |
| <i>tadalafil (pah) oral tablet 20 mg</i>                                                | 1         | PA; QL (2 tablets per day); SP; SMCS |
| <i>tadalafil oral tablet 10 mg, 20 mg</i>                                               | 2         | QL (0.5 tablet per day.)             |
| <i>tadalafil oral tablet 2.5 mg, 5 mg</i>                                               | 2         | QL (1 tablet per day.)               |
| TADLIQ ORAL SUSPENSION 20 MG/5ML ( <i>tadalafil (pah)</i> )                             | 4         | PA; QL (10 ml per day.); SP; SMCS    |
| <i>varafenafil hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>                           | 3         | QL (3 tablets per month.)            |
| <i>varafenafil hcl oral tablet dispersible 10 mg</i>                                    | 3         | QL (3 tablets per month.)            |
| <b>PHOSPHODIESTERASE TYPE 5 INHIBITORS - Drugs for the Heart</b>                        |           |                                      |
| <i>avanafil oral tablet 100 mg, 200 mg, 50 mg</i>                                       | 3         | PA; QL (3 tablets per month.)        |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                                             | 1         |                                      |
| <i>sildenafil citrate oral suspension reconstituted 10 mg/ml</i>                        | 4         | PA; QL (186 ml per month.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                    | Drug Tier | Coverage Requirements & Limits                      |
|-------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------|
| <i>sildenafil citrate oral tablet 100 mg, 25 mg, 50 mg</i>                                | 2         | QL (0.5 tablet per day.)                            |
| <i>sildenafil citrate oral tablet 20 mg</i>                                               | 1         | QL (0.5 tablet per day.); SP; SMCS                  |
| STENDRA ORAL TABLET 100 MG, 200 MG, 50 MG ( <i>avanafil</i> )                             | 4         | PA; QL (3 tablets per month.)                       |
| <i>tadalafil (pah) oral tablet 20 mg</i>                                                  | 1         | PA; QL (2 tablets per day); SP; SMCS                |
| <i>tadalafil oral tablet 10 mg, 20 mg</i>                                                 | 2         | QL (0.5 tablet per day.)                            |
| <i>tadalafil oral tablet 2.5 mg, 5 mg</i>                                                 | 2         | QL (1 tablet per day.)                              |
| TADLIQ ORAL SUSPENSION 20 MG/5ML ( <i>tadalafil (pah)</i> )                               | 4         | PA; QL (10 ml per day.); SP; SMCS                   |
| <i>varденаfil hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>                              | 3         | QL (3 tablets per month.)                           |
| <i>varденаfil hcl oral tablet dispersible 10 mg</i>                                       | 3         | QL (3 tablets per month.)                           |
| <b>POTASSIUM-SPARING DIURETICS (HYPOTEN) - Drugs for High Blood Pressure &amp; Angina</b> |           |                                                     |
| <i>amiloride hcl oral tablet 5 mg</i>                                                     | 1         |                                                     |
| CAROSPIR ORAL SUSPENSION 25 MG/5ML ( <i>spironolactone</i> )                              | 4         | PA; SM                                              |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>                                                | 2         |                                                     |
| <i>spironolactone oral suspension 25 mg/5ml</i>                                           | 3         | PA; SM                                              |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>                                    | 1         | SM                                                  |
| <i>triamterene oral capsule 100 mg, 50 mg</i>                                             | 3         |                                                     |
| <b>RENIN-ANGIOTEN.-ALDOST. SYS. INHIB, MISC - Drugs for the Heart</b>                     |           |                                                     |
| ENTRESTO ORAL CAPSULE SPRINKLE 15-16 MG ( <i>sacubitril-valsartan</i> )                   | 4         | PA; QL (240 sprinkle capsules (pellets) per month.) |
| ENTRESTO ORAL CAPSULE SPRINKLE 6-6 MG ( <i>sacubitril-valsartan</i> )                     | 4         | PA; QL (240 sprinkle capsules (pellets) per month)  |
| FILSPARI ORAL TABLET 200 MG, 400 MG ( <i>sparsentan</i> )                                 | 4         | PA; QL (1 tablet per day.); SP; SMCS                |
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i>                     | 3         | PA; QL (2 tablets per day.)                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits        |
|----------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| <b>STEROIDAL MINERALOCORTICOID RECEPTOR ANT - Drugs for the Heart</b>                        |           |                                       |
| CAROSPIR ORAL SUSPENSION 25 MG/5ML ( <i>spironolactone</i> )                                 | 4         | PA; SM                                |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>                                                   | 2         |                                       |
| <i>spironolactone oral suspension 25 mg/5ml</i>                                              | 3         | PA; SM                                |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>                                       | 1         | SM                                    |
| <i>spironolactone-hctz oral tablet 25-25 mg</i>                                              | 1         |                                       |
| <b>THIAZIDE DIURETICS(HYPOTENSIVE AGENTS) - Drugs for High Blood Pressure &amp; Angina</b>   |           |                                       |
| DIURIL ORAL SUSPENSION 250 MG/5ML ( <i>chlorothiazide</i> )                                  | 2         |                                       |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                                              | 1         |                                       |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>                                 | 1         |                                       |
| <b>THIAZIDE-LIKE DIURETICS(HYPOTENSIVE AGT) - Drugs for High Blood Pressure &amp; Angina</b> |           |                                       |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                                               | 1         |                                       |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                                                | 1         |                                       |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                                            | 1         |                                       |
| <b>VASODILATING AGENTS, MISC (24:08) - Drugs for High Blood Pressure &amp; Angina</b>        |           |                                       |
| <i>phenoxybenzamine hcl oral capsule 10 mg</i>                                               | 2         |                                       |
| VECAMEYL ORAL TABLET 2.5 MG ( <i>mecamylamine hcl</i> )                                      | 4         | PA                                    |
| <b>VASODILATING AGENTS, MISCELLANEOUS - Drugs for the Heart</b>                              |           |                                       |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i>                                                   | 3         | PA; QL (1 tablet per day.); SP; SMCS  |
| <i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i>                                   | 1         |                                       |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i>                                                  | 3         | PA; QL (2 tablets per day.); SP; SMCS |
| <i>bosentan oral tablet soluble 32 mg</i>                                                    | 3         | PA; QL (4 tablets per day.); SP; SMCS |
| <i>cartia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i>        | 2         |                                       |
| CAVERJECT IMPULSE INTRACAVERNOSAL KIT 10 MCG, 20 MCG ( <i>alprostadil (vasodilator)</i> )    | 3         | QL (6 units per month.)               |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                             | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| CAVERJECT INTRACAVERNOSAL SOLUTION RECONSTITUTED 20 MCG, 40 MCG ( <b>alprostadil (vasodilator)</b> )               | 3         | QL (6 units per month.)        |
| CORLANOR ORAL SOLUTION 5 MG/5ML ( <b>ivabradine hcl</b> )                                                          | 3         | PA; QL (20 ml per day.)        |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG ( <b>ivabradine hcl</b> )                                                        | 3         | PA; QL (2 tablets per day.)    |
| <b>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</b> | 2         |                                |
| <b>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</b>  | 2         |                                |
| <b>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</b>                                 | 1         |                                |
| <b>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</b>                               | 1         |                                |
| <b>diltiazem hcl er oral tablet extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</b>        | 2         |                                |
| <b>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</b>                                                       | 1         |                                |
| <b>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</b>                                        | 1         |                                |
| <b>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</b>                                                                | 1         |                                |
| EDEX INTRACAVERNOSAL KIT 10 MCG, 20 MCG, 40 MCG ( <b>alprostadil (vasodilator)</b> )                               | 3         | QL (6 units per month.)        |
| <b>ivabradine hcl oral tablet 5 mg, 7.5 mg</b>                                                                     | 3         | PA; QL (2 tablets per day.)    |
| <b>matzim la oral tablet extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</b>                       | 2         |                                |
| <b>nicardipine hcl oral capsule 20 mg, 30 mg</b>                                                                   | 1         |                                |
| <b>nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</b>                                      | 1         |                                |
| <b>nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</b>                      | 1         |                                |
| <b>nifedipine oral capsule 10 mg, 20 mg</b>                                                                        | 1         |                                |
| <b>nimodipine oral capsule 30 mg</b>                                                                               | 1         |                                |
| NIMODIPINE ORAL SOLUTION 60 MG/20ML                                                                                | 2         |                                |
| NORLIQVA ORAL SOLUTION 1 MG/ML ( <b>amlodipine besylate</b> )                                                      | 4         | PA                             |
| NYMALIZE ORAL SOLUTION 6 MG/ML ( <b>nimodipine</b> )                                                               | 2         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                        | Drug Tier | Coverage Requirements & Limits                  |
|-------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| OPSUMIT ORAL TABLET 10 MG ( <i>macitentan</i> )                                                                               | 3         | PA; QL (1 tablet per day.); SP; SMCS            |
| ORENITRAM MONTH 1 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG ( <i>treprostinil diolamine</i> )                 | 4         | PA; QL (168 tablets per year.); SP; SMCS        |
| ORENITRAM MONTH 2 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG ( <i>treprostinil diolamine</i> )                 | 4         | PA; QL (336 tablets per year.); SP; SMCS        |
| ORENITRAM MONTH 3 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 & 1 MG ( <i>treprostinil diolamine</i> )             | 4         | PA; QL (252 tablets per year.); SP; SMCS        |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG ( <i>treprostinil diolamine</i> )                | 4         | PA; QL (6 tablets per day.); SP; SMCS           |
| <i>tiadylt er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>                        | 2         |                                                 |
| TIAZAC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG, 420 MG ( <i>diltiazem hcl er beads</i> ) | 4         |                                                 |
| TRACLEER ORAL TABLET 125 MG, 62.5 MG ( <i>bosentan</i> )                                                                      | 3         | PA; QL (2 tablets per day.); SP; SMCS           |
| TRACLEER ORAL TABLET SOLUBLE 32 MG ( <i>bosentan</i> )                                                                        | 4         | PA; QL (4 tablets per day.); SP; SMCS           |
| TYVASO DPI INSTITUTIONAL KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG ( <i>treprostinil</i> )                         | 3         | PA; QL (112 cartridges per 23 days.); SP; SMCS  |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 112 X 32MCG & 112 X64MCG, 112 X 48MCG & 112 X64MCG ( <i>treprostinil</i> )       | 3         | PA; SP; SMCS                                    |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG ( <i>treprostinil</i> )                           | 3         | PA; QL (112 cartridges per 23 days.); SP; SMCS  |
| TYVASO DPI TITRATION KIT INHALATION POWDER 16 & 32 & 48 MCG ( <i>treprostinil</i> )                                           | 3         | PA; QL (252 cartridges per 365 days.); SP; SMCS |
| TYVASO INHALATION SOLUTION 0.6 MG/ML ( <i>treprostinil</i> )                                                                  | 3         | PA; SP; SMCS                                    |
| TYVASO REFILL KIT INHALATION SOLUTION 0.6 MG/ML ( <i>treprostinil</i> )                                                       | 3         | PA; SP; SMCS                                    |
| TYVASO STARTER KIT INHALATION SOLUTION 0.6 MG/ML ( <i>treprostinil</i> )                                                      | 3         | PA; SP; SMCS                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                | Drug Tier | Coverage Requirements & Limits             |
|-----------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| <i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 200 mg, 300 mg</i>                                  | 3         |                                            |
| <i>verapamil hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 360 mg</i>                          | 1         |                                            |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i>                                           | 1         |                                            |
| <i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i>                                                                 | 1         |                                            |
| <b>CENTRAL NERVOUS SYSTEM AGENTS</b>                                                                                  |           |                                            |
| <b>AMYOTROPHIC LATERAL SCLEROSIS(ALS) AGENT</b>                                                                       |           |                                            |
| RADICAVA ORS ORAL SUSPENSION 105 MG/5ML ( <i>edaravone</i> )                                                          | 4         | PA; QL (50 ml per month.); SP; SMCS        |
| RADICAVA ORS STARTER KIT ORAL SUSPENSION 105 MG/5ML ( <i>edaravone</i> )                                              | 4         | PA; QL (1 starter kit per year.); SP; SMCS |
| <i>riluzole oral tablet 50 mg</i>                                                                                     | 1         | SP; SMCS                                   |
| TEGLUTIK ORAL SUSPENSION 50 MG/10ML ( <i>riluzole</i> )                                                               | 4         | PA; SMCS                                   |
| TIGLUTIK ORAL SUSPENSION 50 MG/10ML ( <i>riluzole</i> )                                                               | 4         | PA; SMCS                                   |
| <b>CENTRAL NERVOUS SYSTEM AGENTS - Drugs for the Nervous System</b>                                                   |           |                                            |
| <b>ADAMANTANES (CNS) - Drugs for Parkinson</b>                                                                        |           |                                            |
| <i>amantadine hcl oral capsule 100 mg</i>                                                                             | 1         |                                            |
| <i>amantadine hcl oral solution 50 mg/5ml</i>                                                                         | 1         |                                            |
| <i>amantadine hcl oral tablet 100 mg</i>                                                                              | 1         |                                            |
| <b>AMPHETAMINES - Drugs for the Nervous System</b>                                                                    |           |                                            |
| <i>amphetamine sulfate oral tablet 10 mg, 5 mg</i>                                                                    | 2         |                                            |
| <i>amphetamine-dextroamphetamine er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | 2         | QL (2 capsules per day.)                   |
| <i>amphetamine-dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>                    | 1         |                                            |
| <i>amphet-dextroamphet 3-bead er oral capsule extended release 24 hour 12.5 mg, 25 mg, 37.5 mg, 50 mg</i>             | 3         | QL (1 capsule per day.)                    |
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour 10 mg</i>                                       | 3         | QL (5 capsules per day.)                   |
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour 15 mg</i>                                       | 3         | QL (4 capsules per day.)                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                               | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>dextroamphetamine sulfate er oral capsule extended release 24 hour 5 mg</b>                       | 2         | QL (10 capsules per day.)      |
| <b>dextroamphetamine sulfate oral solution 5 mg/5ml</b>                                              | 1         |                                |
| <b>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</b>                                             | 2         |                                |
| <b>lisdexamfetamine dimesylate oral capsule 10 mg, 20 mg, 30 mg</b>                                  | 3         | QL (2 capsules per day.)       |
| <b>lisdexamfetamine dimesylate oral capsule 40 mg, 50 mg, 60 mg, 70 mg</b>                           | 3         | QL (1 capsule per day)         |
| <b>lisdexamfetamine dimesylate oral tablet chewable 10 mg, 20 mg, 30 mg</b>                          | 3         | QL (2 tablets per day.)        |
| <b>lisdexamfetamine dimesylate oral tablet chewable 40 mg, 50 mg, 60 mg</b>                          | 3         | QL (1 tablet per day.)         |
| <b>methamphetamine hcl oral tablet 5 mg</b>                                                          | 1         |                                |
| XELSTRYM TRANSDERMAL PATCH 13.5 MG/9HR, 18 MG/9HR, 4.5 MG/9HR, 9 MG/9HR ( <b>dextroamphetamine</b> ) | 4         | PA; QL (1 patch per day.)      |
| <b>ANALGESICS AND ANTIPYRETICS, MISC. - Drugs for Pain</b>                                           |           |                                |
| <b>acetaminophen-codeine oral solution 120-12 mg/5ml</b>                                             | 1         | NTT                            |
| <b>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</b>                             | 1         | NTT                            |
| <b>bac (butalbital-acetamin-caff) oral tablet 50-325-40 mg</b>                                       | 1         | QL (6 tablets per day)         |
| <b>butalbital-acetaminophen oral tablet 50-325 mg</b>                                                | 1         |                                |
| <b>butalbital-apap-caff-cod oral capsule 50-325-40-30 mg</b>                                         | 1         | QL (6 capsules per day.)       |
| <b>butalbital-apap-caffeine oral capsule 50-300-40 mg</b>                                            | 3         | QL (6 capsules per day.)       |
| <b>butalbital-apap-caffeine oral capsule 50-325-40 mg</b>                                            | 1         | QL (6 capsules per day)        |
| BUTALBITAL-APAP-CAFFEINE ORAL SOLUTION 50-325-40 MG/15ML                                             | 2         |                                |
| <b>butalbital-apap-caffeine oral tablet 50-325-40 mg</b>                                             | 1         | QL (6 tablets per day)         |
| <b>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</b>                               | 1         | NTT                            |
| FIORICET ORAL CAPSULE 50-300-40 MG ( <b>butalbital-apap-caffeine</b> )                               | 4         | QL (6 capsules per day.)       |
| <b>gabapentin oral capsule 100 mg, 300 mg, 400 mg</b>                                                | 1         |                                |
| <b>gabapentin oral solution 250 mg/5ml</b>                                                           | 1         |                                |
| <b>gabapentin oral tablet 600 mg, 800 mg</b>                                                         | 1         |                                |
| <b>hydrocodone-acetaminophen oral solution 10-300 mg/15ml</b>                                        | 1         | NTT                            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                   | Drug Tier | Coverage Requirements & Limits                                                                                                                                                                |
|------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>hydrocodone-acetaminophen oral solution 10-325 mg/15ml</i>                            | 2         |                                                                                                                                                                                               |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml</i>                           | 2         | NTT                                                                                                                                                                                           |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 1         | NTT                                                                                                                                                                                           |
| JOURNAVX ORAL TABLET 50 MG ( <i>suzetrigine</i> )                                        | 4         | QL (30 tablets per 90 Days.)                                                                                                                                                                  |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>   | 1         | NTT                                                                                                                                                                                           |
| TENCON ORAL TABLET 50-325 MG ( <i>butalbital-acetaminophen</i> )                         | 3         |                                                                                                                                                                                               |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>                                    | 1         | QL (40 tablets per prescription.); NTT                                                                                                                                                        |
| URELLE ORAL TABLET 81 MG ( <i>meth-hyo-m bl-na phos-ph sal</i> )                         | 4         |                                                                                                                                                                                               |
| <i>uretron d/s oral tablet 81.6 mg</i>                                                   | 4         |                                                                                                                                                                                               |
| VILEVEV MB ORAL TABLET 81 MG ( <i>meth-hyo-m bl-na phos-ph sal</i> )                     | 4         |                                                                                                                                                                                               |
| <b>ANOREXIGENIC AGENTS, MISCELLANEOUS - Drugs for the Nervous System</b>                 |           |                                                                                                                                                                                               |
| <i>liraglutide solution pen-injector 18 mg/3ml subcutaneous</i>                          | 1         | PA; QL (If member has previous history of Victoza, then member may be eligible to receive 9ml (3 pens) per month (only applies to 3 pack NDC-00169406013). This medication is over-rideable.) |
| <i>liraglutide solution pen-injector 18 mg/3ml subcutaneous</i>                          | 2         | PA; QL (If member has previous history of Victoza, then member may be eligible to receive 9ml (3 pens) per month (only applies to 3 pack NDC-00169406013). This medication is over-rideable.) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits                                                                                                                                                                |
|----------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>liraglutide solution pen-injector 18 mg/3ml subcutaneous</i>                              | 3         | PA; QL (If member has previous history of Victoza, then member may be eligible to receive 9ml (3 pens) per month (only applies to 3 pack NDC-00169406013). This medication is over-rideable.) |
| <b>ANTICHOLINERGIC AGENTS (CNS) - Drugs for Parkinson</b>                                    |           |                                                                                                                                                                                               |
| <i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i>                                   | 1         |                                                                                                                                                                                               |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5ml</i>                                           | 1         |                                                                                                                                                                                               |
| <i>orphenadrine citrate er oral tablet extended release 12 hour 100 mg</i>                   | 2         |                                                                                                                                                                                               |
| <i>trihexyphenidyl hcl oral solution 0.4 mg/ml</i>                                           | 1         |                                                                                                                                                                                               |
| <i>trihexyphenidyl hcl oral tablet 2 mg, 5 mg</i>                                            | 1         |                                                                                                                                                                                               |
| <b>ANTICONVULSANTS, MISCELLANEOUS - Drugs for Seizures</b>                                   |           |                                                                                                                                                                                               |
| <i>acetazolamide er oral capsule extended release 12 hour 500 mg</i>                         | 1         |                                                                                                                                                                                               |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                                              | 1         |                                                                                                                                                                                               |
| <i>carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i>         | 2         |                                                                                                                                                                                               |
| <i>carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i>          | 2         |                                                                                                                                                                                               |
| <i>carbamazepine oral suspension 100 mg/5ml</i>                                              | 1         |                                                                                                                                                                                               |
| <i>carbamazepine oral tablet 200 mg</i>                                                      | 1         |                                                                                                                                                                                               |
| <i>carbamazepine oral tablet chewable 100 mg, 200 mg</i>                                     | 1         |                                                                                                                                                                                               |
| DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 250 MG, 500 MG ( <i>divalproex sodium</i> ) | 4         | PA                                                                                                                                                                                            |
| DEPAKOTE ORAL TABLET DELAYED RELEASE 125 MG, 250 MG, 500 MG ( <i>divalproex sodium</i> )     | 4         | PA                                                                                                                                                                                            |
| DEPAKOTE SPRINKLES ORAL CAPSULE DELAYED RELEASE SPRINKLE 125 MG ( <i>divalproex sodium</i> ) | 4         | PA                                                                                                                                                                                            |
| <i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i>              | 2         |                                                                                                                                                                                               |
| <i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>                        | 2         |                                                                                                                                                                                               |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                               | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b><i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i></b>                   | 1         |                                |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML ( <b><i>cannabidiol</i></b> )                                      | 4         | PA; SP; SMCS                   |
| <b><i>eslicarbazepine acetate oral tablet 200 mg, 400 mg, 600 mg, 800 mg</i></b>                     | 4         | PA                             |
| <b><i>felbamate oral suspension 600 mg/5ml</i></b>                                                   | 1         |                                |
| <b><i>felbamate oral tablet 400 mg, 600 mg</i></b>                                                   | 1         |                                |
| FELBATOL ORAL TABLET 400 MG, 600 MG ( <b><i>felbamate</i></b> )                                      | 4         | PA                             |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML ( <b><i>perampanel</i></b> )                                       | 4         | PA                             |
| <b><i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i></b>                                         | 1         |                                |
| <b><i>gabapentin oral solution 250 mg/5ml</i></b>                                                    | 1         |                                |
| <b><i>gabapentin oral tablet 600 mg, 800 mg</i></b>                                                  | 1         |                                |
| <b><i>lacosamide oral solution 10 mg/ml, 100 mg/10ml, 50 mg/5ml</i></b>                              | 2         |                                |
| <b><i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i></b>                                   | 2         |                                |
| <b><i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i></b>                                  | 1         |                                |
| <b><i>lamotrigine oral tablet chewable 25 mg, 5 mg</i></b>                                           | 1         |                                |
| <b><i>lamotrigine starter kit-blue oral kit 35 x 25 mg</i></b>                                       | 1         |                                |
| <b><i>lamotrigine starter kit-green oral kit 84 x 25 mg &amp; 14x100 mg</i></b>                      | 1         |                                |
| <b><i>lamotrigine starter kit-orange oral kit 42 x 25 mg &amp; 7 x 100 mg</i></b>                    | 1         |                                |
| <b><i>levetiracetam er oral tablet extended release 24 hour 500 mg, 750 mg</i></b>                   | 2         |                                |
| <b><i>levetiracetam oral solution 100 mg/ml, 500 mg/5ml</i></b>                                      | 1         |                                |
| <b><i>levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg</i></b>                              | 1         |                                |
| LYRICA ORAL SOLUTION 20 MG/ML ( <b><i>pregabalin</i></b> )                                           | 3         | PA                             |
| MOTPOLY XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 150 MG, 200 MG ( <b><i>lacosamide</i></b> ) | 4         | PA                             |
| <b><i>oxcarbazepine oral suspension 300 mg/5ml</i></b>                                               | 1         |                                |
| <b><i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i></b>                                       | 1         |                                |
| <b><i>perampanel oral tablet 10 mg, 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i></b>                            | 3         | PA                             |
| <b><i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i></b>    | 2         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                            | Drug Tier | Coverage Requirements & Limits        |
|-----------------------------------------------------------------------------------|-----------|---------------------------------------|
| <i>pregabalin oral solution 20 mg/ml</i>                                          | 3         |                                       |
| <i>roweepra oral tablet 500 mg</i>                                                | 1         |                                       |
| <i>rufinamide oral suspension 40 mg/ml</i>                                        | 3         |                                       |
| <i>rufinamide oral tablet 200 mg, 400 mg</i>                                      | 3         | PA                                    |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>                        | 1         |                                       |
| <i>subvenite starter kit-blue oral kit 35 x 25 mg</i>                             | 1         |                                       |
| <i>subvenite starter kit-green oral kit 84 x 25 mg &amp; 14x100 mg</i>            | 1         |                                       |
| <i>subvenite starter kit-orange oral kit 42 x 25 mg &amp; 7 x 100 mg</i>          | 1         |                                       |
| TEGRETOL ORAL SUSPENSION 100 MG/5ML ( <i>carbamazepine</i> )                      | 4         |                                       |
| TEGRETOL ORAL TABLET 200 MG ( <i>carbamazepine</i> )                              | 4         |                                       |
| <i>tiagabine hcl oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>                         | 1         |                                       |
| <i>topiramate oral capsule sprinkle 15 mg, 25 mg, 50 mg</i>                       | 1         |                                       |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>                        | 1         |                                       |
| <i>valproic acid oral capsule 250 mg</i>                                          | 1         |                                       |
| <i>valproic acid oral solution 250 mg/5ml</i>                                     | 1         |                                       |
| <i>vigabatrin oral packet 500 mg</i>                                              | 3         | PA; QL (6 packets per day.); SP; SMCS |
| <i>vigabatrin oral tablet 500 mg</i>                                              | 3         | PA; QL (6 tablets per day.); SP; SMCS |
| VIGADRONE ORAL PACKET 500 MG ( <i>vigabatrin</i> )                                | 3         | PA; QL (6 packets per day.); SP; SMCS |
| VIGADRONE ORAL TABLET 500 MG ( <i>vigabatrin</i> )                                | 3         | PA; QL (6 tablets per day.); SP; SMCS |
| VIMPAT ORAL SOLUTION 10 MG/ML ( <i>lacosamide</i> )                               | 4         | PA                                    |
| ZONISADE ORAL SUSPENSION 100 MG/5ML ( <i>zonisamide</i> )                         | 4         | PA                                    |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>                               | 1         |                                       |
| ZTALMY ORAL SUSPENSION 50 MG/ML ( <i>ganaxolone</i> )                             | 4         | PA; SP; SMCS                          |
| <b>ANTIDEPRESSANTS, MISCELLANEOUS - Drugs for Depression &amp; Psychosis</b>      |           |                                       |
| <i>bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg</i> | 1         | H                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits                |
|----------------------------------------------------------------------------------------------|-----------|-----------------------------------------------|
| <i>bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg, 150 mg, 200 mg</i>     | 1         |                                               |
| <i>bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg</i>             | 1         |                                               |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i>                                               | 1         |                                               |
| <i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>                                   | 1         |                                               |
| <i>mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg</i>                               | 1         |                                               |
| SPRAVATO (56 MG DOSE) NASAL SOLUTION THERAPY PACK 28 MG/DEVICE ( <i>esketamine hcl</i> )     | 4         | PA; QL (8 devices (4 kits) per month.); SMCS  |
| SPRAVATO (84 MG DOSE) NASAL SOLUTION THERAPY PACK 28 MG/DEVICE ( <i>esketamine hcl</i> )     | 4         | PA; QL (12 devices (4 kits) per month.); SMCS |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG ( <i>zuranolone</i> )                                     | 3         | PA; QL (28 capsules per year.); SP; SMCS      |
| ZURZUVAE ORAL CAPSULE 30 MG ( <i>zuranolone</i> )                                            | 3         | PA; QL (14 capsules per year.); SP; SMCS      |
| <b>ANTIMANIC AGENTS - Drugs for Personality Disorder</b>                                     |           |                                               |
| <i>aripiprazole oral solution 1 mg/ml</i>                                                    | 2         |                                               |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>                       | 2         |                                               |
| <i>asenapine maleate sublingual tablet sublingual 10 mg, 5 mg</i>                            | 3         | QL (2 tablets per day)                        |
| <i>asenapine maleate sublingual tablet sublingual 2.5 mg</i>                                 | 3         | QL (2 tablets per day.)                       |
| <i>carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i>         | 2         |                                               |
| <i>carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i>          | 2         |                                               |
| <i>carbamazepine oral suspension 100 mg/5ml</i>                                              | 1         |                                               |
| <i>carbamazepine oral tablet 200 mg</i>                                                      | 1         |                                               |
| <i>carbamazepine oral tablet chewable 100 mg, 200 mg</i>                                     | 1         |                                               |
| DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 250 MG, 500 MG ( <i>divalproex sodium</i> ) | 4         | PA                                            |
| DEPAKOTE ORAL TABLET DELAYED RELEASE 125 MG, 250 MG, 500 MG ( <i>divalproex sodium</i> )     | 4         | PA                                            |
| DEPAKOTE SPRINKLES ORAL CAPSULE DELAYED RELEASE SPRINKLE 125 MG ( <i>divalproex sodium</i> ) | 4         | PA                                            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                   | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i>                          | 2         |                                |
| <i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>                                    | 2         |                                |
| <i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i>                              | 1         |                                |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>                                             | 1         |                                |
| <i>lamotrigine oral tablet chewable 25 mg, 5 mg</i>                                                      | 1         |                                |
| <i>lamotrigine starter kit-blue oral kit 35 x 25 mg</i>                                                  | 1         |                                |
| <i>lamotrigine starter kit-green oral kit 84 x 25 mg &amp; 14x100 mg</i>                                 | 1         |                                |
| <i>lamotrigine starter kit-orange oral kit 42 x 25 mg &amp; 7 x 100 mg</i>                               | 1         |                                |
| <i>lithium carbonate er oral tablet extended release 300 mg, 450 mg</i>                                  | 1         |                                |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>                                             | 1         |                                |
| <i>lithium carbonate oral tablet 300 mg</i>                                                              | 1         |                                |
| <i>lithium oral solution 8 meq/5ml</i>                                                                   | 1         |                                |
| LITHOBID ORAL TABLET EXTENDED RELEASE 300 MG ( <i>lithium carbonate</i> )                                | 4         | PA                             |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>                                  | 1         |                                |
| <i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i>                                      | 2         |                                |
| <i>olanzapine-fluoxetine hcl oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-50 mg</i>                       | 2         | QL (1 capsule per day)         |
| <i>quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> | 2         |                                |
| <i>quetiapine fumarate oral tablet 100 mg, 150 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>              | 1         |                                |
| <i>risperidone oral solution 1 mg/ml</i>                                                                 | 1         |                                |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                                   | 1         |                                |
| <i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                       | 1         |                                |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>                                               | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits            |
|----------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <i>subvenite starter kit-blue oral kit 35 x 25 mg</i>                                        | 1         |                                           |
| <i>subvenite starter kit-green oral kit 84 x 25 mg &amp; 14x100 mg</i>                       | 1         |                                           |
| <i>subvenite starter kit-orange oral kit 42 x 25 mg &amp; 7 x 100 mg</i>                     | 1         |                                           |
| SYMBYAX ORAL CAPSULE 3-25 MG ( <i>olanzapine-fluoxetine hcl</i> )                            | 4         | QL (1 capsule per day)                    |
| TEGRETOL ORAL SUSPENSION 100 MG/5ML ( <i>carbamazepine</i> )                                 | 4         |                                           |
| TEGRETOL ORAL TABLET 200 MG ( <i>carbamazepine</i> )                                         | 4         |                                           |
| <i>valproic acid oral capsule 250 mg</i>                                                     | 1         |                                           |
| <i>valproic acid oral solution 250 mg/5ml</i>                                                | 1         |                                           |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>                               | 2         |                                           |
| <b>ANTIMIGRAINE AGENTS, MISCELLANEOUS - Migraine Treatment</b>                               |           |                                           |
| <i>aspirin 81 oral tablet delayed release 81 mg</i>                                          | E         | H                                         |
| <i>aspirin adult low dose oral tablet delayed release 81 mg</i>                              | E         | H                                         |
| <i>aspirin adult low strength oral tablet delayed release 81 mg</i>                          | E         | H                                         |
| <i>aspirin childrens oral tablet chewable 81 mg</i>                                          | E         | H                                         |
| <i>aspirin ec adult low dose oral tablet delayed release 81 mg</i>                           | E         | H                                         |
| <i>aspirin ec low dose oral tablet delayed release 81 mg</i>                                 | E         | H                                         |
| <i>aspirin ec low strength oral tablet delayed release 81 mg</i>                             | E         | H                                         |
| <i>aspirin low dose oral tablet chewable 81 mg</i>                                           | E         | H                                         |
| <i>aspirin low dose oral tablet delayed release 81 mg</i>                                    | E         | H                                         |
| <i>aspirin oral tablet chewable 81 mg</i>                                                    | E         | H                                         |
| <i>aspirin oral tablet delayed release 81 mg</i>                                             | E         | H                                         |
| <i>aspirin regimen oral tablet delayed release 81 mg</i>                                     | E         | H                                         |
| <i>butorphanol tartrate nasal solution 10 mg/ml</i>                                          | 2         | QL (7.5 ml (3 bottles) per prescription.) |
| <i>caffeine citrate oral solution 20 mg/ml, 60 mg/3ml</i>                                    | 1         |                                           |
| DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 250 MG, 500 MG ( <i>divalproex sodium</i> ) | 4         | PA                                        |
| DEPAKOTE ORAL TABLET DELAYED RELEASE 125 MG, 250 MG, 500 MG ( <i>divalproex sodium</i> )     | 4         | PA                                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------|-----------|--------------------------------|
| DEPAKOTE SPRINKLES ORAL CAPSULE DELAYED RELEASE SPRINKLE 125 MG ( <i>divalproex sodium</i> ) | 4         | PA                             |
| <i>dihydroergotamine mesylate injection solution 1 mg/ml</i>                                 | 1         |                                |
| <i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i>              | 2         |                                |
| <i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>                        | 2         |                                |
| <i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i>                  | 1         |                                |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i>                                              | 3         |                                |
| <i>ft aspirin low dose oral tablet delayed release 81 mg</i>                                 | E         | H                              |
| <i>ft aspirin oral tablet chewable 81 mg</i>                                                 | E         | H                              |
| <i>goodsense aspirin low dose oral tablet delayed release 81 mg</i>                          | E         | H                              |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>                                          | 1         |                                |
| MIGERGOT RECTAL SUPPOSITORY 2-100 MG ( <i>ergotamine-caffeine</i> )                          | 3         |                                |
| <i>mm aspirin oral tablet delayed release 81 mg</i>                                          | E         | H                              |
| <i>naproxen dr oral tablet delayed release 500 mg</i>                                        | 1         |                                |
| <i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>                                           | 1         |                                |
| <i>naproxen oral tablet delayed release 375 mg, 500 mg</i>                                   | 1         |                                |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>                                            | 2         |                                |
| <i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i> | 2         |                                |
| <i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i>                                    | 1         |                                |
| <i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                         | 1         |                                |
| ST JOSEPH LOW DOSE ORAL TABLET CHEWABLE 81 MG ( <i>aspirin</i> )                             | E         | H                              |
| ST JOSEPH LOW DOSE ORAL TABLET DELAYED RELEASE 81 MG ( <i>aspirin</i> )                      | E         | H                              |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                        | 1         |                                |
| <i>topiramate oral capsule sprinkle 15 mg, 25 mg, 50 mg</i>                                  | 1         |                                |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>                                   | 1         |                                |
| <i>valproic acid oral capsule 250 mg</i>                                                     | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                      | Drug Tier | Coverage Requirements & Limits        |
|---------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| <i>valproic acid oral solution 250 mg/5ml</i>                                               | 1         |                                       |
| <b>ANTIPSYCHOTICS, MISCELLANEOUS - Drugs for Depression &amp; Psychosis</b>                 |           |                                       |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>                            | 1         |                                       |
| <i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i>                                         | 3         |                                       |
| <i>pimozide oral tablet 1 mg, 2 mg</i>                                                      | 2         |                                       |
| <b>ANXIOLYTICS, SEDATIVES, AND HYPNOTICS, MISC - Drugs for Anxiety &amp; Sleep Disorder</b> |           |                                       |
| <i>buspirone hcl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                          | 1         |                                       |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5ml</i>                                          | 1         |                                       |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>                                             | 2         |                                       |
| HETLIOZ LQ ORAL SUSPENSION 4 MG/ML ( <i>tasimelton</i> )                                    | 4         | PA; QL (5.1 mL per day.); SP; SMCS    |
| HETLIOZ ORAL CAPSULE 20 MG ( <i>tasimelton</i> )                                            | 4         | PA; QL (1 capsule per day.); SP; SMCS |
| <i>hydroxyzine hcl oral syrup 10 mg/5ml</i>                                                 | 1         |                                       |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                      | 1         |                                       |
| <i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>                                | 1         |                                       |
| <i>meprobamate oral tablet 200 mg, 400 mg</i>                                               | 1         |                                       |
| <i>promethazine hcl oral solution 12.5 mg/10ml, 6.25 mg/5ml</i>                             | 1         |                                       |
| <i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>                                   | 1         |                                       |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>                                   | 1         |                                       |
| PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG, 50 MG ( <i>promethazine hcl</i> )            | 3         |                                       |
| <i>ramelteon oral tablet 8 mg</i>                                                           | 4         | ST; QL (1 tablet per day)             |
| <i>tasimelton oral capsule 20 mg</i>                                                        | 4         | PA; QL (1 capsule per day.); SP; SMCS |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                                    | 1         |                                       |
| <i>zolpidem tartrate er oral tablet extended release 12.5 mg, 6.25 mg</i>                   | 2         |                                       |
| <i>zolpidem tartrate oral tablet 10 mg, 5 mg</i>                                            | 1         |                                       |
| <b>ATYPICAL ANTIPSYCHOTICS - Drugs for Depression &amp; Psychosis</b>                       |           |                                       |
| <i>aripiprazole oral solution 1 mg/ml</i>                                                   | 2         |                                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                   | Drug Tier | Coverage Requirements & Limits  |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| <b>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</b>                                   | 2         |                                 |
| <b>asenapine maleate sublingual tablet sublingual 10 mg, 5 mg</b>                                        | 3         | QL (2 tablets per day)          |
| <b>asenapine maleate sublingual tablet sublingual 2.5 mg</b>                                             | 3         | QL (2 tablets per day.)         |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG ( <b>limateperone tosylate</b> )                              | 4         | PA; ST; QL (1 capsule per day.) |
| <b>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</b>                                                | 1         |                                 |
| <b>clozapine oral tablet dispersible 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</b>                          | 1         |                                 |
| CLOZARIL ORAL TABLET 100 MG, 25 MG ( <b>clozapine</b> )                                                  | 4         |                                 |
| <b>lurasidone hcl oral tablet 120 mg, 20 mg, 60 mg</b>                                                   | 2         | QL (1 tablet per day.)          |
| <b>lurasidone hcl oral tablet 40 mg</b>                                                                  | 2         | QL (1 tablet per day)           |
| <b>lurasidone hcl oral tablet 80 mg</b>                                                                  | 2         | QL (2 tablets per day.)         |
| NUPLAZID ORAL CAPSULE 34 MG ( <b>pimavanserine tartrate</b> )                                            | 4         | PA; QL (31 capsules per month.) |
| NUPLAZID ORAL TABLET 10 MG ( <b>pimavanserine tartrate</b> )                                             | 4         | PA; QL (31 tablets per month.)  |
| <b>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</b>                                  | 1         |                                 |
| <b>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</b>                                      | 2         |                                 |
| <b>olanzapine-fluoxetine hcl oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</b>              | 2         | QL (1 capsule per day)          |
| <b>quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</b> | 2         |                                 |
| <b>quetiapine fumarate oral tablet 100 mg, 150 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</b>              | 1         |                                 |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG ( <b>brexpiprazole</b> )                     | 4         | QL (1 tablet per day.)          |
| <b>risperidone oral solution 1 mg/ml</b>                                                                 | 1         |                                 |
| <b>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</b>                                   | 1         |                                 |
| <b>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</b>                       | 1         |                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                           | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| SYMBYAX ORAL CAPSULE 3-25 MG, 6-25 MG ( <i>olanzapine-fluoxetine hcl</i> )                       | 4         | QL (1 capsule per day)         |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG ( <i>cariprazine hcl</i> )                       | 4         | QL (1 capsule per day.)        |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>                                   | 2         |                                |
| <b>BARBITURATES (ANTICONVULSANTS) - Drugs for Seizures</b>                                       |           |                                |
| <i>phenobarbital oral elixir 20 mg/5ml</i>                                                       | 1         |                                |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 1         |                                |
| <i>primidone oral tablet 125 mg</i>                                                              | 1         | PA                             |
| <i>primidone oral tablet 250 mg, 50 mg</i>                                                       | 1         |                                |
| <b>BARBITURATES (ANXIOLYTIC, SEDATIVE/HYP) - Drugs for Anxiety &amp; Sleep Disorder</b>          |           |                                |
| <i>ascomp-codeine oral capsule 50-325-40-30 mg</i>                                               | 1         |                                |
| <i>bac (butalbital-acetamin-caff) oral tablet 50-325-40 mg</i>                                   | 1         | QL (6 tablets per day)         |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i>                                            | 1         |                                |
| <i>butalbital-apap-caff-cod oral capsule 50-325-40-30 mg</i>                                     | 1         | QL (6 capsules per day.)       |
| <i>butalbital-apap-cafeine oral capsule 50-300-40 mg</i>                                         | 3         | QL (6 capsules per day.)       |
| <i>butalbital-apap-cafeine oral capsule 50-325-40 mg</i>                                         | 1         | QL (6 capsules per day)        |
| BUTALBITAL-APAP-CAFFEINE ORAL SOLUTION 50-325-40 MG/15ML                                         | 2         |                                |
| <i>butalbital-apap-cafeine oral tablet 50-325-40 mg</i>                                          | 1         | QL (6 tablets per day)         |
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30 mg</i>                                  | 1         |                                |
| <i>butalbital-aspirin-cafeine oral capsule 50-325-40 mg</i>                                      | 1         |                                |
| FIORICET ORAL CAPSULE 50-300-40 MG ( <i>butalbital-apap-cafeine</i> )                            | 4         | QL (6 capsules per day.)       |
| <i>phenobarbital oral elixir 20 mg/5ml</i>                                                       | 1         |                                |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 1         |                                |
| TENCON ORAL TABLET 50-325 MG ( <i>butalbital-acetaminophen</i> )                                 | 3         |                                |
| <b>BENZODIAZEPINES (ANTICONVULSANTS) - Drugs for Seizures</b>                                    |           |                                |
| <i>clobazam oral suspension 2.5 mg/ml</i>                                                        | 3         | PA                             |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                    | Drug Tier | Coverage Requirements & Limits            |
|-------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <i>clobazam oral tablet 10 mg, 20 mg</i>                                                  | 2         | PA                                        |
| <i>clonazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>                                          | 1         |                                           |
| <i>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>           | 1         |                                           |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>                         | 1         |                                           |
| <i>diazepam intensol oral concentrate 5 mg/ml</i>                                         | 1         |                                           |
| <i>diazepam oral concentrate 5 mg/ml</i>                                                  | 1         |                                           |
| <i>diazepam oral solution 5 mg/5ml</i>                                                    | 1         |                                           |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>                                             | 1         |                                           |
| <i>diazepam rectal gel 10 mg, 2.5 mg, 20 mg</i>                                           | 1         | QL (1 box (2 doses/box) per prescription) |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i>                                        | 1         |                                           |
| <i>lorazepam oral concentrate 2 mg/ml</i>                                                 | 1         |                                           |
| <i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>                                           | 1         |                                           |
| NAYZILAM NASAL SOLUTION 5 MG/0.1ML ( <i>midazolam (anticonvulsant)</i> )                  | 3         | PA; QL (1 box per prescription.)          |
| ONFI ORAL SUSPENSION 2.5 MG/ML ( <i>clobazam</i> )                                        | 4         | PA                                        |
| ONFI ORAL TABLET 10 MG, 20 MG ( <i>clobazam</i> )                                         | 4         | PA                                        |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG ( <i>clobazam</i> )                                 | 4         | PA                                        |
| VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML ( <i>diazepam</i> )                           | 3         | PA; QL (1 box (5 doses/box) per month.)   |
| VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 2 X 7.5 MG/0.1ML ( <i>diazepam</i> )         | 3         | PA; QL (1 box (5 doses/box) per month.)   |
| VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 2 X 10 MG/0.1ML ( <i>diazepam</i> )          | 3         | PA; QL (1 box (5 doses/box) per month.)   |
| VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML ( <i>diazepam</i> )                             | 3         | PA; QL (1 box (5 doses/box) per month.)   |
| <b>BENZODIAZEPINES (ANXIOLYTIC, SEDATIV/HYP) - Drugs for Anxiety &amp; Sleep Disorder</b> |           |                                           |
| <i>alprazolam er oral tablet extended release 24 hour 0.5 mg, 1 mg, 2 mg, 3 mg</i>        | 1         |                                           |
| <i>alprazolam intensol oral concentrate 1 mg/ml</i>                                       | 1         |                                           |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>                                 | 1         |                                           |
| <i>alprazolam oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>                     | 1         |                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                             | Drug Tier | Coverage Requirements & Limits            |
|------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <b>alprazolam xr oral tablet extended release 24 hour 0.5 mg, 1 mg, 2 mg, 3 mg</b> | 1         |                                           |
| <b>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</b>                        | 1         |                                           |
| <b>chlordiazepoxide-amitriptyline oral tablet 10-25 mg, 5-12.5 mg</b>              | 1         |                                           |
| <b>clobazam oral suspension 2.5 mg/ml</b>                                          | 3         | PA                                        |
| <b>clobazam oral tablet 10 mg, 20 mg</b>                                           | 2         | PA                                        |
| <b>clonazepam oral tablet 0.5 mg, 1 mg, 2 mg</b>                                   | 1         |                                           |
| <b>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg</b>    | 1         |                                           |
| <b>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</b>                  | 1         |                                           |
| <b>diazepam intensol oral concentrate 5 mg/ml</b>                                  | 1         |                                           |
| <b>diazepam oral concentrate 5 mg/ml</b>                                           | 1         |                                           |
| <b>diazepam oral solution 5 mg/5ml</b>                                             | 1         |                                           |
| <b>diazepam oral tablet 10 mg, 2 mg, 5 mg</b>                                      | 1         |                                           |
| <b>diazepam rectal gel 10 mg, 2.5 mg, 20 mg</b>                                    | 1         | QL (1 box (2 doses/box) per prescription) |
| <b>estazolam oral tablet 1 mg, 2 mg</b>                                            | 1         |                                           |
| <b>flurazepam hcl oral capsule 15 mg, 30 mg</b>                                    | 1         |                                           |
| HALCION ORAL TABLET 0.25 MG ( <i>triazolam</i> )                                   | 4         |                                           |
| <b>lorazepam intensol oral concentrate 2 mg/ml</b>                                 | 1         |                                           |
| <b>lorazepam oral concentrate 2 mg/ml</b>                                          | 1         |                                           |
| <b>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</b>                                    | 1         |                                           |
| <b>midazolam hcl oral syrup 2 mg/ml</b>                                            | 1         |                                           |
| NAYZILAM NASAL SOLUTION 5 MG/0.1ML ( <i>midazolam (anticonvulsant)</i> )           | 3         | PA; QL (1 box per prescription.)          |
| ONFI ORAL SUSPENSION 2.5 MG/ML ( <i>clobazam</i> )                                 | 4         | PA                                        |
| ONFI ORAL TABLET 10 MG, 20 MG ( <i>clobazam</i> )                                  | 4         | PA                                        |
| <b>oxazepam oral capsule 10 mg, 15 mg, 30 mg</b>                                   | 1         |                                           |
| RESTORIL ORAL CAPSULE 15 MG, 22.5 MG, 30 MG, 7.5 MG ( <i>temazepam</i> )           | 4         |                                           |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG ( <i>clobazam</i> )                          | 4         | PA                                        |
| <b>temazepam oral capsule 15 mg, 22.5 mg, 30 mg, 7.5 mg</b>                        | 1         |                                           |
| <b>triazolam oral tablet 0.125 mg, 0.25 mg</b>                                     | 1         |                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                            | Drug Tier | Coverage Requirements & Limits      |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| <b>BUTYROPHENONES - Drugs for Depression &amp; Psychosis</b>                                                                                      |           |                                     |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i>                                                                                               | 1         |                                     |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>                                                                             | 1         |                                     |
| <b>CALCITONIN GENE-RELATED PEPTIDE ANTAG. - Migraine Treatment</b>                                                                                |           |                                     |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML, 70 MG/ML ( <i>erenumab-aooe</i> )                                                          | 3         | PA; ST; QL (1 pen per month.)       |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120 MG/ML ( <i>galcanezumab-gnlm</i> )                                                               | 3         | PA; ST; QL (0.04 ml per day.)       |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <i>galcanezumab-gnlm</i> )                                                           | 3         | PA; ST; QL (0.1 mL per day.)        |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML ( <i>galcanezumab-gnlm</i> )                                                           | 3         | PA; ST; QL (0.04 ml per day.)       |
| NURTEC ORAL TABLET DISPERSIBLE 75 MG ( <i>rimegepant sulfate</i> )                                                                                | 3         | PA; ST; QL (0.27 tablets per day.)  |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG ( <i>atogepant</i> )                                                                                      | 3         | PA; ST; QL (1 tablet per day.)      |
| UBRELVY ORAL TABLET 100 MG, 50 MG ( <i>ubrogepant</i> )                                                                                           | 3         | PA; ST; QL (0.27 tablets per day.)  |
| ZAVZPRET NASAL SOLUTION 10 MG/ACT ( <i>zavegepant hcl</i> )                                                                                       | 4         | PA; ST; QL (6 mg per prescription.) |
| <b>CATECHOL-O-METHYLTRANSFERASE(COMT)INHIB. - Drugs for Parkinson</b>                                                                             |           |                                     |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 1         |                                     |
| <i>entacapone oral tablet 200 mg</i>                                                                                                              | 1         |                                     |
| <b>CENTRAL NERVOUS SYSTEM AGENTS, MISC. - Drugs for Attention Deficit Disorder</b>                                                                |           |                                     |
| <i>acamprosate calcium oral tablet delayed release 333 mg</i>                                                                                     | 1         |                                     |
| ADDYI ORAL TABLET 100 MG ( <i>flibanserin</i> )                                                                                                   | 4         | PA; QL (1 tablet per day.)          |
| <i>atomoxetine hcl oral capsule 10 mg, 25 mg</i>                                                                                                  | 4         | QL (3 capsules per day.)            |
| <i>atomoxetine hcl oral capsule 100 mg, 60 mg, 80 mg</i>                                                                                          | 4         | QL (1 capsule per day)              |
| <i>atomoxetine hcl oral capsule 18 mg</i>                                                                                                         | 4         | QL (5 capsules per day.)            |
| <i>atomoxetine hcl oral capsule 40 mg</i>                                                                                                         | 4         | QL (2 capsules per day)             |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits                   |
|--------------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| DAYBUE ORAL SOLUTION 200 MG/ML ( <i>trofinetide</i> )                                      | 3         | PA; QL (120 ml per day.); SP; SMCS               |
| <i>guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg</i>       | 2         |                                                  |
| <i>guanfacine hcl oral tablet 1 mg, 2 mg</i>                                               | 1         |                                                  |
| LUMRYZ ORAL PACKET 4.5 GM, 6 GM, 7.5 GM, 9 GM ( <i>sodium oxybate</i> )                    | 4         | PA; QL (1 packet per day.); SP; SMCS             |
| <i>memantine hcl er oral capsule extended release 24 hour 14 mg, 21 mg, 28 mg, 7 mg</i>    | 1         |                                                  |
| <i>memantine hcl oral solution 2 mg/ml</i>                                                 | 4         |                                                  |
| <i>memantine hcl oral tablet 10 mg, 28 x 5 mg &amp; 21 x 10 mg, 5 mg</i>                   | 1         |                                                  |
| NUEDEXTA ORAL CAPSULE 20-10 MG ( <i>dextromethorphan-quinidine</i> )                       | 2         | PA; QL (2 capsules per day.)                     |
| RADICAVA ORS ORAL SUSPENSION 105 MG/5ML ( <i>edaravone</i> )                               | 4         | PA; QL (50 ml per month.); SP; SMCS              |
| RADICAVA ORS STARTER KIT ORAL SUSPENSION 105 MG/5ML ( <i>edaravone</i> )                   | 4         | PA; QL (1 starter kit per year.); SP; SMCS       |
| <i>riluzole oral tablet 50 mg</i>                                                          | 1         | SP; SMCS                                         |
| SODIUM OXYBATE ORAL SOLUTION 500 MG/ML                                                     | 4         | PA; QL (18 ml per day.); SP; SMCS                |
| TEGLUTIK ORAL SUSPENSION 50 MG/10ML ( <i>riluzole</i> )                                    | 4         | PA; SMCS                                         |
| TIGLUTIK ORAL SUSPENSION 50 MG/10ML ( <i>riluzole</i> )                                    | 4         | PA; SMCS                                         |
| VEOZAH ORAL TABLET 45 MG ( <i>fezolinetant</i> )                                           | 4         | PA; QL (1 tablet per day.)                       |
| VYLEESI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 1.75 MG/0.3ML ( <i>bremelanotide acetate</i> ) | 4         | PA; QL (4 autoinjector pens (1.2mls) per month.) |
| VYNDAMAX ORAL CAPSULE 61 MG ( <i>tafamidis</i> )                                           | 3         | PA; QL (1 capsule per day.); SP; SMCS            |
| XYWAV ORAL SOLUTION 500 MG/ML ( <i>ca, mg, k, and na oxybates</i> )                        | 4         | PA; QL (18 mL per day.); SP; SMCS                |
| <b>CYCLOOXYGENASE-2 (COX-2) INHIBITORS - Drugs for Pain</b>                                |           |                                                  |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>                                | 2         |                                                  |
| <b>DIBENZOXAPINES - Drugs for Depression &amp; Psychosis</b>                               |           |                                                  |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>                           | 1         |                                                  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                                            | Drug Tier | Coverage Requirements & Limits         |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| <b>DIHYDROINDOLONES - Drugs for Depression &amp; Psychosis</b>                                                                                    |           |                                        |
| <i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i>                                                                                               | 3         |                                        |
| <b>DIPHENYLBUTYLPERIDINES - Drugs for Depression &amp; Psychosis</b>                                                                              |           |                                        |
| <i>pimozide oral tablet 1 mg, 2 mg</i>                                                                                                            | 2         |                                        |
| <b>DOPAMINE PRECURSORS - Drugs for Parkinson</b>                                                                                                  |           |                                        |
| <i>carbidopa oral tablet 25 mg</i>                                                                                                                | 1         |                                        |
| <i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i>                                                                    | 1         |                                        |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>                                                                             | 1         |                                        |
| <i>carbidopa-levodopa oral tablet dispersible 10-100 mg, 25-100 mg, 25-250 mg</i>                                                                 | 1         |                                        |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 1         |                                        |
| CREXONT ORAL CAPSULE EXTENDED RELEASE 35-140 MG, 52.5-210 MG, 70-280 MG, 87.5-350 MG ( <i>carbidopa-levodopa</i> )                                | 4         | ST                                     |
| DUOPA ENTERAL SUSPENSION 4.63-20 MG/ML ( <i>carbidopa-levodopa</i> )                                                                              | 4         | PA                                     |
| INBRIJA INHALATION CAPSULE 42 MG ( <i>levodopa</i> )                                                                                              | 3         | PA; QL (10 tablets per day.); SP; SMCS |
| SINEMET ORAL TABLET 10-100 MG, 25-100 MG ( <i>carbidopa-levodopa</i> )                                                                            | 4         |                                        |
| <b>ERGOT-DERIV. DOPAMINE RECEPTOR AGONISTS - Drugs for Parkinson</b>                                                                              |           |                                        |
| <i>bromocriptine mesylate oral capsule 5 mg</i>                                                                                                   | 1         |                                        |
| <i>bromocriptine mesylate oral tablet 2.5 mg</i>                                                                                                  | 1         |                                        |
| <i>cabergoline oral tablet 0.5 mg</i>                                                                                                             | 2         |                                        |
| <b>FIBROMYALGIA AGENTS - Drugs for Nerve Pain</b>                                                                                                 |           |                                        |
| <i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i>                                                                  | 2         |                                        |
| LYRICA ORAL SOLUTION 20 MG/ML ( <i>pregabalin</i> )                                                                                               | 3         | PA                                     |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i>                                                        | 2         |                                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                              | Drug Tier | Coverage Requirements & Limits        |
|-----------------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| <b><i>pregabalin oral solution 20 mg/ml</i></b>                                                     | 3         |                                       |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG ( <b><i>milnacipran hcl</i></b> )                 | 4         | QL (2 tablets per day)                |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG ( <b><i>milnacipran hcl</i></b> )                     | 4         | QL (1 pack per 365 days.)             |
| <b>GABA-MEDIATED ANTICONVULSANTS - Drugs for Seizures</b>                                           |           |                                       |
| DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HOUR 250 MG, 500 MG ( <b><i>divalproex sodium</i></b> ) | 4         | PA                                    |
| DEPAKOTE ORAL TABLET DELAYED RELEASE 125 MG, 250 MG, 500 MG ( <b><i>divalproex sodium</i></b> )     | 4         | PA                                    |
| <b><i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i></b>              | 2         |                                       |
| <b><i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i></b>                  | 1         |                                       |
| <b><i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i></b>                                        | 1         |                                       |
| <b><i>gabapentin oral solution 250 mg/5ml</i></b>                                                   | 1         |                                       |
| <b><i>gabapentin oral tablet 600 mg, 800 mg</i></b>                                                 | 1         |                                       |
| LYRICA ORAL SOLUTION 20 MG/ML ( <b><i>pregabalin</i></b> )                                          | 3         | PA                                    |
| <b><i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i></b>   | 2         |                                       |
| <b><i>pregabalin oral solution 20 mg/ml</i></b>                                                     | 3         |                                       |
| <b><i>tiagabine hcl oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i></b>                                    | 1         |                                       |
| <b><i>valproic acid oral solution 250 mg/5ml</i></b>                                                | 1         |                                       |
| <b><i>vigabatrin oral packet 500 mg</i></b>                                                         | 3         | PA; QL (6 packets per day.); SP; SMCS |
| <b><i>vigabatrin oral tablet 500 mg</i></b>                                                         | 3         | PA; QL (6 tablets per day.); SP; SMCS |
| VIGADRONE ORAL PACKET 500 MG ( <b><i>vigabatrin</i></b> )                                           | 3         | PA; QL (6 packets per day.); SP; SMCS |
| VIGADRONE ORAL TABLET 500 MG ( <b><i>vigabatrin</i></b> )                                           | 3         | PA; QL (6 tablets per day.); SP; SMCS |
| VIGAFYDE ORAL SOLUTION 100 MG/ML ( <b><i>vigabatrin</i></b> )                                       | 3         | PA; QL (900 mL per month.); SP; SMCS  |
| ZTALMY ORAL SUSPENSION 50 MG/ML ( <b><i>ganaxolone</i></b> )                                        | 4         | PA; SP; SMCS                          |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                        | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>HYDANTOINS - Drugs for Seizures</b>                                                        |           |                                |
| DILANTIN INFATABS ORAL TABLET CHEWABLE 50 MG ( <i>phenytoin</i> )                             | 3         |                                |
| DILANTIN ORAL CAPSULE 100 MG, 30 MG ( <i>phenytoin sodium extended</i> )                      | 3         |                                |
| DILANTIN-125 ORAL SUSPENSION 125 MG/5ML ( <i>phenytoin</i> )                                  | 3         |                                |
| <i>phenytek oral capsule 200 mg</i>                                                           | 1         |                                |
| <i>phenytek oral capsule 300 mg</i>                                                           | 4         |                                |
| <i>phenytoin infatabs oral tablet chewable 50 mg</i>                                          | 1         |                                |
| <i>phenytoin oral suspension 125 mg/5ml</i>                                                   | 1         |                                |
| <i>phenytoin oral tablet chewable 50 mg</i>                                                   | 1         |                                |
| <i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>                          | 1         |                                |
| <b>INHALATION ANESTHETICS - Anesthetics</b>                                                   |           |                                |
| FORANE INHALATION SOLUTION ( <i>isoflurane</i> )                                              | 2         |                                |
| <i>isoflurane inhalation solution</i>                                                         | 1         |                                |
| <i>sevoflurane inhalation solution</i>                                                        | 1         |                                |
| <i>terrell inhalation solution</i>                                                            | 1         |                                |
| ULTANE INHALATION SOLUTION ( <i>sevoflurane</i> )                                             | 3         |                                |
| <b>ION CHANNEL INHIBITION AGENTS - Drugs for Seizures</b>                                     |           |                                |
| <i>eslicarbazepine acetate oral tablet 200 mg, 400 mg, 600 mg, 800 mg</i>                     | 4         | PA                             |
| <i>lacosamide oral solution 10 mg/ml, 100 mg/10ml, 50 mg/5ml</i>                              | 2         |                                |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>                                   | 2         |                                |
| MOTPOLY XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 150 MG, 200 MG ( <i>lacosamide</i> ) | 4         | PA                             |
| <i>oxcarbazepine oral suspension 300 mg/5ml</i>                                               | 1         |                                |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>                                       | 1         |                                |
| <i>rufinamide oral suspension 40 mg/ml</i>                                                    | 3         |                                |
| <i>rufinamide oral tablet 200 mg, 400 mg</i>                                                  | 3         | PA                             |
| VIMPAT ORAL SOLUTION 10 MG/ML ( <i>lacosamide</i> )                                           | 4         | PA                             |
| ZONISADE ORAL SUSPENSION 100 MG/5ML ( <i>zonisamide</i> )                                     | 4         | PA                             |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>                                           | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                   | Drug Tier | Coverage Requirements & Limits                |
|------------------------------------------------------------------------------------------|-----------|-----------------------------------------------|
| <b>MELATONIN RECEPTOR AGONISTS - Drugs for Anxiety &amp; Sleep Disorder</b>              |           |                                               |
| HETLIOZ LQ ORAL SUSPENSION 4 MG/ML ( <i>tasimelteon</i> )                                | 4         | PA; QL (5.1 mL per day.); SP; SMCS            |
| HETLIOZ ORAL CAPSULE 20 MG ( <i>tasimelteon</i> )                                        | 4         | PA; QL (1 capsule per day.); SP; SMCS         |
| <i>ramelteon oral tablet 8 mg</i>                                                        | 4         | ST; QL (1 tablet per day)                     |
| <i>tasimelteon oral capsule 20 mg</i>                                                    | 4         | PA; QL (1 capsule per day.); SP; SMCS         |
| <b>MONOAMINE OXIDASE B INHIBITORS - Drugs for Parkinson</b>                              |           |                                               |
| <i>selegiline hcl oral capsule 5 mg</i>                                                  | 1         |                                               |
| <i>selegiline hcl oral tablet 5 mg</i>                                                   | 1         |                                               |
| <b>MONOAMINE OXIDASE INHIBITORS - Drugs for Depression &amp; Psychosis</b>               |           |                                               |
| NARDIL ORAL TABLET 15 MG ( <i>phenelzine sulfate</i> )                                   | 4         |                                               |
| PARNATE ORAL TABLET 10 MG ( <i>tranylcypromine sulfate</i> )                             | 4         |                                               |
| <i>phenelzine sulfate oral tablet 15 mg</i>                                              | 1         |                                               |
| <i>selegiline hcl oral capsule 5 mg</i>                                                  | 1         |                                               |
| <i>selegiline hcl oral tablet 5 mg</i>                                                   | 1         |                                               |
| <i>tranylcypromine sulfate oral tablet 10 mg</i>                                         | 1         |                                               |
| <b>NMDA ANTAGONISTS - Drugs for Depression &amp; Psychosis</b>                           |           |                                               |
| SPRAVATO (56 MG DOSE) NASAL SOLUTION THERAPY PACK 28 MG/DEVICE ( <i>esketamine hcl</i> ) | 4         | PA; QL (8 devices (4 kits) per month.); SMCS  |
| SPRAVATO (84 MG DOSE) NASAL SOLUTION THERAPY PACK 28 MG/DEVICE ( <i>esketamine hcl</i> ) | 4         | PA; QL (12 devices (4 kits) per month.); SMCS |
| <b>NON-BENZODIAZEPINE ANXIOLYTICS - Drugs for Anxiety &amp; Sleep Disorder</b>           |           |                                               |
| <i>buspirone hcl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                       | 1         |                                               |
| <i>meprobamate oral tablet 200 mg, 400 mg</i>                                            | 1         |                                               |
| <b>NON-BENZODIAZEPINE HYPNOTICS - Drugs for Anxiety &amp; Sleep Disorder</b>             |           |                                               |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>                                          | 2         |                                               |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                                 | 1         |                                               |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                          | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>zolpidem tartrate er oral tablet extended release 12.5 mg, 6.25 mg</i>                       | 2         |                                |
| <i>zolpidem tartrate oral tablet 10 mg, 5 mg</i>                                                | 1         |                                |
| <b>NONERGOT-DERIV.DOPAMINE RECEPTOR AGONIST - Drugs for Parkinson</b>                           |           |                                |
| <i>pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 1         |                                |
| <i>ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>                 | 1         |                                |
| <b>NON-OPIOID ANALGESICS - Drugs for Pain</b>                                                   |           |                                |
| <i>acetaminophen-codeine oral solution 120-12 mg/5ml</i>                                        | 1         | NTT                            |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i>                        | 1         | NTT                            |
| <i>bac (butalbital-acetamin-caff) oral tablet 50-325-40 mg</i>                                  | 1         | QL (6 tablets per day)         |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i>                                           | 1         |                                |
| <i>butalbital-apap-caff-cod oral capsule 50-325-40-30 mg</i>                                    | 1         | QL (6 capsules per day.)       |
| <i>butalbital-apap-caffeine oral capsule 50-300-40 mg</i>                                       | 3         | QL (6 capsules per day.)       |
| <i>butalbital-apap-caffeine oral capsule 50-325-40 mg</i>                                       | 1         | QL (6 capsules per day)        |
| BUTALBITAL-APAP-CAFFEINE ORAL SOLUTION 50-325-40 MG/15ML                                        | 2         |                                |
| <i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i>                                        | 1         | QL (6 tablets per day)         |
| <i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>                          | 1         | NTT                            |
| FIORICET ORAL CAPSULE 50-300-40 MG ( <i>butalbital-apap-caffeine</i> )                          | 4         | QL (6 capsules per day.)       |
| <i>hydrocodone-acetaminophen oral solution 10-300 mg/15ml</i>                                   | 1         | NTT                            |
| <i>hydrocodone-acetaminophen oral solution 10-325 mg/15ml</i>                                   | 2         |                                |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml</i>                                  | 2         | NTT                            |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>        | 1         | NTT                            |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>          | 1         | NTT                            |
| TENCON ORAL TABLET 50-325 MG ( <i>butalbital-acetaminophen</i> )                                | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                         | Drug Tier | Coverage Requirements & Limits         |
|--------------------------------------------------------------------------------|-----------|----------------------------------------|
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>                          | 1         | QL (40 tablets per prescription.); NTT |
| <b>NONSTEROIDAL ANTI-INFLAMM. AGENTS, MISC - Drugs for Pain</b>                |           |                                        |
| <i>diclofenac potassium oral tablet 50 mg</i>                                  | 2         |                                        |
| <i>diclofenac sodium er oral tablet extended release 24 hour 100 mg</i>        | 3         |                                        |
| <i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i>       | 1         |                                        |
| <i>diclofenac-misoprostol oral tablet delayed release 50-0.2 mg, 75-0.2 mg</i> | 3         |                                        |
| <i>diflunisal oral tablet 500 mg</i>                                           | 3         |                                        |
| <i>etodolac er oral tablet extended release 24 hour 400 mg, 500 mg, 600 mg</i> | 3         |                                        |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                    | 2         |                                        |
| <i>etodolac oral tablet 400 mg, 500 mg</i>                                     | 2         |                                        |
| <i>flurbiprofen oral tablet 100 mg, 50 mg</i>                                  | 1         |                                        |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>       | 1         | NTT                                    |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>                            | 1         |                                        |
| INDOCIN RECTAL SUPPOSITORY 50 MG ( <i>indomethacin</i> )                       | 4         | PA                                     |
| <i>indomethacin er oral capsule extended release 75 mg</i>                     | 2         |                                        |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                                  | 1         |                                        |
| <i>indomethacin rectal suppository 50 mg</i>                                   | 3         | PA                                     |
| <i>ketorolac tromethamine oral tablet 10 mg</i>                                | 1         |                                        |
| LURBIRO ORAL TABLET 100 MG ( <i>flurbiprofen</i> )                             | 3         |                                        |
| <i>meclofenamate sodium oral capsule 100 mg, 50 mg</i>                         | 3         |                                        |
| <i>mefenamic acid oral capsule 250 mg</i>                                      | 3         |                                        |
| MELOXICAM ORAL SUSPENSION 7.5 MG/5ML                                           | 4         | PA                                     |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                     | 1         |                                        |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                   | 1         |                                        |
| <i>naproxen dr oral tablet delayed release 500 mg</i>                          | 1         |                                        |
| <i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>                             | 1         |                                        |
| <i>naproxen oral tablet delayed release 375 mg, 500 mg</i>                     | 1         |                                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                          | Drug Tier | Coverage Requirements & Limits                              |
|-----------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------|
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>                                                               | 2         |                                                             |
| <i>oxaprozin oral tablet 600 mg</i>                                                                             | 2         |                                                             |
| <i>piroxicam oral capsule 10 mg, 20 mg</i>                                                                      | 2         |                                                             |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                                                      | 1         |                                                             |
| <b>OPIOID AGONISTS (28:08) - Drugs for Pain</b>                                                                 |           |                                                             |
| <i>acetaminophen-codeine oral solution 120-12 mg/5ml</i>                                                        | 1         | NTT                                                         |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i>                                        | 1         | NTT                                                         |
| <i>ascomp-codeine oral capsule 50-325-40-30 mg</i>                                                              | 1         |                                                             |
| <i>belladonna alkaloids-opium rectal suppository 16.2-60 mg</i>                                                 | 1         |                                                             |
| <i>butalbital-apap-caff-cod oral capsule 50-325-40-30 mg</i>                                                    | 1         | QL (6 capsules per day.)                                    |
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30 mg</i>                                                 | 1         |                                                             |
| <i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>                                                          | 1         | NTT                                                         |
| <i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>                                          | 1         | NTT                                                         |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>                                      | 2         | PA; QL (0.34 patches per day.)                              |
| <i>fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr</i>                                                  | 2         | PA; QL (15 patches per 31 days.)                            |
| <i>hydrocodone bitartrate er oral capsule extended release 12 hour 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg</i> | 3         | PA; QL (2 capsules per day.)                                |
| <i>hydrocodone bitartrate er oral tablet er 24 hour abuse-deterrent 100 mg, 120 mg</i>                          | 3         | PA; QL (0 tablets per 100 days, diagnosis review required.) |
| <i>hydrocodone bitartrate er oral tablet er 24 hour abuse-deterrent 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>       | 3         | PA; QL (1 tablet per day.)                                  |
| <i>hydrocodone-acetaminophen oral solution 10-300 mg/15ml</i>                                                   | 1         | NTT                                                         |
| <i>hydrocodone-acetaminophen oral solution 10-325 mg/15ml</i>                                                   | 2         |                                                             |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml</i>                                                  | 2         | NTT                                                         |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>                        | 1         | NTT                                                         |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>                                        | 1         | NTT                                                         |
| <i>hydromorphone hcl er oral tablet extended release 24 hour 12 mg</i>                                          | 3         | PA; QL (2 tablets per day.)                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                   | Drug Tier | Coverage Requirements & Limits                              |
|----------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------|
| <b>hydromorphone hcl er oral tablet extended release 24 hour 16 mg, 8 mg</b>                             | 3         | PA; QL (1 tablet per day.)                                  |
| <b>hydromorphone hcl er oral tablet extended release 24 hour 32 mg</b>                                   | 3         | PA; QL (0 tablet per 100 days, diagnosis review required.)  |
| <b>hydromorphone hcl oral liquid 1 mg/ml</b>                                                             | 1         | NTT                                                         |
| <b>hydromorphone hcl oral tablet 2 mg, 4 mg, 8 mg</b>                                                    | 1         | NTT                                                         |
| <b>hydromorphone hcl rectal suppository 3 mg</b>                                                         | 1         | NTT                                                         |
| <b>meperidine hcl oral solution 50 mg/5ml</b>                                                            | 1         | NTT                                                         |
| <b>meperidine hcl oral tablet 50 mg</b>                                                                  | 1         | NTT                                                         |
| <b>methadone hcl intensol oral concentrate 10 mg/ml</b>                                                  | 1         | QL (6 ml per day.)                                          |
| <b>methadone hcl oral concentrate 10 mg/ml</b>                                                           | 1         | QL (6 ml per day.)                                          |
| <b>methadone hcl oral solution 10 mg/5ml</b>                                                             | 1         | PA; QL (11.3 ml per day.)                                   |
| <b>methadone hcl oral solution 5 mg/5ml</b>                                                              | 1         | PA; QL (22.6 ml per day.)                                   |
| <b>methadone hcl oral tablet 10 mg</b>                                                                   | 1         | PA; QL (2 tablets per day.)                                 |
| <b>methadone hcl oral tablet 5 mg</b>                                                                    | 1         | PA; QL (4 tablets per day.)                                 |
| <b>methadone hcl oral tablet soluble 40 mg</b>                                                           | 1         | QL (1.5 tablets per day.)                                   |
| <b>METHADOSE ORAL CONCENTRATE 10 MG/ML (methadone hcl)</b>                                               | 3         | QL (6 ml per day.)                                          |
| <b>methadose oral tablet soluble 40 mg</b>                                                               | 1         | QL (1.5 tablets per day.)                                   |
| <b>METHADOSE SUGAR-FREE ORAL CONCENTRATE 10 MG/ML (methadone hcl)</b>                                    | 3         | QL (6 ml per day.)                                          |
| <b>morphine sulfate (concentrate) oral solution 100 mg/5ml</b>                                           | 1         | NTT                                                         |
| <b>morphine sulfate er beads oral capsule extended release 24 hour 120 mg</b>                            | 3         | PA; QL (0 capsule per 100 days, diagnosis review required.) |
| <b>morphine sulfate er beads oral capsule extended release 24 hour 30 mg, 45 mg, 60 mg, 75 mg, 90 mg</b> | 3         | PA; QL (1 capsule per day.)                                 |
| <b>morphine sulfate er oral capsule extended release 24 hour 10 mg, 20 mg, 30 mg</b>                     | 3         | PA; QL (62 capsules per 31 days.)                           |
| <b>morphine sulfate er oral capsule extended release 24 hour 100 mg</b>                                  | 3         | PA; QL (0 capsule per 100 days, diagnosis review required.) |
| <b>morphine sulfate er oral capsule extended release 24 hour 50 mg, 60 mg, 80 mg</b>                     | 3         | PA; QL (1 capsule per day.)                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                  | Drug Tier | Coverage Requirements & Limits                               |
|---------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------|
| <b><i>morphine sulfate er oral tablet extended release 100 mg, 200 mg, 60 mg</i></b>                    | 1         | PA; QL (0 capsules per 100 days, diagnosis review required.) |
| <b><i>morphine sulfate er oral tablet extended release 15 mg, 30 mg</i></b>                             | 1         | PA; QL (93 tablets per 31 days.)                             |
| <b><i>morphine sulfate oral solution 10 mg/5ml, 20 mg/5ml</i></b>                                       | 1         | NTT                                                          |
| <b><i>morphine sulfate oral tablet 15 mg, 30 mg</i></b>                                                 | 1         | NTT                                                          |
| <b><i>morphine sulfate rectal suppository 10 mg, 20 mg, 30 mg, 5 mg</i></b>                             | 1         | NTT                                                          |
| NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HOUR 100 MG, 50 MG ( <b><i>tapentadol hcl</i></b> )          | 3         | PA; QL (2 tablets per day)                                   |
| NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HOUR 150 MG, 200 MG, 250 MG ( <b><i>tapentadol hcl</i></b> ) | 3         | PA; QL (0 capsules per 100 days, diagnosis review required.) |
| NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG ( <b><i>tapentadol hcl</i></b> )                               | 4         | QL (6 tablets per day); NTT                                  |
| <b><i>opium oral tincture 10 mg/ml (1%)</i></b>                                                         | 1         |                                                              |
| <b><i>oxycodone hcl oral capsule 5 mg</i></b>                                                           | 1         | NTT                                                          |
| <b><i>oxycodone hcl oral concentrate 100 mg/5ml</i></b>                                                 | 1         | NTT                                                          |
| <b><i>oxycodone hcl oral solution 5 mg/5ml</i></b>                                                      | 1         | NTT                                                          |
| <b><i>oxycodone hcl oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i></b>                                      | 1         | NTT                                                          |
| <b><i>oxycodone hcl oral tablet 5 mg</i></b>                                                            | 1         | QL (12 tablets per day.); NTT                                |
| <b><i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i></b>           | 1         | NTT                                                          |
| <b><i>oxymorphone hcl er oral tablet extended release 12 hour 10 mg, 15 mg, 5 mg, 7.5 mg</i></b>        | 3         | PA; QL (2 tablets per day.)                                  |
| <b><i>oxymorphone hcl er oral tablet extended release 12 hour 20 mg, 30 mg, 40 mg</i></b>               | 3         | PA; QL (0 tablet per 100 days.)                              |
| <b><i>oxymorphone hcl oral tablet 10 mg, 5 mg</i></b>                                                   | 2         | QL (6 tablets per day.); NTT                                 |
| <b><i>tramadol hcl (er biphasic) oral tablet extended release 24 hour 100 mg, 200 mg, 300 mg</i></b>    | 2         | QL (1 tablet per day)                                        |
| <b><i>tramadol hcl er oral tablet extended release 24 hour 100 mg, 200 mg, 300 mg</i></b>               | 2         | QL (1 tablet per day)                                        |
| <b><i>tramadol hcl oral tablet 50 mg</i></b>                                                            | 1         | NTT                                                          |
| <b><i>tramadol-acetaminophen oral tablet 37.5-325 mg</i></b>                                            | 1         | QL (40 tablets per prescription.); NTT                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                    | Drug Tier | Coverage Requirements & Limits                               |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------|
| XTAMPZA ER ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT 13.5 MG, 18 MG, 27 MG, 9 MG ( <b>oxycodone</b> )                                                       | 4         | PA; QL (2 tablets per day.)                                  |
| XTAMPZA ER ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT 36 MG ( <b>oxycodone</b> )                                                                             | 4         | PA; QL (0 capsules per 100 days, diagnosis review required.) |
| <b>OPIOID ANTAGONISTS (28:10) - Drugs for Overdose or Poisoning</b>                                                                                       |           |                                                              |
| <b>buprenorphine hcl-naloxone hcl sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</b>                                                                   | 1         |                                                              |
| <b>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg, 8-2 mg</b>                                                                       | 1         |                                                              |
| <b>ft naloxone hcl nasal liquid 4 mg/0.1ml</b>                                                                                                            | 1         | SM                                                           |
| KLOXXADO NASAL LIQUID 8 MG/0.1ML ( <b>naloxone hcl</b> )                                                                                                  | 1         | SM                                                           |
| <b>naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml</b>                                                                                               | 1         | SM                                                           |
| <b>naloxone hcl injection solution cartridge 0.4 mg/ml</b>                                                                                                | 1         | SM                                                           |
| <b>naloxone hcl injection solution prefilled syringe 0.4 mg/ml, 2 mg/2ml</b>                                                                              | 1         | SM                                                           |
| <b>naloxone hcl nasal liquid 4 mg/0.1ml</b>                                                                                                               | 1         | SM                                                           |
| <b>naltrexone hcl oral tablet 50 mg</b>                                                                                                                   | 1         |                                                              |
| NARCAN NASAL LIQUID 4 MG/0.1ML ( <b>naloxone hcl</b> )                                                                                                    | 1         | SM                                                           |
| OPVEE NASAL SOLUTION 2.7 MG/0.1ML ( <b>nalmefene hcl</b> )                                                                                                | 1         |                                                              |
| <b>pentazocine-naloxone hcl oral tablet 50-0.5 mg</b>                                                                                                     | 1         | NTT                                                          |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML ( <b>methylnaltrexone bromide</b> )                                                                            | 4         | PA; QL (0.6 ml per day.)                                     |
| RELISTOR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 12 MG/0.6ML ( <b>methylnaltrexone bromide</b> )                                                          | 4         | PA; QL (0.6 ml per day.)                                     |
| RELISTOR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 8 MG/0.4ML ( <b>methylnaltrexone bromide</b> )                                                           | 4         | PA; QL (0.4 ml per day.)                                     |
| REXTOVY NASAL LIQUID 4 MG/0.25ML ( <b>naloxone hcl</b> )                                                                                                  | 1         | SM                                                           |
| RIVIVE NASAL LIQUID 3 MG/0.1ML ( <b>naloxone hcl</b> )                                                                                                    | 1         | SM                                                           |
| SUBOXONE SUBLINGUAL FILM 12-3 MG, 2-0.5 MG, 4-1 MG, 8-2 MG ( <b>buprenorphine hcl-naloxone hcl</b> )                                                      | 1         |                                                              |
| ZUBSOLV SUBLINGUAL TABLET SUBLINGUAL 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG ( <b>buprenorphine hcl-naloxone hcl</b> ) | 1         |                                                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                                                    | Drug Tier | Coverage Requirements & Limits            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| ZURNAI INJECTION SOLUTION AUTO-INJECTOR 1.5 MG/0.5ML ( <i>nalmefene hcl</i> )                                                                             | 1         |                                           |
| <b>OPIOID PARTIAL AGONISTS - Drugs for Pain</b>                                                                                                           |           |                                           |
| BELBUCA BUCCAL FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 900 MCG ( <i>buprenorphine hcl</i> )                                                      | 3         | PA; QL (2 Films per day.)                 |
| BELBUCA BUCCAL FILM 750 MCG ( <i>buprenorphine hcl</i> )                                                                                                  | 3         | PA; QL (2 films per day.)                 |
| <i>buprenorphine hcl sublingual tablet sublingual 2 mg, 8 mg</i>                                                                                          | 1         |                                           |
| <i>buprenorphine hcl-naloxone hcl sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i>                                                                   | 1         |                                           |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg, 8-2 mg</i>                                                                       | 1         |                                           |
| <i>buprenorphine transdermal patch weekly 10 mcg/hr, 20 mcg/hr, 5 mcg/hr</i>                                                                              | 3         | PA; QL (4 patches per 28 days.)           |
| <i>buprenorphine transdermal patch weekly 15 mcg/hr, 7.5 mcg/hr</i>                                                                                       | 3         | PA; QL (4 patches per month.)             |
| <i>butorphanol tartrate nasal solution 10 mg/ml</i>                                                                                                       | 2         | QL (7.5 ml (3 bottles) per prescription.) |
| <i>pentazocine-naloxone hcl oral tablet 50-0.5 mg</i>                                                                                                     | 1         | NTT                                       |
| SUBOXONE SUBLINGUAL FILM 12-3 MG, 2-0.5 MG, 4-1 MG, 8-2 MG ( <i>buprenorphine hcl-naloxone hcl</i> )                                                      | 1         |                                           |
| ZUBSOLV SUBLINGUAL TABLET SUBLINGUAL 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG ( <i>buprenorphine hcl-naloxone hcl</i> ) | 1         |                                           |
| <b>PHENOTHIAZINES - Drugs for Depression &amp; Psychosis</b>                                                                                              |           |                                           |
| <i>chlorpromazine hcl oral tablet 10 mg, 25 mg</i>                                                                                                        | 1         | QL (6 tablets per day.)                   |
| <i>chlorpromazine hcl oral tablet 100 mg, 50 mg</i>                                                                                                       | 1         | QL (4 tablets per day.)                   |
| <i>chlorpromazine hcl oral tablet 200 mg</i>                                                                                                              | 1         | QL (2 tablets per day.)                   |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i>                                                                                                          | 1         |                                           |
| <i>fluphenazine hcl oral elixir 2.5 mg/5ml</i>                                                                                                            | 1         |                                           |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>                                                                                             | 1         |                                           |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>                                                                                                   | 1         |                                           |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>                                                                 | 1         |                                           |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>                                                                                                   | 1         |                                           |
| <i>prochlorperazine rectal suppository 25 mg</i>                                                                                                          | 1         |                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                            | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                                   | 1         |                                |
| <i>trifluoperazine hcl oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>                                                    | 1         |                                |
| <b>RESPIRATORY AND CNS STIMULANTS - Drugs for the Nervous System</b>                                              |           |                                |
| <i>ascomp-codeine oral capsule 50-325-40-30 mg</i>                                                                | 1         |                                |
| <i>atomoxetine hcl oral capsule 10 mg, 25 mg</i>                                                                  | 4         | QL (3 capsules per day.)       |
| <i>atomoxetine hcl oral capsule 100 mg, 60 mg, 80 mg</i>                                                          | 4         | QL (1 capsule per day)         |
| <i>atomoxetine hcl oral capsule 18 mg</i>                                                                         | 4         | QL (5 capsules per day.)       |
| <i>atomoxetine hcl oral capsule 40 mg</i>                                                                         | 4         | QL (2 capsules per day)        |
| AZSTARYS ORAL CAPSULE 26.1-5.2 MG, 39.2-7.8 MG, 52.3-10.4 MG ( <i>serdexmethylphen-dexmethylphen</i> )            | 3         | ST; QL (1 capsule per day.)    |
| <i>bac (butalbital-acetamin-caff) oral tablet 50-325-40 mg</i>                                                    | 1         | QL (6 tablets per day)         |
| <i>butalbital-apap-caff-cod oral capsule 50-325-40-30 mg</i>                                                      | 1         | QL (6 capsules per day.)       |
| <i>butalbital-apap-caffeine oral capsule 50-300-40 mg</i>                                                         | 3         | QL (6 capsules per day.)       |
| <i>butalbital-apap-caffeine oral capsule 50-325-40 mg</i>                                                         | 1         | QL (6 capsules per day)        |
| BUTALBITAL-APAP-CAFFEINE ORAL SOLUTION 50-325-40 MG/15ML                                                          | 2         |                                |
| <i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i>                                                          | 1         | QL (6 tablets per day)         |
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30 mg</i>                                                   | 1         |                                |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>                                                      | 1         |                                |
| <i>caffeine citrate oral solution 20 mg/ml, 60 mg/3ml</i>                                                         | 1         |                                |
| <i>dexmethylphenidate hcl er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 5 mg</i>           | 2         | QL (2 capsules per day.)       |
| <i>dexmethylphenidate hcl er oral capsule extended release 24 hour 30 mg, 35 mg, 40 mg</i>                        | 2         | QL (31 capsules per 31 days.)  |
| <i>dexmethylphenidate hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                     | 1         |                                |
| <i>elixophyllin oral elixir 80 mg/15ml</i>                                                                        | 3         |                                |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i>                                                                   | 3         |                                |
| FIORICET ORAL CAPSULE 50-300-40 MG ( <i>butalbital-apap-caffeine</i> )                                            | 4         | QL (6 capsules per day.)       |
| JORNAY PM ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 20 MG, 40 MG, 60 MG, 80 MG ( <i>methylphenidate hcl</i> ) | 3         | ST; QL (1 capsule per day.)    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                    | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b><i>methylphenidate hcl er (cd) oral capsule extended release 10 mg, 20 mg, 30 mg, 40 mg, 50 mg</i></b> | 2         | QL (2 tablets per day.)        |
| <b><i>methylphenidate hcl er (cd) oral capsule extended release 60 mg</i></b>                             | 2         | QL (31 capsules per 31 days.)  |
| <b><i>methylphenidate hcl er (la) oral capsule extended release 24 hour 10 mg</i></b>                     | 2         | QL (5 capsules per day.)       |
| <b><i>methylphenidate hcl er (la) oral capsule extended release 24 hour 20 mg</i></b>                     | 2         | QL (5capsules per day.)        |
| <b><i>methylphenidate hcl er (la) oral capsule extended release 24 hour 30 mg</i></b>                     | 2         | QL (3 capsules per day.)       |
| <b><i>methylphenidate hcl er (la) oral capsule extended release 24 hour 40 mg</i></b>                     | 2         | QL (2 capsules per day.)       |
| <b><i>methylphenidate hcl er (la) oral capsule extended release 24 hour 60 mg</i></b>                     | 2         |                                |
| <b><i>methylphenidate hcl er (osm) oral tablet extended release 18 mg, 27 mg, 36 mg, 54 mg</i></b>        | 2         | QL (2 tablets per day.)        |
| <b><i>methylphenidate hcl er oral tablet extended release 10 mg</i></b>                                   | 2         | QL (10 tablets per day.)       |
| <b><i>methylphenidate hcl er oral tablet extended release 20 mg</i></b>                                   | 2         | QL (5 tablets per day.)        |
| <b><i>methylphenidate hcl oral solution 10 mg/5ml, 5 mg/5ml</i></b>                                       | 1         |                                |
| <b><i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i></b>                                          | 1         |                                |
| <b><i>methylphenidate hcl oral tablet chewable 10 mg, 2.5 mg, 5 mg</i></b>                                | 3         |                                |
| <b>MIGERGOT RECTAL SUPPOSITORY 2-100 MG (<i>ergotamine-caffeine</i>)</b>                                  | 3         |                                |
| <b>THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 300 MG, 400 MG (<i>theophylline</i>)</b> | 3         |                                |
| <b><i>theophylline er oral tablet extended release 12 hour 100 mg, 200 mg, 300 mg, 450 mg</i></b>         | 1         |                                |
| <b><i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i></b>                         | 1         |                                |
| <b><i>theophylline oral elixir 80 mg/15ml</i></b>                                                         | 1         |                                |
| <b><i>theophylline oral solution 80 mg/15ml</i></b>                                                       | 1         |                                |
| <b>REVERSIBLE COX-1/COX-2 INHIBITORS - Drugs for Pain</b>                                                 |           |                                |
| <b>ACULAR LS OPHTHALMIC SOLUTION 0.4 % (<i>ketorolac tromethamine</i>)</b>                                | 4         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                         | Drug Tier | Coverage Requirements & Limits       |
|--------------------------------------------------------------------------------|-----------|--------------------------------------|
| ACULAR OPHTHALMIC SOLUTION 0.5 % ( <i>ketorolac tromethamine</i> )             | 4         |                                      |
| <i>diclofenac sodium external gel 3 %</i>                                      | 2         | PA; QL (100 grams per prescription.) |
| <i>diflunisal oral tablet 500 mg</i>                                           | 3         |                                      |
| <i>etodolac er oral tablet extended release 24 hour 400 mg, 500 mg, 600 mg</i> | 3         |                                      |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                    | 2         |                                      |
| <i>etodolac oral tablet 400 mg, 500 mg</i>                                     | 2         |                                      |
| <i>flurbiprofen oral tablet 100 mg, 50 mg</i>                                  | 1         |                                      |
| <i>flurbiprofen sodium ophthalmic solution 0.03 %</i>                          | 1         |                                      |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>       | 1         | NTT                                  |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>                            | 1         |                                      |
| INDOCIN RECTAL SUPPOSITORY 50 MG ( <i>indomethacin</i> )                       | 4         | PA                                   |
| <i>indomethacin er oral capsule extended release 75 mg</i>                     | 2         |                                      |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                                  | 1         |                                      |
| <i>indomethacin rectal suppository 50 mg</i>                                   | 3         | PA                                   |
| <i>ketorolac tromethamine ophthalmic solution 0.4 %, 0.5 %</i>                 | 1         |                                      |
| <i>ketorolac tromethamine oral tablet 10 mg</i>                                | 1         |                                      |
| LURBIRO ORAL TABLET 100 MG ( <i>flurbiprofen</i> )                             | 3         |                                      |
| <i>meclofenamate sodium oral capsule 100 mg, 50 mg</i>                         | 3         |                                      |
| <i>mefenamic acid oral capsule 250 mg</i>                                      | 3         |                                      |
| MELOXICAM ORAL SUSPENSION 7.5 MG/5ML                                           | 4         | PA                                   |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                     | 1         |                                      |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                   | 1         |                                      |
| <i>naproxen dr oral tablet delayed release 500 mg</i>                          | 1         |                                      |
| <i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>                             | 1         |                                      |
| <i>naproxen oral tablet delayed release 375 mg, 500 mg</i>                     | 1         |                                      |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>                              | 2         |                                      |
| <i>oxaprozin oral tablet 600 mg</i>                                            | 2         |                                      |
| <i>piroxicam oral capsule 10 mg, 20 mg</i>                                     | 2         |                                      |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                     | 1         |                                      |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>SALICYLATES - Drugs for Pain</b>                                                   |           |                                |
| <i>ascomp-codeine oral capsule 50-325-40-30 mg</i>                                    | 1         |                                |
| <i>aspirin 81 oral tablet delayed release 81 mg</i>                                   | E         | H                              |
| <i>aspirin adult low dose oral tablet delayed release 81 mg</i>                       | E         | H                              |
| <i>aspirin adult low strength oral tablet delayed release 81 mg</i>                   | E         | H                              |
| <i>aspirin childrens oral tablet chewable 81 mg</i>                                   | E         | H                              |
| <i>aspirin ec adult low dose oral tablet delayed release 81 mg</i>                    | E         | H                              |
| <i>aspirin ec low dose oral tablet delayed release 81 mg</i>                          | E         | H                              |
| <i>aspirin ec low strength oral tablet delayed release 81 mg</i>                      | E         | H                              |
| <i>aspirin low dose oral tablet chewable 81 mg</i>                                    | E         | H                              |
| <i>aspirin low dose oral tablet delayed release 81 mg</i>                             | E         | H                              |
| <i>aspirin oral tablet chewable 81 mg</i>                                             | E         | H                              |
| <i>aspirin oral tablet delayed release 81 mg</i>                                      | E         | H                              |
| <i>aspirin regimen oral tablet delayed release 81 mg</i>                              | E         | H                              |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i>        | 3         |                                |
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30 mg</i>                       | 1         |                                |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>                          | 1         |                                |
| <i>ft aspirin low dose oral tablet delayed release 81 mg</i>                          | E         | H                              |
| <i>ft aspirin oral tablet chewable 81 mg</i>                                          | E         | H                              |
| <i>goodsense aspirin low dose oral tablet delayed release 81 mg</i>                   | E         | H                              |
| <i>mm aspirin oral tablet delayed release 81 mg</i>                                   | E         | H                              |
| <i>salsalate oral tablet 500 mg, 750 mg</i>                                           | 1         |                                |
| ST JOSEPH LOW DOSE ORAL TABLET CHEWABLE 81 MG ( <i>aspirin</i> )                      | E         | H                              |
| ST JOSEPH LOW DOSE ORAL TABLET DELAYED RELEASE 81 MG ( <i>aspirin</i> )               | E         | H                              |
| <b>SEL.SEROTONIN,NOREPI REUPTAKE INHIBITOR - Drugs for Depression &amp; Psychosis</b> |           |                                |
| <i>desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg, 50 mg</i> | 3         | QL (1 tablet per day)          |
| <i>desvenlafaxine succinate er oral tablet extended release 24 hour 25 mg</i>         | 3         | QL (1 tablet per day.)         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                     | Drug Tier | Coverage Requirements & Limits        |
|----------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 20 MG, 30 MG, 60 MG ( <i>duloxetine hcl</i> )                      | 4         | QL (2 capsules per day.)              |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 40 MG ( <i>duloxetine hcl</i> )                                    | 4         | QL (1 capsule per day.)               |
| <i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i>                                           | 2         |                                       |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG ( <i>milnacipran hcl</i> )                                               | 4         | QL (2 tablets per day)                |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG ( <i>milnacipran hcl</i> )                                                   | 4         | QL (1 pack per 365 days.)             |
| <i>venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg, 75 mg</i>                                     | 1         |                                       |
| <i>venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                                                    | 1         |                                       |
| <b>SELECTIVE SEROTONIN AGONISTS - Migraine Treatment</b>                                                                   |           |                                       |
| <i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>                                                                     | 4         | QL (10 tablets per copay.)            |
| <i>eletriptan hydrobromide oral tablet 20 mg, 40 mg</i>                                                                    | 3         | QL (10 tablets per copay.)            |
| <i>frovatriptan succinate oral tablet 2.5 mg</i>                                                                           | 3         | QL (10 tablets per copay.)            |
| <i>naratriptan hcl oral tablet 1 mg, 2.5 mg</i>                                                                            | 1         | QL (10 per prescription.)             |
| <i>rizatriptan benzoate oral tablet 10 mg, 5 mg</i>                                                                        | 1         | QL (10 tablets per copay.)            |
| <i>rizatriptan benzoate oral tablet dispersible 10 mg</i>                                                                  | 1         | QL (10 per prescription.)             |
| <i>rizatriptan benzoate oral tablet dispersible 5 mg</i>                                                                   | 1         | QL (10 tablets per copay.)            |
| <i>sumatriptan nasal solution 20 mg/act, 5 mg/act</i>                                                                      | 2         | QL (6 spray bottles per prescription) |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>                                                              | 1         | QL (10 tablets per prescription.)     |
| <i>sumatriptan succinate refill subcutaneous solution cartridge subcutaneous solution cartridge 4 mg/0.5ml, 6 mg/0.5ml</i> | 1         | QL (2 kits per prescription)          |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i>                                                              | 1         | QL (2 kits per prescription)          |
| <i>sumatriptan succinate subcutaneous solution auto-injector 4 mg/0.5ml, 6 mg/0.5ml</i>                                    | 1         | QL (2 kits per prescription)          |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>                                                                               | 2         | QL (10 tablets per copay.)            |
| <i>zolmitriptan oral tablet dispersible 2.5 mg, 5 mg</i>                                                                   | 3         | QL (10 tablets per copay.)            |
| ZOMIG NASAL SOLUTION 2.5 MG ( <i>zolmitriptan</i> )                                                                        | 3         | QL (6 units per prescription.)        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                      | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------|-----------|--------------------------------|
| ZOMIG NASAL SOLUTION 5 MG ( <i>zolmitriptan</i> )                                           | 2         | QL (1 box per prescription)    |
| <b>SELECTIVE-SEROTONIN REUPTAKE INHIBITORS - Drugs for Depression &amp; Psychosis</b>       |           |                                |
| <i>citalopram hydrobromide oral solution 10 mg/5ml</i>                                      | 1         |                                |
| <i>citalopram hydrobromide oral tablet 10 mg, 20 mg, 40 mg</i>                              | 1         |                                |
| <i>escitalopram oxalate oral solution 5 mg/5ml</i>                                          | 2         |                                |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>                                  | 1         |                                |
| <i>fluoxetine hcl oral capsule 10 mg, 20 mg, 40 mg</i>                                      | 1         |                                |
| <i>fluoxetine hcl oral capsule delayed release 90 mg</i>                                    | 3         | QL (4 capsules per 28 days.)   |
| <i>fluoxetine hcl oral solution 20 mg/5ml</i>                                               | 1         |                                |
| <i>fluoxetine hcl oral tablet 10 mg</i>                                                     | 3         | QL (1 tablet per day.)         |
| <i>fluoxetine hcl oral tablet 20 mg, 60 mg</i>                                              | 3         |                                |
| <i>fluvoxamine maleate er oral capsule extended release 24 hour 100 mg, 150 mg</i>          | 4         | QL (2 capsules per day)        |
| <i>fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg</i>                                 | 1         |                                |
| <i>olanzapine-fluoxetine hcl oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i> | 2         | QL (1 capsule per day)         |
| <i>paroxetine hcl er oral tablet extended release 24 hour 12.5 mg</i>                       | 3         | QL (1 tablet per day)          |
| <i>paroxetine hcl er oral tablet extended release 24 hour 25 mg, 37.5 mg</i>                | 3         | QL (2 tablets per day)         |
| <i>paroxetine hcl oral suspension 10 mg/5ml</i>                                             | 3         |                                |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>                                | 1         |                                |
| <i>sertraline hcl oral concentrate 20 mg/ml</i>                                             | 1         |                                |
| <i>sertraline hcl oral tablet 100 mg, 25 mg, 50 mg</i>                                      | 1         |                                |
| SYMBYAX ORAL CAPSULE 3-25 MG, 6-25 MG ( <i>olanzapine-fluoxetine hcl</i> )                  | 4         | QL (1 capsule per day)         |
| <b>SEROTONIN MODULATORS - Drugs for Depression &amp; Psychosis</b>                          |           |                                |
| <i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>                                  | 1         |                                |
| <i>mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg</i>                              | 1         |                                |
| <i>nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>                     | 1         |                                |
| <i>trazodone hcl oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>                              | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                    | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------|-----------|--------------------------------|
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG<br>( <i>vortioxetine hbr</i> )                  | 4         | ST; QL (1 tablet per day.)     |
| <i>vilazodone hcl oral tablet 10 mg, 20 mg, 40 mg</i>                                     | 3         | QL (1 tablet per day)          |
| <b>SUCCINIMIDES - Drugs for Seizures</b>                                                  |           |                                |
| CELONTIN ORAL CAPSULE 300 MG ( <i>methsuximide</i> )                                      | 4         |                                |
| <i>ethosuximide oral capsule 250 mg</i>                                                   | 1         |                                |
| <i>ethosuximide oral solution 250 mg/5ml</i>                                              | 1         |                                |
| <i>methsuximide oral capsule 300 mg</i>                                                   | 2         |                                |
| ZARONTIN ORAL CAPSULE 250 MG ( <i>ethosuximide</i> )                                      | 4         |                                |
| ZARONTIN ORAL SOLUTION 250 MG/5ML ( <i>ethosuximide</i> )                                 | 4         |                                |
| <b>THIOXANTHENES - Drugs for Depression &amp; Psychosis</b>                               |           |                                |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                   | 1         |                                |
| <b>TRICYCLICS, OTHER NOREPI-RU INHIBITORS - Drugs for Depression &amp; Psychosis</b>      |           |                                |
| <i>amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>           | 1         |                                |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>                                 | 1         |                                |
| <i>chlordiazepoxide-amitriptyline oral tablet 10-25 mg, 5-12.5 mg</i>                     | 1         |                                |
| <i>clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg</i>                                  | 3         |                                |
| <i>desipramine hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>             | 1         |                                |
| <i>doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                | 1         |                                |
| <i>doxepin hcl oral concentrate 10 mg/ml</i>                                              | 1         |                                |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                     | 1         |                                |
| <i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>                      | 1         |                                |
| NORPRAMIN ORAL TABLET 10 MG, 25 MG ( <i>desipramine hcl</i> )                             | 4         |                                |
| <i>nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>                          | 1         |                                |
| <i>nortriptyline hcl oral solution 10 mg/5ml</i>                                          | 1         |                                |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                     | Drug Tier | Coverage Requirements & Limits                  |
|----------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| <i>protriptyline hcl oral tablet 10 mg, 5 mg</i>                                                                           | 1         |                                                 |
| <i>trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg</i>                                                              | 4         |                                                 |
| <b>VESICULAR MONOAMINE TRANSPORT2 INHIBITOR -<br/>Drugs for the Nervous System</b>                                         |           |                                                 |
| AUSTEDO ORAL TABLET 12 MG, 9 MG ( <i>deutetrabenazine</i> )                                                                | 3         | PA; QL (4 tablets per day.); SP; SMCS           |
| AUSTEDO ORAL TABLET 6 MG ( <i>deutetrabenazine</i> )                                                                       | 3         | PA; QL (2 tablets per day.); SP; SMCS           |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG, 18 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG ( <i>deutetrabenazine</i> ) | 3         | PA; QL (30 tablets per month.); SP; SMCS        |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 24 MG ( <i>deutetrabenazine</i> )                                          | 3         | PA; QL (30 Tablets per month.); SP; SMCS        |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 12 & 18 & 24 & 30 MG ( <i>deutetrabenazine</i> )    | 3         | PA; SP; SMCS                                    |
| INGREZZA ORAL CAPSULE 40 MG, 80 MG ( <i>valbenazine tosylate</i> )                                                         | 3         | PA; QL (1 capsule per day.); SP; SMCS           |
| INGREZZA ORAL CAPSULE 60 MG ( <i>valbenazine tosylate</i> )                                                                | 3         | PA; QL (1 capsule per day.); SMCS               |
| INGREZZA ORAL CAPSULE SPRINKLE 40 MG ( <i>valbenazine tosylate</i> )                                                       | 3         | PA; QL (30 tablets per month.); SP; SMCS        |
| INGREZZA ORAL CAPSULE SPRINKLE 60 MG, 80 MG ( <i>valbenazine tosylate</i> )                                                | 3         | PA; QL (30 capsules per month.); SP; SMCS       |
| INGREZZA ORAL CAPSULE THERAPY PACK 40 & 80 MG ( <i>valbenazine tosylate</i> )                                              | 3         | PA; QL (1 kit (28 tablets) per year.); SP; SMCS |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i>                                                                            | 3         | PA; SP; SMCS                                    |
| <b>WAKEFULNESS-PROMOTING AGENTS - Drugs for the Nervous System</b>                                                         |           |                                                 |
| <i>armodafinil oral tablet 150 mg, 250 mg</i>                                                                              | 2         | QL (1 tablet per day)                           |
| <i>armodafinil oral tablet 200 mg</i>                                                                                      | 2         | QL (1 tablet per day.)                          |
| <i>armodafinil oral tablet 50 mg</i>                                                                                       | 2         | QL (2 tablets per day.)                         |
| <i>diclofenac sodium oral tablet delayed release 75 mg</i>                                                                 | 1         |                                                 |
| LUMRYZ ORAL PACKET 4.5 GM, 6 GM, 7.5 GM, 9 GM ( <i>sodium oxybate</i> )                                                    | 4         | PA; QL (1 packet per day.); SP; SMCS            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                               | Drug Tier | Coverage Requirements & Limits                  |
|--------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| LUMRYZ STARTER PACK ORAL THERAPY PACK 4.5 & 6 & 7.5 GM ( <i>sodium oxybate</i> )     | 4         | PA; QL (1 box (28 packets) per year.); SP; SMCS |
| <i>modafinil oral tablet 100 mg, 200 mg</i>                                          | 2         | QL (3 tablets per day.)                         |
| SODIUM OXYBATE ORAL SOLUTION 500 MG/ML                                               | 4         | PA; QL (18 ml per day.); SP; SMCS               |
| SUNOSI ORAL TABLET 150 MG, 75 MG ( <i>solriamfetol hcl</i> )                         | 2         | PA; QL (1 tablet per day.)                      |
| WAKIX ORAL TABLET 17.8 MG, 4.45 MG ( <i>pitolisant hcl</i> )                         | 4         | PA; QL (2 tablets per day.); SP; SMCS           |
| <b>DENTAL AGENTS</b>                                                                 |           |                                                 |
| <b>NUTRITIONAL SUPPLEMENTS</b>                                                       |           |                                                 |
| DENTA 5000 PLUS DENTAL CREAM 1.1 % ( <i>sodium fluoride</i> )                        | 4         |                                                 |
| DENTAGEL DENTAL GEL 1.1 % ( <i>sodium fluoride</i> )                                 | 4         |                                                 |
| EASYGEL DENTAL GEL 0.4 % ( <i>stannous fluoride</i> )                                | 3         |                                                 |
| FLORIVA ORAL LIQUID 0.25-400 MG-UNIT/ML ( <i>sodium fluoride-vitamin d</i> )         | 3         |                                                 |
| FLOTREX ORAL TABLET CHEWABLE 1 MG ( <i>pediatric multivitamins-fl</i> )              | 3         |                                                 |
| FLUORIDEX DAILY RENEWAL MOUTH/THROAT CONCENTRATE 0.63 % ( <i>stannous fluoride</i> ) | 3         |                                                 |
| FRAICHE 5000 DENTAL DENTAL GEL 1.1 %                                                 | 4         |                                                 |
| <i>multivitamin w/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</i>            | 1         |                                                 |
| <i>multi-vitamin/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</i>                    | 1         |                                                 |
| <i>multivitamin/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</i>              | 1         |                                                 |
| PREVIDENT 5000 DRY MOUTH DENTAL GEL 1.1 % ( <i>sodium fluoride</i> )                 | 4         |                                                 |
| PREVIDENT 5000 PLUS DENTAL CREAM 1.1 % ( <i>sodium fluoride</i> )                    | 4         |                                                 |
| PREVIDENT DENTAL GEL 1.1 % ( <i>sodium fluoride</i> )                                | 4         |                                                 |
| PREVIDENT MOUTH/THROAT SOLUTION 0.2 % ( <i>sodium fluoride</i> )                     | 3         |                                                 |
| <i>sf 5000 plus dental cream 1.1 %</i>                                               | 1         |                                                 |
| <i>sf dental gel 1.1 %</i>                                                           | 1         |                                                 |
| <i>sodium fluoride 5000 plus dental cream 1.1 %</i>                                  | 1         |                                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>sodium fluoride 5000 ppm dental cream 1.1 %</i>                                         | 1         |                                |
| <i>sodium fluoride 5000 ppm dental gel 1.1 %</i>                                           | 1         |                                |
| <i>sodium fluoride dental cream 1.1 %</i>                                                  | 1         |                                |
| <i>sodium fluoride dental gel 1.1 %</i>                                                    | 1         |                                |
| <i>sodium fluoride mouth/throat solution 0.2 %</i>                                         | 1         |                                |
| <i>sodium fluoride oral solution 1.1 (0.5 f) mg/ml</i>                                     | 1         | H                              |
| <i>sodium fluoride oral tablet 1.1 (0.5 f) mg, 2.2 (1 f) mg</i>                            | 1         | H                              |
| <i>sodium fluoride oral tablet chewable 0.55 (0.25 f) mg, 1.1 (0.5 f) mg, 2.2 (1 f) mg</i> | 1         | H                              |
| TRI-VI-FLORO ORAL SUSPENSION 0.25 MG/ML, 0.5 MG/ML                                         | 3         |                                |
| <i>tri-vite/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</i>                               | 1         |                                |
| <b>DENTAL AGENTS - Oral Care</b>                                                           |           |                                |
| <b>DENTAL AGENTS - Oral Care</b>                                                           |           |                                |
| CLINPRO 5000 DENTAL PASTE 1.1 % ( <i>sodium fluoride</i> )                                 | 3         |                                |
| DENTA 5000 PLUS DENTAL CREAM 1.1 % ( <i>sodium fluoride</i> )                              | 4         |                                |
| DENTA 5000 PLUS SENSITIVE DENTAL GEL 1.1-5 %                                               | 3         |                                |
| DENTAGEL DENTAL GEL 1.1 % ( <i>sodium fluoride</i> )                                       | 4         |                                |
| EASYGEL DENTAL GEL 0.4 % ( <i>stannous fluoride</i> )                                      | 3         |                                |
| FLORIVA ORAL LIQUID 0.25-400 MG-UNIT/ML ( <i>sodium fluoride-vitamin d</i> )               | 3         |                                |
| FLOTREX ORAL TABLET CHEWABLE 1 MG ( <i>pediatric multivitamins-fl</i> )                    | 3         |                                |
| FLUORIDEX DAILY RENEWAL MOUTH/THROAT CONCENTRATE 0.63 % ( <i>stannous fluoride</i> )       | 3         |                                |
| FLUORIDEX DENTAL PASTE 1.1 % ( <i>sodium fluoride</i> )                                    | 3         |                                |
| FLUORIDEX ENHANCED WHITENING DENTAL PASTE 1.1 % ( <i>sodium fluoride</i> )                 | 3         |                                |
| FLUORIMAX 5000 DENTAL PASTE 1.1 % ( <i>sodium fluoride</i> )                               | 3         |                                |
| FLUORIMAX 5000 SENSITIVE DENTAL GEL 1.1-5 % ( <i>sod fluoride-potassium nitrate</i> )      | 3         |                                |
| FRAICHE 5000 DENTAL DENTAL GEL 1.1 %                                                       | 4         |                                |
| JUST RIGHT 5000 DENTAL PASTE 1.1 % ( <i>sodium fluoride</i> )                              | 3         |                                |
| <i>multivitamin w/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</i>                  | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>multi-vitamin/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</b>                          | 1         |                                |
| <b>multivitamin/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</b>                    | 1         |                                |
| PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                  | 3         |                                |
| PREVIDENT 5000 DRY MOUTH DENTAL GEL 1.1 % ( <b>sodium fluoride</b> )                       | 4         |                                |
| PREVIDENT 5000 ENAMEL PROTECT DENTAL GEL 1.1-5 % ( <b>sod fluoride-potassium nitrate</b> ) | 3         |                                |
| PREVIDENT 5000 KIDS DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                          | 3         |                                |
| PREVIDENT 5000 ORTHO DEFENSE DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                 | 3         |                                |
| PREVIDENT 5000 PLUS DENTAL CREAM 1.1 % ( <b>sodium fluoride</b> )                          | 4         |                                |
| PREVIDENT 5000 SENSITIVE DENTAL GEL 1.1-5 % ( <b>sod fluoride-potassium nitrate</b> )      | 3         |                                |
| PREVIDENT DENTAL GEL 1.1 % ( <b>sodium fluoride</b> )                                      | 4         |                                |
| PREVIDENT MOUTH/THROAT SOLUTION 0.2 % ( <b>sodium fluoride</b> )                           | 3         |                                |
| <b>sf 5000 plus dental cream 1.1 %</b>                                                     | 1         |                                |
| <b>sf dental gel 1.1 %</b>                                                                 | 1         |                                |
| <b>sod fluoride-potassium nitrate dental gel 1.1-5 %</b>                                   | 1         |                                |
| <b>sodium fluoride 5000 enamel dental gel 1.1-5 %</b>                                      | 1         |                                |
| <b>sodium fluoride 5000 plus dental cream 1.1 %</b>                                        | 1         |                                |
| <b>sodium fluoride 5000 ppm dental cream 1.1 %</b>                                         | 1         |                                |
| <b>sodium fluoride 5000 ppm dental gel 1.1 %</b>                                           | 1         |                                |
| <b>sodium fluoride 5000 ppm dental paste 1.1 %</b>                                         | 1         |                                |
| <b>sodium fluoride 5000 sensitive dental gel 1.1-5 %</b>                                   | 1         |                                |
| <b>sodium fluoride dental cream 1.1 %</b>                                                  | 1         |                                |
| <b>sodium fluoride dental gel 1.1 %</b>                                                    | 1         |                                |
| <b>sodium fluoride mouth/throat solution 0.2 %</b>                                         | 1         |                                |
| <b>sodium fluoride oral solution 1.1 (0.5 f) mg/ml</b>                                     | 1         | H                              |
| <b>sodium fluoride oral tablet 1.1 (0.5 f) mg, 2.2 (1 f) mg</b>                            | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>sodium fluoride oral tablet chewable 0.55 (0.25 f) mg, 1.1 (0.5 f) mg, 2.2 (1 f) mg</b> | 1         | H                              |
| TRI-VI-FLORO ORAL SUSPENSION 0.25 MG/ML, 0.5 MG/ML                                         | 3         |                                |
| <b>tri-vite/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</b>                               | 1         |                                |
| <b>DEVICES - Medical Supplies and Durable Medical Equipment</b>                            |           |                                |
| <b>DEVICES - Medical Supplies and Durable Medical Equipment</b>                            |           |                                |
| ACCU-CHEK AVIVA IN VITRO SOLUTION ( <b>blood glucose calibration</b> )                     | 1         |                                |
| ACCU-CHEK FASTCLIX LANCET KIT KIT ( <b>lancets misc.</b> )                                 | 1         |                                |
| ACCU-CHEK GUIDE CONTROL IN VITRO LIQUID ( <b>blood glucose calibration</b> )               | 3         |                                |
| ACCU-CHEK GUIDE KIT W/DEVICE ( <b>blood glucose monitoring suppl</b> )                     | 2         |                                |
| ACCU-CHEK GUIDE ME KIT W/DEVICE ( <b>blood glucose monitoring suppl</b> )                  | 2         |                                |
| ACCU-CHEK SMARTVIEW CONTROL IN VITRO LIQUID ( <b>blood glucose calibration</b> )           | 1         |                                |
| ACCU-CHEK SOFTCLIX LANCET DEVICE KIT KIT ( <b>lancets misc.</b> )                          | 1         |                                |
| ADVOCATE SAFETY LANCETS 21G ( <b>lancets</b> )                                             | 3         |                                |
| ADVOCATE SAFETY LANCETS 23G ( <b>lancets</b> )                                             | 3         |                                |
| ADVOCATE SAFETY LANCETS 28G ( <b>lancets</b> )                                             | 3         |                                |
| AEROCHAMBER HOLDING CHAMBER DEVICE ( <b>spacer/aero-holding chambers</b> )                 | 3         |                                |
| AEROCHAMBER PLS FLOVU MTHPIECE DEVICE ( <b>spacer/aero-holding chambers</b> )              | 3         |                                |
| AEROCHAMBER PLUS FLO-VU INTERM DEVICE ( <b>spacer/aero-holding chambers</b> )              | 3         |                                |
| AEROCHAMBER PLUS FLO-VU LARGE DEVICE ( <b>spacer/aero-holding chambers</b> )               | 3         |                                |
| AEROCHAMBER PLUS FLO-VU MEDIUM DEVICE ( <b>spacer/aero-holding chambers</b> )              | 3         |                                |
| AEROCHAMBER PLUS FLO-VU SMALL DEVICE ( <b>spacer/aero-holding chambers</b> )               | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                               | Drug Tier | Coverage Requirements & Limits  |
|----------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| AEROCHAMBER2GO ANTI-STATIC DEVICE ( <i>spacer/aero-holding chambers</i> )                                            | 3         |                                 |
| ALCOHOL PREP PADS SHEET 70 %                                                                                         | 3         |                                 |
| AQ INSULIN SYRINGE 29G X 1/2" 1 ML, 30G X 5/16" 0.5 ML, 31G X 5/16" 1 ML                                             | 2         | QL (10 syringes per day.)       |
| AQINJECT PEN NEEDLE 31G X 5 MM , 32G X 4 MM                                                                          | 2         | QL (10 pen needles per day.)    |
| ASSURE ID DUO PRO PEN NEEDLES 31G X 5 MM ( <i>insulin pen needle</i> )                                               | 2         | QL (10 pen needles per day.)    |
| ASSURE ID PRO PEN NEEDLES 30G X 5 MM ( <i>insulin pen needle</i> )                                                   | 2         | QL (10 pen needles per day.)    |
| AUM INSULIN SAFETY PEN NEEDLE 31G X 4 MM                                                                             | 2         | QL (10 pen needles per day.)    |
| AUM MINI INSULIN PEN NEEDLE 32G X 4 MM , 32G X 5 MM , 32G X 6 MM , 32G X 8 MM , 33G X 4 MM , 33G X 5 MM , 33G X 6 MM | 2         | QL (10 pen needles per day.)    |
| AUM PEN NEEDLE 32G X 5 MM , 33G X 4 MM , 33G X 5 MM , 33G X 6 MM                                                     | 2         | QL (10 pen needles per day.)    |
| AUM READYGARD DUO PEN NEEDLE 32G X 4 MM ( <i>insulin pen needle</i> )                                                | 2         | QL (10 pen needles per day.)    |
| AUM SAFETY PEN NEEDLE 31G X 4 MM , 31G X 5 MM ( <i>insulin pen needle</i> )                                          | 2         | QL (10 pen needles per day.)    |
| AUTOLET LANCING DEVICE ( <i>lancet devices</i> )                                                                     | 3         | QL (1 device per prescription.) |
| AUTOLET LITE LANCING DEVICE ( <i>lancet devices</i> )                                                                | 3         | QL (1 device per prescription.) |
| BD AUTOSHIELD DUO PEN NEEDLES 30G X 5 MM ( <i>insulin pen needle</i> )                                               | 2         | QL (10 pen needles per day.)    |
| BD ECLIPSE LUER-LOK NEEDLE 30G X 1/2" ( <i>needle (disp)</i> )                                                       | 2         |                                 |
| BD ECLIPSE NEEDLE 18G X 1-1/2" , 23G X 1" , 25G X 1-1/2" , 25G X 5/8" ( <i>needle (disp)</i> )                       | 2         |                                 |
| BD PEN NEEDLE MICRO ULTRAFINE 32G X 6 MM ( <i>insulin pen needle</i> )                                               | 2         | QL (10 pen needles per day.)    |
| BD PEN NEEDLE MINI ULTRAFINE 31G X 5 MM ( <i>insulin pen needle</i> )                                                | 2         | QL (10 pen needles per day.)    |
| BD PEN NEEDLE NANO ULTRAFINE 32G X 4 MM ( <i>insulin pen needle</i> )                                                | 2         | QL (10 pen needles per day.)    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                                                                                         | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| BD PEN NEEDLE ORIG ULTRAFINE 29G X 12.7MM ( <i>insulin pen needle</i> )                                                                                                                                                        | 2         | QL (10 pen needles per day.)   |
| BD PEN NEEDLE SHORT ULTRAFINE 31G X 8 MM ( <i>insulin pen needle</i> )                                                                                                                                                         | 2         | QL (10 pen needles per day.)   |
| BD SAFETYGLIDE NEEDLE 23G X 1-1/2" ( <i>needle (disp)</i> )                                                                                                                                                                    | 2         |                                |
| BD SHARPS COLLECTOR ( <i>sharps container</i> )                                                                                                                                                                                | 3         |                                |
| BD ULTRA-FINE INSULIN SYRINGES 29G X 1/2" 0.3 ML, 30G X 1/2" 0.3 ML, 30G X 1/2" 0.5 ML, 30G X 1/2" 1 ML, 31G X 15/64" 0.3 ML, 31G X 5/16" 0.3 ML, 31G X 5/16" 0.5 ML, 31G X 5/16" 1 ML ( <i>insulin syringe-needle u-100</i> ) | 2         | QL (10 syringes per day.)      |
| BD ULTRA-FINE INSULIN SYRINGES 31G X 6MM 0.5 ML ( <i>insulin syringe/needle u-500</i> )                                                                                                                                        | 2         | QL (10 syringes per day.)      |
| BD ULTRA-FINE PEN NEEDLES 32G X 4 MM ( <i>insulin pen needle</i> )                                                                                                                                                             | 2         | QL (10 pen needles per day.)   |
| BD VEO INSULIN SYR ULTRAFINE 31G X 15/64" 0.3 ML, 31G X 15/64" 0.5 ML, 31G X 15/64" 1 ML ( <i>insulin syringe-needle u-100</i> )                                                                                               | 2         | QL (10 syringes per day.)      |
| BIGFOOT UNITY PROGRAM KIT ( <i>blood glucose monitoring suppl</i> )                                                                                                                                                            | 3         |                                |
| BREATHE COMFORT CHAMBER/ADULT DEVICE                                                                                                                                                                                           | 3         |                                |
| BREATHE COMFORT CHAMBER/CHILD DEVICE                                                                                                                                                                                           | 3         |                                |
| CAREPOINT POLY HUB NEEDLE 18G X 1" , 20G X 1" , 21G X 1" , 22G X 1" , 23G X 1" , 25G X 1" , 25G X 5/8"                                                                                                                         | 2         |                                |
| CAREPOINT POLY HUB NEEDLE 21G X 1-1/2"                                                                                                                                                                                         | 2         |                                |
| CAREPOINT POLY HUB NEEDLE 22G X 1-1/2"                                                                                                                                                                                         | 2         |                                |
| CAREPOINT POLY HUB NEEDLE 27G X 1/2"                                                                                                                                                                                           | 2         |                                |
| CAREPOINT SAFETY 1ST NEEDLE 23G X 1" , 23G X 1-1/2" , 25G X 1" , 25G X 1-1/2" , 25G X 5/8"                                                                                                                                     | 2         |                                |
| CARESENS CONTROL SOLUTION A/B IN VITRO SOLUTION ( <i>blood glucose calibration</i> )                                                                                                                                           | 2         |                                |
| CARESENS LANCETS 30G ( <i>lancets</i> )                                                                                                                                                                                        | 3         |                                |
| CARESENS S CONTROL SOLN A/B IN VITRO LIQUID ( <i>blood glucose calibration</i> )                                                                                                                                               | 3         |                                |
| CARETOUCH CONTROL SOL LEVEL 2 IN VITRO LIQUID ( <i>blood glucose calibration</i> )                                                                                                                                             | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                        | Drug Tier | Coverage Requirements & Limits  |
|-----------------------------------------------------------------------------------------------|-----------|---------------------------------|
| CARETOUCH HYPODERMIC NEEDLE 22G X 1" , 27G X 1-1/2" ( <b>needle (disp)</b> )                  | 2         |                                 |
| CARETOUCH LANCING/EJECTOR ( <b>lancet devices</b> )                                           | 3         | QL (1 device per prescription.) |
| CEQUR SIMPLICITY 2U DEVICE ( <b>injection device for insulin</b> )                            | 3         | ST                              |
| CHEMSTRIP BG LOG BOOK ( <b>blood glucose monitoring suppl</b> )                               | 1         |                                 |
| CHOSEN LANCETS 30G ( <b>lancets</b> )                                                         | 3         |                                 |
| CHOSEN LANCING DEVICE ( <b>lancet devices</b> )                                               | 3         | QL (1 device per prescription.) |
| CHOSEN SAFETY LANCETS 28G ( <b>lancets</b> )                                                  | 3         |                                 |
| CLEVER CHOICE COMFORT EZ ( <b>lancets</b> )                                                   | 3         |                                 |
| COMFORT EZ PRO PEN NEEDLES 30G X 8 MM , 31G X 4 MM , 31G X 5 MM ( <b>insulin pen needle</b> ) | 2         | QL (10 pen needles per day.)    |
| COMFORT TOUCH TWIST LANCET 30G ( <b>lancets</b> )                                             | 3         |                                 |
| CONTOUR CONTROL IN VITRO LIQUID HIGH ( <b>blood glucose calibration</b> )                     | 3         |                                 |
| CONTOUR CONTROL IN VITRO LIQUID LOW , NORMAL ( <b>blood glucose calibration</b> )             | 2         |                                 |
| CONTOUR NEXT CONTROL IN VITRO SOLUTION LOW , NORMAL ( <b>blood glucose calibration</b> )      | 2         |                                 |
| CONTOUR NEXT EZ KIT W/DEVICE ( <b>blood glucose monitoring suppl</b> )                        | 1         |                                 |
| CONTOUR NEXT GEN MONITOR KIT W/DEVICE ( <b>blood glucose monitoring suppl</b> )               | 1         |                                 |
| CONTOUR NEXT MONITOR KIT W/DEVICE ( <b>blood glucose monitoring suppl</b> )                   | 1         |                                 |
| CONTOUR NEXT ONE KIT ( <b>blood glucose monitoring suppl</b> )                                | 1         |                                 |
| CONTOUR NEXT ONE KIT W/DEVICE ( <b>blood glucose monitoring suppl</b> )                       | 1         | SM                              |
| CONTOUR PLUS BLUE KIT W/DEVICE ( <b>blood glucose monitoring suppl</b> )                      | 1         |                                 |
| CONTOUR PLUS CONTROL SOLUTION IN VITRO LIQUID ( <b>blood glucose calibration</b> )            | 2         |                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                                                                        | Drug Tier | Coverage Requirements & Limits                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------|
| DEXCOM G6 RECEIVER DEVICE ( <i>continuous glucose receiver</i> )                                                                                                                                              | 3         | PA; QL (1 kit per 999 days.)                                                            |
| DEXCOM G6 SENSOR ( <i>continuous glucose sensor</i> )                                                                                                                                                         | 3         | PA; QL (3 sensors per month.)                                                           |
| DEXCOM G6 TRANSMITTER ( <i>continuous glucose transmitter</i> )                                                                                                                                               | 3         | PA; QL (Benefit maximum quantity 1 transmitter per 3 months for Dexcom G6 Transmitter.) |
| DEXCOM G7 15 DAY SENSOR ( <i>continuous glucose sensor</i> )                                                                                                                                                  | 3         | PA                                                                                      |
| DEXCOM G7 RECEIVER DEVICE ( <i>continuous glucose receiver</i> )                                                                                                                                              | 3         | PA; QL (1 kit per 999 days.)                                                            |
| DEXCOM G7 SENSOR ( <i>continuous glucose sensor</i> )                                                                                                                                                         | 3         | PA; QL (3 sensors per month.)                                                           |
| DIABETES MONITOR DIGIT ADD-ON KIT                                                                                                                                                                             | 3         |                                                                                         |
| DIABETES MONITOR DIGIT SOLN KIT                                                                                                                                                                               | 3         |                                                                                         |
| DROPLET MICRON 34G X 3.5 MM ( <i>insulin pen needle</i> )                                                                                                                                                     | 2         | QL (10 pen needles per day.)                                                            |
| DROPSAFE ACTI-LANCE 23G ( <i>lancets</i> )                                                                                                                                                                    | 3         |                                                                                         |
| DROPSAFE SAFETY SYRINGE/NEEDLE 29G X 1/2" 1 ML, 31G X 15/64" 0.3 ML, 31G X 15/64" 0.5 ML, 31G X 15/64" 1 ML, 31G X 5/16" 0.3 ML, 31G X 5/16" 0.5 ML, 31G X 5/16" 1 ML ( <i>insulin syringe-needle u-100</i> ) | 2         | QL (10 syringes per day.)                                                               |
| DROPSAFE SICURA 25G X 1" ( <i>needle (disp)</i> )                                                                                                                                                             | 2         |                                                                                         |
| EASIVENT ( <i>spacer/aero-holding chambers</i> )                                                                                                                                                              | 3         |                                                                                         |
| EASY COMFORT SHARPS CONTAINER                                                                                                                                                                                 | 3         |                                                                                         |
| EASY TOUCH HEALTHPRO HIGH/LOW IN VITRO LIQUID ( <i>blood glucose calibration</i> )                                                                                                                            | 3         |                                                                                         |
| EASYMAX 15 LEVEL 2-3 CONTROL IN VITRO LIQUID ( <i>blood glucose calibration</i> )                                                                                                                             | 3         |                                                                                         |
| EASYMAX CONTROL IN VITRO SOLUTION NORMAL ( <i>blood glucose calibration</i> )                                                                                                                                 | 3         |                                                                                         |
| EASYMAX CONTROL NORMAL/HIGH IN VITRO LIQUID ( <i>blood glucose calibration</i> )                                                                                                                              | 3         |                                                                                         |
| EMBECTA AUTOSHIELD DUO 30G X 5 MM ( <i>insulin pen needle</i> )                                                                                                                                               | 2         | QL (10 pen needles per day.)                                                            |
| EMBECTA INS SYR U/F 1/2 UNIT 31G X 15/64" 0.3 ML, 31G X 5/16" 0.3 ML ( <i>insulin syringe-needle u-100</i> )                                                                                                  | 2         | QL (10 syringes per day.)                                                               |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                                                                                                             | Drug Tier | Coverage Requirements & Limits    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| EMBECTA INSULIN SYR ULTRAFINE 30G X 1/2" 0.3 ML, 30G X 1/2" 0.5 ML, 30G X 1/2" 1 ML, 31G X 15/64" 0.3 ML, 31G X 15/64" 0.5 ML, 31G X 15/64" 1 ML, 31G X 5/16" 0.3 ML, 31G X 5/16" 0.5 ML, 31G X 5/16" 1 ML ( <i>insulin syringe-needle u-100</i> ) | 2         | QL (10 syringes per day.)         |
| EMBECTA INSULIN SYRINGE 28G X 1/2" 0.5 ML, 28G X 1/2" 1 ML ( <i>insulin syringe-needle u-100</i> )                                                                                                                                                 | 2         | QL (10 syringes per day.)         |
| EMBECTA INSULIN SYRINGE U-100 27G X 5/8" 1 ML, 28G X 1/2" 1 ML ( <i>insulin syringe-needle u-100</i> )                                                                                                                                             | 2         | QL (10 syringes per day.)         |
| EMBECTA INSULIN SYRINGE U-500 31G X 6MM 0.5 ML ( <i>insulin syringe/needle u-500</i> )                                                                                                                                                             | 2         | QL (10 syringes per day.)         |
| EMBECTA PEN NEEDLE NANO 2 GEN 32G X 4 MM ( <i>insulin pen needle</i> )                                                                                                                                                                             | 2         | QL (10 pen needles per day.)      |
| EMBECTA PEN NEEDLE NANO 32G X 4 MM ( <i>insulin pen needle</i> )                                                                                                                                                                                   | 2         | QL (10 pen needles per day.)      |
| EMBECTA PEN NEEDLE ULTRAFINE 29G X 12.7MM , 31G X 5 MM , 31G X 8 MM , 32G X 6 MM ( <i>insulin pen needle</i> )                                                                                                                                     | 2         | QL (10 pen needles per day.)      |
| EMBRACE PEN NEEDLES 30G X 5 MM , 30G X 8 MM , 31G X 6 MM , 31G X 8 MM , 32G X 4 MM ( <i>insulin pen needle</i> )                                                                                                                                   | 2         | QL (10 pen needles per day.)      |
| ENLITE GLUCOSE SENSOR ( <i>continuous glucose sensor</i> )                                                                                                                                                                                         | 3         | PA                                |
| FLEXICHAMBER ADULT MASK/SMALL ( <i>spacer/aero-hold chamber mask</i> )                                                                                                                                                                             | 2         |                                   |
| FLEXICHAMBER CHILD MASK/LARGE ( <i>spacer/aero-hold chamber mask</i> )                                                                                                                                                                             | 2         |                                   |
| FLEXICHAMBER CHILD MASK/SMALL ( <i>spacer/aero-hold chamber mask</i> )                                                                                                                                                                             | 2         |                                   |
| FLEXICHAMBER DEVICE ( <i>spacer/aero-holding chambers</i> )                                                                                                                                                                                        | 3         |                                   |
| FORA TEST N' GO ADVANCE DEVICE ( <i>blood glucose/ketone monitor</i> )                                                                                                                                                                             | 3         |                                   |
| FREESTYLE LIBRE 14 DAY READER DEVICE ( <i>continuous glucose receiver</i> )                                                                                                                                                                        | 3         | PA; QL (1 receiver per 999 days.) |
| FREESTYLE LIBRE 14 DAY SENSOR ( <i>continuous glucose sensor</i> )                                                                                                                                                                                 | 3         | PA; QL (2 sensors per 21 days.)   |
| FREESTYLE LIBRE 2 PLUS SENSOR ( <i>continuous glucose sensor</i> )                                                                                                                                                                                 | 3         | PA                                |
| FREESTYLE LIBRE 2 READER DEVICE ( <i>continuous glucose receiver</i> )                                                                                                                                                                             | 3         | PA; QL (1 receiver per 999 days.) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                        | Drug Tier | Coverage Requirements & Limits           |
|-------------------------------------------------------------------------------|-----------|------------------------------------------|
| FREESTYLE LIBRE 2 SENSOR ( <i>continuous glucose sensor</i> )                 | 3         | PA; QL (2 sensors per 21 days.)          |
| FREESTYLE LIBRE 3 PLUS SENSOR ( <i>continuous glucose sensor</i> )            | 3         | PA                                       |
| FREESTYLE LIBRE 3 READER DEVICE ( <i>continuous glucose receiver</i> )        | 3         | PA                                       |
| FREESTYLE LIBRE 3 SENSOR ( <i>continuous glucose sensor</i> )                 | 3         | PA; QL (2 sensors per 21 days.)          |
| FREESTYLE LIBRE READER DEVICE ( <i>continuous glucose receiver</i> )          | 3         | PA; QL (1 kit per 999 days.)             |
| GUARDIAN 4 GLUCOSE SENSOR ( <i>continuous glucose sensor</i> )                | 3         | PA; QL (5 sensors per month.)            |
| GUARDIAN 4 TRANSMITTER ( <i>continuous glucose transmitter</i> )              | 3         | PA; QL (1 transmitter kit per year.)     |
| GUARDIAN LINK 3 TRANSMITTER ( <i>continuous glucose transmitter</i> )         | 3         | PA; QL (1 transmitter kit per 365 days.) |
| GUARDIAN REAL-TIME CHARGER ( <i>continuous glucose monitor sup</i> )          | 3         | PA                                       |
| GUARDIAN REAL-TIME TEST PLUG ( <i>continuous glucose monitor sup</i> )        | 3         | PA                                       |
| GUARDIAN SENSOR 3 ( <i>continuous glucose sensor</i> )                        | 3         | PA; QL (5 sensors per 24 days.)          |
| IHEALTH CONTROL SOLUTION IN VITRO LIQUID ( <i>blood glucose calibration</i> ) | 3         |                                          |
| IHEALTH LANCING DEVICE ( <i>lancet devices</i> )                              | 3         | QL (1 device per prescription.)          |
| INPEN 100-BLUE-LILLY-HUMALOG DEVICE ( <i>injection device for insulin</i> )   | 3         | ST                                       |
| INPEN 100-BLUE-NOVOLOG-FIASP DEVICE ( <i>injection device for insulin</i> )   | 3         | ST                                       |
| INPEN 100-GREY-LILLY-HUMALOG DEVICE ( <i>injection device for insulin</i> )   | 3         | ST                                       |
| INPEN 100-GREY-NOVOLOG-FIASP DEVICE ( <i>injection device for insulin</i> )   | 3         | ST                                       |
| INPEN 100-PINK-LILLY-HUMALOG DEVICE ( <i>injection device for insulin</i> )   | 3         | ST                                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                                                                                                                                                                          | Drug Tier | Coverage Requirements & Limits  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| INPEN 100-PINK-NOVOLOG-FIASP DEVICE ( <i>injection device for insulin</i> )                                                                                                                                                                                                                                     | 3         | ST                              |
| INSPIREASE RESERVOIR BAGS ( <i>spacer/aero-hold chamber bags</i> )                                                                                                                                                                                                                                              | 2         |                                 |
| INSULIN PEN NEEDLES 29G X 10MM , 29G X 12.7MM , 29G X 12MM , 29G X 8MM , 31G X 4 MM , 31G X 5 MM , 31G X 8 MM , 32G X 4 MM , 32G X 5 MM , 32G X 6 MM , 32G X 8 MM , 33G X 4 MM , 33G X 5 MM , 33G X 6 MM ( <i>insulin pen needle</i> )                                                                          | 2         | QL (10 pen needles per day.)    |
| INSULIN PEN NEEDLES 29G X 4MM , 29G X 5MM , 30G X 5 MM , 30G X 8 MM , 31G X 6 MM                                                                                                                                                                                                                                | 2         | QL (10 pen needles per day.)    |
| INSULIN SYRINGE-NEEDLE U-100 27G X 1/2" 0.5 ML (OTC)                                                                                                                                                                                                                                                            | 2         | QL (10 syringes per day.)       |
| INSULIN SYRINGE-NEEDLE U-100 27G X 1/2" 0.5 ML (RX)                                                                                                                                                                                                                                                             | 2         | QL (10 syringes per day.)       |
| INSULIN SYRINGE-NEEDLE U-100 27G X 1/2" 1 ML (OTC)                                                                                                                                                                                                                                                              | 2         | QL (10 syringes per day.)       |
| INSULIN SYRINGE-NEEDLE U-100 27G X 1/2" 1 ML (RX)                                                                                                                                                                                                                                                               | 2         | QL (10 syringes per day.)       |
| INSULIN SYRINGE-NEEDLE U-100 28G X 1/2" 1 ML (OTC)                                                                                                                                                                                                                                                              | 2         | QL (10 syringes per day.)       |
| INSULIN SYRINGE-NEEDLE U-100 28G X 1/2" 1 ML (RX)                                                                                                                                                                                                                                                               | 2         | QL (10 syringes per day.)       |
| INSULIN SYRINGES 27G X 1/2" 0.5 ML, 27G X 1/2" 1 ML, 28G X 1/2" 0.5 ML, 28G X 1/2" 1 ML, 29G X 1/2" 0.3 ML, 30G X 1/2" 0.3 ML, 30G X 1/2" 0.5 ML, 30G X 5/16" 0.3 ML, 30G X 5/16" 1 ML, 31G X 15/64" 0.3 ML, 31G X 15/64" 0.5 ML, 31G X 15/64" 1 ML, 31G X 5/16" 0.3 ML ( <i>insulin syringe-needle u-100</i> ) | 2         | QL (10 syringes per day.)       |
| INSULIN SYRINGES 29G X 1/2" 0.5 ML, 29G X 1/2" 1 ML, 29G X 5/16" 0.5 ML, 29G X 5/16" 1 ML, 30G X 1/2" 1 ML, 30G X 5/16" 0.5 ML, 31G X 1/2" 0.3 ML, 31G X 5/16" 0.5 ML, 31G X 5/16" 1 ML, 32G X 5/16" 1 ML                                                                                                       | 2         | QL (10 syringes per day.)       |
| INSUPEN32G EXTR3ME 32G X 6 MM ( <i>insulin pen needle</i> )                                                                                                                                                                                                                                                     | 2         | QL (10 pen needles per day.)    |
| KT TAPE CGM PATCH ( <i>continuous glucose monitor sup</i> )                                                                                                                                                                                                                                                     | 3         | PA                              |
| LANCETS ( <i>lancets</i> )                                                                                                                                                                                                                                                                                      | 1         |                                 |
| LANCETS                                                                                                                                                                                                                                                                                                         | 3         |                                 |
| LANCETS 28G THIN                                                                                                                                                                                                                                                                                                | 3         |                                 |
| LANCETS SUPER THIN ( <i>lancets</i> )                                                                                                                                                                                                                                                                           | 3         |                                 |
| MICROLET NEXT LANCING DEVICE ( <i>lancet devices</i> )                                                                                                                                                                                                                                                          | 3         | QL (1 device per prescription.) |
| MOBILE LANCETS 30G                                                                                                                                                                                                                                                                                              | 3         |                                 |
| NORDIPEN 5 INJECTION DEVICE ( <i>injection device</i> )                                                                                                                                                                                                                                                         | 3         |                                 |
| NOVOFINE PEN NEEDLE 32G X 6 MM ( <i>insulin pen needle</i> )                                                                                                                                                                                                                                                    | 2         | QL (10 pen needles per day.)    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                            | Drug Tier | Coverage Requirements & Limits     |
|-----------------------------------------------------------------------------------|-----------|------------------------------------|
| NOVOFINE PLUS PEN NEEDLE 32G X 4 MM ( <i>insulin pen needle</i> )                 | 2         | QL (10 pen needles per day.)       |
| NOVOPEN ECHO DEVICE ( <i>injection device for insulin</i> )                       | 3         |                                    |
| OMNIPOD 5 DEXG7G6 INTRO GEN 5 KIT ( <i>insulin disposable pump</i> )              | 2         | PA; QL (1 kit per 180 days.)       |
| OMNIPOD 5 DEXG7G6 PODS GEN 5 ( <i>insulin disposable pump</i> )                   | 2         | PA                                 |
| OMNIPOD 5 DEXG7G6 PODS GEN 5 ( <i>insulin disposable pump</i> )                   | 2         | PA; QL (10 pods per prescription.) |
| OMNIPOD 5 LIBRE2 G6 INTRO GEN5 KIT ( <i>insulin disposable pump</i> )             | 2         | PA                                 |
| OMNIPOD 5 LIBRE2 PLUS G6 PODS ( <i>insulin disposable pump</i> )                  | 2         | PA                                 |
| ONETOUCH DELICA PLUS LANCING ( <i>lancet devices</i> )                            | 1         | QL (1 device per prescription.)    |
| ONETOUCH DELICA SAFETY LANCING ( <i>lancets</i> )                                 | 1         |                                    |
| ONETOUCH ULTRA 2 KIT W/DEVICE ( <i>blood glucose monitoring suppl</i> )           | 1         |                                    |
| ONETOUCH ULTRA IN VITRO LIQUID ( <i>blood glucose calibration</i> )               | 1         |                                    |
| ONETOUCH VERIO FLEX SYSTEM KIT W/DEVICE ( <i>blood glucose monitoring suppl</i> ) | 1         |                                    |
| ONETOUCH VERIO IN VITRO LIQUID HIGH ( <i>blood glucose calibration</i> )          | 1         |                                    |
| ONETOUCH VERIO REFLECT KIT W/DEVICE ( <i>blood glucose monitoring suppl</i> )     | 1         |                                    |
| PARI VORTEX ADULT MASK ( <i>spacer/aero-hold chamber mask</i> )                   | 2         |                                    |
| PARI VORTEX PEDIATRIC MASK ( <i>spacer/aero-hold chamber mask</i> )               | 2         |                                    |
| PEN NEEDLE/5-BEVEL TIP 31G X 8 MM , 32G X 4 MM                                    | 2         | QL (10 pen needles per day.)       |
| PEN NEEDLES 31G X 8 MM (OTC)                                                      | 2         | QL (10 pen needles per day.)       |
| PEN NEEDLES 31G X 8 MM (RX)                                                       | 2         | QL (10 pen needles per day.)       |
| PEN NEEDLES 32G X 4 MM (OTC)                                                      | 2         | QL (10 pen needles per day.)       |
| PEN NEEDLES 32G X 4 MM (RX)                                                       | 2         | QL (10 pen needles per day.)       |
| PERFECT POINT SAFETY LANCETS ( <i>lancets</i> )                                   | 3         |                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                                                                                                | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| PERFECT POINT SAFETY NEEDLE 25G X 1" ( <b>needle (disp)</b> )                                                                                                                                                                         | 2         |                                |
| PIP GLUCOSE CONTROL SOLUTION IN VITRO LIQUID ( <b>blood glucose calibration</b> )                                                                                                                                                     | 3         |                                |
| PURE COMFORT SAFETY PEN NEEDLE 31G X 5 MM , 31G X 6 MM , 32G X 4 MM                                                                                                                                                                   | 2         | QL (10 pen needles per day.)   |
| QUICK TOUCH INSULIN PEN NEEDLE 29G X 12.7MM , 31G X 4 MM , 31G X 5 MM , 31G X 6 MM , 31G X 8 MM , 32G X 4 MM , 32G X 5 MM , 32G X 6 MM , 32G X 8 MM , 33G X 4 MM , 33G X 5 MM , 33G X 6 MM , 33G X 8 MM ( <b>insulin pen needle</b> ) | 2         | QL (10 pen needles per day.)   |
| RAYA SURE PEN NEEDLE 29G X 12MM , 31G X 4 MM , 31G X 5 MM , 31G X 6 MM , 31G X 8 MM                                                                                                                                                   | 2         | QL (10 pen needles per day.)   |
| SAFETY PEN NEEDLES 30G X 5 MM , 30G X 8 MM                                                                                                                                                                                            | 2         | QL (10 pen needles per day.)   |
| SHARPS COLLECTOR                                                                                                                                                                                                                      | 3         |                                |
| SHARPS CONTAINER                                                                                                                                                                                                                      | 3         |                                |
| SURE COMFORT PEN NEEDLES 32G X 4 MM (OTC)                                                                                                                                                                                             | 2         | QL (10 pen needles per day.)   |
| TECHLITE LANCETS 26G ( <b>lancets</b> )                                                                                                                                                                                               | 3         |                                |
| TECHLITE PLUS PEN NEEDLES 32G X 4 MM ( <b>insulin pen needle</b> )                                                                                                                                                                    | 2         | QL (10 pen needles per day.)   |
| TRUE COMFORT SAFETY PEN NEEDLE 31G X 5 MM , 31G X 6 MM , 32G X 4 MM                                                                                                                                                                   | 2         | QL (10 pen needles per day.)   |
| TRUE METRIX LEVEL 1 IN VITRO SOLUTION LOW ( <b>blood glucose calibration</b> )                                                                                                                                                        | 2         |                                |
| TRUE METRIX LEVEL 2 IN VITRO SOLUTION NORMAL ( <b>blood glucose calibration</b> )                                                                                                                                                     | 2         |                                |
| TRUE METRIX LEVEL 3 IN VITRO SOLUTION HIGH ( <b>blood glucose calibration</b> )                                                                                                                                                       | 2         |                                |
| TWIST REFILL KIT KIT ( <b>insulin disposable pump</b> )                                                                                                                                                                               | 2         | PA; QL (1 kit per copay.)      |
| TWIST REFILL KIT/INFUSION SET KIT ( <b>insulin disposable pump</b> )                                                                                                                                                                  | 2         | PA; QL (1 kit per copay.)      |
| TWIST STARTER KIT KIT ( <b>insulin disposable pump</b> )                                                                                                                                                                              | 2         | PA; QL (1 kit per 730 days.)   |
| UNIFINE OTC PEN NEEDLES 31G X 5 MM , 32G X 4 MM ( <b>insulin pen needle</b> )                                                                                                                                                         | 2         | QL (10 pen needles per day.)   |
| UNIFINE PROTECT PEN NEEDLE 30G X 5 MM , 30G X 8 MM , 32G X 4 MM ( <b>insulin pen needle</b> )                                                                                                                                         | 2         | QL (10 pen needles per day.)   |
| UNISTRIP CONTROL IN VITRO SOLUTION LOW ( <b>blood glucose calibration</b> )                                                                                                                                                           | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                                                                                                | Drug Tier | Coverage Requirements & Limits  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| VERIFINE INSULIN PEN NEEDLE 29G X 12MM , 31G X 5 MM , 31G X 8 MM , 32G X 4 MM , 32G X 6 MM ( <i>insulin pen needle</i> )                                                                                                              | 2         | QL (10 pen needles per day.)    |
| VERIFINE INSULIN SYRINGE 28G X 1/2" 1 ML, 29G X 1/2" 0.5 ML, 29G X 1/2" 1 ML, 30G X 1/2" 1 ML, 30G X 5/16" 0.5 ML, 30G X 5/16" 1 ML, 31G X 5/16" 0.3 ML, 31G X 5/16" 0.5 ML, 31G X 5/16" 1 ML ( <i>insulin syringe-needle u-100</i> ) | 2         | QL (10 syringes per day.)       |
| VERIFINE PLUS PEN NEEDLE 31G X 5 MM , 31G X 8 MM , 32G X 4 MM ( <i>insulin pen needle</i> )                                                                                                                                           | 2         | QL (10 pen needles per day.)    |
| VERIFINE SAFE LANCET MINI 21G ( <i>lancets</i> )                                                                                                                                                                                      | 3         |                                 |
| VERIFINE SAFE LANCET MINI 23G ( <i>lancets</i> )                                                                                                                                                                                      | 3         |                                 |
| VERIFINE SAFE LANCET MINI 28G ( <i>lancets</i> )                                                                                                                                                                                      | 3         |                                 |
| VERIFINE SAFE LANCET MINI 30G ( <i>lancets</i> )                                                                                                                                                                                      | 3         |                                 |
| VERIFINE SHARPS CONTAINER ( <i>sharps container</i> )                                                                                                                                                                                 | 3         |                                 |
| VERISAFE SAFETY STERILE NEEDLE 23G X 1-1/2" , 25G X 1" ( <i>needle (disp)</i> )                                                                                                                                                       | 2         |                                 |
| VIVAGUARD INO CONTROL SOLUTION IN VITRO LIQUID ( <i>blood glucose calibration</i> )                                                                                                                                                   | 3         |                                 |
| VIVAGUARD LANCETS 30G ( <i>lancets</i> )                                                                                                                                                                                              | 3         |                                 |
| VIVAGUARD LANCING DEVICE ( <i>lancet devices</i> )                                                                                                                                                                                    | 3         | QL (1 device per prescription.) |
| VIVAGUARD SAFETY LANCETS 28G ( <i>lancets</i> )                                                                                                                                                                                       | 3         |                                 |
| VORTEX VALVE CHAMBER-PEDI MASK DEVICE ( <i>spacer/aero-holding chambers</i> )                                                                                                                                                         | 3         |                                 |
| VORTEX VALVED HOLDING CHAMBER DEVICE ( <i>spacer/aero-holding chambers</i> )                                                                                                                                                          | 3         |                                 |
| <b>DIAGNOSTIC AGENTS</b>                                                                                                                                                                                                              |           |                                 |
| <b>ADRENOCORTICAL INSUFFICIENCY</b>                                                                                                                                                                                                   |           |                                 |
| CORTROSYN INJECTION SOLUTION RECONSTITUTED 0.25 MG ( <i>cosyntropin</i> )                                                                                                                                                             | 4         |                                 |
| <i>cosyntropin injection solution reconstituted 0.25 mg</i>                                                                                                                                                                           | 1         |                                 |
| <b>CARDIAC FUNCTION</b>                                                                                                                                                                                                               |           |                                 |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i>                                                                                                                                                        | 3         |                                 |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>                                                                                                                                                                                   | 1         |                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                     | Drug Tier | Coverage Requirements & Limits                                                            |
|----------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------|
| <b>DIABETES MELLITUS</b>                                                   |           |                                                                                           |
| ACCU-CHEK GUIDE TEST IN VITRO STRIP ( <i>glucose blood</i> )               | 2         | QL (51 strips per prescription without history 204 strips per prescription with history.) |
| CONTOUR NEXT TEST IN VITRO STRIP ( <i>glucose blood</i> )                  | 1         | QL (51 strips per prescription without history 204 strips per prescription with history.) |
| CONTOUR PLUS TEST IN VITRO STRIP ( <i>glucose blood</i> )                  | 1         | QL (51 strips per prescription without history 204 strips per prescription with history.) |
| FORA TEST N'GO ADV-VOICE-6 CON IN VITRO STRIP ( <i>ketone blood test</i> ) | 3         |                                                                                           |
| ONETOUCH ULTRA BLUE TEST IN VITRO STRIP ( <i>glucose blood</i> )           | 1         | QL (51 strips per prescription without history 204 strips per prescription with history.) |
| ONETOUCH ULTRA IN VITRO STRIP ( <i>glucose blood</i> )                     | 1         | QL (51 strips per prescription without history 204 strips per prescription with history.) |
| ONETOUCH ULTRA TEST IN VITRO STRIP ( <i>glucose blood</i> )                | 1         | QL (51 strips per prescription without history 204 strips per prescription with history.) |
| ONETOUCH VERIO IN VITRO STRIP ( <i>glucose blood</i> )                     | 1         | QL (51 strips per prescription without history 204 strips per prescription with history.) |
| <b>KETONES</b>                                                             |           |                                                                                           |
| CHEMSTRIP K IN VITRO STRIP ( <i>acetone (urine) test</i> )                 | 2         |                                                                                           |
| KETOSTIX IN VITRO STRIP ( <i>acetone (urine) test</i> )                    | 2         |                                                                                           |
| <b>PHEOCHROMOCYTOMA</b>                                                    |           |                                                                                           |
| DEMSEER ORAL CAPSULE 250 MG ( <i>metirosine</i> )                          | 4         | PA                                                                                        |
| <i>metirosine oral capsule 250 mg</i>                                      | 3         | PA                                                                                        |
| <b>PITUITARY FUNCTION</b>                                                  |           |                                                                                           |
| METOPIRONE ORAL CAPSULE 250 MG ( <i>metirapone</i> )                       | 3         |                                                                                           |
| <b>SUGAR</b>                                                               |           |                                                                                           |
| DIASTIX REAGENT IN VITRO STRIP ( <i>glucose urine test-glucose ox</i> )    | 3         |                                                                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                      | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>URINE AND FECES CONTENTS</b>                                                                             |           |                                |
| CHEMSTRIP UGK IN VITRO STRIP ( <i>urine glucose-ketones test</i> )                                          | 3         |                                |
| KETO-DIASTIX IN VITRO STRIP ( <i>urine glucose-ketones test</i> )                                           | 3         |                                |
| KETONE CARE IN VITRO STRIP ( <i>urine glucose-ketones test</i> )                                            | 2         |                                |
| <b>DISINFECTANTS (FOR NON-DERMATOLOGIC USE) - Disinfectants</b>                                             |           |                                |
| <b>DISINFECTANTS (FOR NON-DERMATOLOGIC USE) - Disinfectants</b>                                             |           |                                |
| <i>formaldehyde external solution 10 %, 37 %</i>                                                            | 1         |                                |
| <i>glutaraldehyde external solution 25 %</i>                                                                | 1         |                                |
| <b>ELECTROLYTIC, CALORIC, AND WATER BALANCE</b>                                                             |           |                                |
| <b>ACIDIFYING AGENTS</b>                                                                                    |           |                                |
| K-PHOS NO 2 ORAL TABLET 305-700 MG ( <i>pot &amp; sod ac phosphates</i> )                                   | 2         |                                |
| <b>ALKALINIZING AGENTS</b>                                                                                  |           |                                |
| <i>cytra k crystals oral packet 3300-1002 mg</i>                                                            | 1         |                                |
| ORACIT ORAL SOLUTION 490-640 MG/5ML ( <i>sod citrate-citric acid</i> )                                      | 2         |                                |
| ORAL CITRATE ORAL SOLUTION 490-640 MG/5ML                                                                   | 2         |                                |
| <i>potassium citrate er oral tablet extended release 10 meq (1080 mg), 15 meq (1620 mg), 5 meq (540 mg)</i> | 1         |                                |
| <i>potassium citrate-citric acid oral solution 1100-334 mg/5ml</i>                                          | 1         |                                |
| <i>sod citrate-citric acid oral solution 500-334 mg/5ml</i>                                                 | 1         |                                |
| <i>tricitrates oral solution 550-500-334 mg/5ml</i>                                                         | 1         |                                |
| UROCIT-K 10 ORAL TABLET EXTENDED RELEASE 10 MEQ (1080 MG) ( <i>potassium citrate</i> )                      | 4         |                                |
| UROCIT-K 15 ORAL TABLET EXTENDED RELEASE 15 MEQ (1620 MG) ( <i>potassium citrate</i> )                      | 4         |                                |
| <b>AMMONIA DETOXICANTS</b>                                                                                  |           |                                |
| <i>carglumic acid oral tablet soluble 200 mg</i>                                                            | 3         | PA; SP; SMCS                   |
| <i>constulose oral solution 10 gm/15ml</i>                                                                  | 1         |                                |
| <i>enulose oral solution 10 gm/15ml</i>                                                                     | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                               | Drug Tier | Coverage Requirements & Limits          |
|------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------|
| <i>generlac oral solution 10 gm/15ml</i>                                                             | 1         |                                         |
| <i>glycerol phenylbutyrate oral liquid 1.1 gm/ml</i>                                                 | 4         | PA; ST; QL (17.5 ml per day.); SP; SMCS |
| KRISTALOSE ORAL PACKET 10 GM ( <i>lactulose</i> )                                                    | 4         |                                         |
| KRISTALOSE ORAL PACKET 20 GM ( <i>lactulose</i> )                                                    | 3         |                                         |
| <i>lactulose encephalopathy oral solution 10 gm/15ml</i>                                             | 1         |                                         |
| <i>lactulose oral packet 20 gm</i>                                                                   | 3         |                                         |
| <i>lactulose oral solution 10 gm/15ml, 20 gm/30ml</i>                                                | 1         |                                         |
| LITHOSTAT ORAL TABLET 250 MG ( <i>acetohydroxamic acid</i> )                                         | 3         |                                         |
| <i>sodium phenylbutyrate oral powder 3 gm/tsp</i>                                                    | 1         | PA; SP; SMCS                            |
| <i>sodium phenylbutyrate oral tablet 500 mg</i>                                                      | 4         | PA; SP; SMCS                            |
| <b>CALORIC AGENTS - Drugs for Nutrition</b>                                                          |           |                                         |
| DOJOLVI ORAL LIQUID 100 % ( <i>triheptanoin</i> )                                                    | 4         | PA; SP; SMCS                            |
| <b>CARBONIC ANHYDRASE INHIBITORS (40:28) - Drugs for Water Balance</b>                               |           |                                         |
| <i>acetazolamide er oral capsule extended release 12 hour 500 mg</i>                                 | 1         |                                         |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                                                      | 1         |                                         |
| <b>DIURETICS, MISCELLANEOUS - Drugs for Water Balance</b>                                            |           |                                         |
| <i>elixophyllin oral elixir 80 mg/15ml</i>                                                           | 3         |                                         |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 300 MG, 400 MG ( <i>theophylline</i> ) | 3         |                                         |
| <i>theophylline er oral tablet extended release 12 hour 100 mg, 200 mg, 300 mg, 450 mg</i>           | 1         |                                         |
| <i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i>                           | 1         |                                         |
| <i>theophylline oral elixir 80 mg/15ml</i>                                                           | 1         |                                         |
| <i>theophylline oral solution 80 mg/15ml</i>                                                         | 1         |                                         |
| <b>LOOP DIURETICS (40:28) - Drugs for Water Balance</b>                                              |           |                                         |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                     | 1         |                                         |
| BUMEX ORAL TABLET 0.5 MG ( <i>bumetanide</i> )                                                       | 3         |                                         |
| <i>ethacrynic acid oral tablet 25 mg</i>                                                             | 4         |                                         |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i>                                                    | 1         |                                         |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>                                                    | 1         |                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                  | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| LASIX ORAL TABLET 20 MG, 40 MG, 80 MG ( <i>furosemide</i> )                                             | 4         |                                |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                                                 | 1         |                                |
| <b>OSMOTIC DIURETICS (40:28) - Drugs for Water Balance</b>                                              |           |                                |
| HYDRO 40 EXTERNAL FOAM 40 % ( <i>urea</i> )                                                             | 3         |                                |
| <i>urea external cream 20 %, 40 %</i>                                                                   | 1         |                                |
| <i>urea external lotion 40 %</i>                                                                        | 1         |                                |
| UREMEZ-40 EXTERNAL CREAM 40 %                                                                           | 3         |                                |
| <b>OTHER ION-REMOVING AGENTS</b>                                                                        |           |                                |
| RADIOGARDASE ORAL CAPSULE 0.5 GM ( <i>prussian blue insoluble</i> )                                     | 3         |                                |
| <b>PHOSPHATE-REMOVING AGENTS</b>                                                                        |           |                                |
| <i>calcium acetate (phos binder) oral capsule 667 mg</i>                                                | 1         |                                |
| <i>calcium acetate (phos binder) oral tablet 667 mg</i>                                                 | 1         |                                |
| <i>calcium acetate oral tablet 667 mg</i>                                                               | 1         |                                |
| FOSRENOL ORAL PACKET 1000 MG, 750 MG ( <i>lanthanum carbonate</i> )                                     | 3         | ST                             |
| <i>lanthanum carbonate oral tablet chewable 1000 mg, 500 mg, 750 mg</i>                                 | 3         | ST                             |
| <i>sevelamer carbonate oral packet 0.8 gm, 2.4 gm</i>                                                   | 2         | PA                             |
| <i>sevelamer carbonate oral tablet 800 mg</i>                                                           | 2         |                                |
| VELPHORO ORAL TABLET CHEWABLE 500 MG ( <i>sucroferric oxyhydroxide</i> )                                | 4         | ST                             |
| XPHOZAH ORAL TABLET 20 MG, 30 MG ( <i>tenapanor hcl (ckd)</i> )                                         | 4         | PA; QL (2 tablets per day.)    |
| <b>POTASSIUM-REMOVING AGENTS</b>                                                                        |           |                                |
| LOKELMA ORAL PACKET 10 GM ( <i>sodium zirconium cyclosilicate</i> )                                     | 3         | PA; QL (1 packet per day.)     |
| LOKELMA ORAL PACKET 5 GM ( <i>sodium zirconium cyclosilicate</i> )                                      | 3         | PA; QL (3 packets per day.)    |
| <i>sodium polystyrene sulfonate oral powder</i>                                                         | 1         |                                |
| SPS (SODIUM POLYSTYRENE SULF) COMBINATION SUSPENSION 15 GM/60ML ( <i>sodium polystyrene sulfonate</i> ) | 3         |                                |
| SPS (SODIUM POLYSTYRENE SULF) RECTAL SUSPENSION 30 GM/120ML ( <i>sodium polystyrene sulfonate</i> )     | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits  |
|-----------------------------------------------------------------------------------------|-----------|---------------------------------|
| VELTASSA ORAL PACKET 1 GM ( <i>patiomer sorbitex calcium</i> )                          | 3         | PA; QL (124 packets per month.) |
| VELTASSA ORAL PACKET 16.8 GM, 25.2 GM, 8.4 GM ( <i>patiomer sorbitex calcium</i> )      | 3         | PA; QL (1 Packet per day.)      |
| XPHOZAH ORAL TABLET 30 MG ( <i>tenapanor hcl (ckd)</i> )                                | 4         | PA; QL (2 tablets per day.)     |
| <b>POTASSIUM-SPARING DIURETICS (40:28) - Drugs for Water Balance</b>                    |           |                                 |
| <i>amiloride hcl oral tablet 5 mg</i>                                                   | 1         |                                 |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>                                | 1         |                                 |
| CAROSPIR ORAL SUSPENSION 25 MG/5ML ( <i>spironolactone</i> )                            | 4         | PA; SM                          |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>                                              | 2         |                                 |
| <i>spironolactone oral suspension 25 mg/5ml</i>                                         | 3         | PA; SM                          |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>                                  | 1         | SM                              |
| <i>spironolactone-hctz oral tablet 25-25 mg</i>                                         | 1         |                                 |
| <i>triamterene oral capsule 100 mg, 50 mg</i>                                           | 3         |                                 |
| <i>triamterene-hctz oral capsule 37.5-25 mg</i>                                         | 1         |                                 |
| <i>triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i>                                | 1         |                                 |
| <b>REPLACEMENT PREPARATIONS</b>                                                         |           |                                 |
| CALCIFOL ORAL WAFER 1342-1.6 MG ( <i>ca carb-fa-d-b6-b12-boron-mg</i> )                 | 3         |                                 |
| <i>calcium acetate (phos binder) oral capsule 667 mg</i>                                | 1         |                                 |
| <i>calcium acetate (phos binder) oral tablet 667 mg</i>                                 | 1         |                                 |
| <i>calcium acetate oral tablet 667 mg</i>                                               | 1         |                                 |
| EFFER-K ORAL TABLET EFFERVESCENT 10 MEQ, 20 MEQ ( <i>potassium bicarb-citric acid</i> ) | 2         |                                 |
| <i>effer-k oral tablet effervescent 25 meq</i>                                          | 1         |                                 |
| GALZIN ORAL CAPSULE 25 MG, 50 MG ( <i>zinc acetate (oral)</i> )                         | 3         |                                 |
| <i>klor-con 10 oral tablet extended release 10 meq</i>                                  | 1         |                                 |
| <i>klor-con m10 oral tablet extended release 10 meq</i>                                 | 1         |                                 |
| <i>klor-con m15 oral tablet extended release 15 meq</i>                                 | 1         |                                 |
| <i>klor-con m20 oral tablet extended release 20 meq</i>                                 | 1         |                                 |
| <i>klor-con oral packet 20 meq</i>                                                      | 1         |                                 |
| <i>klor-con oral tablet extended release 8 meq</i>                                      | 1         |                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                              | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b><i>klor-con/ef oral tablet effervescent 25 meq</i></b>                                           | 1         |                                |
| K-PHOS ORAL TABLET 500 MG ( <b><i>potassium phosphate monobasic</i></b> )                           | 2         |                                |
| K-PHOS-NEUTRAL ORAL TABLET 155-852-130 MG ( <b><i>k phos mono-sod phos di &amp; mono</i></b> )      | 2         |                                |
| MYXREDLIN INTRAVENOUS SOLUTION 100-0.9 UT/100ML-% ( <b><i>insulin regular(human) in nacl</i></b> )  | 3         | SM                             |
| ONENATAL RX ORAL TABLET 1 MG ( <b><i>prenatal multivit-min-fe-fa</i></b> )                          | 3         |                                |
| PHOSPHA 250 NEUTRAL ORAL TABLET 155-852-130 MG ( <b><i>k phos mono-sod phos di &amp; mono</i></b> ) | 2         |                                |
| <b><i>phosphorous oral tablet 155-852-130 mg</i></b>                                                | 1         |                                |
| <b><i>phospho-trin 250 neutral oral tablet 155-852-130 mg</i></b>                                   | 1         |                                |
| PHOXILLUM B22K4/0 EXTRACORPOREAL SOLUTION 22-4-1 MEQ-MMOL/L                                         | 3         |                                |
| PHOXILLUM BK4/2.5 EXTRACORPOREAL SOLUTION 32-4-2.5-1 MEQ-MMOL/L                                     | 3         |                                |
| <b><i>potassium chloride crys er oral tablet extended release 10 meq, 15 meq, 20 meq</i></b>        | 1         |                                |
| <b><i>potassium chloride er oral capsule extended release 10 meq, 8 meq</i></b>                     | 1         |                                |
| <b><i>potassium chloride er oral tablet extended release 10 meq, 20 meq, 8 meq</i></b>              | 1         |                                |
| <b><i>potassium chloride er oral tablet extended release 15 meq</i></b>                             | 2         |                                |
| <b><i>potassium chloride oral packet 20 meq</i></b>                                                 | 1         |                                |
| <b><i>potassium chloride oral solution 10 %, 20 meq/15ml (10%), 40 meq/15ml (20%)</i></b>           | 1         |                                |
| PREMESISRX ORAL TABLET 1 MG ( <b><i>prenatal ca-b6-b12-fa-ginger</i></b> )                          | 3         |                                |
| PRENATE DHA ORAL CAPSULE 18-0.6-0.4-300 MG ( <b><i>prenat-feasp-meth-fa-dha w/o a</i></b> )         | 3         |                                |
| PRENATE ENHANCE ORAL CAPSULE 28-0.6-0.4-400 MG ( <b><i>prenat w/o a-fe-methfol-fa-dha</i></b> )     | 3         |                                |
| PRENATE ESSENTIAL ORAL CAPSULE 18-0.6-0.4-300 MG ( <b><i>prenat-feasp-meth-fa-dha w/o a</i></b> )   | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                              | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| PRENATE MINI ORAL CAPSULE 18-0.6-0.4-350 MG ( <i>prenat-fecbn-feasp-meth-fa-dha</i> )               | 3         |                                |
| PRENATE ORAL TABLET CHEWABLE 0.6-0.4 MG ( <i>prenat mv-min-methylfolate-fa</i> )                    | 3         |                                |
| PRENATE PIXIE ORAL CAPSULE 10-0.6-0.4-200 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> )              | 3         |                                |
| PRENATE RESTORE ORAL CAPSULE 27-0.6-0.4-400 MG ( <i>prenat w/o a-fe-methfol-fa-dha</i> )            | 3         |                                |
| PRISMASOL B22GK 4/0 EXTRACORPOREAL SOLUTION 22-4 MEQ/L ( <i>bicarb-dextrose-k (crrt)</i> )          | 3         |                                |
| PRISMASOL BGK 0/2.5 EXTRACORPOREAL SOLUTION 32-2.5 MEQ/L ( <i>bicarb-dextrose-ca (crrt)</i> )       | 3         |                                |
| PRISMASOL BGK 2/0 EXTRACORPOREAL SOLUTION 32-2 MEQ/L ( <i>bicarb-dextrose-k (crrt)</i> )            | 3         |                                |
| PRISMASOL BGK 2/3.5 EXTRACORPOREAL SOLUTION 32-2-3.5 MEQ/L ( <i>bicarb-dextrose-k-ca (crrt)</i> )   | 3         |                                |
| PRISMASOL BGK 4/0/1.2 EXTRACORPOREAL SOLUTION 32-4-1.2 MEQ/L ( <i>bicarb-dextrose-k-mg (crrt)</i> ) | 3         |                                |
| PRISMASOL BGK 4/2.5 EXTRACORPOREAL SOLUTION 32-4-2.5 MEQ/L ( <i>bicarb-dextrose-k-ca (crrt)</i> )   | 3         |                                |
| PRISMASOL BK 0/0/1.2 EXTRACORPOREAL SOLUTION 32-1.2 MEQ/L ( <i>bicarb-mg (crrt)</i> )               | 3         |                                |
| TRISTART DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                                         | 3         |                                |
| VITAFOL FE+ ORAL CAPSULE 90-0.6-0.4-200 MG ( <i>prenat-fe poly-methfol-fa-dha</i> )                 | 3         |                                |
| VITAFOL-OB+DHA ORAL 65-1 & 250 MG ( <i>prenatal mv-min-fe fum-fa-dha</i> )                          | 3         |                                |
| WESCAP-PN DHA ORAL CAPSULE 27-0.6-0.4-300 MG                                                        | 4         |                                |
| WESNATAL DHA COMPLETE ORAL 29-1-200 & 200 MG                                                        | 2         |                                |
| <i>wes-phos 250 neutral oral tablet 155-852-130 mg</i>                                              | 1         |                                |
| WESTGEL DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                                          | 3         |                                |
| <b>THIAZIDE DIURETICS (40:28) - Drugs for Water Balance</b>                                         |           |                                |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>                                            | 1         |                                |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>       | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                      | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>                        | 1         |                                |
| <i>candesartan cilexetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>                              | 3         |                                |
| <i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>                     | 1         |                                |
| DIURIL ORAL SUSPENSION 250 MG/5ML ( <i>chlorothiazide</i> )                                                 | 2         |                                |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>                                        | 1         |                                |
| <i>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</i>                                            | 1         |                                |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                                                             | 1         |                                |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>                                                | 1         |                                |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>                                  | 1         |                                |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                          | 1         |                                |
| <i>losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>                               | 1         |                                |
| LOTENSIN HCT ORAL TABLET 10-12.5 MG, 20-12.5 MG, 20-25 MG ( <i>benazepril-hydrochlorothiazide</i> )         | 4         |                                |
| <i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>                            | 1         |                                |
| <i>olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>                               | 2         |                                |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                           | 2         |                                |
| <i>spironolactone-hctz oral tablet 25-25 mg</i>                                                             | 1         |                                |
| <i>telmisartan-hctz oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>                                        | 2         |                                |
| <i>triarterene-hctz oral capsule 37.5-25 mg</i>                                                             | 1         |                                |
| <i>triarterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i>                                                    | 1         |                                |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> | 1         |                                |
| <b>THIAZIDE-LIKE DIURETICS (40:28) - Drugs for Water Balance</b>                                            |           |                                |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>                                              | 1         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                          | Drug Tier | Coverage Requirements & Limits              |
|-------------------------------------------------------------------------------------------------|-----------|---------------------------------------------|
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                                                  | 1         |                                             |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                                                   | 1         |                                             |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                                               | 1         |                                             |
| <b>URICOSURIC AGENTS</b>                                                                        |           |                                             |
| <i>colchicine-probenecid oral tablet 0.5-500 mg</i>                                             | 1         |                                             |
| ORLYNVAH ORAL TABLET 500-500 MG ( <i>sulopenem etzadrox-probenecid</i> )                        | 4         | QL (10 tablets per course of therapy.)      |
| <i>probenecid oral tablet 500 mg</i>                                                            | 1         |                                             |
| <b>VASOPRESSIN ANTAGONISTS - Drugs for Water Balance</b>                                        |           |                                             |
| <i>tolvaptan oral tablet 15 mg</i>                                                              | 3         | PA; SP; SMCS                                |
| <i>tolvaptan oral tablet therapy pack 15 mg, 45 &amp; 15 mg, 60 &amp; 30 mg, 90 &amp; 30 mg</i> | 3         | PA; QL (2 tablets per day.); SP; SMCS       |
| <i>tolvaptan oral tablet therapy pack 30 &amp; 15 mg</i>                                        | 3         | PA; QL (2 tablets per day.); SMCS           |
| <i>tolvaptan tablet 30 mg oral</i>                                                              | 3         | PA; SP; SMCS                                |
| <i>tolvaptan tablet 30 mg oral</i>                                                              | 3         | PA; QL (2 tablets per day.); SP; SMCS       |
| <b>ENZYMES</b>                                                                                  |           |                                             |
| <b>ENZYME COFACTORS/CHAPERONES</b>                                                              |           |                                             |
| GALAFOLD ORAL CAPSULE 123 MG ( <i>migalastat hcl</i> )                                          | 4         | PA; QL (14 capsules per 21 days.); SP; SMCS |
| MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG ( <i>arimoclomol citrate</i> )                | 4         | PA; QL (90 capsules per month.); SP; SMCS   |
| <i>sapropterin dihydrochloride oral packet 100 mg</i>                                           | 3         | PA; QL (16 packets per day.); SP; SMCS      |
| <i>sapropterin dihydrochloride oral packet 500 mg</i>                                           | 3         | PA; QL (4 packets per day.); SP; SMCS       |
| <i>sapropterin dihydrochloride oral tablet 100 mg</i>                                           | 3         | PA; QL (16 tablets per day); SP; SMCS       |
| <i>zelvysia oral packet 100 mg</i>                                                              | 3         | PA; QL (16 packets per day.); SP; SMCS      |
| <i>zelvysia oral packet 500 mg</i>                                                              | 3         | PA; QL (4 packets per day.); SP; SMCS       |
| <b>ENZYME INHIBITORS</b>                                                                        |           |                                             |
| CERDELGA ORAL CAPSULE 84 MG ( <i>eliglustat tartrate</i> )                                      | 3         | PA; SP; SMCS                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                      | Drug Tier | Coverage Requirements & Limits                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| <b>miglustat oral capsule 100 mg</b>                                                                                                                        | 3         | SP; SMCS                                        |
| OPFOLDA ORAL CAPSULE 65 MG ( <b>miglustat (gaa deficiency)</b> )                                                                                            | 3         | PA; QL (8 capsules per 21 days.); SP; SMCS      |
| ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG ( <b>nitisinone</b> )                                                                                         | 3         | PA; SP; SMCS                                    |
| ORFADIN ORAL SUSPENSION 4 MG/ML ( <b>nitisinone</b> )                                                                                                       | 3         | PA; SP; SMCS                                    |
| ZOKINVY ORAL CAPSULE 50 MG ( <b>lonafarnib</b> )                                                                                                            | 3         | PA; QL (5 capsules per day.); SP; SMCS          |
| ZOKINVY ORAL CAPSULE 75 MG ( <b>lonafarnib</b> )                                                                                                            | 3         | PA; QL (1 tablet per day.); SP; SMCS            |
| <b>ENZYMES</b>                                                                                                                                              |           |                                                 |
| CREON CAPSULE DELAYED RELEASE PARTICLES 36000-114000 UNIT ORAL ( <b>pancrelipase (lip-prot-amyl)</b> )                                                      | 2         |                                                 |
| CREON CAPSULE DELAYED RELEASE PARTICLES 36000-114000 UNIT ORAL ( <b>pancrelipase (lip-prot-amyl)</b> )                                                      | 3         |                                                 |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 6000-19000 UNIT ( <b>pancrelipase (lip-prot-amyl)</b> )    | 2         |                                                 |
| PERTZYE ORAL CAPSULE DELAYED RELEASE PARTICLES 16000-57500 UNIT, 24000-86250 UNIT, 4000-14375 UNIT, 8000-28750 UNIT ( <b>pancrelipase (lip-prot-amyl)</b> ) | 4         | ST                                              |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML ( <b>dornase alfa</b> )                                                                                          | 3         | PA; QL (5 ml per day.); SP; SMCS                |
| SANTYL EXTERNAL OINTMENT 250 UNIT/GM ( <b>collagenase</b> )                                                                                                 | 4         | QL (90 grams per prescription.)                 |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45ML ( <b>asfotase alfa</b> )                                                                                        | 3         | PA; QL (5.4 ml per month.); SP; SMCS            |
| STRENSIQ SUBCUTANEOUS SOLUTION 28 MG/0.7ML ( <b>asfotase alfa</b> )                                                                                         | 3         | PA; QL (8.4 ml per month.); SP; SMCS            |
| STRENSIQ SUBCUTANEOUS SOLUTION 40 MG/ML ( <b>asfotase alfa</b> )                                                                                            | 3         | PA; QL (12 ml tablets per month.); SP; SMCS     |
| STRENSIQ SUBCUTANEOUS SOLUTION 80 MG/0.8ML ( <b>asfotase alfa</b> )                                                                                         | 3         | PA; QL (9.6 ml (12 vials) per month.); SP; SMCS |
| SUCRAID ORAL SOLUTION 8500 UNIT/ML ( <b>sacrosidase</b> )                                                                                                   | 3         | PA; SP; SMCS                                    |
| VIOKACE ORAL TABLET 10440-39150 UNIT, 20880-78300 UNIT ( <b>pancrelipase (lip-prot-amyl)</b> )                                                              | 4         | ST                                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                                                                                               | Drug Tier | Coverage Requirements & Limits      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT, 60000-189600 UNIT ( <i>pancrelipase (lip-prot-amyl)</i> ) | 2         |                                     |
| <b>EYE, EAR, NOSE AND THROAT (EENT) PREPS.</b>                                                                                                                                                                                       |           |                                     |
| <b>ALPHA-ADRENERGIC AGONISTS (52:40) - Drugs for the Eye</b>                                                                                                                                                                         |           |                                     |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.1 % ( <i>brimonidine tartrate</i> )                                                                                                                                                                 | 2         | QL (10 ml per prescription)         |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.15 % ( <i>brimonidine tartrate</i> )                                                                                                                                                                | 4         | QL (10 ml per prescription)         |
| <i>apraclonidine hcl ophthalmic solution 0.5 %</i>                                                                                                                                                                                   | 1         |                                     |
| <i>brimonidine tartrate external gel 0.33 %</i>                                                                                                                                                                                      | 3         | PA; QL (30 grams per prescription.) |
| <i>brimonidine tartrate ophthalmic solution 0.15 %</i>                                                                                                                                                                               | 2         | QL (10 ml per prescription)         |
| <i>brimonidine tartrate ophthalmic solution 0.2 %</i>                                                                                                                                                                                | 1         |                                     |
| COMBIGAN OPHTHALMIC SOLUTION 0.2-0.5 % ( <i>brimonidine tartrate-timolol</i> )                                                                                                                                                       | 2         | QL (5 ml per prescription)          |
| IOPIDINE OPHTHALMIC SOLUTION 1 % ( <i>apraclonidine hcl</i> )                                                                                                                                                                        | 3         |                                     |
| MIRVASO EXTERNAL GEL 0.33 % ( <i>brimonidine tartrate</i> )                                                                                                                                                                          | 3         | PA; QL (30 grams per prescription.) |
| <b>ANTIALLERGIC AGENTS - Drugs for Allergy</b>                                                                                                                                                                                       |           |                                     |
| ALOCRIAL OPHTHALMIC SOLUTION 2 % ( <i>nedocromil sodium</i> )                                                                                                                                                                        | 3         |                                     |
| <i>azelastine hcl nasal solution 0.1 %, 137 mcg/spray</i>                                                                                                                                                                            | 2         |                                     |
| <i>azelastine hcl ophthalmic solution 0.05 %</i>                                                                                                                                                                                     | 1         |                                     |
| <i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i>                                                                                                                                                                    | 1         |                                     |
| <i>cromolyn sodium ophthalmic solution 4 %</i>                                                                                                                                                                                       | 1         |                                     |
| <i>cromolyn sodium oral concentrate 100 mg/5ml</i>                                                                                                                                                                                   | 1         |                                     |
| <i>epinastine hcl ophthalmic solution 0.05 %</i>                                                                                                                                                                                     | 4         | QL (5 ml per prescription)          |
| <i>olopatadine hcl nasal solution 0.6 %</i>                                                                                                                                                                                          | 3         |                                     |
| <b>ANTIBACTERIALS (52:04) - Drugs for Infections</b>                                                                                                                                                                                 |           |                                     |
| AZASITE OPHTHALMIC SOLUTION 1 % ( <i>azithromycin</i> )                                                                                                                                                                              | 3         |                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                          | Drug Tier | Coverage Requirements & Limits  |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| <b><i>bacitracin ophthalmic ointment 500 unit/gm</i></b>                                                                        | 1         |                                 |
| <b><i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i></b>                                                      | 1         |                                 |
| <b><i>bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 %</i></b>                                                             | 1         |                                 |
| BESIVANCE OPHTHALMIC SUSPENSION 0.6 %<br>( <b><i>besifloxacin hcl</i></b> )                                                     | 3         |                                 |
| CETRAXAL OTIC SOLUTION 0.2 % ( <b><i>ciprofloxacin hcl</i></b> )                                                                | 3         |                                 |
| CILOXAN OPHTHALMIC OINTMENT 0.3 % ( <b><i>ciprofloxacin hcl</i></b> )                                                           | 3         |                                 |
| <b><i>ciprofloxacin hcl ophthalmic solution 0.3 %</i></b>                                                                       | 1         |                                 |
| <b><i>ciprofloxacin hcl otic solution 0.2 %</i></b>                                                                             | 1         |                                 |
| <b><i>ciprofloxacin-dexamethasone otic suspension 0.3-0.1 %</i></b>                                                             | 4         |                                 |
| CORTISPORIN-TC OTIC SUSPENSION 3.3-3-10-0.5 MG/ML<br>( <b><i>neomycin-colist-hc-thonzonium</i></b> )                            | 3         |                                 |
| <b><i>ery external pad 2 %</i></b>                                                                                              | 1         |                                 |
| <b><i>erythromycin external gel 2 %</i></b>                                                                                     | 1         |                                 |
| <b><i>erythromycin external solution 2 %</i></b>                                                                                | 1         |                                 |
| <b><i>erythromycin ophthalmic ointment 5 mg/gm</i></b>                                                                          | 1         | H-N                             |
| <b><i>gatifloxacin ophthalmic solution 0.5 %</i></b>                                                                            | 3         |                                 |
| <b><i>gentamicin sulfate external cream 0.1 %</i></b>                                                                           | 1         | QL (30 grams per prescription.) |
| <b><i>gentamicin sulfate external ointment 0.1 %</i></b>                                                                        | 1         | QL (30 grams per prescription.) |
| <b><i>gentamicin sulfate ophthalmic solution 0.3 %</i></b>                                                                      | 1         | QL (15 ml per prescription.)    |
| <b><i>levofloxacin ophthalmic solution 0.5 %, 1.5 %</i></b>                                                                     | 1         |                                 |
| MAXITROL OPHTHALMIC OINTMENT 3.5-10000-0.1<br>( <b><i>neomycin-polymyxin-dexameth</i></b> )                                     | 4         |                                 |
| MAXITROL OPHTHALMIC SUSPENSION 0.1 % ( <b><i>neomycin-polymyxin-dexameth</i></b> )                                              | 4         |                                 |
| <b><i>minocycline hcl er oral tablet extended release 24 hour 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg</i></b> | 2         |                                 |
| <b><i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i></b>                                                                 | 1         |                                 |
| MITOSOL OPHTHALMIC KIT 0.2 MG ( <b><i>mitomycin</i></b> )                                                                       | 3         |                                 |
| <b><i>moxifloxacin hcl (2x day) ophthalmic solution 0.5 %</i></b>                                                               | 3         |                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits         |
|--------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| <b>moxifloxacin hcl ophthalmic solution 0.5 %</b>                                          | 3         |                                        |
| <b>neomycin sulfate oral tablet 500 mg</b>                                                 | 1         |                                        |
| <b>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</b>                      | 1         |                                        |
| <b>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</b>                       | 1         |                                        |
| <b>neomycin-polymyxin-dexameth ophthalmic suspension 0.1 %, 3.5-10000-0.1</b>              | 1         |                                        |
| <b>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</b>                   | 1         |                                        |
| <b>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</b>                             | 1         |                                        |
| <b>neomycin-polymyxin-hc otic solution 1 %, 3.5-10000-1</b>                                | 1         |                                        |
| <b>neomycin-polymyxin-hc otic suspension 3.5-10000-1</b>                                   | 1         |                                        |
| NEO-POLYCIN HC OPHTHALMIC OINTMENT 1 %<br>( <b>bacitracin-polymyx-neo-hc</b> )             | 3         |                                        |
| NEO-POLYCIN OPHTHALMIC OINTMENT 3.5-400-10000<br>( <b>neomycin-bacitracin zn-polymyx</b> ) | 3         |                                        |
| OCUFLOX OPHTHALMIC SOLUTION 0.3 % ( <b>ofloxacin</b> )                                     | 4         |                                        |
| <b>ofloxacin ophthalmic solution 0.3 %</b>                                                 | 1         |                                        |
| <b>ofloxacin otic solution 0.3 %</b>                                                       | 2         |                                        |
| POLYCIN OPHTHALMIC OINTMENT 500-10000 UNIT/GM<br>( <b>bacitracin-polymyxin b</b> )         | 3         |                                        |
| <b>polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%</b>                    | 1         |                                        |
| <b>sulfacetamide sodium ophthalmic ointment 10 %</b>                                       | 1         |                                        |
| <b>sulfacetamide sodium ophthalmic solution 10 %</b>                                       | 1         |                                        |
| <b>sulfacetamide-prednisolone ophthalmic solution 10-0.23 %</b>                            | 1         |                                        |
| TOBRADEX OPHTHALMIC OINTMENT 0.3-0.1 %<br>( <b>tobramycin-dexamethasone</b> )              | 3         |                                        |
| <b>tobramycin inhalation nebulization solution 300 mg/4ml</b>                              | 3         | PA; QL (224 ml per 56 days.); SP; SMCS |
| <b>tobramycin ophthalmic solution 0.3 %</b>                                                | 1         | QL (5 ml per prescription.)            |
| <b>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</b>                            | 2         |                                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                              | Drug Tier | Coverage Requirements & Limits                          |
|-------------------------------------------------------------------------------------|-----------|---------------------------------------------------------|
| TOBREX OPHTHALMIC OINTMENT 0.3 % ( <i>tobramycin</i> )                              | 3         | QL (3.5 grams per prescription.)                        |
| ZYLET OPHTHALMIC SUSPENSION 0.5-0.3 % ( <i>loteprednol-tobramycin</i> )             | 3         |                                                         |
| <b>ANTIFUNGALS (EENT) - Drugs for Infections</b>                                    |           |                                                         |
| NATACYN OPHTHALMIC SUSPENSION 5 % ( <i>natamycin</i> )                              | 4         |                                                         |
| <b>ANTI-INFECTIVES, MISCELLANEOUS (52:04) - Drugs for Infections</b>                |           |                                                         |
| ARZOL SILVER NIT APPLICATORS EXTERNAL 75-25 % ( <i>silver nitrate-pot nitrate</i> ) | 3         |                                                         |
| BETADINE OPHTHALMIC PREP OPHTHALMIC SOLUTION 5 % ( <i>povidone-iodine</i> )         | 3         |                                                         |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i>                         | 1         |                                                         |
| PERIDEX MOUTH/THROAT SOLUTION 0.12 % ( <i>chlorhexidine gluconate</i> )             | 4         |                                                         |
| <i>periogard mouth/throat solution 0.12 %</i>                                       | 1         |                                                         |
| PRAMOTIC OTIC LIQUID 1-0.1 % ( <i>pramoxine-chloroxylonol</i> )                     | 3         |                                                         |
| <i>silver nitrate external solution 0.5 %</i>                                       | 1         |                                                         |
| XDEMVIY OPHTHALMIC SOLUTION 0.25 % ( <i>lotilaner</i> )                             | 4         | PA; QL (10 ml per 63 days.)                             |
| <b>ANTI-INFLAMMATORY AGENTS (EENT) - Drugs for Inflammation</b>                     |           |                                                         |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>                      | 1         |                                                         |
| <i>cyclosporine modified oral solution 100 mg/ml</i>                                | 1         |                                                         |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i>                                      | 1         |                                                         |
| <i>gengraf oral capsule 100 mg, 25 mg</i>                                           | 1         |                                                         |
| <i>gengraf oral solution 100 mg/ml</i>                                              | 1         |                                                         |
| MIEBO OPHTHALMIC SOLUTION 1.338 GM/ML ( <i>perfluorohexyloctane</i> )               | 4         | PA; QL (3 ml per 23 days.)                              |
| OXERVATE OPHTHALMIC SOLUTION 0.002 % ( <i>cenegermin-bkbj</i> )                     | 4         | PA; QL (1 ml per day and 56 ml per 365 days.); SP; SMCS |
| RESTASIS OPHTHALMIC EMULSION 0.05 % ( <i>cyclosporine</i> )                         | 4         | PA; QL (60 vials per prescription.)                     |
| VERKAZIA OPHTHALMIC EMULSION 0.1 % ( <i>cyclosporine</i> )                          | 4         | PA; QL (4 vials per day.)                               |
| XIIDRA OPHTHALMIC SOLUTION 5 % ( <i>lifitegrast</i> )                               | 4         | PA; QL (60 vials per prescription.)                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                         | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>ANTIVIRALS (EENT) - Drugs for Infections</b>                                |           |                                |
| <i>trifluridine ophthalmic solution 1 %</i>                                    | 1         |                                |
| ZIRGAN OPHTHALMIC GEL 0.15 % ( <i>ganciclovir</i> )                            | 4         |                                |
| <b>ASTRINGENTS (52:04) - Drugs for Infections</b>                              |           |                                |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i>                    | 1         |                                |
| PERIDEX MOUTH/THROAT SOLUTION 0.12 % ( <i>chlorhexidine gluconate</i> )        | 4         |                                |
| <i>perio gard mouth/throat solution 0.12 %</i>                                 | 1         |                                |
| <b>BETA-ADRENERGIC BLOCKING AGENTS (52:40) - Drugs for the Eye</b>             |           |                                |
| <i>betaxolol hcl ophthalmic solution 0.5 %</i>                                 | 1         |                                |
| BETIMOL OPHTHALMIC SOLUTION 0.5 % ( <i>timolol hemihydrate</i> )               | 4         | QL (5 ml per prescription.)    |
| BETOPTIC-S OPHTHALMIC SUSPENSION 0.25 % ( <i>betaxolol hcl</i> )               | 3         |                                |
| <i>carteolol hcl ophthalmic solution 1 %</i>                                   | 1         |                                |
| COMBIGAN OPHTHALMIC SOLUTION 0.2-0.5 % ( <i>brimonidine tartrate-timolol</i> ) | 2         | QL (5 ml per prescription)     |
| COSOPT OPHTHALMIC SOLUTION 2-0.5 % ( <i>dorzolamide hcl-timolol mal</i> )      | 4         |                                |
| <i>dorzolamide hcl-timolol mal ophthalmic solution 2-0.5 %</i>                 | 2         |                                |
| ISTALOL OPHTHALMIC SOLUTION 0.5 % ( <i>timolol maleate</i> )                   | 4         |                                |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i>                               | 1         |                                |
| <i>timolol hemihydrate ophthalmic solution 0.5 %</i>                           | 2         | QL (5 ml per prescription.)    |
| <i>timolol maleate (once-daily) ophthalmic solution 0.5 %</i>                  | 3         |                                |
| <i>timolol maleate ocudose ophthalmic solution 0.5 %</i>                       | 2         |                                |
| <i>timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 %</i>           | 1         |                                |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>                       | 1         |                                |
| <i>timolol maleate pf ophthalmic solution 0.25 %, 0.5 %</i>                    | 2         |                                |
| TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION 0.25 %, 0.5 % ( <i>timolol maleate</i> )  | 4         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                          | Drug Tier | Coverage Requirements & Limits    |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <b>CARBONIC ANHYDRASE INHIBITORS (52:40) - Drugs for the Eye</b>                                                                |           |                                   |
| <i>acetazolamide er oral capsule extended release 12 hour 500 mg</i>                                                            | 1         |                                   |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                                                                                 | 1         |                                   |
| <i>brinzolamide ophthalmic suspension 1 %</i>                                                                                   | 2         | QL (10 ml per prescription)       |
| COSOPT OPTHALMIC SOLUTION 2-0.5 % ( <i>dorzolamide hcl-timolol mal</i> )                                                        | 4         |                                   |
| DORZOLAMIDE HCL SOLUTION 2 % OPTHALMIC                                                                                          | 4         |                                   |
| <i>dorzolamide hcl solution 2 % ophthalmic</i>                                                                                  | 1         |                                   |
| <i>dorzolamide hcl-timolol mal ophthalmic solution 2-0.5 %</i>                                                                  | 2         |                                   |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                                                                                   | 1         |                                   |
| <b>CORTICOSTEROIDS (EENT) - Drugs for Inflammation</b>                                                                          |           |                                   |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT ( <i>fluticasone-salmeterol</i> )                   | 3         | QL (0.4 grams per day.)           |
| AIRSUPRA INHALATION AEROSOL 90-80 MCG/ACT ( <i>albuterol-budesonide</i> )                                                       | 3         | QL (10.7 grams per prescription.) |
| ALA SCALP EXTERNAL LOTION 2 % ( <i>hydrocortisone</i> )                                                                         | 4         |                                   |
| ALREX OPTHALMIC SUSPENSION 0.2 % ( <i>loteprednol etabonate</i> )                                                               | 4         | QL (5 ml per prescription)        |
| ANALPRAM HC EXTERNAL CREAM 1-1 %, 2.5-1 % ( <i>hydrocortisone ace-pramoxine</i> )                                               | 4         |                                   |
| ANALPRAM HC EXTERNAL LOTION 2.5-1 % ( <i>hydrocortisone ace-pramoxine</i> )                                                     | 3         |                                   |
| ANUCORT-HC RECTAL SUPPOSITORY 25 MG                                                                                             | 2         |                                   |
| ANUSOL-HC EXTERNAL CREAM 2.5 % ( <i>hydrocortisone</i> )                                                                        | 4         |                                   |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT ( <i>fluticasone furoate</i> )              | 2         |                                   |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT ( <i>fluticasone furoate</i> )                            | 2         | QL (1 packet per day.)            |
| <i>bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 %</i>                                                                    | 1         |                                   |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 50-25 MCG/INH ( <i>fluticasone furoate-vilanterol</i> ) | 3         |                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                           | Drug Tier | Coverage Requirements & Limits   |
|------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 200-25 MCG/ACT ( <i>fluticasone furoate-vilanterol</i> ) | 3         | QL (2 blisters per day.)         |
| <i>ciprofloxacin-dexamethasone otic suspension 0.3-0.1 %</i>                                                     | 4         |                                  |
| CORTANE-B EXTERNAL LOTION 10-10-1 MG/ML ( <i>hc-pramoxine-chloroxylonol</i> )                                    | 4         |                                  |
| CORTEF ORAL TABLET 10 MG, 20 MG, 5 MG ( <i>hydrocortisone</i> )                                                  | 4         |                                  |
| CORTENEMA RECTAL ENEMA 100 MG/60ML ( <i>hydrocortisone</i> )                                                     | 4         |                                  |
| CORTIFOAM EXTERNAL FOAM 10 % ( <i>hydrocortisone acetate</i> )                                                   | 2         |                                  |
| CORTISPORIN-TC OTIC SUSPENSION 3.3-3-10-0.5 MG/ML ( <i>neomycin-colist-hc-thonzonium</i> )                       | 3         |                                  |
| DERMA-SMOOTH/FS BODY EXTERNAL OIL 0.01 % ( <i>fluocinolone acetonide</i> )                                       | 4         | QL (118.28 ml per prescription.) |
| DERMA-SMOOTH/FS SCALP EXTERNAL OIL 0.01 % ( <i>fluocinolone acetonide</i> )                                      | 4         |                                  |
| DERMOTIC OTIC OIL 0.01 % ( <i>fluocinolone acetonide</i> )                                                       | 4         |                                  |
| <i>dexamethasone intensol oral concentrate 1 mg/ml</i>                                                           | 1         |                                  |
| <i>dexamethasone oral elixir 0.5 mg/5ml</i>                                                                      | 1         |                                  |
| <i>dexamethasone oral solution 0.5 mg/5ml</i>                                                                    | 1         |                                  |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                                 | 1         |                                  |
| <i>dexamethasone oral tablet therapy pack 1.5 mg (21), 1.5 mg (35), 1.5 mg (51)</i>                              | 3         |                                  |
| <i>dexamethasone sodium phosphate ophthalmic solution 0.1 %</i>                                                  | 1         |                                  |
| <i>difluprednate ophthalmic emulsion 0.05 %</i>                                                                  | 3         |                                  |
| EYSUVIS OPHTHALMIC SUSPENSION 0.25 % ( <i>loteprednol etabonate</i> )                                            | 4         | QL (8.3 mL per prescription)     |
| FLAREX OPHTHALMIC SUSPENSION 0.1 % ( <i>fluorometholone acetate</i> )                                            | 2         |                                  |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i>                                                            | 3         |                                  |
| <i>fluocinolone acetonide body external oil 0.01 %</i>                                                           | 3         | QL (118.28 ml per prescription.) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                  | Drug Tier | Coverage Requirements & Limits            |
|-------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <i>fluocinolone acetonide external cream 0.01 %, 0.025 %</i>                                                            | 3         | QL (15 grams per prescription.)           |
| <i>fluocinolone acetonide external ointment 0.025 %</i>                                                                 | 2         | QL (15 grams per prescription.)           |
| <i>fluocinolone acetonide external solution 0.01 %</i>                                                                  | 1         | QL (60 ml per prescription.)              |
| <i>fluocinolone acetonide otic oil 0.01 %</i>                                                                           | 1         |                                           |
| <i>fluocinolone acetonide scalp external oil 0.01 %</i>                                                                 | 3         |                                           |
| <i>fluorometholone ophthalmic suspension 0.1 %</i>                                                                      | 1         |                                           |
| <i>fluticasone propionate nasal suspension 50 mcg/act</i>                                                               | 2         | QL (16 grams (1 bottle) per prescription) |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 3         | QL (2 blisters per day.)                  |
| FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT, 232-14 MCG/ACT, 55-14 MCG/ACT         | 3         | QL (0.04 mcg per day.)                    |
| FML FORTE OPHTHALMIC SUSPENSION 0.25 %<br>( <i>fluorometholone</i> )                                                    | 3         |                                           |
| FML LIQUIFILM OPHTHALMIC SUSPENSION 0.1 %<br>( <i>fluorometholone</i> )                                                 | 4         |                                           |
| HEMMOREX-HC RECTAL SUPPOSITORY 25 MG<br>( <i>hydrocortisone acetate</i> )                                               | 3         |                                           |
| <i>hydrocortisone (perianal) external cream 2.5 %</i>                                                                   | 1         |                                           |
| <i>hydrocortisone ace-pramoxine external cream 1-1 %</i>                                                                | 1         |                                           |
| <i>hydrocortisone acetate rectal suppository 25 mg, 30 mg</i>                                                           | 2         |                                           |
| <i>hydrocortisone butyrate external cream 0.1 %</i>                                                                     | 1         |                                           |
| <i>hydrocortisone butyrate external ointment 0.1 %</i>                                                                  | 1         |                                           |
| <i>hydrocortisone butyrate external solution 0.1 %</i>                                                                  | 1         |                                           |
| <i>hydrocortisone external cream 2.5 %</i>                                                                              | 1         |                                           |
| <i>hydrocortisone external lotion 2 %</i>                                                                               | 4         |                                           |
| <i>hydrocortisone external lotion 2.5 %</i>                                                                             | 1         |                                           |
| <i>hydrocortisone external ointment 1 %, 2.5 %</i>                                                                      | 1         |                                           |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>                                                                    | 1         |                                           |
| <i>hydrocortisone rectal enema 100 mg/60ml</i>                                                                          | 1         |                                           |
| <i>hydrocortisone valerate external cream 0.2 %</i>                                                                     | 2         | QL (15 grams per prescription.)           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                            | Drug Tier | Coverage Requirements & Limits            |
|-----------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <b>hydrocortisone valerate external ointment 0.2 %</b>                            | 3         | QL (15 grams per prescription.)           |
| <b>hydrocortisone-acetic acid otic solution 1-2 %</b>                             | 1         |                                           |
| <b>hydrocort-pramoxine (perianal) external cream 2.5-1 %</b>                      | 1         |                                           |
| INVELTYS OPHTHALMIC SUSPENSION 1 % ( <b>loteprednol etabonate</b> )               | 3         |                                           |
| LOTEMAX OPHTHALMIC OINTMENT 0.5 % ( <b>loteprednol etabonate</b> )                | 3         |                                           |
| LOTEMAX SM OPHTHALMIC GEL 0.38 % ( <b>loteprednol etabonate</b> )                 | 3         | QL (5 grams per prescription.)            |
| <b>loteprednol etabonate ophthalmic suspension 0.2 %</b>                          | 3         | QL (5 ml per prescription)                |
| <b>loteprednol etabonate ophthalmic suspension 0.5 %</b>                          | 3         | QL (5 ml per prescription.)               |
| MAXIDEX OPHTHALMIC SUSPENSION 0.1 % ( <b>dexamethasone</b> )                      | 2         |                                           |
| MAXITROL OPHTHALMIC OINTMENT 3.5-10000-0.1 ( <b>neomycin-polymyxin-dexameth</b> ) | 4         |                                           |
| MAXITROL OPHTHALMIC SUSPENSION 0.1 % ( <b>neomycin-polymyxin-dexameth</b> )       | 4         |                                           |
| <b>mometasone furoate external cream 0.1 %</b>                                    | 1         |                                           |
| <b>mometasone furoate external ointment 0.1 %</b>                                 | 1         |                                           |
| <b>mometasone furoate external solution 0.1 %</b>                                 | 1         |                                           |
| <b>mometasone furoate nasal suspension 50 mcg/act</b>                             | 3         | QL (17 grams (1 bottle) per prescription) |
| <b>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</b>              | 1         |                                           |
| <b>neomycin-polymyxin-dexameth ophthalmic suspension 0.1 %, 3.5-10000-0.1</b>     | 1         |                                           |
| <b>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</b>                    | 1         |                                           |
| <b>neomycin-polymyxin-hc otic solution 1 %, 3.5-10000-1</b>                       | 1         |                                           |
| <b>neomycin-polymyxin-hc otic suspension 3.5-10000-1</b>                          | 1         |                                           |
| NEO-POLYCIN HC OPHTHALMIC OINTMENT 1 % ( <b>bacitracin-polymyx-neo-hc</b> )       | 3         |                                           |
| NUCORT EXTERNAL LOTION 2 % ( <b>hydrocortisone acetate</b> )                      | 3         |                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                      | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| ORAPRED ODT ORAL TABLET DISPERSIBLE 10 MG, 15 MG, 30 MG ( <i>prednisolone sodium phosphate</i> )                                            | 4         |                                |
| PEDIAPRED ORAL SOLUTION 5 MG/5ML ( <i>prednisolone sodium phosphate</i> )                                                                   | 2         |                                |
| PRED MILD OPHTHALMIC SUSPENSION 0.12 % ( <i>prednisolone acetate</i> )                                                                      | 3         |                                |
| <i>prednisolone acetate ophthalmic suspension 1 %</i>                                                                                       | 1         |                                |
| <i>prednisolone oral solution 15 mg/5ml</i>                                                                                                 | 1         |                                |
| <i>prednisolone oral tablet 5 mg</i>                                                                                                        | 3         |                                |
| <i>prednisolone sodium phosphate ophthalmic solution 1 %</i>                                                                                | 1         |                                |
| <i>prednisolone sodium phosphate oral solution 15 mg/5ml</i>                                                                                | 1         |                                |
| PROCTOFOAM HC EXTERNAL FOAM 1-1 % ( <i>hydrocortisone ace-pramoxine</i> )                                                                   | 2         |                                |
| <i>procto-med hc external cream 2.5 %</i>                                                                                                   | 1         |                                |
| PROCTOSOL HC EXTERNAL CREAM 2.5 % ( <i>hydrocortisone</i> )                                                                                 | 4         |                                |
| PROCTOZONE-HC EXTERNAL CREAM 2.5 % ( <i>hydrocortisone</i> )                                                                                | 4         |                                |
| <i>sulfacetamide-prednisolone ophthalmic solution 10-0.23 %</i>                                                                             | 1         |                                |
| TAPERDEX 12-DAY ORAL TABLET THERAPY PACK 1.5 MG (49) ( <i>dexamethasone</i> )                                                               | 3         |                                |
| TAPERDEX 6-DAY ORAL TABLET THERAPY PACK 1.5 MG, 1.5 MG (21) ( <i>dexamethasone</i> )                                                        | 4         |                                |
| TAPERDEX 7-DAY ORAL TABLET THERAPY PACK 1.5 MG (27) ( <i>dexamethasone</i> )                                                                | 3         |                                |
| TEXACORT EXTERNAL SOLUTION 2.5 % ( <i>hydrocortisone</i> )                                                                                  | 2         |                                |
| TOBRADEX OPHTHALMIC OINTMENT 0.3-0.1 % ( <i>tobramycin-dexamethasone</i> )                                                                  | 3         |                                |
| <i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</i>                                                                             | 2         |                                |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT ( <i>fluticasone-umeclidin-vilant</i> ) | 3         | QL (2 blisters per day.)       |
| <i>wixela inhub inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i>                               | 3         | QL (2 blisters per day.)       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                           | Drug Tier | Coverage Requirements & Limits                          |
|----------------------------------------------------------------------------------|-----------|---------------------------------------------------------|
| ZYLET OPHTHALMIC SUSPENSION 0.5-0.3 % ( <i>loteprednol-tobramycin</i> )          | 3         |                                                         |
| <b>EENT ANTI-INFLAMMATORY AGENTS, MISC. - Drugs for Inflammation</b>             |           |                                                         |
| RESTASIS OPHTHALMIC EMULSION 0.05 % ( <i>cyclosporine</i> )                      | 4         | PA; QL (60 vials per prescription.)                     |
| VERKAZIA OPHTHALMIC EMULSION 0.1 % ( <i>cyclosporine</i> )                       | 4         | PA; QL (4 vials per day.)                               |
| XIIDRA OPHTHALMIC SOLUTION 5 % ( <i>lifitegrast</i> )                            | 4         | PA; QL (60 vials per prescription.)                     |
| <b>EENT DRUGS, MISCELLANEOUS</b>                                                 |           |                                                         |
| <i>acetic acid otic solution 2 %</i>                                             | 1         |                                                         |
| <i>apraclonidine hcl ophthalmic solution 0.5 %</i>                               | 1         |                                                         |
| AQUORAL MOUTH/THROAT SOLUTION ( <i>artificial saliva</i> )                       | 3         |                                                         |
| <i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i>                | 1         |                                                         |
| <i>cromolyn sodium ophthalmic solution 4 %</i>                                   | 1         |                                                         |
| <i>cromolyn sodium oral concentrate 100 mg/5ml</i>                               | 1         |                                                         |
| CYSTADROPS OPHTHALMIC SOLUTION 0.37 % ( <i>cysteamine hcl</i> )                  | 4         | PA; QL (20 mL per 21 days); SMCS                        |
| CYSTARAN OPHTHALMIC SOLUTION 0.44 % ( <i>cysteamine hcl</i> )                    | 3         | PA; QL (60 ml (4 bottles) per month.); SP; SMCS         |
| DEBACTEROL MOUTH/THROAT SOLUTION 30-50 % ( <i>sulfuric acid-sulf phenolics</i> ) | 2         |                                                         |
| <i>hydrocortisone-acetic acid otic solution 1-2 %</i>                            | 1         |                                                         |
| IOPIDINE OPHTHALMIC SOLUTION 1 % ( <i>apraclonidine hcl</i> )                    | 3         |                                                         |
| MIEBO OPHTHALMIC SOLUTION 1.338 GM/ML ( <i>perfluorohexyloctane</i> )            | 4         | PA; QL (3 ml per 23 days.)                              |
| MUCOSITISRX MOUTH/THROAT PACKET ( <i>artificial saliva</i> )                     | 3         |                                                         |
| OXERVATE OPHTHALMIC SOLUTION 0.002 % ( <i>cenegermin-bkbj</i> )                  | 4         | PA; QL (1 ml per day and 56 ml per 365 days.); SP; SMCS |
| <b>EENT NONSTEROIDAL ANTI-INFLAM. AGENTS - Drugs for Inflammation</b>            |           |                                                         |
| ACULAR LS OPHTHALMIC SOLUTION 0.4 % ( <i>ketorolac tromethamine</i> )            | 4         |                                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits                  |
|----------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| ACULAR OPHTHALMIC SOLUTION 0.5 % ( <i>ketorolac tromethamine</i> )                           | 4         |                                                 |
| <i>bromfenac sodium (once-daily) ophthalmic solution 0.09 %</i>                              | 3         |                                                 |
| <i>diclofenac sodium ophthalmic solution 0.1 %</i>                                           | 1         |                                                 |
| <i>flurbiprofen oral tablet 100 mg, 50 mg</i>                                                | 1         |                                                 |
| <i>flurbiprofen sodium ophthalmic solution 0.03 %</i>                                        | 1         |                                                 |
| <i>ketorolac tromethamine ophthalmic solution 0.4 %, 0.5 %</i>                               | 1         |                                                 |
| <i>ketorolac tromethamine oral tablet 10 mg</i>                                              | 1         |                                                 |
| LURBIRO ORAL TABLET 100 MG ( <i>flurbiprofen</i> )                                           | 3         |                                                 |
| NEVANAC OPHTHALMIC SUSPENSION 0.1 % ( <i>nepafenac</i> )                                     | 4         |                                                 |
| <b>LOCAL ANESTHETICS (EENT) - Drugs for Numbing</b>                                          |           |                                                 |
| AKTEN OPHTHALMIC GEL 3.5 % ( <i>lidocaine hcl</i> )                                          | 3         |                                                 |
| ALCAINE OPHTHALMIC SOLUTION 0.5 % ( <i>proparacaine hcl</i> )                                | 3         |                                                 |
| ALTACAIN OPHTHALMIC SOLUTION 0.5 % ( <i>tetracaine hcl</i> )                                 | 3         |                                                 |
| <i>lidocaine hcl mouth/throat solution 4 %</i>                                               | 1         |                                                 |
| <i>lidocaine viscous hcl mouth/throat solution 2 %</i>                                       | 1         |                                                 |
| PRAMOTIC OTIC LIQUID 1-0.1 % ( <i>pramoxine-chloroxylonol</i> )                              | 3         |                                                 |
| <i>proparacaine hcl ophthalmic solution 0.5 %</i>                                            | 1         |                                                 |
| <i>tetracaine hcl ophthalmic solution 0.5 %</i>                                              | 1         |                                                 |
| <b>MACULAR DEGENERATION AGENTS</b>                                                           |           |                                                 |
| CYSTADROPS OPHTHALMIC SOLUTION 0.37 % ( <i>cysteamine hcl</i> )                              | 4         | PA; QL (20 mL per 21 days); SMCS                |
| CYSTARAN OPHTHALMIC SOLUTION 0.44 % ( <i>cysteamine hcl</i> )                                | 3         | PA; QL (60 ml (4 bottles) per month.); SP; SMCS |
| <b>MIOTICS - Drugs for the Eye</b>                                                           |           |                                                 |
| PHOSPHOLINE IODIDE OPHTHALMIC SOLUTION RECONSTITUTED 0.125 % ( <i>echothiophate iodide</i> ) | 2         |                                                 |
| <i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i>                                     | 1         |                                                 |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>                                              | 1         |                                                 |
| SALAGEN ORAL TABLET 5 MG, 7.5 MG ( <i>pilocarpine hcl</i> )                                  | 4         |                                                 |
| <b>MYDRIATICS - Drugs for the Eye</b>                                                        |           |                                                 |
| <i>altafrin ophthalmic solution 10 %, 2.5 %</i>                                              | 1         |                                                 |
| <i>atropine sulfate ophthalmic solution 1 %</i>                                              | 1         |                                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                             | Drug Tier | Coverage Requirements & Limits                     |
|------------------------------------------------------------------------------------|-----------|----------------------------------------------------|
| CYCLOGYL OPHTHALMIC SOLUTION 0.5 %, 1 %, 2 %<br>( <i>cyclopentolate hcl</i> )      | 4         |                                                    |
| CYCLOMYDRIL OPHTHALMIC SOLUTION 0.2-1 %<br>( <i>cyclopentolate-phenylephrine</i> ) | 3         |                                                    |
| <i>cyclopentolate hcl ophthalmic solution 1 %</i>                                  | 1         |                                                    |
| <i>phenylephrine hcl ophthalmic solution 10 %, 2.5 %</i>                           | 1         |                                                    |
| <b>OSMOTIC AGENTS - Drugs for the Eye</b>                                          |           |                                                    |
| HYDRO 40 EXTERNAL FOAM 40 % ( <i>urea</i> )                                        | 3         |                                                    |
| <i>urea external cream 20 %, 40 %</i>                                              | 1         |                                                    |
| <i>urea external lotion 40 %</i>                                                   | 1         |                                                    |
| UREMEZ-40 EXTERNAL CREAM 40 %                                                      | 3         |                                                    |
| <b>PROSTAGLANDIN ANALOGS - Drugs for the Eye</b>                                   |           |                                                    |
| <i>bimatoprost ophthalmic solution 0.03 %</i>                                      | 2         | QL (2.5 ml per prescription.)                      |
| <i>latanoprost ophthalmic solution 0.005 %</i>                                     | 1         |                                                    |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 % ( <i>bimatoprost</i> )                          | 2         |                                                    |
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005 %<br>( <i>netarsudil-latanoprost</i> )    | 3         | QL (2.5 mL per prescription.)                      |
| <i>tafluprost (pf) ophthalmic solution 0.0015 %</i>                                | 3         | ST; QL (30 unit of use droppers per prescription.) |
| <i>travoprost (bak free) ophthalmic solution 0.004 %</i>                           | 3         | QL (2.5 ml per prescription)                       |
| XELPROS OPHTHALMIC EMULSION 0.005 % ( <i>latanoprost</i> )                         | 3         | QL (2.5 ml per prescription.)                      |
| ZIOPTAN OPHTHALMIC SOLUTION 0.0015 % ( <i>tafluprost</i> )                         | 3         | ST; QL (30 unit of use droppers per prescription.) |
| <b>RHO KINASE INHIBITORS - Drugs for the Eye</b>                                   |           |                                                    |
| RHOPRESSA OPHTHALMIC SOLUTION 0.02 % ( <i>netarsudil dimesylate</i> )              | 3         | QL (2.5 ml per prescription.)                      |
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005 %<br>( <i>netarsudil-latanoprost</i> )    | 3         | QL (2.5 mL per prescription.)                      |
| <b>VASOCONSTRICTORS</b>                                                            |           |                                                    |
| ADRENALIN NASAL SOLUTION 0.1 % ( <i>epinephrine hcl (nasal)</i> )                  | 2         |                                                    |
| <i>altafrin ophthalmic solution 10 %, 2.5 %</i>                                    | 1         |                                                    |
| CYCLOMYDRIL OPHTHALMIC SOLUTION 0.2-1 %<br>( <i>cyclopentolate-phenylephrine</i> ) | 3         |                                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                         | Drug Tier | Coverage Requirements & Limits                        |
|----------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------|
| <i>epinephrine hcl (nasal) nasal solution 0.1 %</i>                                                            | 1         |                                                       |
| <i>phenylephrine hcl ophthalmic solution 10 %, 2.5 %</i>                                                       | 1         |                                                       |
| <b>GASTROINTESTINAL DRUGS</b>                                                                                  |           |                                                       |
| <b>CHLORIDE CHANNEL ACTIVATORS</b>                                                                             |           |                                                       |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i>                                                                 | 2         | PA; QL (2 capsules per day.)                          |
| <b>GUANYLATE CYCLASE C (GCC) RECEPT AGONIST</b>                                                                |           |                                                       |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG ( <i>linaclotide</i> )                                           | 2         | PA; QL (1 capsule per day.)                           |
| <b>IMMUNOMODULATORY AGENTS (56:44)</b>                                                                         |           |                                                       |
| ENTYVIO PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 108 MG/0.68ML ( <i>vedolizumab</i> )                           | 3         | PA; QL (0.05 ml per day.); SP; SMCS                   |
| OMVOH (300 MG DOSE) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML & 200 MG/2ML ( <i>mirikizumab-mrkz</i> )     | 3         | PA; QL (3 ml (2 syringes/1 box) per month.); SP; SMCS |
| OMVOH (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML & 200 MG/2ML ( <i>mirikizumab-mrkz</i> ) | 3         | PA; QL (3 ml (2 syringes/1 box) per month.); SP; SMCS |
| OMVOH SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML ( <i>mirikizumab-mrkz</i> )                                | 3         | PA; QL (0.072 ml per day.); SP; SMCS                  |
| OMVOH SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <i>mirikizumab-mrkz</i> )                            | 3         | PA; QL (2 prefilled syringe per month.); SP; SMCS     |
| <b>OPIOID ANTAGONISTS (56:18)</b>                                                                              |           |                                                       |
| <i>alvimopan oral capsule 12 mg</i>                                                                            | 3         |                                                       |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML ( <i>methylnaltrexone bromide</i> )                                 | 4         | PA; QL (0.6 ml per day.)                              |
| RELISTOR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 12 MG/0.6ML ( <i>methylnaltrexone bromide</i> )               | 4         | PA; QL (0.6 ml per day.)                              |
| RELISTOR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 8 MG/0.4ML ( <i>methylnaltrexone bromide</i> )                | 4         | PA; QL (0.4 ml per day.)                              |
| SYMPROIC ORAL TABLET 0.2 MG ( <i>naldemedine tosylate</i> )                                                    | 2         | PA; QL (1 tablet per day.)                            |
| <b>GASTROINTESTINAL DRUGS - Drugs for the Stomach</b>                                                          |           |                                                       |
| <b>5-HT3 RECEPTOR ANTAGONISTS - Drugs for Vomiting and Nausea</b>                                              |           |                                                       |
| AKYNZEO ORAL CAPSULE 300-0.5 MG ( <i>netupitant-palonosetron</i> )                                             | 4         | QL (1 capsule per prescription.)                      |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                      | Drug Tier | Coverage Requirements & Limits        |
|---------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| ANZEMET ORAL TABLET 50 MG ( <i>dolasetron mesylate</i> )                                    | 4         | QL (6 tablets per prescription.)      |
| <i>granisetron hcl oral tablet 1 mg</i>                                                     | 2         |                                       |
| <i>ondansetron hcl oral solution 4 mg/5ml</i>                                               | 1         |                                       |
| <i>ondansetron hcl oral tablet 24 mg, 4 mg, 8 mg</i>                                        | 1         |                                       |
| <i>ondansetron odt oral tablet dispersible 4 mg, 8 mg</i>                                   | 1         |                                       |
| <b>ANTIDIARRHEA AGENTS - Drugs for Diarrhea</b>                                             |           |                                       |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml</i>                                  | 1         |                                       |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>                                      | 1         |                                       |
| LOMOTIL ORAL TABLET 2.5-0.025 MG ( <i>diphenoxylate-atropine</i> )                          | 4         |                                       |
| <i>opium oral tincture 10 mg/ml (1%)</i>                                                    | 1         |                                       |
| VIBERZI ORAL TABLET 100 MG, 75 MG ( <i>eluxadoline</i> )                                    | 4         | PA; QL (2 tablets per day.)           |
| XERMELO ORAL TABLET 250 MG ( <i>telotristat etiprate</i> )                                  | 4         | PA; QL (3 tablets per day.); SP; SMCS |
| <b>ANTIEMETICS, MISCELLANEOUS - Drugs for Vomiting and Nausea</b>                           |           |                                       |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>                                          | 1         |                                       |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>                     | 1         |                                       |
| <i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i>                         | 2         |                                       |
| <i>olanzapine-fluoxetine hcl oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i> | 2         | QL (1 capsule per day)                |
| <i>promethazine hcl oral solution 12.5 mg/10ml, 6.25 mg/5ml</i>                             | 1         |                                       |
| <i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>                                   | 1         |                                       |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>                                   | 1         |                                       |
| PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG, 50 MG ( <i>promethazine hcl</i> )            | 3         |                                       |
| <i>scopolamine transdermal patch 72 hour 1 mg/3days</i>                                     | 3         |                                       |
| SYMBYAX ORAL CAPSULE 3-25 MG, 6-25 MG ( <i>olanzapine-fluoxetine hcl</i> )                  | 4         | QL (1 capsule per day)                |
| SYNDROS ORAL SOLUTION 5 MG/ML ( <i>dronabinol</i> )                                         | 4         | PA; QL (4 ml per day.)                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                          | Drug Tier | Coverage Requirements & Limits |
|-------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>ANTI-HISTAMINES (GI DRUGS) - Drugs for Vomiting and Nausea</b>                               |           |                                |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>                                         | 1         |                                |
| <i>prochlorperazine rectal suppository 25 mg</i>                                                | 1         |                                |
| <i>trimethobenzamide hcl oral capsule 300 mg</i>                                                | 1         |                                |
| <b>ANTI-INFLAMMATORY AGENTS (GI DRUGS) - Drugs for Inflammation</b>                             |           |                                |
| <i>alosetron hcl oral tablet 0.5 mg, 1 mg</i>                                                   | 2         | PA; QL (2 tablets per day)     |
| APRISO ORAL CAPSULE EXTENDED RELEASE 24 HOUR 0.375 GM ( <i>mesalamine</i> )                     | 1         |                                |
| <i>balsalazide disodium oral capsule 750 mg</i>                                                 | 1         |                                |
| <i>mesalamine oral capsule delayed release 400 mg</i>                                           | 2         |                                |
| <i>mesalamine oral tablet delayed release 1.2 gm</i>                                            | 2         |                                |
| <i>mesalamine rectal enema 4 gm</i>                                                             | 1         |                                |
| <i>mesalamine rectal suppository 1000 mg</i>                                                    | 2         | QL (1 suppository per day.)    |
| <i>mesalamine-cleanser rectal kit 4 gm</i>                                                      | 1         | QL (4 kits per month.)         |
| <i>sulfasalazine oral tablet 500 mg</i>                                                         | 1         |                                |
| <i>sulfasalazine oral tablet delayed release 500 mg</i>                                         | 1         |                                |
| <b>ANTI-ULCER AGENTS AND ACID SUPPRESSANTS - Drugs for Ulcers and Stomach Acid</b>              |           |                                |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>                                                  | 1         |                                |
| <i>amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i> | 1         |                                |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>                                                   | 1         |                                |
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i>                                          | 1         |                                |
| <i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>                            | 2         |                                |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                      | 2         |                                |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                                | 1         |                                |
| LIKMEZ ORAL SUSPENSION 500 MG/5ML ( <i>metronidazole</i> )                                      | 4         |                                |
| <i>metronidazole oral capsule 375 mg</i>                                                        | 1         |                                |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>                                                 | 1         |                                |
| <i>tetracycline hcl oral capsule 250 mg, 500 mg</i>                                             | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits    |
|----------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <b>CATHARTICS AND LAXATIVES - Drugs for Constipation</b>                                     |           |                                   |
| <i>bisacodyl ec oral tablet delayed release 5 mg</i>                                         | E         | H                                 |
| <i>citroma oral solution 1.745 gm/30ml</i>                                                   | E         | H                                 |
| <i>clearlax oral powder 17 gm/scoop</i>                                                      | E         | H                                 |
| CLENPIQ ORAL SOLUTION 10-3.5-12 MG-GM -GM/175ML<br>( <i>sod picosulfate-mag ox-cit acd</i> ) | 3         | QL (350 ml per prescription.)     |
| <i>ft clearlax oral powder 17 gm/scoop</i>                                                   | E         | H                                 |
| <i>ft laxative oral tablet delayed release 5 mg</i>                                          | E         | H                                 |
| <i>ft magnesium citrate oral solution 1.745 gm/30ml</i>                                      | E         | H                                 |
| <i>gavilax oral powder 17 gm/scoop</i>                                                       | E         | H                                 |
| <i>gavilyte-c oral solution reconstituted 240 gm</i>                                         | 1         | H                                 |
| <i>gavilyte-g oral solution reconstituted 236 gm</i>                                         | 1         | QL (4000 mL per prescription.); H |
| <i>gavilyte-n with flavor pack oral solution reconstituted 420 gm</i>                        | 1         | QL (4000 ml per prescription.); H |
| <i>gentle laxative oral tablet delayed release 5 mg</i>                                      | E         | H                                 |
| <i>glycolax oral powder 17 gm/scoop</i>                                                      | E         | H                                 |
| GOLYTELY ORAL SOLUTION RECONSTITUTED 236 GM<br>( <i>peg 3350-kcl-nabcb-nacl-nasulf</i> )     | 1         | QL (4000 mL per prescription.); H |
| <i>magnesium citrate oral solution 1.745 gm/30ml</i>                                         | E         | H                                 |
| <i>mineral oil heavy oral oil</i>                                                            | 1         |                                   |
| <i>mm clearlax oral powder 17 gm/scoop</i>                                                   | E         | H                                 |
| MOVIPREP ORAL SOLUTION RECONSTITUTED 100 GM<br>( <i>peg-kcl-nacl-nasulf-na asc-c</i> )       | 4         | QL (1 kit per prescription.)      |
| <i>na sulfate-k sulfate-mg sulf oral solution 17.5-3.13-1.6 gm/177ml</i>                     | 3         | QL (354 ml per prescription.)     |
| <i>peg 3350 oral powder 17 gm/scoop</i>                                                      | E         | H                                 |
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm</i>                        | 1         | QL (4000 ml per prescription.); H |
| <i>peg-3350/electrolytes oral solution reconstituted 236 gm</i>                              | 1         | QL (4000 mL per prescription.); H |
| <i>peg-3350/electrolytes/ascorbat oral solution reconstituted 100 gm</i>                     | 3         | QL (1 kit per prescription.)      |
| <i>peg-kcl-nacl-nasulf-na asc-c oral solution reconstituted 100 gm</i>                       | 3         | QL (1 kit per prescription.)      |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                 | Drug Tier | Coverage Requirements & Limits                |
|--------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------|
| PEG-PREP ORAL KIT 5-210 MG-GM ( <i>bisacodyl-peg-kcl-nabicar-nacl</i> )                                | 4         |                                               |
| PLENVU ORAL SOLUTION RECONSTITUTED 140 GM ( <i>peg-kcl-nacl-nasulf-na asc-c</i> )                      | 3         | QL (3 cartons per prescription.)              |
| <i>polyethylene glycol 3350 oral powder 17 gm/scoop</i>                                                | E         | H                                             |
| <i>smooth lax oral powder 17 gm/scoop</i>                                                              | E         | H                                             |
| SUFLAVE ORAL SOLUTION RECONSTITUTED 178.7 GM ( <i>peg 3350-kcl-nacl-nasulf-mgsul</i> )                 | 3         | QL (2 doses (1 box) per prescription.)        |
| SUPREP BOWEL PREP KIT ORAL SOLUTION 17.5-3.13-1.6 GM/177ML ( <i>na sulfate-k sulfate-mg sulf</i> )     | 3         | QL (354 ml per prescription.)                 |
| SUTAB ORAL TABLET 1479-225-188 MG ( <i>sodium sulfate-mag sulfate-kcl</i> )                            | 3         |                                               |
| <i>true laxative oral powder 17 gm/scoop</i>                                                           | E         | H                                             |
| <b>CHOLELITHOLYTIC AGENTS - Drugs for the Stomach</b>                                                  |           |                                               |
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG ( <i>cholic acid</i> )                                              | 3         | PA; QL (4 capsules per day.); SP; SMCS        |
| CTEXLI ORAL TABLET 250 MG ( <i>chenodiol (basds)</i> )                                                 | 4         | PA; ST; QL (93 tablets per month.); SP; SMCS  |
| IQIRVO ORAL TABLET 80 MG ( <i>elafibranor</i> )                                                        | 4         | PA; ST; QL (31 tablets per month.); SP; SMCS  |
| LIVDELZI ORAL CAPSULE 10 MG ( <i>seladelpar lysine</i> )                                               | 4         | PA; ST; QL (30 capsules per month.); SP; SMCS |
| LIVMARLI ORAL TABLET 10 MG, 15 MG, 20 MG ( <i>maralixibat chloride</i> )                               | 4         | PA; QL (60 tablets per month.); SP; SMCS      |
| LIVMARLI ORAL TABLET 30 MG ( <i>maralixibat chloride</i> )                                             | 4         | PA; QL (30 tablets per month.); SP; SMCS      |
| OICALIVA ORAL TABLET 10 MG, 5 MG ( <i>obeticholic acid</i> )                                           | 4         | PA; ST; QL (1 tablet per day.); SP; SMCS      |
| <i>ursodiol oral capsule 300 mg</i>                                                                    | 1         |                                               |
| <i>ursodiol oral tablet 250 mg, 500 mg</i>                                                             | 1         |                                               |
| <b>DIGESTANTS - Drugs for the Stomach</b>                                                              |           |                                               |
| CREON CAPSULE DELAYED RELEASE PARTICLES 36000-114000 UNIT ORAL ( <i>pancrelipase (lip-prot-amyl)</i> ) | 2         |                                               |
| CREON CAPSULE DELAYED RELEASE PARTICLES 36000-114000 UNIT ORAL ( <i>pancrelipase (lip-prot-amyl)</i> ) | 3         |                                               |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                                                                                                               | Drug Tier | Coverage Requirements & Limits                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 6000-19000 UNIT ( <i>pancrelipase (lip-prot-amyl)</i> )                                                                             | 2         |                                                           |
| GATTEX SUBCUTANEOUS KIT 5 MG ( <i>teduglutide (rdna)</i> )                                                                                                                                                                           | 3         | PA; QL (1 vial per day.); SP; SMCS                        |
| PERTZYE ORAL CAPSULE DELAYED RELEASE PARTICLES 16000-57500 UNIT, 24000-86250 UNIT, 4000-14375 UNIT, 8000-28750 UNIT ( <i>pancrelipase (lip-prot-amyl)</i> )                                                                          | 4         | ST                                                        |
| VIOKACE ORAL TABLET 10440-39150 UNIT, 20880-78300 UNIT ( <i>pancrelipase (lip-prot-amyl)</i> )                                                                                                                                       | 4         | ST                                                        |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT, 60000-189600 UNIT ( <i>pancrelipase (lip-prot-amyl)</i> ) | 2         |                                                           |
| <b>DOPAMINE RECEPTOR ANTAGONISTS - Drugs for Vomiting and Nausea</b>                                                                                                                                                                 |           |                                                           |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>                                                                                                                                                                            | 1         |                                                           |
| PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG, 50 MG ( <i>promethazine hcl</i> )                                                                                                                                                     | 3         |                                                           |
| <b>GI DRUGS, MISCELLANEOUS - Drugs for the Stomach</b>                                                                                                                                                                               |           |                                                           |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML                                                                                                                                                                      | 3         | PA; QL (0.03 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/0.8ML                                                                                                                                                                      | 3         | PA; SP; SMCS                                              |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.1ML                                                                                                                                                                  | 3         | PA; QL (0.01 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/0.2ML                                                                                                                                                                  | 3         | PA; QL (0.02 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML                                                                                                                                                                  | 3         | PA; QL (0.03 ml per day.); SP; SMCS                       |
| <i>alvimopan oral capsule 12 mg</i>                                                                                                                                                                                                  | 3         |                                                           |
| AMJEVITA SOLUTION AUTO-INJECTOR 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                                                                                                                                                  | 3         | PA; QL (2 auto-injectors (1 carton) per month.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                            | Drug Tier | Coverage Requirements & Limits                            |
|-------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| AMJEVITA SOLUTION AUTO-INJECTOR 80 MG/0.8ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                               | 3         | PA; QL (2 auto-injectors (1 carton) per month.); SP; SMCS |
| AMJEVITA SOLUTION PREFILLED SYRINGE 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                           | 3         | PA; QL (2 syringes per month per month.); SP; SMCS        |
| AMJEVITA-PED 15KG TO <30KG SOLUTION PREFILLED SYRINGE 20 MG/0.2ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )         | 3         | PA; SP; SMCS                                              |
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG ( <i>cholic acid</i> )                                                         | 3         | PA; QL (4 capsules per day.); SP; SMCS                    |
| CIMZIA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )                     | 3         | PA; QL (1 kit per 21 days.); SP; SMCS                     |
| CIMZIA-STARTER SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )                         | 3         | PA; QL (1 kit per 21 days.); SP; SMCS                     |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>                                                                | 1         |                                                           |
| ENTYVIO PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 108 MG/0.68ML ( <i>vedolizumab</i> )                              | 3         | PA; QL (0.05 ml per day.); SP; SMCS                       |
| GATTEX SUBCUTANEOUS KIT 5 MG ( <i>teduglutide (rdna)</i> )                                                        | 3         | PA; QL (1 vial per day.); SP; SMCS                        |
| HUMIRA (1 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML ( <i>adalimumab</i> )                                   | 3         | PA; QL (4 pens per 365 days.); SP; SMCS                   |
| HUMIRA (2 PEN) AUTO-INJECTOR KIT 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab</i> )                                   | 3         | PA; QL (2 pens per month.); SP; SMCS                      |
| HUMIRA (2 PEN) AUTO-INJECTOR KIT 80 MG/0.8ML SUBCUTANEOUS ( <i>adalimumab</i> )                                   | 3         | PA; QL (2 pens per month.); SP; SMCS                      |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML ( <i>adalimumab</i> )                                   | 3         | PA; QL (2 syringes per month.); SP; SMCS                  |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML ( <i>adalimumab</i> ) | 3         | PA; QL (2 syringes per month.); SP; SMCS                  |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML ( <i>adalimumab</i> )                           | 3         | PA; QL (2 syringes per month.); SP; SMCS                  |
| HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML ( <i>adalimumab</i> )                          | 3         | PA; QL (4 pens per 365 days.); SP; SMCS                   |
| HUMIRA-PSORIASIS/UEIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML ( <i>adalimumab</i> )       | 3         | PA; QL (3 pens per year.); SP; SMCS                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                  | Drug Tier | Coverage Requirements & Limits                  |
|---------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| IQIRVO ORAL TABLET 80 MG ( <i>elafibranor</i> )                                                         | 4         | PA; ST; QL (31 tablets per month.); SP; SMCS    |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG ( <i>linaclotide</i> )                                    | 2         | PA; QL (1 capsule per day.)                     |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i>                                                          | 2         | PA; QL (2 capsules per day.)                    |
| OICALIVA ORAL TABLET 10 MG, 5 MG ( <i>obeticholic acid</i> )                                            | 4         | PA; ST; QL (1 tablet per day.); SP; SMCS        |
| <i>octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 1         | PA; SP; SMCS                                    |
| <i>octreotide acetate subcutaneous solution prefilled syringe 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>     | 1         | PA; SP; SMCS                                    |
| OMVOH SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML ( <i>mirikizumab-mrkz</i> )                         | 3         | PA; QL (0.072 ml per day.); SP; SMCS            |
| <i>prucalopride succinate oral tablet 1 mg, 2 mg</i>                                                    | 3         | PA; QL (1 tablet per day.)                      |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML ( <i>methylnaltrexone bromide</i> )                          | 4         | PA; QL (0.6 ml per day.)                        |
| RELISTOR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 12 MG/0.6ML ( <i>methylnaltrexone bromide</i> )        | 4         | PA; QL (0.6 ml per day.)                        |
| RELISTOR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 8 MG/0.4ML ( <i>methylnaltrexone bromide</i> )         | 4         | PA; QL (0.4 ml per day.)                        |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML ( <i>golimumab</i> )                              | 3         | PA; QL (1 syringe per 21 days.); SP; SMCS       |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/0.5ML ( <i>golimumab</i> )                            | 3         | PA; QL (0.5 ml (1 syringe) per month); SP; SMCS |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <i>golimumab</i> )                          | 3         | PA; QL (1 syringe per 21 days.); SP; SMCS       |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.5ML ( <i>golimumab</i> )                        | 3         | PA; QL (0.5 ml (1 syringe) per month); SP; SMCS |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180 MG/1.2ML ( <i>risankizumab-rzaa</i> )                       | 3         | PA; QL (1.2 ml per 42 days.); SP; SMCS          |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 360 MG/2.4ML ( <i>risankizumab-rzaa</i> )                       | 3         | PA; QL (2.4 mL per 42 days.); SP; SMCS          |
| SYMPROIC ORAL TABLET 0.2 MG ( <i>naldemedine tosylate</i> )                                             | 2         | PA; QL (1 tablet per day.)                      |
| SYNDROS ORAL SOLUTION 5 MG/ML ( <i>dronabinol</i> )                                                     | 4         | PA; QL (4 ml per day.)                          |
| VIBERZI ORAL TABLET 100 MG, 75 MG ( <i>eluxadoline</i> )                                                | 4         | PA; QL (2 tablets per day.)                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                        | Drug Tier | Coverage Requirements & Limits                          |
|-----------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------|
| VOWST ORAL CAPSULE ( <i>fecal microb spores, live-brpk</i> )                                  | 4         | PA; QL (12 capsules per 365 days.); SP; SMCS            |
| XPHOZAH ORAL TABLET 30 MG ( <i>tenapanor hcl (ckd)</i> )                                      | 4         | PA; QL (2 tablets per day.)                             |
| <b>HISTAMINE H2-ANTAGONISTS - Drugs for Ulcers and Stomach Acid</b>                           |           |                                                         |
| <i>cimetidine hcl oral solution 300 mg/5ml</i>                                                | 1         |                                                         |
| <i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i>                                  | 1         |                                                         |
| <i>famotidine oral suspension reconstituted 40 mg/5ml</i>                                     | 1         |                                                         |
| <b>LIPOTROPIC AGENTS - Drugs for the Stomach</b>                                              |           |                                                         |
| <i>scopolamine transdermal patch 72 hour 1 mg/3days</i>                                       | 3         |                                                         |
| <b>NEUROKININ-1 RECEPTOR ANTAGONISTS - Drugs for Vomiting and Nausea</b>                      |           |                                                         |
| AKYNZEO ORAL CAPSULE 300-0.5 MG ( <i>netupitant-palonosetron</i> )                            | 4         | QL (1 capsule per prescription.)                        |
| <i>aprepitant oral capsule 125 mg, 40 mg</i>                                                  | 2         | QL (1 capsule per prescription)                         |
| <i>aprepitant oral capsule 80 &amp; 125 mg</i>                                                | 2         | QL (3 capsules per prescription)                        |
| <i>aprepitant oral capsule 80 mg</i>                                                          | 2         | QL (2 capsules per prescription)                        |
| EMEND ORAL SUSPENSION RECONSTITUTED 125 MG/5ML ( <i>aprepitant</i> )                          | 2         | QL (3 pouches per prescription.)                        |
| <b>POTASSIUM-COMPETITIVE ACID BLOCKERS - Drugs for Ulcers and Stomach Acid</b>                |           |                                                         |
| VOQUEZNA DUAL PAK ORAL THERAPY PACK 500-20 MG ( <i>amoxicillin-vonoprazan</i> )               | 4         | ST; QL (112 tablets per 180 days.)                      |
| VOQUEZNA ORAL TABLET 10 MG ( <i>vonoprazan fumarate</i> )                                     | 4         | PA; QL (1 tablet per day and 186 tablets per 365 days.) |
| VOQUEZNA ORAL TABLET 20 MG ( <i>vonoprazan fumarate</i> )                                     | 4         | PA; QL (1 tablet per day and 62 tablets per 365 days.)  |
| VOQUEZNA TRIPLE PAK ORAL THERAPY PACK 500-500-20 MG ( <i>amoxicill-clarithro-vonoprazan</i> ) | 4         | ST; QL (112 tablets per 180 days.)                      |
| <b>PROKINETIC AGENTS - Drugs for the Stomach</b>                                              |           |                                                         |
| <i>metoclopramide hcl oral solution 5 mg/5ml</i>                                              | 1         |                                                         |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>                                             | 1         |                                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                          | Drug Tier | Coverage Requirements & Limits                          |
|---------------------------------------------------------------------------------|-----------|---------------------------------------------------------|
| REGLAN ORAL TABLET 10 MG, 5 MG ( <i>metoclopramide hcl</i> )                    | 4         |                                                         |
| <b>PROSTAGLANDINS - Drugs for Ulcers and Stomach Acid</b>                       |           |                                                         |
| CYTOTEC ORAL TABLET 100 MCG, 200 MCG ( <i>misoprostol</i> )                     | 4         | SM                                                      |
| <i>diclofenac-misoprostol oral tablet delayed release 50-0.2 mg, 75-0.2 mg</i>  | 3         |                                                         |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i>                                 | 1         | SM                                                      |
| <b>PROTECTANTS - Drugs for Ulcers and Stomach Acid</b>                          |           |                                                         |
| <i>sucralfate oral suspension 1 gm/10ml</i>                                     | 3         |                                                         |
| <i>sucralfate oral tablet 1 gm</i>                                              | 1         |                                                         |
| <b>PROTON-PUMP INHIBITORS - Drugs for Ulcers and Stomach Acid</b>               |           |                                                         |
| <i>esomeprazole magnesium oral packet 10 mg, 2.5 mg, 20 mg, 5 mg</i>            | 4         | PA; ST; QL (1 packet per day.)                          |
| <i>esomeprazole magnesium oral packet 40 mg</i>                                 | 4         | PA; ST; QL (1 packet per day)                           |
| FIRST-LANSOPRAZOLE ORAL SUSPENSION 3 MG/ML ( <i>lansoprazole</i> )              | 3         | PA                                                      |
| FIRST-OMEPRAZOLE ORAL SUSPENSION 2 MG/ML ( <i>omeprazole</i> )                  | 3         | PA                                                      |
| <i>lansoprazole oral tablet delayed release dispersible 15 mg, 30 mg</i>        | 3         | PA; ST; QL (1 tablet per day.)                          |
| NEXIUM ORAL PACKET 10 MG, 2.5 MG, 20 MG, 5 MG ( <i>esomeprazole magnesium</i> ) | 4         | PA; ST; QL (1 packet per day.)                          |
| NEXIUM ORAL PACKET 40 MG ( <i>esomeprazole magnesium</i> )                      | 4         | PA; ST; QL (1 packet per day)                           |
| <i>omeprazole oral capsule delayed release 10 mg, 20 mg, 40 mg</i>              | 1         |                                                         |
| <i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i>             | 1         |                                                         |
| <i>rabeprazole sodium oral tablet delayed release 20 mg</i>                     | 2         | QL (1 tablet per day)                                   |
| VOQUEZNA ORAL TABLET 10 MG ( <i>vonoprazan fumarate</i> )                       | 4         | PA; QL (1 tablet per day and 186 tablets per 365 days.) |
| VOQUEZNA ORAL TABLET 20 MG ( <i>vonoprazan fumarate</i> )                       | 4         | PA; QL (1 tablet per day and 62 tablets per 365 days.)  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                             | Drug Tier | Coverage Requirements & Limits                   |
|--------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| <b>HEAVY METAL ANTAGONISTS - Drugs to Reduce Iron</b>                                                              |           |                                                  |
| <b>HEAVY METAL ANTAGONISTS - Drugs to Reduce Iron</b>                                                              |           |                                                  |
| CHEMET ORAL CAPSULE 100 MG ( <i>succimer</i> )                                                                     | 2         |                                                  |
| <i>deferasirox granules oral packet 180 mg, 360 mg, 90 mg</i>                                                      | 3         | PA; SP; SMCS                                     |
| <i>deferasirox oral packet 180 mg, 360 mg, 90 mg</i>                                                               | 3         | PA; SP; SMCS                                     |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i>                                                               | 3         | PA; SP; SMCS                                     |
| <i>deferasirox oral tablet soluble 125 mg, 250 mg, 500 mg</i>                                                      | 3         | PA; SP; SMCS                                     |
| <i>deferiprone oral tablet 1000 mg</i>                                                                             | 4         | PA; SMCS                                         |
| DEPEN TITRATABS ORAL TABLET 250 MG ( <i>penicillamine</i> )                                                        | 3         | SP; SMCS                                         |
| <i>penicillamine oral tablet 250 mg</i>                                                                            | 3         | SP; SMCS                                         |
| <i>trientine hcl oral capsule 500 mg</i>                                                                           | 4         | PA; SMCS                                         |
| <b>HORMONES AND SYNTHETIC SUBSTITUTES</b>                                                                          |           |                                                  |
| <b>MELANOCORTIN RECEPTOR AGONISTS</b>                                                                              |           |                                                  |
| VYLEESI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 1.75 MG/0.3ML ( <i>bremelanotide acetate</i> )                         | 4         | PA; QL (4 autoinjector pens (1.2mls) per month.) |
| <b>HORMONES AND SYNTHETIC SUBSTITUTES - Hormones</b>                                                               |           |                                                  |
| <b>ADRENALS - Hormones</b>                                                                                         |           |                                                  |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT ( <i>fluticasone-salmeterol</i> )      | 3         | QL (0.4 grams per day.)                          |
| AIRSUPRA INHALATION AEROSOL 90-80 MCG/ACT ( <i>albuterol-budesonide</i> )                                          | 3         | QL (10.7 grams per prescription.)                |
| ALA SCALP EXTERNAL LOTION 2 % ( <i>hydrocortisone</i> )                                                            | 4         |                                                  |
| ANALPRAM HC EXTERNAL CREAM 1-1 %, 2.5-1 % ( <i>hydrocortisone ace-pramoxine</i> )                                  | 4         |                                                  |
| ANALPRAM HC EXTERNAL LOTION 2.5-1 % ( <i>hydrocortisone ace-pramoxine</i> )                                        | 3         |                                                  |
| ANUCORT-HC RECTAL SUPPOSITORY 25 MG                                                                                | 2         |                                                  |
| ANUSOL-HC EXTERNAL CREAM 2.5 % ( <i>hydrocortisone</i> )                                                           | 4         |                                                  |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT ( <i>fluticasone furoate</i> ) | 2         |                                                  |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT ( <i>fluticasone furoate</i> )               | 2         | QL (1 packet per day.)                           |
| <i>betamethasone dipropionate aug external cream 0.05 %</i>                                                        | 1         |                                                  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                          | Drug Tier | Coverage Requirements & Limits     |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------|
| <b>betamethasone dipropionate aug external gel 0.05 %</b>                                                                       | 1         |                                    |
| <b>betamethasone dipropionate aug external lotion 0.05 %</b>                                                                    | 3         |                                    |
| <b>betamethasone dipropionate aug external ointment 0.05 %</b>                                                                  | 3         |                                    |
| <b>betamethasone dipropionate external cream 0.05 %</b>                                                                         | 2         |                                    |
| <b>betamethasone dipropionate external lotion 0.05 %</b>                                                                        | 1         |                                    |
| <b>betamethasone dipropionate external ointment 0.05 %</b>                                                                      | 2         |                                    |
| <b>betamethasone valerate external cream 0.1 %</b>                                                                              | 1         |                                    |
| <b>betamethasone valerate external lotion 0.1 %</b>                                                                             | 1         |                                    |
| <b>betamethasone valerate external ointment 0.1 %</b>                                                                           | 1         |                                    |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 50-25 MCG/INH ( <b>fluticasone furoate-vilanterol</b> ) | 3         |                                    |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 200-25 MCG/ACT ( <b>fluticasone furoate-vilanterol</b> )                | 3         | QL (2 blisters per day.)           |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT ( <b>budesonide-glycopyrrol-formoterol</b> )                            | 3         | QL (0.36 grams per day.)           |
| <b>budesonide inhalation suspension 0.25 mg/2ml</b>                                                                             | 2         |                                    |
| <b>budesonide inhalation suspension 0.5 mg/2ml</b>                                                                              | 2         | QL (120 ml (2 boxes) per 30 days.) |
| <b>budesonide inhalation suspension 1 mg/2ml</b>                                                                                | 2         | QL (60 ml (1 box) per 30 days.)    |
| <b>budesonide oral capsule delayed release particles 3 mg</b>                                                                   | 2         |                                    |
| CORTANE-B EXTERNAL LOTION 10-10-1 MG/ML ( <b>hc-pramoxine-chloroxylonol</b> )                                                   | 4         |                                    |
| CORTEF ORAL TABLET 10 MG, 20 MG, 5 MG ( <b>hydrocortisone</b> )                                                                 | 4         |                                    |
| CORTENEMA RECTAL ENEMA 100 MG/60ML ( <b>hydrocortisone</b> )                                                                    | 4         |                                    |
| CORTIFOAM EXTERNAL FOAM 10 % ( <b>hydrocortisone acetate</b> )                                                                  | 2         |                                    |
| <b>dexamethasone intensol oral concentrate 1 mg/ml</b>                                                                          | 1         |                                    |
| <b>dexamethasone oral elixir 0.5 mg/5ml</b>                                                                                     | 1         |                                    |
| <b>dexamethasone oral solution 0.5 mg/5ml</b>                                                                                   | 1         |                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                  | Drug Tier | Coverage Requirements & Limits            |
|-------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <b>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</b>                                        | 1         |                                           |
| <b>dexamethasone oral tablet therapy pack 1.5 mg (21), 1.5 mg (35), 1.5 mg (51)</b>                                     | 3         |                                           |
| <b>DIPROLENE EXTERNAL OINTMENT 0.05 % (betamethasone dipropionate aug)</b>                                              | 4         |                                           |
| <b>fludrocortisone acetate oral tablet 0.1 mg</b>                                                                       | 1         |                                           |
| <b>flunisolide nasal solution 25 mcg/act (0.025%)</b>                                                                   | 3         |                                           |
| <b>fluticasone propionate external cream 0.05 %</b>                                                                     | 1         |                                           |
| <b>fluticasone propionate external ointment 0.005 %</b>                                                                 | 1         |                                           |
| <b>fluticasone propionate nasal suspension 50 mcg/act</b>                                                               | 2         | QL (16 grams (1 bottle) per prescription) |
| <b>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</b> | 3         | QL (2 blisters per day.)                  |
| <b>FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT, 232-14 MCG/ACT, 55-14 MCG/ACT</b>  | 3         | QL (0.04 mcg per day.)                    |
| <b>HEMMOREX-HC RECTAL SUPPOSITORY 25 MG (hydrocortisone acetate)</b>                                                    | 3         |                                           |
| <b>hydrocortisone (perianal) external cream 2.5 %</b>                                                                   | 1         |                                           |
| <b>hydrocortisone ace-pramoxine external cream 1-1 %</b>                                                                | 1         |                                           |
| <b>hydrocortisone acetate rectal suppository 25 mg, 30 mg</b>                                                           | 2         |                                           |
| <b>hydrocortisone butyrate external cream 0.1 %</b>                                                                     | 1         |                                           |
| <b>hydrocortisone butyrate external ointment 0.1 %</b>                                                                  | 1         |                                           |
| <b>hydrocortisone butyrate external solution 0.1 %</b>                                                                  | 1         |                                           |
| <b>hydrocortisone external cream 2.5 %</b>                                                                              | 1         |                                           |
| <b>hydrocortisone external lotion 2 %</b>                                                                               | 4         |                                           |
| <b>hydrocortisone external lotion 2.5 %</b>                                                                             | 1         |                                           |
| <b>hydrocortisone external ointment 1 %, 2.5 %</b>                                                                      | 1         |                                           |
| <b>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</b>                                                                    | 1         |                                           |
| <b>hydrocortisone rectal enema 100 mg/60ml</b>                                                                          | 1         |                                           |
| <b>hydrocortisone valerate external cream 0.2 %</b>                                                                     | 2         | QL (15 grams per prescription.)           |
| <b>hydrocortisone valerate external ointment 0.2 %</b>                                                                  | 3         | QL (15 grams per prescription.)           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                           | Drug Tier | Coverage Requirements & Limits            |
|--------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <b>hydrocortisone-acetic acid otic solution 1-2 %</b>                                            | 1         |                                           |
| <b>hydrocort-pramoxine (perianal) external cream 2.5-1 %</b>                                     | 1         |                                           |
| MEDROL ORAL TABLET 16 MG, 4 MG, 8 MG<br>( <b>methylprednisolone</b> )                            | 4         |                                           |
| MEDROL ORAL TABLET 2 MG ( <b>methylprednisolone</b> )                                            | 2         |                                           |
| MEDROL ORAL TABLET THERAPY PACK 4 MG<br>( <b>methylprednisolone</b> )                            | 4         |                                           |
| <b>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</b>                                   | 1         |                                           |
| <b>methylprednisolone oral tablet therapy pack 4 mg</b>                                          | 1         |                                           |
| <b>mometasone furoate external cream 0.1 %</b>                                                   | 1         |                                           |
| <b>mometasone furoate external ointment 0.1 %</b>                                                | 1         |                                           |
| <b>mometasone furoate external solution 0.1 %</b>                                                | 1         |                                           |
| <b>mometasone furoate nasal suspension 50 mcg/act</b>                                            | 3         | QL (17 grams (1 bottle) per prescription) |
| NUCORT EXTERNAL LOTION 2 % ( <b>hydrocortisone acetate</b> )                                     | 3         |                                           |
| ORAPRED ODT ORAL TABLET DISPERSIBLE 10 MG, 15 MG, 30 MG ( <b>prednisolone sodium phosphate</b> ) | 4         |                                           |
| PEDIAPRED ORAL SOLUTION 5 MG/5ML ( <b>prednisolone sodium phosphate</b> )                        | 2         |                                           |
| PRED MILD OPHTHALMIC SUSPENSION 0.12 %<br>( <b>prednisolone acetate</b> )                        | 3         |                                           |
| <b>prednisolone acetate ophthalmic suspension 1 %</b>                                            | 1         |                                           |
| <b>prednisolone oral solution 15 mg/5ml</b>                                                      | 1         |                                           |
| <b>prednisolone oral tablet 5 mg</b>                                                             | 3         |                                           |
| <b>prednisolone sodium phosphate ophthalmic solution 1 %</b>                                     | 1         |                                           |
| <b>prednisolone sodium phosphate oral solution 15 mg/5ml</b>                                     | 1         |                                           |
| <b>prednisone intensol oral concentrate 5 mg/ml</b>                                              | 1         |                                           |
| <b>prednisone oral solution 5 mg/5ml</b>                                                         | 1         |                                           |
| <b>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</b>                            | 1         |                                           |
| <b>prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48)</b>          | 1         |                                           |
| PROCTOFOAM HC EXTERNAL FOAM 1-1 % ( <b>hydrocortisone ace-pramoxine</b> )                        | 2         |                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                                            | Drug Tier | Coverage Requirements & Limits                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| <b>procto-med hc external cream 2.5 %</b>                                                                                                         | 1         |                                                           |
| PROCTOSOL HC EXTERNAL CREAM 2.5 %<br>( <b>hydrocortisone</b> )                                                                                    | 4         |                                                           |
| PROCTOZONE-HC EXTERNAL CREAM 2.5 %<br>( <b>hydrocortisone</b> )                                                                                   | 4         |                                                           |
| QVAR REDHALER INHALATION AEROSOL BREATH<br>ACTIVATED 40 MCG/ACT ( <b>beclomethasone diprop hfa</b> )                                              | 2         | QL (10.6 grams per month.)                                |
| QVAR REDHALER INHALATION AEROSOL BREATH<br>ACTIVATED 80 MCG/ACT ( <b>beclomethasone diprop hfa</b> )                                              | 2         | QL (42.4 grams per month.)                                |
| SYMBICORT INHALATION AEROSOL 160-4.5 MCG/ACT<br>( <b>budesonide-formoterol fumarate</b> )                                                         | 3         | QL (0.35 grams per day.)                                  |
| SYMBICORT INHALATION AEROSOL 80-4.5 MCG/ACT<br>( <b>budesonide-formoterol fumarate</b> )                                                          | 3         |                                                           |
| TAPERDEX 12-DAY ORAL TABLET THERAPY PACK 1.5 MG<br>(49) ( <b>dexamethasone</b> )                                                                  | 3         |                                                           |
| TAPERDEX 6-DAY ORAL TABLET THERAPY PACK 1.5 MG,<br>1.5 MG (21) ( <b>dexamethasone</b> )                                                           | 4         |                                                           |
| TAPERDEX 7-DAY ORAL TABLET THERAPY PACK 1.5 MG<br>(27) ( <b>dexamethasone</b> )                                                                   | 3         |                                                           |
| TEXACORT EXTERNAL SOLUTION 2.5 % ( <b>hydrocortisone</b> )                                                                                        | 2         |                                                           |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER<br>BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25<br>MCG/ACT ( <b>fluticasone-umeclidin-vilant</b> ) | 3         | QL (2 blisters per day.)                                  |
| <b>triamcinolone acetonide external aerosol solution 0.147<br/>mg/gm</b>                                                                          | 2         | QL (63 grams per<br>prescription.)                        |
| <b>triamcinolone acetonide external cream 0.025 %, 0.1 %</b>                                                                                      | 1         |                                                           |
| <b>triamcinolone acetonide external cream 0.5 %</b>                                                                                               | 1         | QL (15 grams per<br>prescription.)                        |
| <b>triamcinolone acetonide external lotion 0.025 %, 0.1 %</b>                                                                                     | 1         |                                                           |
| <b>triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 %</b>                                                                            | 1         |                                                           |
| <b>triderm external cream 0.5 %</b>                                                                                                               | 1         | QL (15 grams per<br>prescription.)                        |
| TRYNGOLZA SUBCUTANEOUS SOLUTION AUTO-<br>INJECTOR 80 MG/0.8ML ( <b>olezarsen sodium</b> )                                                         | 4         | PA; QL (1 Auto-injector (0.8<br>mL) per month.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                        | Drug Tier | Coverage Requirements & Limits                                          |
|---------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------|
| <i>wixela inhub inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 3         | QL (2 blisters per day.)                                                |
| <b>ALPHA-GLUCOSIDASE INHIBITORS - Drugs for Diabetes</b>                                                      |           |                                                                         |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>                                                              | 1         |                                                                         |
| <i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>                                                              | 2         |                                                                         |
| <b>ANDROGENS - Hormones</b>                                                                                   |           |                                                                         |
| COVARYX HS ORAL TABLET 0.625-1.25 MG ( <i>est estrogens-methyltest</i> )                                      | 3         |                                                                         |
| COVARYX ORAL TABLET 1.25-2.5 MG ( <i>est estrogens-methyltest</i> )                                           | 2         |                                                                         |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>                                                             | 1         |                                                                         |
| DEPO-TESTOSTERONE INTRAMUSCULAR SOLUTION 100 MG/ML ( <i>testosterone cypionate</i> )                          | 3         | SM                                                                      |
| DEPO-TESTOSTERONE INTRAMUSCULAR SOLUTION 200 MG/ML ( <i>testosterone cypionate</i> )                          | 4         | SM                                                                      |
| EEMT HS ORAL TABLET 0.625-1.25 MG ( <i>est estrogens-methyltest</i> )                                         | 3         |                                                                         |
| EEMT ORAL TABLET 1.25-2.5 MG ( <i>est estrogens-methyltest</i> )                                              | 2         |                                                                         |
| <i>est estrogens-methyltest ds oral tablet 1.25-2.5 mg</i>                                                    | 1         |                                                                         |
| <i>est estrogens-methyltest hs oral tablet 0.625-1.25 mg</i>                                                  | 1         |                                                                         |
| <i>est estrogens-methyltest oral tablet 1.25-2.5 mg</i>                                                       | 1         |                                                                         |
| ESTRATEST H.S. ORAL TABLET 0.625-1.25 MG ( <i>est estrogens-methyltest</i> )                                  | 3         |                                                                         |
| KYZATREX ORAL CAPSULE 150 MG, 200 MG ( <i>testosterone undecanoate</i> )                                      | 4         | PA; QL (4 capsules per day.); SM                                        |
| METHITEST ORAL TABLET 10 MG                                                                                   | 2         | SM                                                                      |
| <i>methyltestosterone oral capsule 10 mg</i>                                                                  | 2         | SM                                                                      |
| TESTIM TRANSDERMAL GEL 50 MG/5GM (1%) ( <i>testosterone</i> )                                                 | 2         | PA; QL (100 mg Testosterone (2 X 5 grams tubes = 10 grams) per day); SM |
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml</i>                                     | 1         | SM                                                                      |
| <i>testosterone enanthate intramuscular solution 200 mg/ml</i>                                                | 1         | SM                                                                      |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                              | Drug Tier | Coverage Requirements & Limits                 |
|-----------------------------------------------------------------------------------------------------|-----------|------------------------------------------------|
| <i>testosterone gel 20.25 mg/act (1.62%) transdermal</i>                                            | 2         | PA; QL (150 grams (2 pumps) per month.); SM    |
| <i>testosterone transdermal gel 1.62 %</i>                                                          | 2         | PA; QL (150 grams (2 pumps) per month.); SM    |
| <b>ANTIDIABETIC AGENTS, MISCELLANEOUS - Drugs for Diabetes</b>                                      |           |                                                |
| <i>colesevelam hcl oral packet 3.75 gm</i>                                                          | 2         |                                                |
| <i>colesevelam hcl oral tablet 625 mg</i>                                                           | 2         |                                                |
| <i>mifepristone oral tablet 300 mg</i>                                                              | 4         | PA; QL (4 tablets per day.); SP; SMCS          |
| <b>ANTIESTROGENS - Drugs for Women</b>                                                              |           |                                                |
| <i>anastrozole oral tablet 1 mg</i>                                                                 | 1         | H-N                                            |
| <i>exemestane oral tablet 25 mg</i>                                                                 | 2         | H-N                                            |
| <i>letrozole oral tablet 2.5 mg</i>                                                                 | 1         | H-N                                            |
| <b>ANTIGONADTROPINS - Hormones</b>                                                                  |           |                                                |
| <i>aftera oral tablet 1.5 mg</i>                                                                    | 1         | H                                              |
| CETROTIDE SUBCUTANEOUS KIT 0.25 MG ( <i>cetrorelix acetate</i> )                                    | 4         | PA; ST; QL (14 cartons per 21 days.); SP; SMCS |
| DEPO-TESTOSTERONE INTRAMUSCULAR SOLUTION 100 MG/ML ( <i>testosterone cypionate</i> )                | 3         | SM                                             |
| DEPO-TESTOSTERONE INTRAMUSCULAR SOLUTION 200 MG/ML ( <i>testosterone cypionate</i> )                | 4         | SM                                             |
| <i>econtra one-step oral tablet 1.5 mg</i>                                                          | 1         | H                                              |
| FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG/VIAL ( <i>degarelix acetate</i> ) | 4         | SP; SMCS                                       |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG ( <i>degarelix acetate</i> )                     | 4         | SP; SMCS                                       |
| FYREMADEL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 250 MCG/0.5ML ( <i>ganirelix acetate</i> )        | 3         | QL (7 ml per 21 days.); SP; SMCS               |
| <i>ganirelix acetate solution prefilled syringe 250 mcg/0.5ml subcutaneous</i>                      | 1         | QL (7 ml per 21 days.); SP; SMCS               |
| <i>ganirelix acetate solution prefilled syringe 250 mcg/0.5ml subcutaneous</i>                      | 4         | QL (7 ml per 21 days.); SP; SMCS               |
| <i>her style oral tablet 1.5 mg</i>                                                                 | 1         | H                                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits                                          |
|----------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------|
| KYZATREX ORAL CAPSULE 150 MG, 200 MG ( <b>testosterone undecanoate</b> )                     | 4         | PA; QL (4 capsules per day.); SM                                        |
| <b>levonorgestrel oral tablet 1.5 mg</b>                                                     | 1         | H                                                                       |
| <b>my choice oral tablet 1.5 mg</b>                                                          | 1         | H                                                                       |
| <b>my way oral tablet 1.5 mg</b>                                                             | 1         | H                                                                       |
| MYFEMBREE ORAL TABLET 40-1-0.5 MG ( <b>relugolix-estradiol-norethind</b> )                   | 2         | PA; QL (1 tablet day.)                                                  |
| <b>new day oral tablet 1.5 mg</b>                                                            | 1         | H                                                                       |
| <b>opcicon one-step oral tablet 1.5 mg</b>                                                   | 1         | H                                                                       |
| <b>option 2 oral tablet 1.5 mg</b>                                                           | 1         | H                                                                       |
| ORGOVYX ORAL TABLET 120 MG ( <b>relugolix</b> )                                              | 4         | PA; QL (1 tablet per day); SP; CM; SMCS                                 |
| ORIAHNN ORAL CAPSULE THERAPY PACK 300-1-0.5 & 300 MG ( <b>elagolix-estradiol-norethind</b> ) | 2         | PA; QL (2 capsules per day.)                                            |
| ORILISSA ORAL TABLET 150 MG ( <b>elagolix sodium</b> )                                       | 2         | PA; QL (1 tablet per day.)                                              |
| ORILISSA ORAL TABLET 200 MG ( <b>elagolix sodium</b> )                                       | 2         | PA; QL (2 tablets per day.)                                             |
| PLAN B ONE-STEP ORAL TABLET 1.5 MG ( <b>levonorgestrel</b> )                                 | 1         | H                                                                       |
| <b>react oral tablet 1.5 mg</b>                                                              | 1         | H                                                                       |
| SLYND ORAL TABLET 4 MG ( <b>drospirenone</b> )                                               | 4         | H                                                                       |
| <b>take action oral tablet 1.5 mg</b>                                                        | 1         | H                                                                       |
| TESTIM TRANSDERMAL GEL 50 MG/5GM (1%) ( <b>testosterone</b> )                                | 2         | PA; QL (100 mg Testosterone (2 X 5 grams tubes = 10 grams) per day); SM |
| <b>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml</b>                    | 1         | SM                                                                      |
| <b>testosterone enanthate intramuscular solution 200 mg/ml</b>                               | 1         | SM                                                                      |
| <b>testosterone gel 20.25 mg/act (1.62%) transdermal</b>                                     | 2         | PA; QL (150 grams (2 pumps) per month.); SM                             |
| <b>testosterone transdermal gel 1.62 %</b>                                                   | 2         | PA; QL (150 grams (2 pumps) per month.); SM                             |
| <b>ANTIHYPOGLYCEMIC AGENTS, MISCELLANEOUS - Hormones</b>                                     |           |                                                                         |
| <b>diazoxide oral suspension 50 mg/ml</b>                                                    | 3         |                                                                         |
| PROGLYCEM ORAL SUSPENSION 50 MG/ML ( <b>diazoxide</b> )                                      | 4         |                                                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                     | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>ANTIPARATHYROID AGENTS - Drugs for Bones</b>                                                            |           |                                |
| <i>calcitonin (salmon) injection solution 200 unit/ml</i>                                                  | 3         |                                |
| <i>calcitonin (salmon) nasal solution 200 unit/act</i>                                                     | 2         |                                |
| <i>cinacalcet hcl oral tablet 30 mg, 60 mg, 90 mg</i>                                                      | 1         |                                |
| MIACALCIN INJECTION SOLUTION 200 UNIT/ML ( <i>calcitonin (salmon)</i> )                                    | 3         |                                |
| <b>ANTITHYROID AGENTS - Drugs for the Thyroid</b>                                                          |           |                                |
| <i>iodine strong oral solution 5 %</i>                                                                     | 1         |                                |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                                                 | 1         |                                |
| <i>propylthiouracil oral tablet 50 mg</i>                                                                  | 1         |                                |
| <b>BIGUANIDES - Drugs for Diabetes</b>                                                                     |           |                                |
| ALOGLIPTIN-METFORMIN HCL ORAL TABLET 12.5-1000 MG, 12.5-500 MG                                             | 2         | QL (2 tablets per day.)        |
| <i>glipizide-metformin hcl oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg</i>                                | 2         |                                |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>                                   | 1         |                                |
| JENTADUETO ORAL TABLET 2.5-1000 MG, 2.5-500 MG, 2.5-850 MG ( <i>linagliptin-metformin hcl</i> )            | 2         | QL (2 tablets per day.)        |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG ( <i>linagliptin-metformin hcl</i> )        | 2         | QL (2 tablets per day.)        |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 5-1000 MG ( <i>linagliptin-metformin hcl</i> )          | 2         | QL (1 tablet per day.)         |
| <i>metformin hcl er oral tablet extended release 24 hour 500 mg, 750 mg</i>                                | 1         |                                |
| <i>metformin hcl oral solution 500 mg/5ml</i>                                                              | 3         |                                |
| <i>metformin hcl oral tablet 1000 mg, 500 mg, 850 mg</i>                                                   | 1         |                                |
| <i>pioglitazone hcl-metformin hcl oral tablet 15-500 mg, 15-850 mg</i>                                     | 2         | QL (3 tablets per day)         |
| <i>saxagliptin-metformin er oral tablet extended release 24 hour 2.5-1000 mg</i>                           | 2         | QL (62 tablets per month.)     |
| <i>saxagliptin-metformin er oral tablet extended release 24 hour 5-1000 mg, 5-500 mg</i>                   | 2         | QL (31 tablets per month.)     |
| SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-500 MG, 5-1000 MG, 5-500 MG ( <i>empagliflozin-metformin hcl</i> ) | 2         | QL (2 tablets per day.)        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                     | Drug Tier | Coverage Requirements & Limits      |
|----------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 25-1000 MG ( <i>empagliflozin-metformin hcl</i> )             | 2         | QL (1 tablet per day.)              |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12.5-1000 MG, 5-1000 MG ( <i>empagliflozin-metformin hcl</i> )            | 2         | QL (2 tablets per day.)             |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-5-1000 MG, 25-5-1000 MG ( <i>empagliflozin-linaglip-metform</i> )      | 2         | QL (1 tablet per day.)              |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12.5-2.5-1000 MG, 5-2.5-1000 MG ( <i>empagliflozin-linaglip-metform</i> ) | 2         | QL (2 tablets per day.)             |
| <b>CONTRACEPTIVES - Drugs for Women</b>                                                                                    |           |                                     |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i>                                                                                 | 1         | H                                   |
| <i>aftera oral tablet 1.5 mg</i>                                                                                           | 1         | H                                   |
| <i>altavera oral tablet 0.15-30 mg-mcg</i>                                                                                 | 1         | H                                   |
| <i>alyacen 1/35 oral tablet 1-35 mg-mcg</i>                                                                                | 1         | H                                   |
| <i>alyacen 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>                                                                      | 1         | H                                   |
| <i>amethyst oral tablet 90-20 mcg</i>                                                                                      | 1         | H                                   |
| ANNOVERA VAGINAL RING 0.013-0.15 MG/24HR ( <i>segesterone-ethinyl estradiol</i> )                                          | 3         | QL (1 vaginal ring per 327 days); H |
| <i>apri oral tablet 0.15-30 mg-mcg</i>                                                                                     | 1         | H                                   |
| <i>aranelle oral tablet 0.5/1/0.5-35 mg-mcg</i>                                                                            | 1         | H                                   |
| <i>ashlyna oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                         | 1         | H                                   |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i>                                                                                  | 1         | H                                   |
| <i>aurovela 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                           | 1         | H                                   |
| <i>aurovela 1/20 oral tablet 1-20 mg-mcg</i>                                                                               | 1         | H                                   |
| <i>aurovela 24 fe oral tablet 1-20 mg-mcg(24)</i>                                                                          | 1         | H                                   |
| <i>aurovela fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                        | 1         | H                                   |
| <i>aurovela fe 1/20 oral tablet 1-20 mg-mcg</i>                                                                            | 1         | H                                   |
| AVERI ORAL TABLET 0.15-0.03 MG ( <i>desogestrel-eth estrad-fe</i> )                                                        | 4         | H                                   |
| <i>aviane oral tablet 0.1-20 mg-mcg</i>                                                                                    | 1         | H                                   |
| <i>ayuna oral tablet 0.15-30 mg-mcg</i>                                                                                    | 1         | H                                   |
| <i>azurette oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                                       | 1         | H                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                               | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>balziva oral tablet 0.4-35 mg-mcg</i>                                                                             | 1         | H                              |
| <i>blisovi 24 fe oral tablet 1-20 mg-mcg(24)</i>                                                                     | 1         | H                              |
| <i>blisovi fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                   | 1         | H                              |
| <i>blisovi fe 1/20 oral tablet 1-20 mg-mcg</i>                                                                       | 1         | H                              |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i>                                                                            | 1         | H                              |
| <i>camila oral tablet 0.35 mg</i>                                                                                    | 1         | H                              |
| <i>camrese lo oral tablet 0.1-0.02 &amp; 0.01 mg</i>                                                                 | 4         | H                              |
| <i>camrese oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                   | 1         | H                              |
| <i>charlotte 24 fe oral tablet chewable 1-20 mg-mcg(24)</i>                                                          | 1         | H                              |
| <i>chateal eq oral tablet 0.15-30 mg-mcg</i>                                                                         | 1         | H                              |
| <i>cryselle-28 oral tablet 0.3-30 mg-mcg</i>                                                                         | 1         | H                              |
| <i>cyred eq oral tablet 0.15-30 mg-mcg</i>                                                                           | 1         | H                              |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>                                                                     | 1         | H                              |
| <i>dasetta 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>                                                                | 1         | H                              |
| <i>daysee oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                    | 1         | H                              |
| <i>deblitane oral tablet 0.35 mg</i>                                                                                 | 1         | H                              |
| <i>delyla oral tablet 0.1-20 mg-mcg</i>                                                                              | 1         | H                              |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION 150 MG/ML ( <i>medroxyprogesterone acetate</i> )                               | 4         | QL (5 ml per year.); SM        |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 150 MG/ML ( <i>medroxyprogesterone acetate</i> )             | 4         | QL (5 mL per 365 days.); SM    |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 104 MG/0.65ML ( <i>medroxyprogesterone acetate</i> ) | 1         | QL (3.25 ml per year.); H; SM  |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                            | 1         | H                              |
| <i>dolishale oral tablet 90-20 mcg</i>                                                                               | 1         | H                              |
| <i>drospiren-eth estrad-levomefol oral tablet 3-0.02-0.451 mg</i>                                                    | 4         | H                              |
| <i>drospiren-eth estrad-levomefol oral tablet 3-0.03-0.451 mg</i>                                                    | 1         | H                              |
| <i>econtra one-step oral tablet 1.5 mg</i>                                                                           | 1         | H                              |
| <i>elinest oral tablet 0.3-30 mg-mcg</i>                                                                             | 1         | H                              |
| ELLA ORAL TABLET 30 MG ( <i>ulipristal acetate</i> )                                                                 | 1         | QL (1 tablet per 21 days.); H  |
| <i>eluryng vaginal ring 0.12-0.015 mg/24hr</i>                                                                       | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                    | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------|-----------|--------------------------------|
| <i>emzahh oral tablet 0.35 mg</i>                                         | 1         | H                              |
| <i>enilloring vaginal ring 0.12-0.015 mg/24hr</i>                         | 1         | H                              |
| <i>enpresse-28 oral tablet 50-30/75-40/ 125-30 mcg</i>                    | 1         | H                              |
| <i>enskyce oral tablet 0.15-30 mg-mcg</i>                                 | 1         | H                              |
| <i>errin oral tablet 0.35 mg</i>                                          | 1         | H                              |
| <i>estarylla oral tablet 0.25-35 mg-mcg</i>                               | 1         | H                              |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i> | 1         | H                              |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24hr</i>     | 1         | H                              |
| <i>falmina oral tablet 0.1-20 mg-mcg</i>                                  | 1         | H                              |
| <i>feirza 1.5/30 oral tablet 1.5-30 mg-mcg</i>                            | 1         | H                              |
| <i>feirza 1/20 oral tablet 1-20 mg-mcg</i>                                | 1         | H                              |
| FEMLYV ORAL TABLET DISPERSIBLE 1-0.02 MG (norethindrone acet-ethinyl est) | 4         | H                              |
| <i>finzala oral tablet chewable 1-20 mg-mcg(24)</i>                       | 1         | H                              |
| <i>galbriela oral tablet chewable 0.8-25 mg-mcg</i>                       | 1         | H                              |
| <i>gemmily oral capsule 1-20 mg-mcg(24)</i>                               | 4         | H                              |
| <i>hailey 1.5/30 oral tablet 1.5-30 mg-mcg</i>                            | 1         | H                              |
| <i>hailey 24 fe oral tablet 1-20 mg-mcg(24)</i>                           | 1         | H                              |
| <i>hailey fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                         | 1         | H                              |
| <i>hailey fe 1/20 oral tablet 1-20 mg-mcg</i>                             | 1         | H                              |
| <i>haloette vaginal ring 0.12-0.015 mg/24hr</i>                           | 1         | H                              |
| <i>heather oral tablet 0.35 mg</i>                                        | 1         | H                              |
| <i>her style oral tablet 1.5 mg</i>                                       | 1         | H                              |
| <i>iclevia oral tablet 0.15-0.03 mg</i>                                   | 2         | H                              |
| <i>incassia oral tablet 0.35 mg</i>                                       | 1         | H                              |
| <i>introvale oral tablet 0.15-0.03 mg</i>                                 | 2         | H                              |
| <i>isibloom oral tablet 0.15-30 mg-mcg</i>                                | 1         | H                              |
| <i>jaimiess oral tablet 0.15-0.03 &amp; 0.01 mg</i>                       | 1         | H                              |
| <i>jencycla oral tablet 0.35 mg</i>                                       | 1         | H                              |
| <i>jolessa oral tablet 0.15-0.03 mg</i>                                   | 2         | H                              |
| <i>joyeaux oral tablet 0.1-20 mg-mcg(21)</i>                              | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                      | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>juleber oral tablet 0.15-30 mg-mcg</i>                                                   | 1         | H                              |
| <i>junel 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                               | 1         | H                              |
| <i>junel 1/20 oral tablet 1-20 mg-mcg</i>                                                   | 1         | H                              |
| <i>junel fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                            | 1         | H                              |
| <i>junel fe 1/20 oral tablet 1-20 mg-mcg</i>                                                | 1         | H                              |
| <i>junel fe 24 oral tablet 1-20 mg-mcg(24)</i>                                              | 1         | H                              |
| <i>kaitlib fe oral tablet chewable 0.8-25 mg-mcg</i>                                        | 1         | H                              |
| <i>kalliga oral tablet 0.15-30 mg-mcg</i>                                                   | 1         | H                              |
| <i>kariva oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                          | 1         | H                              |
| <i>kelnor 1/35 oral tablet 1-35 mg-mcg</i>                                                  | 1         | H                              |
| <i>kurvelo oral tablet 0.15-30 mg-mcg</i>                                                   | 1         | H                              |
| <i>larin 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                               | 1         | H                              |
| <i>larin 1/20 oral tablet 1-20 mg-mcg</i>                                                   | 1         | H                              |
| <i>larin 24 fe oral tablet 1-20 mg-mcg(24)</i>                                              | 1         | H                              |
| <i>larin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                            | 1         | H                              |
| <i>larin fe 1/20 oral tablet 1-20 mg-mcg</i>                                                | 1         | H                              |
| <i>leena oral tablet 0.5/1/0.5-35 mg-mcg</i>                                                | 1         | H                              |
| <i>lessina oral tablet 0.1-20 mg-mcg</i>                                                    | 1         | H                              |
| <i>levonest oral tablet 50-30/75-40/ 125-30 mcg</i>                                         | 1         | H                              |
| <i>levonorgest-eth est &amp; eth est oral tablet 42-21-21-7 days</i>                        | 1         | H                              |
| <i>levonorgest-eth estrad 91-day oral tablet 0.1-0.02 &amp; 0.01 mg</i>                     | 4         | H                              |
| <i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 &amp; 0.01 mg</i>                    | 1         | H                              |
| <i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 mg</i>                               | 2         | H                              |
| <i>levonorgest-eth estradiol-iron oral tablet 0.1-20 mg-mcg(21)</i>                         | 1         | H                              |
| <i>levonorgestrel oral tablet 1.5 mg</i>                                                    | 1         | H                              |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg, 90-20 mcg</i>   | 1         | H                              |
| <i>levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg</i>                    | 1         | H                              |
| LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG / 10 MCG<br>( <i>norethin-eth estrad-fe biphas</i> ) | 1         | H                              |
| <i>lojaimiess oral tablet 0.1-0.02 &amp; 0.01 mg</i>                                        | 4         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>low-ogestrel oral tablet 0.3-30 mg-mcg</i>                                           | 1         | H                              |
| <i>luizza 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                          | 1         | H                              |
| <i>luizza 1/20 oral tablet 1-20 mg-mcg</i>                                              | 1         | H                              |
| <i>luteria oral tablet 0.1-20 mg-mcg</i>                                                | 1         | H                              |
| <i>lyleq oral tablet 0.35 mg</i>                                                        | 1         | H                              |
| <i>lyza oral tablet 0.35 mg</i>                                                         | 1         | H                              |
| <i>marlissa oral tablet 0.15-30 mg-mcg</i>                                              | 1         | H                              |
| <i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i>                   | 1         | QL (5 ml per year.); H; SM     |
| <i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</i> | 1         | QL (5 mL per 365 days.); H; SM |
| <i>meleya oral tablet 0.35 mg</i>                                                       | 1         | H                              |
| <i>mibelas 24 fe oral tablet chewable 1-20 mg-mcg(24)</i>                               | 1         | H                              |
| <i>microgestin 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                     | 1         | H                              |
| <i>microgestin 1/20 oral tablet 1-20 mg-mcg</i>                                         | 1         | H                              |
| <i>microgestin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                  | 1         | H                              |
| <i>microgestin fe 1/20 oral tablet 1-20 mg-mcg</i>                                      | 1         | H                              |
| <i>mili oral tablet 0.25-35 mg-mcg</i>                                                  | 1         | H                              |
| <i>minzoya oral tablet 0.1-20 mg-mcg(21)</i>                                            | 1         | H                              |
| <i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>                                           | 1         | H                              |
| <i>my choice oral tablet 1.5 mg</i>                                                     | 1         | H                              |
| <i>my way oral tablet 1.5 mg</i>                                                        | 1         | H                              |
| NATAZIA ORAL TABLET 3/2-2/2-3/1 MG ( <i>estradiol valerate-dienogest</i> )              | 1         | H                              |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>                                      | 1         | H                              |
| <i>new day oral tablet 1.5 mg</i>                                                       | 1         | H                              |
| NEXTSTELLIS ORAL TABLET 3-14.2 MG ( <i>drospirenone-estetrol</i> )                      | 4         | H                              |
| <i>nora-be oral tablet 0.35 mg</i>                                                      | 1         | H                              |
| <i>norelgestromin-eth estradiol transdermal patch weekly 150-35 mcg/24hr</i>            | 3         | H                              |
| <i>norethin ace-eth estrad-fe oral capsule 1-20 mg-mcg(24)</i>                          | 4         | H                              |
| <i>norethin ace-eth estrad-fe oral tablet 1.5-30 mg-mcg</i>                             | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>norethin ace-eth estrad-fe oral tablet chewable 1-20 mg-mcg(24)</b>                | 1         | H                              |
| <b>norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</b>          | 1         | H                              |
| <b>norethindrone oral tablet 0.35 mg</b>                                              | 1         | H                              |
| <b>norethin-eth estradiol-fe oral tablet chewable 0.4-35 mg-mcg, 0.8-25 mg-mcg</b>    | 1         | H                              |
| <b>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</b>                          | 1         | H                              |
| <b>norgestimate-ethinyl estradiol triphasic oral tablet 0.18/0.215/0.25 mg-25 mcg</b> | 2         | H                              |
| <b>norgestimate-ethinyl estradiol triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg</b> | 1         | H                              |
| <b>norlyroc oral tablet 0.35 mg</b>                                                   | 1         | H                              |
| <b>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</b>                                  | 1         | H                              |
| <b>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</b>                                      | 1         | H                              |
| <b>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</b>                                      | 1         | H                              |
| <b>nortrel 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</b>                                 | 1         | H                              |
| <b>nylia 1/35 oral tablet 1-35 mg-mcg</b>                                             | 1         | H                              |
| <b>nylia 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</b>                                   | 1         | H                              |
| <b>opcicon one-step oral tablet 1.5 mg</b>                                            | 1         | H                              |
| <b>OPILL ORAL TABLET 0.075 MG (norgestrel)</b>                                        | 1         | H                              |
| <b>option 2 oral tablet 1.5 mg</b>                                                    | 1         | H                              |
| <b>orquidea oral tablet 0.35 mg</b>                                                   | 1         | H                              |
| <b>philith oral tablet 0.4-35 mg-mcg</b>                                              | 1         | H                              |
| <b>pimtrea oral tablet 0.15-0.02/0.01 mg (21/5)</b>                                   | 1         | H                              |
| <b>PLAN B ONE-STEP ORAL TABLET 1.5 MG (levonorgestrel)</b>                            | 1         | H                              |
| <b>portia-28 oral tablet 0.15-30 mg-mcg</b>                                           | 1         | H                              |
| <b>react oral tablet 1.5 mg</b>                                                       | 1         | H                              |
| <b>reclipsen oral tablet 0.15-30 mg-mcg</b>                                           | 1         | H                              |
| <b>rivelsa oral tablet 42-21-21-7 days</b>                                            | 1         | H                              |
| <b>rosyrah oral tablet 42-21-21-7 days</b>                                            | 1         | H                              |
| <b>setlakin oral tablet 0.15-0.03 mg</b>                                              | 2         | H                              |
| <b>sharobel oral tablet 0.35 mg</b>                                                   | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>simliya oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                     | 1         | H                              |
| <i>simpesse oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                     | 1         | H                              |
| SLYND ORAL TABLET 4 MG ( <i>drospirenone</i> )                                          | 4         | H                              |
| <i>sprintec 28 oral tablet 0.25-35 mg-mcg</i>                                           | 1         | H                              |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                                                 | 1         | H                              |
| <i>take action oral tablet 1.5 mg</i>                                                   | 1         | H                              |
| <i>tarina 24 fe oral tablet 1-20 mg-mcg(24)</i>                                         | 1         | H                              |
| <i>tarina fe 1/20 eq oral tablet 1-20 mg-mcg</i>                                        | 1         | H                              |
| <i>taysofy oral capsule 1-20 mg-mcg(24)</i>                                             | 4         | H                              |
| TAYTULLA ORAL CAPSULE 1-20 MG-MCG(24) ( <i>norethin ace-eth estrad-fe</i> )             | E         | H                              |
| <i>tilia fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                                       | 1         | H                              |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                              | 1         | H                              |
| <i>tri-legest fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                                  | 1         | H                              |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                                 | 1         | H                              |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                           | 2         | H                              |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                              | 2         | H                              |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                                | 2         | H                              |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                            | 2         | H                              |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                                   | 1         | H                              |
| <i>tri-sprintec oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                               | 1         | H                              |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                             | 2         | H                              |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                                | 1         | H                              |
| <i>turqoz oral tablet 0.3-30 mg-mcg</i>                                                 | 1         | H                              |
| TWIRLA TRANSDERMAL PATCH WEEKLY 120-30 MCG/24HR ( <i>levonorgestrel-eth estradiol</i> ) | 4         | H                              |
| TYBLUME ORAL TABLET CHEWABLE 0.1-20 MG-MCG ( <i>levonorgestrel-ethinyl estrad</i> )     | 1         | H                              |
| <i>tydemy oral tablet 3-0.03-0.451 mg</i>                                               | 1         | H                              |
| <i>valtya 1/35 oral tablet 1-35 mg-mcg</i>                                              | 1         | H                              |
| <i>valtya 1/50 oral tablet 1-50 mg-mcg</i>                                              | 1         | H                              |
| <i>velivet oral tablet 0.1/0.125/0.15 -0.025 mg</i>                                     | 1         | H                              |
| <i>vienva oral tablet 0.1-20 mg-mcg</i>                                                 | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                              | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>viorele oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                 | 1         | H                              |
| <i>volnea oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                  | 1         | H                              |
| <i>vyfemla oral tablet 0.4-35 mg-mcg</i>                                                            | 1         | H                              |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i>                                                           | 1         | H                              |
| <i>wera oral tablet 0.5-35 mg-mcg</i>                                                               | 1         | H                              |
| <i>wymzya fe oral tablet chewable 0.4-35 mg-mcg</i>                                                 | 1         | H                              |
| <i>xarah fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                                                   | 1         | H                              |
| <i>xelria fe oral tablet chewable 0.4-35 mg-mcg</i>                                                 | 1         | H                              |
| <i>xulane transdermal patch weekly 150-35 mcg/24hr</i>                                              | 3         | H                              |
| YASMIN 28 ORAL TABLET 3-0.03 MG ( <i>drospirenone-ethinyl estradiol</i> )                           | 2         | H                              |
| YAZ ORAL TABLET 3-0.02 MG ( <i>drospirenone-ethinyl estradiol</i> )                                 | 2         | H                              |
| <i>zafemy transdermal patch weekly 150-35 mcg/24hr</i>                                              | 3         | H                              |
| <i>zovia 1/35 (28) oral tablet 1-35 mg-mcg</i>                                                      | 1         | H                              |
| <b>DIPEPTIDYL PEPTIDASE-4(DPP-4) INHIBITORS - Drugs for Diabetes</b>                                |           |                                |
| ALOGLIPTIN BENZOATE ORAL TABLET 12.5 MG, 25 MG, 6.25 MG                                             | 2         | QL (1 tablet per day.)         |
| ALOGLIPTIN-METFORMIN HCL ORAL TABLET 12.5-1000 MG, 12.5-500 MG                                      | 2         | QL (2 tablets per day.)        |
| ALOGLIPTIN-PIOGLITAZONE ORAL TABLET 12.5-30 MG, 25-15 MG, 25-30 MG, 25-45 MG                        | 2         | QL (1 tablet per day.)         |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG ( <i>empagliflozin-linagliptin</i> )                          | 2         | ST; QL (1 tablet per day.)     |
| JENTADUETO ORAL TABLET 2.5-1000 MG, 2.5-500 MG, 2.5-850 MG ( <i>linagliptin-metformin hcl</i> )     | 2         | QL (2 tablets per day.)        |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG ( <i>linagliptin-metformin hcl</i> ) | 2         | QL (2 tablets per day.)        |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 5-1000 MG ( <i>linagliptin-metformin hcl</i> )   | 2         | QL (1 tablet per day.)         |
| <i>saxagliptin hcl oral tablet 2.5 mg, 5 mg</i>                                                     | 2         | QL (1 tablet per day)          |
| <i>saxagliptin-metformin er oral tablet extended release 24 hour 2.5-1000 mg</i>                    | 2         | QL (62 tablets per month.)     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                          | Drug Tier | Coverage Requirements & Limits          |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------|
| <b>saxagliptin-metformin er oral tablet extended release 24 hour 5-1000 mg, 5-500 mg</b>                                        | 2         | QL (31 tablets per month.)              |
| TRADJENTA ORAL TABLET 5 MG ( <i>linagliptin</i> )                                                                               | 2         | QL (1 tablet per day)                   |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-5-1000 MG, 25-5-1000 MG ( <i>empagliflozin-linagliptin-metformin</i> )      | 2         | QL (1 tablet per day.)                  |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12.5-2.5-1000 MG, 5-2.5-1000 MG ( <i>empagliflozin-linagliptin-metformin</i> ) | 2         | QL (2 tablets per day.)                 |
| <b>ESTROGEN AGONIST-ANTAGONISTS - Drugs for Women</b>                                                                           |           |                                         |
| CLOMID ORAL TABLET 50 MG ( <i>clomiphene citrate</i> )                                                                          | 2         |                                         |
| <b>clomiphene citrate oral tablet 50 mg</b>                                                                                     | 2         |                                         |
| DUAVEE ORAL TABLET 0.45-20 MG ( <i>conj estrogens-bazedoxifene</i> )                                                            | 4         | QL (1 tablet per day.)                  |
| <b>milophene oral tablet 50 mg</b>                                                                                              | 2         |                                         |
| OSPHENA ORAL TABLET 60 MG ( <i>ospemifene</i> )                                                                                 | 3         | PA; QL (1 tablet per day.)              |
| <b>raloxifene hcl oral tablet 60 mg</b>                                                                                         | 2         | H-N                                     |
| <b>tamoxifen citrate oral tablet 10 mg</b>                                                                                      | 1         |                                         |
| <b>tamoxifen citrate oral tablet 20 mg</b>                                                                                      | 1         | H-N                                     |
| <b>toremifene citrate oral tablet 60 mg</b>                                                                                     | 3         | CM                                      |
| <b>ESTROGENS - Drugs for Women</b>                                                                                              |           |                                         |
| <b>abigale lo oral tablet 0.5-0.1 mg</b>                                                                                        | 2         |                                         |
| <b>abigale oral tablet 1-0.5 mg</b>                                                                                             | 1         |                                         |
| ACTIVELLA ORAL TABLET 1-0.5 MG ( <i>estradiol-norethindrone acet</i> )                                                          | 4         |                                         |
| <b>afirmelle oral tablet 0.1-20 mg-mcg</b>                                                                                      | 1         | H                                       |
| ALORA TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR ( <i>estradiol</i> )                             | 3         | QL (8 patches (1 box) per 28 days.); SM |
| <b>altavera oral tablet 0.15-30 mg-mcg</b>                                                                                      | 1         | H                                       |
| <b>alyacen 1/35 oral tablet 1-35 mg-mcg</b>                                                                                     | 1         | H                                       |
| <b>alyacen 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</b>                                                                           | 1         | H                                       |
| <b>amethyst oral tablet 90-20 mcg</b>                                                                                           | 1         | H                                       |
| ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG ( <i>drospirenone-estradiol</i> )                                                     | 3         |                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                               | Drug Tier | Coverage Requirements & Limits      |
|----------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| ANNOVERA VAGINAL RING 0.013-0.15 MG/24HR ( <i>segesterone-ethinyl estradiol</i> )                                    | 3         | QL (1 vaginal ring per 327 days); H |
| <i>apri oral tablet 0.15-30 mg-mcg</i>                                                                               | 1         | H                                   |
| <i>aranelle oral tablet 0.5/1/0.5-35 mg-mcg</i>                                                                      | 1         | H                                   |
| <i>ashlyna oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                   | 1         | H                                   |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i>                                                                            | 1         | H                                   |
| <i>aurovela 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                     | 1         | H                                   |
| <i>aurovela 1/20 oral tablet 1-20 mg-mcg</i>                                                                         | 1         | H                                   |
| <i>aurovela 24 fe oral tablet 1-20 mg-mcg(24)</i>                                                                    | 1         | H                                   |
| <i>aurovela fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                  | 1         | H                                   |
| <i>aurovela fe 1/20 oral tablet 1-20 mg-mcg</i>                                                                      | 1         | H                                   |
| AVERI ORAL TABLET 0.15-0.03 MG ( <i>desogestrel-eth estrad-fe</i> )                                                  | 4         | H                                   |
| <i>aviane oral tablet 0.1-20 mg-mcg</i>                                                                              | 1         | H                                   |
| <i>ayuna oral tablet 0.15-30 mg-mcg</i>                                                                              | 1         | H                                   |
| <i>azurette oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                                 | 1         | H                                   |
| <i>balziva oral tablet 0.4-35 mg-mcg</i>                                                                             | 1         | H                                   |
| BIJUVA ORAL CAPSULE 0.5-100 MG, 1-100 MG ( <i>estradiol-progesterone</i> )                                           | 3         |                                     |
| <i>blisovi 24 fe oral tablet 1-20 mg-mcg(24)</i>                                                                     | 1         | H                                   |
| <i>blisovi fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                   | 1         | H                                   |
| <i>blisovi fe 1/20 oral tablet 1-20 mg-mcg</i>                                                                       | 1         | H                                   |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i>                                                                            | 1         | H                                   |
| <i>camrese lo oral tablet 0.1-0.02 &amp; 0.01 mg</i>                                                                 | 4         | H                                   |
| <i>camrese oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                   | 1         | H                                   |
| <i>charlotte 24 fe oral tablet chewable 1-20 mg-mcg(24)</i>                                                          | 1         | H                                   |
| <i>chateal eq oral tablet 0.15-30 mg-mcg</i>                                                                         | 1         | H                                   |
| CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/DAY ( <i>estradiol-levonorgestrel</i> )                          | 3         | QL (4 patches per month.)           |
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY 0.05-0.14 MG/DAY, 0.05-0.25 MG/DAY ( <i>estradiol-norethindrone acet</i> ) | 3         | QL (8 patches per 28 days.)         |
| COVARYX HS ORAL TABLET 0.625-1.25 MG ( <i>est estrogens-methyltest</i> )                                             | 3         |                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                              | Drug Tier | Coverage Requirements & Limits          |
|---------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------|
| COVARYX ORAL TABLET 1.25-2.5 MG ( <i>est estrogens-methyltest</i> )                                                 | 2         |                                         |
| <i>cryselle-28 oral tablet 0.3-30 mg-mcg</i>                                                                        | 1         | H                                       |
| <i>cyred eq oral tablet 0.15-30 mg-mcg</i>                                                                          | 1         | H                                       |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>                                                                    | 1         | H                                       |
| <i>dasetta 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>                                                               | 1         | H                                       |
| <i>daysee oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                   | 1         | H                                       |
| DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML, 20 MG/ML ( <i>estradiol valerate</i> )                                      | 4         | SM                                      |
| <i>delyla oral tablet 0.1-20 mg-mcg</i>                                                                             | 1         | H                                       |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML ( <i>estradiol cypionate</i> )                                             | 3         | SM                                      |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                           | 1         | H                                       |
| DIVIGEL TRANSDERMAL GEL 0.25 MG/0.25GM, 0.5 MG/0.5GM, 0.75 MG/0.75GM, 1 MG/GM, 1.25 MG/1.25GM ( <i>estradiol</i> )  | 3         | SM                                      |
| <i>dolishale oral tablet 90-20 mcg</i>                                                                              | 1         | H                                       |
| <i>dotti transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 2         | QL (8 patches (1 box) per 28 days.); SM |
| <i>drospiren-eth estrad-levomefol oral tablet 3-0.02-0.451 mg</i>                                                   | 4         | H                                       |
| <i>drospiren-eth estrad-levomefol oral tablet 3-0.03-0.451 mg</i>                                                   | 1         | H                                       |
| DUAVEE ORAL TABLET 0.45-20 MG ( <i>conj estrogens-bazedoxifene</i> )                                                | 4         | QL (1 tablet per day.)                  |
| EEMT HS ORAL TABLET 0.625-1.25 MG ( <i>est estrogens-methyltest</i> )                                               | 3         |                                         |
| EEMT ORAL TABLET 1.25-2.5 MG ( <i>est estrogens-methyltest</i> )                                                    | 2         |                                         |
| ELESTRIN TRANSDERMAL GEL 0.52 MG/0.87 GM (0.06%) ( <i>estradiol</i> )                                               | 3         | SM                                      |
| <i>elinest oral tablet 0.3-30 mg-mcg</i>                                                                            | 1         | H                                       |
| <i>eluryng vaginal ring 0.12-0.015 mg/24hr</i>                                                                      | 1         | H                                       |
| <i>enilloring vaginal ring 0.12-0.015 mg/24hr</i>                                                                   | 1         | H                                       |
| <i>enpresse-28 oral tablet 50-30/75-40/ 125-30 mcg</i>                                                              | 1         | H                                       |
| <i>enskyce oral tablet 0.15-30 mg-mcg</i>                                                                           | 1         | H                                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                          | Drug Tier | Coverage Requirements & Limits             |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| <i>est estrogens-methyltest ds oral tablet 1.25-2.5 mg</i>                                                                      | 1         |                                            |
| <i>est estrogens-methyltest hs oral tablet 0.625-1.25 mg</i>                                                                    | 1         |                                            |
| <i>est estrogens-methyltest oral tablet 1.25-2.5 mg</i>                                                                         | 1         |                                            |
| <i>estarylla oral tablet 0.25-35 mg-mcg</i>                                                                                     | 1         | H                                          |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                 | 1         | SM                                         |
| <i>estradiol transdermal gel 0.25 mg/0.25gm, 0.5 mg/0.5gm, 0.75 mg/0.75gm, 1 mg/gm, 1.25 mg/1.25gm</i>                          | 3         | SM                                         |
| <i>estradiol transdermal gel 0.75 mg/1.25 gm (0.06%)</i>                                                                        | 3         | QL (50 grams (1 box) per month.); SM       |
| <i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>         | 2         | QL (8 patches (1 box) per 28 days.); SM    |
| <i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 1         | QL (4 patches (1 carton) per 28 days.); SM |
| <i>estradiol vaginal cream 0.01 %</i>                                                                                           | 4         |                                            |
| <i>estradiol vaginal tablet 10 mcg</i>                                                                                          | 2         |                                            |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>                                                        | 1         | SM                                         |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>                                                                      | 2         |                                            |
| <i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i>                                                                        | 1         |                                            |
| ESTRATEST H.S. ORAL TABLET 0.625-1.25 MG ( <i>est estrogens-methyltest</i> )                                                    | 3         |                                            |
| ESTRING VAGINAL RING 7.5 MCG/24HR ( <i>estradiol</i> )                                                                          | 2         | QL (1 ring per 90 days.)                   |
| ESTROGEL TRANSDERMAL GEL 0.75 MG/1.25 GM (0.06%) ( <i>estradiol</i> )                                                           | 3         | QL (50 grams (1 box) per month.); SM       |
| <i>estrogens conjugated oral tablet 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg</i>                                              | 4         |                                            |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>                                                       | 1         | H                                          |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24hr</i>                                                           | 1         | H                                          |
| EVAMIST TRANSDERMAL SOLUTION 1.53 MG/SPRAY ( <i>estradiol</i> )                                                                 | 2         | SM                                         |
| <i>falmina oral tablet 0.1-20 mg-mcg</i>                                                                                        | 1         | H                                          |
| <i>feirza 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                                  | 1         | H                                          |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits    |
|----------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <b><i>feirza 1/20 oral tablet 1-20 mg-mcg</i></b>                                            | 1         | H                                 |
| FEMLYV ORAL TABLET DISPERSIBLE 1-0.02 MG<br>( <b><i>norethindrone acet-ethinyl est</i></b> ) | 4         | H                                 |
| FEMRING VAGINAL RING 0.05 MG/24HR, 0.1 MG/24HR<br>( <b><i>estradiol acetate</i></b> )        | 4         | QL (1 ring per 3 months.)         |
| <b><i>finzala oral tablet chewable 1-20 mg-mcg(24)</i></b>                                   | 1         | H                                 |
| <b><i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i></b>                                 | 1         |                                   |
| <b><i>galbriela oral tablet chewable 0.8-25 mg-mcg</i></b>                                   | 1         | H                                 |
| <b><i>gemmily oral capsule 1-20 mg-mcg(24)</i></b>                                           | 4         | H                                 |
| <b><i>hailey 1.5/30 oral tablet 1.5-30 mg-mcg</i></b>                                        | 1         | H                                 |
| <b><i>hailey 24 fe oral tablet 1-20 mg-mcg(24)</i></b>                                       | 1         | H                                 |
| <b><i>hailey fe 1.5/30 oral tablet 1.5-30 mg-mcg</i></b>                                     | 1         | H                                 |
| <b><i>hailey fe 1/20 oral tablet 1-20 mg-mcg</i></b>                                         | 1         | H                                 |
| <b><i>haloette vaginal ring 0.12-0.015 mg/24hr</i></b>                                       | 1         | H                                 |
| <b><i>iclevia oral tablet 0.15-0.03 mg</i></b>                                               | 2         | H                                 |
| IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10 MCG<br>( <b><i>estradiol</i></b> )                | 2         | QL (0.29 vaginal insert per day.) |
| IMVEXXY MAINTENANCE PACK VAGINAL INSERT 4 MCG<br>( <b><i>estradiol</i></b> )                 | 2         | QL (0.29 insert per day.)         |
| IMVEXXY STARTER PACK VAGINAL INSERT 10 MCG, 4 MCG<br>( <b><i>estradiol</i></b> )             | 2         | QL (18 inserts per year.)         |
| <b><i>introvale oral tablet 0.15-0.03 mg</i></b>                                             | 2         | H                                 |
| <b><i>isibloom oral tablet 0.15-30 mg-mcg</i></b>                                            | 1         | H                                 |
| <b><i>jaimiess oral tablet 0.15-0.03 &amp; 0.01 mg</i></b>                                   | 1         | H                                 |
| <b><i>jinteli oral tablet 1-5 mg-mcg</i></b>                                                 | 1         |                                   |
| <b><i>jolessa oral tablet 0.15-0.03 mg</i></b>                                               | 2         | H                                 |
| <b><i>joyeaux oral tablet 0.1-20 mg-mcg(21)</i></b>                                          | 1         | H                                 |
| <b><i>juleber oral tablet 0.15-30 mg-mcg</i></b>                                             | 1         | H                                 |
| <b><i>junel 1.5/30 oral tablet 1.5-30 mg-mcg</i></b>                                         | 1         | H                                 |
| <b><i>junel 1/20 oral tablet 1-20 mg-mcg</i></b>                                             | 1         | H                                 |
| <b><i>junel fe 1.5/30 oral tablet 1.5-30 mg-mcg</i></b>                                      | 1         | H                                 |
| <b><i>junel fe 1/20 oral tablet 1-20 mg-mcg</i></b>                                          | 1         | H                                 |
| <b><i>junel fe 24 oral tablet 1-20 mg-mcg(24)</i></b>                                        | 1         | H                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                | Drug Tier | Coverage Requirements & Limits          |
|-----------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------|
| <i>kaitlib fe oral tablet chewable 0.8-25 mg-mcg</i>                                                                  | 1         | H                                       |
| <i>kalliga oral tablet 0.15-30 mg-mcg</i>                                                                             | 1         | H                                       |
| <i>kariva oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                                    | 1         | H                                       |
| <i>kelnor 1/35 oral tablet 1-35 mg-mcg</i>                                                                            | 1         | H                                       |
| <i>kurvelo oral tablet 0.15-30 mg-mcg</i>                                                                             | 1         | H                                       |
| <i>larin 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                         | 1         | H                                       |
| <i>larin 1/20 oral tablet 1-20 mg-mcg</i>                                                                             | 1         | H                                       |
| <i>larin 24 fe oral tablet 1-20 mg-mcg(24)</i>                                                                        | 1         | H                                       |
| <i>larin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                      | 1         | H                                       |
| <i>larin fe 1/20 oral tablet 1-20 mg-mcg</i>                                                                          | 1         | H                                       |
| <i>leena oral tablet 0.5/1/0.5-35 mg-mcg</i>                                                                          | 1         | H                                       |
| <i>lessina oral tablet 0.1-20 mg-mcg</i>                                                                              | 1         | H                                       |
| <i>levonest oral tablet 50-30/75-40/ 125-30 mcg</i>                                                                   | 1         | H                                       |
| <i>levonorgest-eth est &amp; eth est oral tablet 42-21-21-7 days</i>                                                  | 1         | H                                       |
| <i>levonorgest-eth estrad 91-day oral tablet 0.1-0.02 &amp; 0.01 mg</i>                                               | 4         | H                                       |
| <i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                              | 1         | H                                       |
| <i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 mg</i>                                                         | 2         | H                                       |
| <i>levonorgest-eth estradiol-iron oral tablet 0.1-20 mg-mcg(21)</i>                                                   | 1         | H                                       |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg, 90-20 mcg</i>                             | 1         | H                                       |
| <i>levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg</i>                                              | 1         | H                                       |
| <i>LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG / 10 MCG (norethin-eth estrad-fe biphas)</i>                                | 1         | H                                       |
| <i>lojaimiess oral tablet 0.1-0.02 &amp; 0.01 mg</i>                                                                  | 4         | H                                       |
| <i>low-ogestrel oral tablet 0.3-30 mg-mcg</i>                                                                         | 1         | H                                       |
| <i>luizza 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                        | 1         | H                                       |
| <i>luizza 1/20 oral tablet 1-20 mg-mcg</i>                                                                            | 1         | H                                       |
| <i>lutra oral tablet 0.1-20 mg-mcg</i>                                                                                | 1         | H                                       |
| <i>lyllana transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 2         | QL (8 patches (1 box) per 28 days.); SM |
| <i>marlissa oral tablet 0.15-30 mg-mcg</i>                                                                            | 1         | H                                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                | Drug Tier | Coverage Requirements & Limits             |
|---------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24HR ( <i>estradiol</i> )                    | 3         | QL (4 patches (1 carton) per 28 days.); SM |
| <i>mibelas 24 fe oral tablet chewable 1-20 mg-mcg(24)</i>                             | 1         | H                                          |
| <i>microgestin 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                   | 1         | H                                          |
| <i>microgestin 1/20 oral tablet 1-20 mg-mcg</i>                                       | 1         | H                                          |
| <i>microgestin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                | 1         | H                                          |
| <i>microgestin fe 1/20 oral tablet 1-20 mg-mcg</i>                                    | 1         | H                                          |
| <i>mili oral tablet 0.25-35 mg-mcg</i>                                                | 1         | H                                          |
| <i>mimvey oral tablet 1-0.5 mg</i>                                                    | 1         |                                            |
| <i>minzoya oral tablet 0.1-20 mg-mcg(21)</i>                                          | 1         | H                                          |
| <i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>                                         | 1         | H                                          |
| MYFEMBREE ORAL TABLET 40-1-0.5 MG ( <i>relugolix-estradiol-norethind</i> )            | 2         | PA; QL (1 tablet day.)                     |
| NATAZIA ORAL TABLET 3/2-2/2-3/1 MG ( <i>estradiol valerate-dienogest</i> )            | 1         | H                                          |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>                                    | 1         | H                                          |
| NEXTSTELLIS ORAL TABLET 3-14.2 MG ( <i>drospirenone-estetrol</i> )                    | 4         | H                                          |
| <i>norelgestromin-eth estradiol transdermal patch weekly 150-35 mcg/24hr</i>          | 3         | H                                          |
| <i>norethin ace-eth estrad-fe oral capsule 1-20 mg-mcg(24)</i>                        | 4         | H                                          |
| <i>norethin ace-eth estrad-fe oral tablet 1.5-30 mg-mcg</i>                           | 1         | H                                          |
| <i>norethin ace-eth estrad-fe oral tablet chewable 1-20 mg-mcg(24)</i>                | 1         | H                                          |
| <i>norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>          | 1         | H                                          |
| <i>norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>             | 1         |                                            |
| <i>norethin-eth estradiol-fe oral tablet chewable 0.4-35 mg-mcg, 0.8-25 mg-mcg</i>    | 1         | H                                          |
| <i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i>                          | 1         | H                                          |
| <i>norgestimate-ethinyl estradiol triphasic oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | 2         | H                                          |
| <i>norgestimate-ethinyl estradiol triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg</i> | 1         | H                                          |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                             | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>                                                               | 1         | H                              |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i>                                                                   | 1         | H                              |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>                                                                   | 1         | H                              |
| <i>nortrel 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>                                                              | 1         | H                              |
| <i>nylia 1/35 oral tablet 1-35 mg-mcg</i>                                                                          | 1         | H                              |
| <i>nylia 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>                                                                | 1         | H                              |
| ORIAHNN ORAL CAPSULE THERAPY PACK 300-1-0.5 & 300 MG ( <i>elagolix-estradiol-norethind</i> )                       | 2         | PA; QL (2 capsules per day.)   |
| <i>philith oral tablet 0.4-35 mg-mcg</i>                                                                           | 1         | H                              |
| <i>pimtrea oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                                | 1         | H                              |
| <i>portia-28 oral tablet 0.15-30 mg-mcg</i>                                                                        | 1         | H                              |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG ( <i>estrogens conjugated</i> )                    | 4         |                                |
| PREMARIN VAGINAL CREAM 0.625 MG/GM ( <i>estrogens, conjugated</i> )                                                | 3         |                                |
| PREMPHASE ORAL TABLET 0.625-5 MG ( <i>conj estrogen-medroxyprogesterone</i> )                                      | 3         |                                |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG ( <i>conj estrogen-medroxyprogesterone</i> ) | 4         |                                |
| <i>reclipsen oral tablet 0.15-30 mg-mcg</i>                                                                        | 1         | H                              |
| <i>rivelsa oral tablet 42-21-21-7 days</i>                                                                         | 1         | H                              |
| <i>rosyrah oral tablet 42-21-21-7 days</i>                                                                         | 1         | H                              |
| <i>setlakin oral tablet 0.15-0.03 mg</i>                                                                           | 2         | H                              |
| <i>simliya oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                                | 1         | H                              |
| <i>simpesse oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                | 1         | H                              |
| <i>sprintec 28 oral tablet 0.25-35 mg-mcg</i>                                                                      | 1         | H                              |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                                                                            | 1         | H                              |
| <i>tarina 24 fe oral tablet 1-20 mg-mcg(24)</i>                                                                    | 1         | H                              |
| <i>tarina fe 1/20 eq oral tablet 1-20 mg-mcg</i>                                                                   | 1         | H                              |
| <i>taysofy oral capsule 1-20 mg-mcg(24)</i>                                                                        | 4         | H                              |
| TAYTULLA ORAL CAPSULE 1-20 MG-MCG(24) ( <i>norethin ace-eth estrad-fe</i> )                                        | E         | H                              |
| <i>tilia fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                                                                  | 1         | H                              |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                                                         | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>tri-legest fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                                  | 1         | H                              |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                                 | 1         | H                              |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                           | 2         | H                              |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                              | 2         | H                              |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                                | 2         | H                              |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                            | 2         | H                              |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                                   | 1         | H                              |
| <i>tri-sprintec oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                               | 1         | H                              |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                             | 2         | H                              |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                                | 1         | H                              |
| <i>turqoz oral tablet 0.3-30 mg-mcg</i>                                                 | 1         | H                              |
| TWIRLA TRANSDERMAL PATCH WEEKLY 120-30 MCG/24HR ( <i>levonorgestrel-eth estradiol</i> ) | 4         | H                              |
| TYBLUME ORAL TABLET CHEWABLE 0.1-20 MG-MCG ( <i>levonorgestrel-ethinyl estrad</i> )     | 1         | H                              |
| <i>tydemy oral tablet 3-0.03-0.451 mg</i>                                               | 1         | H                              |
| <i>valtya 1/35 oral tablet 1-35 mg-mcg</i>                                              | 1         | H                              |
| <i>valtya 1/50 oral tablet 1-50 mg-mcg</i>                                              | 1         | H                              |
| <i>velivet oral tablet 0.1/0.125/0.15 -0.025 mg</i>                                     | 1         | H                              |
| <i>vienva oral tablet 0.1-20 mg-mcg</i>                                                 | 1         | H                              |
| <i>viorele oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                     | 1         | H                              |
| <i>volnea oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                      | 1         | H                              |
| <i>vyfemla oral tablet 0.4-35 mg-mcg</i>                                                | 1         | H                              |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i>                                               | 1         | H                              |
| <i>wera oral tablet 0.5-35 mg-mcg</i>                                                   | 1         | H                              |
| <i>wymzya fe oral tablet chewable 0.4-35 mg-mcg</i>                                     | 1         | H                              |
| <i>xarah fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                                       | 1         | H                              |
| <i>xelria fe oral tablet chewable 0.4-35 mg-mcg</i>                                     | 1         | H                              |
| <i>xulane transdermal patch weekly 150-35 mcg/24hr</i>                                  | 3         | H                              |
| YASMIN 28 ORAL TABLET 3-0.03 MG ( <i>drospirenone-ethinyl estradiol</i> )               | 2         | H                              |
| YAZ ORAL TABLET 3-0.02 MG ( <i>drospirenone-ethinyl estradiol</i> )                     | 2         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                        | Drug Tier | Coverage Requirements & Limits              |
|-----------------------------------------------------------------------------------------------|-----------|---------------------------------------------|
| <i>yuvaferm vaginal tablet 10 mcg</i>                                                         | 2         |                                             |
| <i>zafemy transdermal patch weekly 150-35 mcg/24hr</i>                                        | 3         | H                                           |
| <i>zovia 1/35 (28) oral tablet 1-35 mg-mcg</i>                                                | 1         | H                                           |
| <b>GLYCOGENOLYTIC AGENTS - Hormones</b>                                                       |           |                                             |
| BAQSIMI ONE PACK NASAL POWDER 3 MG/DOSE ( <i>glucagon</i> )                                   | 2         | QL (2 intranasal devices per prescription.) |
| BAQSIMI TWO PACK NASAL POWDER 3 MG/DOSE ( <i>glucagon</i> )                                   | 2         | QL (2 intranasal devices per prescription.) |
| <i>glucagon emergency kit injection solution reconstituted 1 mg</i>                           | 2         |                                             |
| GVOKE HYOPEN 1-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML ( <i>glucagon</i> )      | 2         | QL (0.2 ml per prescription.)               |
| GVOKE HYOPEN 1-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 1 MG/0.2ML ( <i>glucagon</i> )        | 2         | QL (0.4 ml per prescription.)               |
| GVOKE HYOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML ( <i>glucagon</i> )      | 2         | QL (0.2 ml per prescription.)               |
| GVOKE HYOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 1 MG/0.2ML ( <i>glucagon</i> )        | 2         | QL (0.4 ml per prescription.)               |
| GVOKE KIT SUBCUTANEOUS SOLUTION 1 MG/0.2ML ( <i>glucagon</i> )                                | 2         |                                             |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 1 MG/0.2ML ( <i>glucagon</i> )              | 2         |                                             |
| ZEGALOGUE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.6 MG/0.6ML ( <i>dasiglucagon hcl</i> )        | 2         | QL (1.2 ml per prescription.)               |
| ZEGALOGUE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 0.6 MG/0.6ML ( <i>dasiglucagon hcl</i> )    | 2         | QL (1.2 ml per prescription.)               |
| <b>GONADOTROPINS - Hormones</b>                                                               |           |                                             |
| CHORIONIC GONADOTROPIN INTRAMUSCULAR SOLUTION RECONSTITUTED 10000 UNIT                        | 3         | SP; SMCS                                    |
| FOLLISTIM AQ SUBCUTANEOUS SOLUTION 300 UNT/0.36ML ( <i>follitropin beta</i> )                 | 2         | PA; QL (5.4 mL per 21 days.); SP; SMCS      |
| FOLLISTIM AQ SUBCUTANEOUS SOLUTION 600 UNT/0.72ML, 900 UNT/1.08ML ( <i>follitropin beta</i> ) | 2         | PA; QL (8.64 mL per 21 days.); SP; SMCS     |
| GONAL-F INJECTION SOLUTION RECONSTITUTED 450 UNIT ( <i>follitropin alfa</i> )                 | 4         | PA; ST; SP; SMCS                            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                             | Drug Tier | Coverage Requirements & Limits                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GONAL-F RFF REDIJECT SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNT/0.48ML, 450 UNT/0.72ML, 900 UNT/1.44ML ( <i>follitropin alfa</i> ) | 4         | PA; ST; SP; SMCS                                                                                                                                                                              |
| <i>leuprolide acetate injection kit 1 mg/0.2ml</i>                                                                                 | 1         | PA; SM; SMCS                                                                                                                                                                                  |
| MENOPUR SUBCUTANEOUS SOLUTION RECONSTITUTED 75 UNIT ( <i>menotropins</i> )                                                         | 4         | PA; QL (6 vials per day.); SP; SMCS                                                                                                                                                           |
| NOVAREL INTRAMUSCULAR SOLUTION RECONSTITUTED 5000 UNIT ( <i>chorionic gonadotropin</i> )                                           | 3         | SP; SMCS                                                                                                                                                                                      |
| OVIDREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 250 MCG/0.5ML ( <i>choriogonadotropin alfa</i> )                                   | 4         | SP; SMCS                                                                                                                                                                                      |
| PREGNYL INTRAMUSCULAR SOLUTION RECONSTITUTED 10000 UNIT ( <i>chorionic gonadotropin</i> )                                          | 3         | SP; SMCS                                                                                                                                                                                      |
| SYNAREL NASAL SOLUTION 2 MG/ML ( <i>nafarelin acetate</i> )                                                                        | 2         | SM                                                                                                                                                                                            |
| <b>INCRETIN MIMETICS - Drugs for Diabetes</b>                                                                                      |           |                                                                                                                                                                                               |
| EXENATIDE SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MCG/0.04ML                                                                         | 3         | PA; QL (2.4 ml (one pen) per month.)                                                                                                                                                          |
| EXENATIDE SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MCG/0.02ML                                                                          | 3         | PA; QL (1.2 ml (one pen) per month.)                                                                                                                                                          |
| <i>liraglutide solution pen-injector 18 mg/3ml subcutaneous</i>                                                                    | 1         | PA; QL (If member has previous history of Victoza, then member may be eligible to receive 9ml (3 pens) per month (only applies to 3 pack NDC-00169406013). This medication is over-rideable.) |
| <i>liraglutide solution pen-injector 18 mg/3ml subcutaneous</i>                                                                    | 2         | PA; QL (If member has previous history of Victoza, then member may be eligible to receive 9ml (3 pens) per month (only applies to 3 pack NDC-00169406013). This medication is over-rideable.) |
| <i>liraglutide solution pen-injector 18 mg/3ml subcutaneous</i>                                                                    | 3         | PA; QL (If member has previous history of Victoza, then member may be eligible to receive 9ml (3 pens) per month (only applies to 3 pack NDC-00169406013). This medication is over-rideable.) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                              | Drug Tier | Coverage Requirements & Limits       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.5ML, 12.5 MG/0.5ML, 15 MG/0.5ML, 2.5 MG/0.5ML, 5 MG/0.5ML, 7.5 MG/0.5ML ( <i>tirzepatide</i> ) | 3         | PA; QL (0.08 ml per day.)            |
| OZEMPIC SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML ( <i>semaglutide</i> )                                                                          | 3         | PA                                   |
| OZEMPIC SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML, 8 MG/3ML ( <i>semaglutide</i> )                                                                | 3         | PA; QL (3 ml per month.)             |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG ( <i>semaglutide</i> )                                                                                       | 3         | PA; QL (1 tablet per day.)           |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML ( <i>insulin glargine-lixisenatide</i> )                                               | 2         | QL (18 ml per month.); SM            |
| TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML ( <i>dulaglutide</i> )                                                    | 3         | PA; QL (2 ml per month.)             |
| TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 3 MG/0.5ML, 4.5 MG/0.5ML ( <i>dulaglutide</i> )                                                       | 3         | PA; QL (2 mL per month.)             |
| <b>INTERMEDIATE-ACTING INSULINS - Drugs for Diabetes</b>                                                                                            |           |                                      |
| HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML ( <i>insulin nph isophane &amp; regular</i> )                        | 2         | QL (75 ml per prescription.); SM     |
| HUMULIN 70/30 VIAL SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML ( <i>insulin nph isophane &amp; regular</i> )                                        | 2         | QL (70 ml per prescription.); SM     |
| HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML ( <i>insulin nph human (isophane)</i> )                                          | 2         | QL (75 ml per prescription.); SM     |
| HUMULIN N VIAL SUBCUTANEOUS SUSPENSION 100 UNIT/ML ( <i>insulin nph human (isophane)</i> )                                                          | 2         | QL (70 ml per prescription.); SM     |
| <b>LEPTINS - Hormones</b>                                                                                                                           |           |                                      |
| MYALEPT SUBCUTANEOUS SOLUTION RECONSTITUTED 11.3 MG ( <i>metreleptin</i> )                                                                          | 4         | PA; QL (0.9 vial per day.); SP; SMCS |
| <b>LONG-ACTING INSULINS - Drugs for Diabetes</b>                                                                                                    |           |                                      |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML ( <i>insulin glargine</i> )                                                          | 2         | QL (75 ml per prescription.); SM     |
| LANTUS U-100 VIAL SUBCUTANEOUS SOLUTION 100 UNIT/ML ( <i>insulin glargine</i> )                                                                     | 2         | QL (70 ml per prescription.); SM     |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML ( <i>insulin glargine-lixisenatide</i> )                                               | 2         | QL (18 ml per month.); SM            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                         | Drug Tier | Coverage Requirements & Limits                   |
|------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML ( <i>insulin glargine</i> ) | 3         | QL (75 ml per prescription.); SM                 |
| TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML ( <i>insulin glargine</i> )     | 3         | QL (37.5 ml per prescription.); SM               |
| <b>MEGLITINIDES - Drugs for Diabetes</b>                                                       |           |                                                  |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                                   | 2         | QL (3 tablets per day)                           |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>                                                    | 2         | QL (4 tablets per day)                           |
| <i>repaglinide oral tablet 2 mg</i>                                                            | 2         | QL (8 tablets per day)                           |
| <b>PARATHYROID AGENTS - Drugs for Bones</b>                                                    |           |                                                  |
| BONSITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 560 MCG/2.24ML ( <i>teriparatide</i> )              | 4         | PA; SP; SMCS                                     |
| TERIPARATIDE SUBCUTANEOUS SOLUTION PEN-INJECTOR 560 MCG/2.24ML                                 | 4         | PA; SP; SMCS                                     |
| TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML ( <i>abaloparatide</i> )             | 4         | PA; SP; SMCS                                     |
| YORVIPATH SUBCUTANEOUS SOLUTION PEN-INJECTOR 168 MCG/0.56ML ( <i>palopegteriparatide</i> )     | 4         | PA; QL (2 pens (1.12 mL) per 28 days.); SP; SMCS |
| YORVIPATH SUBCUTANEOUS SOLUTION PEN-INJECTOR 294 MCG/0.98ML ( <i>palopegteriparatide</i> )     | 4         | PA; QL (2 pens (1.96 mL) per 28 days.); SP; SMCS |
| YORVIPATH SUBCUTANEOUS SOLUTION PEN-INJECTOR 420 MCG/1.4ML ( <i>palopegteriparatide</i> )      | 4         | PA; QL (2 pens (2.8 mL) per 28 days.); SP; SMCS  |
| <b>PITUITARY - Hormones</b>                                                                    |           |                                                  |
| CRENESSITY ORAL CAPSULE 100 MG, 25 MG, 50 MG ( <i>crinecerfont</i> )                           | 4         | PA; QL (62 capsules per month.); SP; SMCS        |
| CRENESSITY ORAL SOLUTION 50 MG/ML ( <i>crinecerfont</i> )                                      | 4         | PA; QL (120 mL (4 bottles) per month.); SP; SMCS |
| <i>desmopressin ace spray refrig nasal solution 0.01 %</i>                                     | 1         |                                                  |
| <i>desmopressin acetate injection solution 4 mcg/ml</i>                                        | 1         |                                                  |
| <i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i>                                         | 1         |                                                  |
| <i>desmopressin acetate pf injection solution 4 mcg/ml</i>                                     | 1         |                                                  |
| <i>desmopressin acetate spray nasal solution 0.01 %</i>                                        | 1         |                                                  |
| NGENLA SUBCUTANEOUS SOLUTION PEN-INJECTOR 24 MG/1.2ML, 60 MG/1.2ML ( <i>somatrogon-ghla</i> )  | 4         | PA; QL (0.172 ml per day.); SP; SMCS             |
| NORDITROPIN FLEXPPO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/1.5ML ( <i>somatropin</i> )       | 3         | PA; QL (13.5 mL per month.); SP; SMCS            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                 | Drug Tier | Coverage Requirements & Limits              |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------|
| NORDITROPIN FLEXPPO SUBCUTANEOUS SOLUTION PEN-INJECTOR 15 MG/1.5ML, 30 MG/3ML ( <i>somatropin</i> )                                    | 3         | PA; QL (9 mL per month.); SP; SMCS          |
| NORDITROPIN FLEXPPO SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MG/1.5ML ( <i>somatropin</i> )                                                | 3         | PA; QL (27 mL per month.); SP; SMCS         |
| OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10 MG/1.5ML ( <i>somatropin</i> )                                                            | 3         | PA; QL (13.5 mL per month.); SP; SMCS       |
| OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 5 MG/1.5ML ( <i>somatropin</i> )                                                             | 3         | PA; QL (27 mL per month.); SP; SMCS         |
| OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED 5.8 MG ( <i>somatropin</i> )                                                             | 3         | PA; QL (16 vials per month.); SP; SMCS      |
| SKYTROFA SUBCUTANEOUS CARTRIDGE 0.7 MG, 1.4 MG, 1.8 MG, 2.1 MG, 2.5 MG ( <i>lonapegsomatropin-tcgd</i> )                               | 4         | PA; SP; SMCS                                |
| SKYTROFA SUBCUTANEOUS CARTRIDGE 11 MG, 13.3 MG, 16.5 MG, 19.8 MG, 23.1 MG, 26.4 MG, 29.7 MG, 33.0 MG ( <i>lonapegsomatropin-tcgd</i> ) | 4         | PA; QL (0.143 cartridge per day.); SP; SMCS |
| <b>PROGESTINS - Drugs for Women</b>                                                                                                    |           |                                             |
| <i>abigale lo oral tablet 0.5-0.1 mg</i>                                                                                               | 2         |                                             |
| <i>abigale oral tablet 1-0.5 mg</i>                                                                                                    | 1         |                                             |
| ACTIVELLA ORAL TABLET 1-0.5 MG ( <i>estradiol-norethindrone acet</i> )                                                                 | 4         |                                             |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i>                                                                                             | 1         | H                                           |
| <i>aftera oral tablet 1.5 mg</i>                                                                                                       | 1         | H                                           |
| <i>altavera oral tablet 0.15-30 mg-mcg</i>                                                                                             | 1         | H                                           |
| <i>alyacen 1/35 oral tablet 1-35 mg-mcg</i>                                                                                            | 1         | H                                           |
| <i>alyacen 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>                                                                                  | 1         | H                                           |
| <i>amethyst oral tablet 90-20 mcg</i>                                                                                                  | 1         | H                                           |
| ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG ( <i>drospirenone-estradiol</i> )                                                            | 3         |                                             |
| ANNOVERA VAGINAL RING 0.013-0.15 MG/24HR ( <i>segesterone-ethinyl estradiol</i> )                                                      | 3         | QL (1 vaginal ring per 327 days); H         |
| <i>apri oral tablet 0.15-30 mg-mcg</i>                                                                                                 | 1         | H                                           |
| <i>aranelle oral tablet 0.5/1/0.5-35 mg-mcg</i>                                                                                        | 1         | H                                           |
| <i>ashlyna oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                                     | 1         | H                                           |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i>                                                                                              | 1         | H                                           |
| <i>aurovela 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                                       | 1         | H                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                               | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>aurovela 1/20 oral tablet 1-20 mg-mcg</i>                                                                         | 1         | H                              |
| <i>aurovela 24 fe oral tablet 1-20 mg-mcg(24)</i>                                                                    | 1         | H                              |
| <i>aurovela fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                  | 1         | H                              |
| <i>aurovela fe 1/20 oral tablet 1-20 mg-mcg</i>                                                                      | 1         | H                              |
| AVERI ORAL TABLET 0.15-0.03 MG ( <i>desogestrel-eth estrad-fe</i> )                                                  | 4         | H                              |
| <i>aviane oral tablet 0.1-20 mg-mcg</i>                                                                              | 1         | H                              |
| <i>ayuna oral tablet 0.15-30 mg-mcg</i>                                                                              | 1         | H                              |
| <i>azurette oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                                 | 1         | H                              |
| <i>balziva oral tablet 0.4-35 mg-mcg</i>                                                                             | 1         | H                              |
| BIJUVA ORAL CAPSULE 0.5-100 MG, 1-100 MG ( <i>estradiol-progesterone</i> )                                           | 3         |                                |
| <i>blisovi 24 fe oral tablet 1-20 mg-mcg(24)</i>                                                                     | 1         | H                              |
| <i>blisovi fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                                                   | 1         | H                              |
| <i>blisovi fe 1/20 oral tablet 1-20 mg-mcg</i>                                                                       | 1         | H                              |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i>                                                                            | 1         | H                              |
| <i>camila oral tablet 0.35 mg</i>                                                                                    | 1         | H                              |
| <i>camrese lo oral tablet 0.1-0.02 &amp; 0.01 mg</i>                                                                 | 4         | H                              |
| <i>camrese oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                   | 1         | H                              |
| <i>charlotte 24 fe oral tablet chewable 1-20 mg-mcg(24)</i>                                                          | 1         | H                              |
| <i>chateal eq oral tablet 0.15-30 mg-mcg</i>                                                                         | 1         | H                              |
| CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/DAY ( <i>estradiol-levonorgestrel</i> )                          | 3         | QL (4 patches per month.)      |
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY 0.05-0.14 MG/DAY, 0.05-0.25 MG/DAY ( <i>estradiol-norethindrone acet</i> ) | 3         | QL (8 patches per 28 days.)    |
| CRINONE VAGINAL GEL 4 %, 8 % ( <i>progesterone</i> )                                                                 | 4         | ST                             |
| <i>cryselle-28 oral tablet 0.3-30 mg-mcg</i>                                                                         | 1         | H                              |
| <i>cyred eq oral tablet 0.15-30 mg-mcg</i>                                                                           | 1         | H                              |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>                                                                     | 1         | H                              |
| <i>dasetta 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>                                                                | 1         | H                              |
| <i>daysee oral tablet 0.15-0.03 &amp; 0.01 mg</i>                                                                    | 1         | H                              |
| <i>deblitane oral tablet 0.35 mg</i>                                                                                 | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                               | Drug Tier | Coverage Requirements & Limits |
|----------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>delyla oral tablet 0.1-20 mg-mcg</b>                                                                              | 1         | H                              |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION 150 MG/ML ( <b>medroxyprogesterone acetate</b> )                               | 4         | QL (5 ml per year.); SM        |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 150 MG/ML ( <b>medroxyprogesterone acetate</b> )             | 4         | QL (5 mL per 365 days.); SM    |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 104 MG/0.65ML ( <b>medroxyprogesterone acetate</b> ) | 1         | QL (3.25 ml per year.); H; SM  |
| <b>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5)</b>                                            | 1         | H                              |
| <b>dolishale oral tablet 90-20 mcg</b>                                                                               | 1         | H                              |
| <b>drospiren-eth estrad-levomefol oral tablet 3-0.02-0.451 mg</b>                                                    | 4         | H                              |
| <b>drospiren-eth estrad-levomefol oral tablet 3-0.03-0.451 mg</b>                                                    | 1         | H                              |
| <b>econtra one-step oral tablet 1.5 mg</b>                                                                           | 1         | H                              |
| <b>elinest oral tablet 0.3-30 mg-mcg</b>                                                                             | 1         | H                              |
| ELLA ORAL TABLET 30 MG ( <b>ulipristal acetate</b> )                                                                 | 1         | QL (1 tablet per 21 days.); H  |
| <b>eluryng vaginal ring 0.12-0.015 mg/24hr</b>                                                                       | 1         | H                              |
| <b>emzahh oral tablet 0.35 mg</b>                                                                                    | 1         | H                              |
| ENDOMETRIN VAGINAL INSERT 100 MG ( <b>progesterone</b> )                                                             | 2         |                                |
| <b>enilloring vaginal ring 0.12-0.015 mg/24hr</b>                                                                    | 1         | H                              |
| <b>enpresse-28 oral tablet 50-30/75-40/ 125-30 mcg</b>                                                               | 1         | H                              |
| <b>enskyce oral tablet 0.15-30 mg-mcg</b>                                                                            | 1         | H                              |
| <b>errin oral tablet 0.35 mg</b>                                                                                     | 1         | H                              |
| <b>estarylla oral tablet 0.25-35 mg-mcg</b>                                                                          | 1         | H                              |
| <b>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</b>                                                           | 2         |                                |
| <b>estradiol-norethindrone acet oral tablet 1-0.5 mg</b>                                                             | 1         |                                |
| <b>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</b>                                            | 1         | H                              |
| <b>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24hr</b>                                                | 1         | H                              |
| <b>falmina oral tablet 0.1-20 mg-mcg</b>                                                                             | 1         | H                              |
| <b>feirza 1.5/30 oral tablet 1.5-30 mg-mcg</b>                                                                       | 1         | H                              |
| <b>feirza 1/20 oral tablet 1-20 mg-mcg</b>                                                                           | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                       | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------|-----------|--------------------------------|
| FEMLYV ORAL TABLET DISPERSIBLE 1-0.02 MG<br>(norethindrone acet-ethinyl est) | 4         | H                              |
| finzala oral tablet chewable 1-20 mg-mcg(24)                                 | 1         | H                              |
| fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg                               | 1         |                                |
| galbriela oral tablet chewable 0.8-25 mg-mcg                                 | 1         | H                              |
| gallifrey oral tablet 5 mg                                                   | 1         |                                |
| gemmily oral capsule 1-20 mg-mcg(24)                                         | 4         | H                              |
| hailey 1.5/30 oral tablet 1.5-30 mg-mcg                                      | 1         | H                              |
| hailey 24 fe oral tablet 1-20 mg-mcg(24)                                     | 1         | H                              |
| hailey fe 1.5/30 oral tablet 1.5-30 mg-mcg                                   | 1         | H                              |
| hailey fe 1/20 oral tablet 1-20 mg-mcg                                       | 1         | H                              |
| haloette vaginal ring 0.12-0.015 mg/24hr                                     | 1         | H                              |
| heather oral tablet 0.35 mg                                                  | 1         | H                              |
| her style oral tablet 1.5 mg                                                 | 1         | H                              |
| iclevia oral tablet 0.15-0.03 mg                                             | 2         | H                              |
| incassia oral tablet 0.35 mg                                                 | 1         | H                              |
| introvale oral tablet 0.15-0.03 mg                                           | 2         | H                              |
| isibloom oral tablet 0.15-30 mg-mcg                                          | 1         | H                              |
| jaimiess oral tablet 0.15-0.03 & 0.01 mg                                     | 1         | H                              |
| jencycla oral tablet 0.35 mg                                                 | 1         | H                              |
| jinteli oral tablet 1-5 mg-mcg                                               | 1         |                                |
| jolessa oral tablet 0.15-0.03 mg                                             | 2         | H                              |
| joyeaux oral tablet 0.1-20 mg-mcg(21)                                        | 1         | H                              |
| juleber oral tablet 0.15-30 mg-mcg                                           | 1         | H                              |
| junel 1.5/30 oral tablet 1.5-30 mg-mcg                                       | 1         | H                              |
| junel 1/20 oral tablet 1-20 mg-mcg                                           | 1         | H                              |
| junel fe 1.5/30 oral tablet 1.5-30 mg-mcg                                    | 1         | H                              |
| junel fe 1/20 oral tablet 1-20 mg-mcg                                        | 1         | H                              |
| junel fe 24 oral tablet 1-20 mg-mcg(24)                                      | 1         | H                              |
| kaitlib fe oral tablet chewable 0.8-25 mg-mcg                                | 1         | H                              |
| kalliga oral tablet 0.15-30 mg-mcg                                           | 1         | H                              |
| kariva oral tablet 0.15-0.02/0.01 mg (21/5)                                  | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                      | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>kelnor 1/35 oral tablet 1-35 mg-mcg</i>                                                  | 1         | H                              |
| <i>kurvelo oral tablet 0.15-30 mg-mcg</i>                                                   | 1         | H                              |
| <i>larin 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                               | 1         | H                              |
| <i>larin 1/20 oral tablet 1-20 mg-mcg</i>                                                   | 1         | H                              |
| <i>larin 24 fe oral tablet 1-20 mg-mcg(24)</i>                                              | 1         | H                              |
| <i>larin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                            | 1         | H                              |
| <i>larin fe 1/20 oral tablet 1-20 mg-mcg</i>                                                | 1         | H                              |
| <i>leena oral tablet 0.5/1/0.5-35 mg-mcg</i>                                                | 1         | H                              |
| <i>lessina oral tablet 0.1-20 mg-mcg</i>                                                    | 1         | H                              |
| <i>levonest oral tablet 50-30/75-40/ 125-30 mcg</i>                                         | 1         | H                              |
| <i>levonorgest-eth est &amp; eth est oral tablet 42-21-21-7 days</i>                        | 1         | H                              |
| <i>levonorgest-eth estrad 91-day oral tablet 0.1-0.02 &amp; 0.01 mg</i>                     | 4         | H                              |
| <i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 &amp; 0.01 mg</i>                    | 1         | H                              |
| <i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 mg</i>                               | 2         | H                              |
| <i>levonorgest-eth estradiol-iron oral tablet 0.1-20 mg-mcg(21)</i>                         | 1         | H                              |
| <i>levonorgestrel oral tablet 1.5 mg</i>                                                    | 1         | H                              |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg, 90-20 mcg</i>   | 1         | H                              |
| <i>levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg</i>                    | 1         | H                              |
| LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG / 10 MCG<br>( <i>norethin-eth estrad-fe biphas</i> ) | 1         | H                              |
| <i>lojaimiess oral tablet 0.1-0.02 &amp; 0.01 mg</i>                                        | 4         | H                              |
| <i>low-ogestrel oral tablet 0.3-30 mg-mcg</i>                                               | 1         | H                              |
| <i>luizza 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                              | 1         | H                              |
| <i>luizza 1/20 oral tablet 1-20 mg-mcg</i>                                                  | 1         | H                              |
| <i>lutra oral tablet 0.1-20 mg-mcg</i>                                                      | 1         | H                              |
| <i>lyleq oral tablet 0.35 mg</i>                                                            | 1         | H                              |
| <i>lyza oral tablet 0.35 mg</i>                                                             | 1         | H                              |
| <i>marlissa oral tablet 0.15-30 mg-mcg</i>                                                  | 1         | H                              |
| <i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i>                       | 1         | QL (5 ml per year.); H; SM     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</b> | 1         | QL (5 mL per 365 days.); H; SM |
| <b>medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg</b>                      | 1         | SM                             |
| <b>megestrol acetate oral suspension 40 mg/ml</b>                                       | 1         |                                |
| <b>megestrol acetate oral suspension 625 mg/5ml</b>                                     | 3         |                                |
| <b>megestrol acetate oral tablet 20 mg, 40 mg</b>                                       | 1         |                                |
| <b>meleya oral tablet 0.35 mg</b>                                                       | 1         | H                              |
| <b>mibelas 24 fe oral tablet chewable 1-20 mg-mcg(24)</b>                               | 1         | H                              |
| <b>microgestin 1.5/30 oral tablet 1.5-30 mg-mcg</b>                                     | 1         | H                              |
| <b>microgestin 1/20 oral tablet 1-20 mg-mcg</b>                                         | 1         | H                              |
| <b>microgestin fe 1.5/30 oral tablet 1.5-30 mg-mcg</b>                                  | 1         | H                              |
| <b>microgestin fe 1/20 oral tablet 1-20 mg-mcg</b>                                      | 1         | H                              |
| <b>mili oral tablet 0.25-35 mg-mcg</b>                                                  | 1         | H                              |
| <b>mimvey oral tablet 1-0.5 mg</b>                                                      | 1         |                                |
| <b>minzoya oral tablet 0.1-20 mg-mcg(21)</b>                                            | 1         | H                              |
| <b>mono-linyah oral tablet 0.25-35 mg-mcg</b>                                           | 1         | H                              |
| <b>my choice oral tablet 1.5 mg</b>                                                     | 1         | H                              |
| <b>my way oral tablet 1.5 mg</b>                                                        | 1         | H                              |
| <b>MYFEMBREE ORAL TABLET 40-1-0.5 MG (relugolix-estradiol-norethind)</b>                | 2         | PA; QL (1 tablet day.)         |
| <b>NATAZIA ORAL TABLET 3/2-2/2-3/1 MG (estradiol valerate-dienogest)</b>                | 1         | H                              |
| <b>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</b>                                      | 1         | H                              |
| <b>new day oral tablet 1.5 mg</b>                                                       | 1         | H                              |
| <b>NEXTSTELLIS ORAL TABLET 3-14.2 MG (drospirenone-estetrol)</b>                        | 4         | H                              |
| <b>nora-be oral tablet 0.35 mg</b>                                                      | 1         | H                              |
| <b>norelgestromin-eth estradiol transdermal patch weekly 150-35 mcg/24hr</b>            | 3         | H                              |
| <b>norethin ace-eth estrad-fe oral capsule 1-20 mg-mcg(24)</b>                          | 4         | H                              |
| <b>norethin ace-eth estrad-fe oral tablet 1.5-30 mg-mcg</b>                             | 1         | H                              |
| <b>norethin ace-eth estrad-fe oral tablet chewable 1-20 mg-mcg(24)</b>                  | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                             | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b>norethindrone acetate oral tablet 5 mg</b>                                                                      | 1         |                                |
| <b>norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</b>                                       | 1         | H                              |
| <b>norethindrone oral tablet 0.35 mg</b>                                                                           | 1         | H                              |
| <b>norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</b>                                          | 1         |                                |
| <b>norethin-eth estradiol-fe oral tablet chewable 0.4-35 mg-mcg, 0.8-25 mg-mcg</b>                                 | 1         | H                              |
| <b>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</b>                                                       | 1         | H                              |
| <b>norgestimate-ethinyl estradiol triphasic oral tablet 0.18/0.215/0.25 mg-25 mcg</b>                              | 2         | H                              |
| <b>norgestimate-ethinyl estradiol triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg</b>                              | 1         | H                              |
| <b>norlyroc oral tablet 0.35 mg</b>                                                                                | 1         | H                              |
| <b>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</b>                                                               | 1         | H                              |
| <b>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</b>                                                                   | 1         | H                              |
| <b>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</b>                                                                   | 1         | H                              |
| <b>nortrel 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</b>                                                              | 1         | H                              |
| <b>nylia 1/35 oral tablet 1-35 mg-mcg</b>                                                                          | 1         | H                              |
| <b>nylia 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</b>                                                                | 1         | H                              |
| <b>opcicon one-step oral tablet 1.5 mg</b>                                                                         | 1         | H                              |
| OPILL ORAL TABLET 0.075 MG ( <b>norgestrel</b> )                                                                   | 1         | H                              |
| <b>option 2 oral tablet 1.5 mg</b>                                                                                 | 1         | H                              |
| ORIAHNN ORAL CAPSULE THERAPY PACK 300-1-0.5 & 300 MG ( <b>elagolix-estradiol-norethind</b> )                       | 2         | PA; QL (2 capsules per day.)   |
| <b>orquidea oral tablet 0.35 mg</b>                                                                                | 1         | H                              |
| <b>philith oral tablet 0.4-35 mg-mcg</b>                                                                           | 1         | H                              |
| <b>pimtrea oral tablet 0.15-0.02/0.01 mg (21/5)</b>                                                                | 1         | H                              |
| PLAN B ONE-STEP ORAL TABLET 1.5 MG ( <b>levonorgestrel</b> )                                                       | 1         | H                              |
| <b>portia-28 oral tablet 0.15-30 mg-mcg</b>                                                                        | 1         | H                              |
| PREMPHASE ORAL TABLET 0.625-5 MG ( <b>conj estrogen-medroxyprogesterone</b> )                                      | 3         |                                |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG ( <b>conj estrogen-medroxyprogesterone</b> ) | 4         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                            | Drug Tier | Coverage Requirements & Limits |
|-----------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>progesterone intramuscular oil 50 mg/ml</i>                                    | 1         | SM                             |
| <i>progesterone oral capsule 100 mg, 200 mg</i>                                   | 2         | SM                             |
| <i>progesterone vaginal insert 100 mg</i>                                         | 2         |                                |
| PROVERA ORAL TABLET 10 MG, 2.5 MG, 5 MG<br>( <i>medroxyprogesterone acetate</i> ) | 4         | SM                             |
| <i>react oral tablet 1.5 mg</i>                                                   | 1         | H                              |
| <i>reclipsen oral tablet 0.15-30 mg-mcg</i>                                       | 1         | H                              |
| <i>rivelsa oral tablet 42-21-21-7 days</i>                                        | 1         | H                              |
| <i>rosyrah oral tablet 42-21-21-7 days</i>                                        | 1         | H                              |
| <i>setlakin oral tablet 0.15-0.03 mg</i>                                          | 2         | H                              |
| <i>sharobel oral tablet 0.35 mg</i>                                               | 1         | H                              |
| <i>simliya oral tablet 0.15-0.02/0.01 mg (21/5)</i>                               | 1         | H                              |
| <i>simpesse oral tablet 0.15-0.03 &amp; 0.01 mg</i>                               | 1         | H                              |
| SLYND ORAL TABLET 4 MG ( <i>drospirenone</i> )                                    | 4         | H                              |
| <i>sprintec 28 oral tablet 0.25-35 mg-mcg</i>                                     | 1         | H                              |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                                           | 1         | H                              |
| <i>take action oral tablet 1.5 mg</i>                                             | 1         | H                              |
| <i>tarina 24 fe oral tablet 1-20 mg-mcg(24)</i>                                   | 1         | H                              |
| <i>tarina fe 1/20 eq oral tablet 1-20 mg-mcg</i>                                  | 1         | H                              |
| <i>taysofy oral capsule 1-20 mg-mcg(24)</i>                                       | 4         | H                              |
| TAYTULLA ORAL CAPSULE 1-20 MG-MCG(24) ( <i>norethin ace-eth estrad-fe</i> )       | E         | H                              |
| <i>tilia fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                                 | 1         | H                              |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                        | 1         | H                              |
| <i>tri-legest fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                            | 1         | H                              |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                           | 1         | H                              |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                     | 2         | H                              |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                        | 2         | H                              |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                          | 2         | H                              |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                      | 2         | H                              |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                             | 1         | H                              |
| <i>tri-sprintec oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                         | 1         | H                              |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>                       | 2         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                         | Drug Tier | Coverage Requirements & Limits             |
|--------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg</i>                                                                       | 1         | H                                          |
| <i>turqoz oral tablet 0.3-30 mg-mcg</i>                                                                                        | 1         | H                                          |
| TWIRLA TRANSDERMAL PATCH WEEKLY 120-30 MCG/24HR ( <i>levonorgestrel-eth estradiol</i> )                                        | 4         | H                                          |
| TYBLUME ORAL TABLET CHEWABLE 0.1-20 MG-MCG ( <i>levonorgestrel-ethinyl estrad</i> )                                            | 1         | H                                          |
| <i>tydemy oral tablet 3-0.03-0.451 mg</i>                                                                                      | 1         | H                                          |
| <i>valtya 1/35 oral tablet 1-35 mg-mcg</i>                                                                                     | 1         | H                                          |
| <i>valtya 1/50 oral tablet 1-50 mg-mcg</i>                                                                                     | 1         | H                                          |
| <i>velivet oral tablet 0.1/0.125/0.15 -0.025 mg</i>                                                                            | 1         | H                                          |
| <i>vienva oral tablet 0.1-20 mg-mcg</i>                                                                                        | 1         | H                                          |
| <i>viorele oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                                            | 1         | H                                          |
| <i>volnea oral tablet 0.15-0.02/0.01 mg (21/5)</i>                                                                             | 1         | H                                          |
| <i>vyfemla oral tablet 0.4-35 mg-mcg</i>                                                                                       | 1         | H                                          |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i>                                                                                      | 1         | H                                          |
| <i>wera oral tablet 0.5-35 mg-mcg</i>                                                                                          | 1         | H                                          |
| <i>wymzya fe oral tablet chewable 0.4-35 mg-mcg</i>                                                                            | 1         | H                                          |
| <i>xarah fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                                                                              | 1         | H                                          |
| <i>xelria fe oral tablet chewable 0.4-35 mg-mcg</i>                                                                            | 1         | H                                          |
| <i>xulane transdermal patch weekly 150-35 mcg/24hr</i>                                                                         | 3         | H                                          |
| YASMIN 28 ORAL TABLET 3-0.03 MG ( <i>drospirenone-ethinyl estradiol</i> )                                                      | 2         | H                                          |
| YAZ ORAL TABLET 3-0.02 MG ( <i>drospirenone-ethinyl estradiol</i> )                                                            | 2         | H                                          |
| <i>zafemy transdermal patch weekly 150-35 mcg/24hr</i>                                                                         | 3         | H                                          |
| <i>zovia 1/35 (28) oral tablet 1-35 mg-mcg</i>                                                                                 | 1         | H                                          |
| <b>RAPID-ACTING INSULINS - Drugs for Diabetes</b>                                                                              |           |                                            |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML ( <i>insulin lispro</i> )                                       | 2         | QL (75 ml per prescription.); SM           |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 200 UNIT/ML ( <i>insulin lispro</i> )                                       | 2         | QL (75 ml (25 pens) per prescription.); SM |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (50-50) 100 UNIT/ML ( <i>insulin lispro prot &amp; lispro</i> ) | 2         | QL (75 ml per prescription.); SM           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                         | Drug Tier | Coverage Requirements & Limits       |
|--------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (75-25) 100 UNIT/ML ( <i>insulin lispro prot &amp; lispro</i> ) | 2         | QL (75 ml per prescription.); SM     |
| HUMALOG MIX 75/25 VIAL SUBCUTANEOUS SUSPENSION (75-25) 100 UNIT/ML ( <i>insulin lispro prot &amp; lispro</i> )                 | 2         | QL (70 ml per prescription.); SM     |
| HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML ( <i>insulin lispro</i> )                                                  | 2         | QL (75 ml per prescription.); SM     |
| HUMALOG U-100 JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML ( <i>insulin lispro</i> )                          | 2         | QL (75 ml per prescription.); SM     |
| INSULIN LISPRO (1 UNIT DIAL) SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                                    | 2         | QL (75 ml per prescription.); SM     |
| INSULIN LISPRO INJECTION SOLUTION 100 UNIT/ML                                                                                  | 2         | QL (70 ml per prescription.); SM     |
| INSULIN LISPRO JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                                   | 2         | QL (75 ml per prescription.); SM     |
| INSULIN LISPRO PROT & LISPRO SUBCUTANEOUS SUSPENSION PEN-INJECTOR (75-25) 100 UNIT/ML                                          | 2         | QL (75 ml per prescription.); SM     |
| LYUMJEV KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML ( <i>insulin lispro-aabc</i> )                     | 2         | QL (75 ml per prescription.); SM     |
| LYUMJEV VIAL INJECTION SOLUTION 100 UNIT/ML ( <i>insulin lispro-aabc</i> )                                                     | 2         | QL (70 ml per prescription.); SM     |
| <b>SHORT-ACTING INSULINS - Drugs for Diabetes</b>                                                                              |           |                                      |
| HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML ( <i>insulin nph isophane &amp; regular</i> )   | 2         | QL (75 ml per prescription.); SM     |
| HUMULIN 70/30 VIAL SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML ( <i>insulin nph isophane &amp; regular</i> )                   | 2         | QL (70 ml per prescription.); SM     |
| HUMULIN R SOLUTION 100 UNIT/ML INJECTION ( <i>insulin regular human</i> )                                                      | 1         | QL (70 ml per prescription.); SM     |
| HUMULIN R SOLUTION 100 UNIT/ML INJECTION ( <i>insulin regular human</i> )                                                      | 2         | QL (70 ml per prescription.); SM     |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 500 UNIT/ML ( <i>insulin regular human</i> )                        | 2         | QL (75 mL per prescription.); SM     |
| MYXREDLIN INTRAVENOUS SOLUTION 100-0.9 UT/100ML-% ( <i>insulin regular(human) in nacl</i> )                                    | 3         | SM                                   |
| NOVOLIN R FLEXPEN INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML ( <i>insulin regular human</i> )                                 | 2         | ST; QL (75 ml per prescription.); SM |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                          | Drug Tier | Coverage Requirements & Limits         |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| NOVOLIN R FLEXPEN RELION INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML ( <i>insulin regular human</i> )                           | 2         | ST; QL (75 ml per prescription.); SM   |
| <b>SODIUM-GLUC COTRANSPORT 2 (SGLT2) INHIB - Drugs for Diabetes</b>                                                             |           |                                        |
| BRENZAVVY ORAL TABLET 20 MG ( <i>bexagliflozin</i> )                                                                            | 3         | ST; QL (1 tablet per day.)             |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG ( <i>empagliflozin-linagliptin</i> )                                                      | 2         | ST; QL (1 tablet per day.)             |
| JARDIANCE ORAL TABLET 10 MG, 25 MG ( <i>empagliflozin</i> )                                                                     | 2         | QL (30 tablets per month.)             |
| SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-500 MG, 5-1000 MG, 5-500 MG ( <i>empagliflozin-metformin hcl</i> )                      | 2         | QL (2 tablets per day.)                |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 25-1000 MG ( <i>empagliflozin-metformin hcl</i> )                  | 2         | QL (1 tablet per day.)                 |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12.5-1000 MG, 5-1000 MG ( <i>empagliflozin-metformin hcl</i> )                 | 2         | QL (2 tablets per day.)                |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-5-1000 MG, 25-5-1000 MG ( <i>empagliflozin-linagliptin-metformin</i> )      | 2         | QL (1 tablet per day.)                 |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12.5-2.5-1000 MG, 5-2.5-1000 MG ( <i>empagliflozin-linagliptin-metformin</i> ) | 2         | QL (2 tablets per day.)                |
| <b>SOMATOSTATIN AGONISTS - Hormones</b>                                                                                         |           |                                        |
| <i>octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>                         | 1         | PA; SP; SMCS                           |
| <i>octreotide acetate subcutaneous solution prefilled syringe 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>                             | 1         | PA; SP; SMCS                           |
| <b>SOMATOTROPIN AGONISTS - Hormones</b>                                                                                         |           |                                        |
| INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML ( <i>mecasermin</i> )                                                                  | 3         | PA; QL (52 vials per month.); SP; SMCS |
| NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/1.5ML ( <i>somatropin</i> )                                        | 3         | PA; QL (13.5 mL per month.); SP; SMCS  |
| NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR 15 MG/1.5ML, 30 MG/3ML ( <i>somatropin</i> )                             | 3         | PA; QL (9 mL per month.); SP; SMCS     |
| NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MG/1.5ML ( <i>somatropin</i> )                                         | 3         | PA; QL (27 mL per month.); SP; SMCS    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                   | Drug Tier | Coverage Requirements & Limits         |
|----------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 10 MG/1.5ML ( <b>somatropin</b> )                              | 3         | PA; QL (13.5 mL per month.); SP; SMCS  |
| OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE 5 MG/1.5ML ( <b>somatropin</b> )                               | 3         | PA; QL (27 mL per month.); SP; SMCS    |
| OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED 5.8 MG ( <b>somatropin</b> )                               | 3         | PA; QL (16 vials per month.); SP; SMCS |
| <b>SULFONYLUREAS - Drugs for Diabetes</b>                                                                |           |                                        |
| DUETACT ORAL TABLET 30-2 MG, 30-4 MG ( <b>pioglitazone hcl-glimepiride</b> )                             | 3         | QL (1 tablet per day)                  |
| <b>glimepiride oral tablet 1 mg, 2 mg, 4 mg</b>                                                          | 1         |                                        |
| <b>glipizide er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</b>                             | 1         |                                        |
| <b>glipizide oral tablet 10 mg, 5 mg</b>                                                                 | 1         |                                        |
| <b>glipizide-metformin hcl oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg</b>                              | 2         |                                        |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24 HOUR 10 MG, 5 MG ( <b>glipizide</b> )                       | 4         |                                        |
| <b>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</b>                                               | 1         |                                        |
| <b>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</b>                                                       | 1         |                                        |
| <b>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</b>                                 | 1         |                                        |
| <b>pioglitazone hcl-glimepiride oral tablet 30-2 mg, 30-4 mg</b>                                         | 1         | QL (1 tablet per day)                  |
| <b>THIAZOLIDINEDIONES - Drugs for Diabetes</b>                                                           |           |                                        |
| ALOGLIPTIN-PIOGLITAZONE ORAL TABLET 12.5-30 MG, 25-15 MG, 25-30 MG, 25-45 MG                             | 2         | QL (1 tablet per day.)                 |
| DUETACT ORAL TABLET 30-2 MG, 30-4 MG ( <b>pioglitazone hcl-glimepiride</b> )                             | 3         | QL (1 tablet per day)                  |
| <b>pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg</b>                                                  | 1         | QL (1 tablet per day)                  |
| <b>pioglitazone hcl-glimepiride oral tablet 30-2 mg, 30-4 mg</b>                                         | 1         | QL (1 tablet per day)                  |
| <b>pioglitazone hcl-metformin hcl oral tablet 15-500 mg, 15-850 mg</b>                                   | 2         | QL (3 tablets per day)                 |
| <b>THYROID AGENTS - Drugs for the Thyroid</b>                                                            |           |                                        |
| ARMOUR THYROID ORAL TABLET 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG ( <b>thyroid</b> ) | 3         |                                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                                         | Drug Tier | Coverage Requirements & Limits        |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------|
| EVEXITHROID ORAL TABLET 120 MG, 15 MG, 180 MG, 30 MG, 60 MG, 90 MG ( <i>thyroid</i> )                                                          | 3         |                                       |
| <i>levo-t oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>               | 1         |                                       |
| <i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1         |                                       |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>                       | 2         |                                       |
| <i>liomny oral tablet 25 mcg, 5 mcg, 50 mcg</i>                                                                                                | 2         |                                       |
| <i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i>                                                                                   | 2         |                                       |
| NIVA THYROID ORAL TABLET 120 MG, 15 MG, 30 MG, 60 MG, 90 MG                                                                                    | 3         |                                       |
| <i>np thyroid oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg</i>                                                                               | 1         |                                       |
| RENTHYROID ORAL TABLET 120 MG, 15 MG, 30 MG, 60 MG, 90 MG ( <i>thyroid</i> )                                                                   | 3         |                                       |
| REZDIFFRA ORAL TABLET 100 MG, 60 MG, 80 MG ( <i>resmetirom</i> )                                                                               | 4         | PA; QL (1 Tablet per day.)            |
| <i>thyroid oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg</i>                                                                                  | 1         |                                       |
| <i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>            | 1         |                                       |
| <b>IMMUNOMODULATORY AGENTS (90:00)</b>                                                                                                         |           |                                       |
| <b>AMINO ACID POLYMERS</b>                                                                                                                     |           |                                       |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml</i>                                                                     | 3         | PA; QL (30 ml per month.); SP; SMCS   |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 40 mg/ml</i>                                                                     | 3         | PA; QL (12 ml per 21 days.); SP; SMCS |
| <i>glatopa subcutaneous solution prefilled syringe 20 mg/ml</i>                                                                                | 3         | PA; QL (30 ml per month.); SP; SMCS   |
| <i>glatopa subcutaneous solution prefilled syringe 40 mg/ml</i>                                                                                | 3         | PA; QL (12 ml per 21 days.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                        | Drug Tier | Coverage Requirements & Limits                  |
|-----------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| <b>ANTIMETABOLITES</b>                                                                        |           |                                                 |
| MAVENCLAD ORAL TABLET THERAPY PACK 10 MG ( <i>cladribine</i> )                                | 4         | PA; ST; QL (40 tablets per 720 days.); SP; SMCS |
| <i>teriflunomide oral tablet 14 mg</i>                                                        | 3         | PA; QL (1 tablet per day.); SP; SMCS            |
| <i>teriflunomide oral tablet 7 mg</i>                                                         | 3         | PA; QL (31 tablets per month.); SP; SMCS        |
| <b>ANTIMETABOLITES, IMMUNOSUPP THERAPY MISC</b>                                               |           |                                                 |
| AZASAN ORAL TABLET 100 MG, 75 MG ( <i>azathioprine</i> )                                      | 4         |                                                 |
| <i>azathioprine oral tablet 100 mg, 75 mg</i>                                                 | 3         |                                                 |
| <i>azathioprine oral tablet 50 mg</i>                                                         | 1         |                                                 |
| <i>mycophenolate mofetil oral capsule 250 mg</i>                                              | 1         |                                                 |
| <b>CALCINEURIN INHIBITORS, MISC (90:28)</b>                                                   |           |                                                 |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>                                | 1         |                                                 |
| <i>cyclosporine modified oral solution 100 mg/ml</i>                                          | 1         |                                                 |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i>                                                | 1         |                                                 |
| <i>gengraf oral capsule 100 mg, 25 mg</i>                                                     | 1         |                                                 |
| <i>gengraf oral solution 100 mg/ml</i>                                                        | 1         |                                                 |
| PROGRAF ORAL CAPSULE 0.5 MG, 1 MG, 5 MG ( <i>tacrolimus</i> )                                 | 4         |                                                 |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG ( <i>tacrolimus</i> )                                        | 4         | PA                                              |
| RESTASIS OPHTHALMIC EMULSION 0.05 % ( <i>cyclosporine</i> )                                   | 4         | PA; QL (60 vials per prescription.)             |
| <i>tacrolimus external ointment 0.03 %, 0.1 %</i>                                             | 2         | QL (30 grams per prescription.)                 |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>                                             | 1         |                                                 |
| VERKAZIA OPHTHALMIC EMULSION 0.1 % ( <i>cyclosporine</i> )                                    | 4         | PA; QL (4 vials per day.)                       |
| <b>COMPLEMENT INHIBITOR AGENTS (90:20)</b>                                                    |           |                                                 |
| FABHALTA ORAL CAPSULE 200 MG ( <i>iptacopan hcl</i> )                                         | 3         | PA; QL (2 capsules per day.); SP; SMCS          |
| <b>COMPLEMENT INHIBITORS (90:08)</b>                                                          |           |                                                 |
| ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 16.6 MG/0.416ML ( <i>zilucoplan sodium</i> ) | 4         | PA; QL (0.416 ml per day.); SP; SMCS            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                             | Drug Tier | Coverage Requirements & Limits                    |
|----------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------|
| ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 23 MG/0.574ML ( <i>ziluoplan sodium</i> )         | 4         | PA; QL (0.574 ml per day.); SP; SMCS              |
| ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 32.4 MG/0.81ML ( <i>ziluoplan sodium</i> )        | 4         | PA; QL (0.81 ml per day.); SP; SMCS               |
| <b>DISEASE-MODIFYING ANTIRHEUMAT DRUGS MISC</b>                                                    |           |                                                   |
| ENTYVIO PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 108 MG/0.68ML ( <i>vedolizumab</i> )               | 3         | PA; QL (0.05 ml per day.); SP; SMCS               |
| ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MG/ML ( <i>abatacept</i> )               | 4         | PA; ST; QL (4 autoinjectors per month.); SP; SMCS |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML ( <i>abatacept</i> )                     | 4         | PA; ST; QL (4 syringes per month.); SP; SMCS      |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.4ML ( <i>abatacept</i> )                   | 4         | PA; ST; QL (0.06 ml per day.); SP; SMCS           |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 87.5 MG/0.7ML ( <i>abatacept</i> )                 | 4         | PA; ST; QL (0.1 ml per day.); SP; SMCS            |
| <b>DISEASE-MODIFYING ANTIRHEUMATIC DRUGS</b>                                                       |           |                                                   |
| CIMZIA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )      | 3         | PA; QL (1 kit per 21 days.); SP; SMCS             |
| CIMZIA-STARTER SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )          | 3         | PA; QL (1 kit per 21 days.); SP; SMCS             |
| <i>hydroxychloroquine sulfate oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i>                       | 1         |                                                   |
| JYLAMVO ORAL SOLUTION 2 MG/ML ( <i>methotrexate</i> )                                              | 4         | PA; CM                                            |
| <i>methotrexate sodium (pf) injection solution 1 gm/40ml, 1000 mg/40ml, 250 mg/10ml, 50 mg/2ml</i> | 1         |                                                   |
| <i>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</i>                               | 1         |                                                   |
| <i>methotrexate sodium injection solution reconstituted 1 gm</i>                                   | 1         |                                                   |
| <i>methotrexate sodium oral tablet 2.5 mg</i>                                                      | 1         | CM                                                |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.2ML ( <i>methotrexate (anti-rheumatic)</i> )    | 2         | QL (0.8 ml (4 auto-injectors) per month.)         |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 7.5 MG/0.15ML ( <i>methotrexate (anti-rheumatic)</i> )  | 2         | QL (0.6 ml (4 auto-injectors) per month.)         |
| <i>sulfasalazine oral tablet 500 mg</i>                                                            | 1         |                                                   |
| <i>sulfasalazine oral tablet delayed release 500 mg</i>                                            | 1         |                                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                           | Drug Tier | Coverage Requirements & Limits                                |
|--------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------|
| TREMFYA ONE-PRESS SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 MG/ML ( <i>guselkumab</i> )             | 3         | PA; QL (1 mL (1 device) every 8 weeks.); SP; SMCS             |
| TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML ( <i>guselkumab</i> )                  | 3         | PA; QL (1 mL (1 device) every 8 weeks.); SP; SMCS             |
| TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/2ML ( <i>guselkumab</i> )                 | 3         | PA; QL (2ml (1 auto-injector) per month.); SMCS               |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <i>guselkumab</i> )                  | 3         | PA; QL (1 mL (1 syringe) every 8 weeks.); SP; SMCS            |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/2ML ( <i>guselkumab</i> )                 | 3         | PA; QL (2ml (1 syringe) per month.); SMCS                     |
| TREMFYA-CD/UC INDUCTION SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/2ML ( <i>guselkumab</i> )     | 3         | PA; QL (4 ml (2 pens/1 box) per month.); SMCS                 |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG ( <i>methotrexate sodium</i> )                    | 2         | CM                                                            |
| XATMEP ORAL SOLUTION 2.5 MG/ML ( <i>methotrexate</i> )                                           | 4         | PA; QL (4 ml per day.); CM                                    |
| <b>FUMARATES</b>                                                                                 |           |                                                               |
| BAFIERTAM ORAL CAPSULE DELAYED RELEASE 95 MG ( <i>monomethyl fumarate</i> )                      | 3         | PA; QL (4 capsules per day.); SP; SMCS                        |
| <i>dimethyl fumarate oral capsule delayed release 120 mg</i>                                     | 1         | PA; QL (56 capsules per year.); SP; SMCS                      |
| <i>dimethyl fumarate oral capsule delayed release 240 mg</i>                                     | 1         | PA; QL (2 capsules per day.); SP; SMCS                        |
| <i>dimethyl fumarate starter pack oral capsule delayed release therapy pack 120 &amp; 240 mg</i> | 1         | PA; QL (60 capsules (1 starter pack) per 365 days.); SP; SMCS |
| <b>IGG1 MONOCLONAL ANTIBODIES</b>                                                                |           |                                                               |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML ( <i>belimumab</i> )                      | 3         | PA; QL (4 ml per month.); SP; SMCS                            |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML ( <i>belimumab</i> )                  | 3         | PA; QL (4 ml per month.); SP; SMCS                            |
| <b>IMMUNOMODULATORY AGENTS (90:00)</b>                                                           |           |                                                               |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                                                | 3         | CM                                                            |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG                                                               | 3         | CM                                                            |
| <i>everolimus oral tablet 10 mg, 7.5 mg</i>                                                      | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                          | Drug Tier | Coverage Requirements & Limits                   |
|-------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| <i>everolimus oral tablet 2.5 mg, 5 mg</i>                                                      | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS         |
| <i>everolimus oral tablet soluble 2 mg, 3 mg, 5 mg</i>                                          | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS         |
| <i>mercaptopurine oral suspension 2000 mg/100ml</i>                                             | 3         | SP; CM; SMCS                                     |
| <i>mercaptopurine oral tablet 50 mg</i>                                                         | 1         | CM                                               |
| PURIXAN ORAL SUSPENSION 2000 MG/100ML ( <i>mercaptopurine</i> )                                 | 4         | SP; CM; SMCS                                     |
| <i>torpenz oral tablet 10 mg, 7.5 mg</i>                                                        | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS        |
| <i>torpenz oral tablet 2.5 mg, 5 mg</i>                                                         | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS         |
| <b>INTERFERONS</b>                                                                              |           |                                                  |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT 30 MCG/0.5ML ( <i>interferon beta-1a</i> )           | 3         | PA; QL (4 pens (1 box) per month.); SP; SMCS     |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT 30 MCG/0.5ML ( <i>interferon beta-1a</i> ) | 3         | PA; QL (4 syringes (1 box) per month.); SP; SMCS |
| BETASERON SUBCUTANEOUS KIT 0.3 MG ( <i>interferon beta-1b</i> )                                 | 3         | PA; QL (14 vials per month.); SP; SMCS           |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML ( <i>peginterferon alfa-2a</i> )                       | 3         | SP; SMCS                                         |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML ( <i>peginterferon alfa-2a</i> )  | 3         | SP; SMCS                                         |
| <b>INTERLEUKIN INHIBITOR AGENTS, MISC</b>                                                       |           |                                                  |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <i>omalizumab</i> )                      | 3         | PA; QL (2 auto injectors per month.); SP; SMCS   |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML ( <i>omalizumab</i> )                     | 3         | PA; QL (0.15 ml per day.); SP; SMCS              |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 75 MG/0.5ML ( <i>omalizumab</i> )                    | 3         | PA; QL (0.04 ml per day.); SP; SMCS              |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>omalizumab</i> )                  | 3         | PA; QL (0.08 ml per day.); SP; SMCS              |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML ( <i>omalizumab</i> )                 | 3         | PA; QL (0.15 ml per day.); SP; SMCS              |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML ( <i>omalizumab</i> )                | 3         | PA; QL (0.04 ml per day.); SP; SMCS              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                             | Drug Tier | Coverage Requirements & Limits                        |
|----------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------|
| <b>INTERLEUKIN-MEDIATED AGENTS, MISC</b>                                                           |           |                                                       |
| ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML ( <i>tocilizumab</i> )             | 4         | PA; ST; QL (3.6 ml per 21 days.); SP; SMCS            |
| ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML ( <i>tocilizumab</i> )                | 4         | PA; ST; QL (4 syringes (3.6 ml) per month.); SP; SMCS |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>secukinumab</i> )    | 3         | PA; QL (0.072 ml per day.); SP; SMCS                  |
| COSENTYX 150 MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>secukinumab</i> )        | 3         | PA; QL (0.036 ml per day.); SP; SMCS                  |
| COSENTYX 150 MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML ( <i>secukinumab</i> )      | 3         | PA; QL (0.018 ml per day.); SP; SMCS                  |
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <i>secukinumab</i> )  | 3         | PA; QL (0.072 ml per day.); SP; SMCS                  |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <i>secukinumab</i> )       | 3         | PA; QL (0.036 ml per day.); SP; SMCS                  |
| COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML ( <i>secukinumab</i> )            | 3         | PA; QL (0.072 ml per day.); SP; SMCS                  |
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML ( <i>anakinra</i> )                  | 4         | PA; ST; QL (0.67 ml (1 syringe) per day.); SP; SMCS   |
| STEQEYMA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML, 90 MG/ML ( <i>ustekinumab-stba</i> ) | 3         | PA; QL (1 syringe every 3 months.); SP; SMCS          |
| TYENNE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML ( <i>tocilizumab-aazg</i> )                | 4         | PA; ST; SP; SMCS                                      |
| TYENNE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML ( <i>tocilizumab-aazg</i> )            | 4         | PA; ST; SP; SMCS                                      |
| WEZLANA SUBCUTANEOUS SOLUTION 45 MG/0.5ML ( <i>ustekinumab-auub</i> )                              | 3         | PA; QL (1 single-dose vial every 3 months.); SP; SMCS |
| WEZLANA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML, 90 MG/ML ( <i>ustekinumab-auub</i> )  | 3         | PA; QL (1 syringe per 3 months.); SP; SMCS            |
| YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5ML ( <i>ustekinumab-kfce</i> )                             | 3         | PA; QL (1 single-dose vial every 3 months.); SP; SMCS |
| YESINTEK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML, 90 MG/ML ( <i>ustekinumab-kfce</i> ) | 3         | PA; QL (1 syringe every 3 months.); SP; SMCS          |
| <b>JANUS KINASE INHIBITORS, MISCELLANEOUS</b>                                                      |           |                                                       |
| CIBINQO ORAL TABLET 100 MG, 200 MG, 50 MG ( <i>abrocitinib</i> )                                   | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                 | Drug Tier | Coverage Requirements & Limits                             |
|------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------|
| OLUMIANT ORAL TABLET 1 MG, 4 MG ( <i>baricitinib</i> )                                                                 | 4         | PA; ST; QL (1 tablet per day.); SMCS                       |
| OLUMIANT ORAL TABLET 2 MG ( <i>baricitinib</i> )                                                                       | 4         | PA; ST; QL (1 tablet per day.); SP; SMCS                   |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML ( <i>upadacitinib</i> )                                                                | 3         | PA; QL (360 mL (2 bottles) per month.); SP; SMCS           |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG ( <i>upadacitinib</i> )                                       | 3         | PA; QL (1 tablet per day.); SP; SMCS                       |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 45 MG ( <i>upadacitinib</i> )                                              | 3         | PA; QL (84 tablets per 365 days.); SP; SMCS                |
| XELJANZ ORAL SOLUTION 1 MG/ML ( <i>tofacitinib citrate</i> )                                                           | 3         | PA; QL (8 mL per day.); SP; SMCS                           |
| XELJANZ ORAL TABLET 10 MG, 5 MG ( <i>tofacitinib citrate</i> )                                                         | 3         | PA; QL (2 tablets per day.); SP; SMCS                      |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG ( <i>tofacitinib citrate</i> )                                   | 3         | PA; QL (1 tablet per day.); SP; SMCS                       |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 22 MG ( <i>tofacitinib citrate</i> )                                   | 3         | PA; QL (1 tablet per day.); SMCS                           |
| <b>MONOCARBOXYLIC ACID AMIDE AGENTS</b>                                                                                |           |                                                            |
| <i>leflunomide oral tablet 10 mg, 20 mg</i>                                                                            | 1         |                                                            |
| <b>MTOR INHIBITORS, MISCELLANEOUS</b>                                                                                  |           |                                                            |
| HYFTOR EXTERNAL GEL 0.2 % ( <i>sirolimus</i> )                                                                         | 4         | PA; QL (10 g per 23 days.)                                 |
| <i>sirolimus oral solution 1 mg/ml</i>                                                                                 | 3         |                                                            |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                        | 1         |                                                            |
| <b>NEONATAL FC RECEPTOR BLOCKERS</b>                                                                                   |           |                                                            |
| VYVGART HYTRULO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 1000-10000 MG-UNT/5ML ( <i>efgartigimod alfa-hyalur-qvfc</i> ) | 4         | PA; QL (1 syringe every 50 days.); SP; SMCS                |
| <b>PHOSPHODIESTERASE-4 INHIBITORS, MISC</b>                                                                            |           |                                                            |
| OTEZLA ORAL TABLET 20 MG ( <i>apremilast</i> )                                                                         | 3         | PA; QL (60 tablets per month.); SMCS                       |
| OTEZLA ORAL TABLET 30 MG ( <i>apremilast</i> )                                                                         | 3         | PA; QL (2 tablets per day.); SP; SMCS                      |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG ( <i>apremilast</i> )                                                  | 3         | PA; QL (55 tablets (one starter pack) per year.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                    | Drug Tier | Coverage Requirements & Limits                            |
|-----------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| OTEZLA ORAL TABLET THERAPY PACK 4 X 10 & 51 X20 MG ( <i>apremilast</i> )                                  | 3         | PA; QL (1 starter pack per year.); SMCS                   |
| <b>SPHINGOSINE 1-PHOSPHATE (S1P) AGENTS</b>                                                               |           |                                                           |
| <i> fingolimod hcl oral capsule 0.5 mg</i>                                                                | 1         | PA; QL (1 capsule per day.); SP; SMCS                     |
| MAYZENT ORAL TABLET 0.25 MG ( <i>siponimod fumarate</i> )                                                 | 4         | PA; QL (4 tablets per day.); SP; SMCS                     |
| MAYZENT ORAL TABLET 1 MG ( <i>siponimod fumarate</i> )                                                    | 4         | PA; QL (1 tablet per day.); SP; SMCS                      |
| MAYZENT ORAL TABLET 2 MG ( <i>siponimod fumarate</i> )                                                    | 4         | PA; QL (1 tablet per day.); SP; SMCS                      |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 12 X 0.25 MG ( <i>siponimod fumarate</i> )                  | 4         | PA; QL (12 tablets per 365 days.); SP; SMCS               |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 7 X 0.25 MG ( <i>siponimod fumarate</i> )                   | 4         | PA; QL (7 tablets per 365 days.); SP; SMCS                |
| <b>TUMOR NECROSIS FACTOR INHIBITORS, MISC</b>                                                             |           |                                                           |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML                                           | 3         | PA; QL (0.03 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/0.8ML                                           | 3         | PA; SP; SMCS                                              |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.1ML                                       | 3         | PA; QL (0.01 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/0.2ML                                       | 3         | PA; QL (0.02 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML                                       | 3         | PA; QL (0.03 ml per day.); SP; SMCS                       |
| AMJEVITA SOLUTION AUTO-INJECTOR 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                       | 3         | PA; QL (2 auto-injectors (1 carton) per month.); SP; SMCS |
| AMJEVITA SOLUTION AUTO-INJECTOR 80 MG/0.8ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                       | 3         | PA; QL (2 auto-injectors (1 carton) per month.); SP; SMCS |
| AMJEVITA SOLUTION PREFILLED SYRINGE 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                   | 3         | PA; QL (2 syringes per month per month.); SP; SMCS        |
| AMJEVITA-PED 15KG TO <30KG SOLUTION PREFILLED SYRINGE 20 MG/0.2ML SUBCUTANEOUS ( <i>adalimumab-atto</i> ) | 3         | PA; SP; SMCS                                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                            | Drug Tier | Coverage Requirements & Limits                  |
|-------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| CIMZIA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )                     | 3         | PA; QL (1 kit per 21 days.); SP; SMCS           |
| CIMZIA-STARTER SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )                         | 3         | PA; QL (1 kit per 21 days.); SP; SMCS           |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML ( <i>etanercept</i> )                                        | 3         | PA; QL (0.15 ml per day.); SP; SMCS             |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML ( <i>etanercept</i> )                                                    | 3         | PA; QL (0.15 ml per day.); SP; SMCS             |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML ( <i>etanercept</i> )                        | 3         | PA; QL (0.15 ml per day.); SP; SMCS             |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML ( <i>etanercept</i> )                               | 3         | PA; QL (0.15 ml per day.); SP; SMCS             |
| HUMIRA (1 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML ( <i>adalimumab</i> )                                   | 3         | PA; QL (4 pens per 365 days.); SP; SMCS         |
| HUMIRA (2 PEN) AUTO-INJECTOR KIT 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab</i> )                                   | 3         | PA; QL (2 pens per month.); SP; SMCS            |
| HUMIRA (2 PEN) AUTO-INJECTOR KIT 80 MG/0.8ML SUBCUTANEOUS ( <i>adalimumab</i> )                                   | 3         | PA; QL (2 pens per month.); SP; SMCS            |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML ( <i>adalimumab</i> )                                   | 3         | PA; QL (2 syringes per month.); SP; SMCS        |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML ( <i>adalimumab</i> ) | 3         | PA; QL (2 syringes per month.); SP; SMCS        |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML ( <i>adalimumab</i> )                           | 3         | PA; QL (2 syringes per month.); SP; SMCS        |
| HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML ( <i>adalimumab</i> )                          | 3         | PA; QL (4 pens per 365 days.); SP; SMCS         |
| HUMIRA-PSORIASIS/UEVIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML ( <i>adalimumab</i> )      | 3         | PA; QL (3 pens per year.); SP; SMCS             |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML ( <i>golimumab</i> )                                        | 3         | PA; QL (1 syringe per 21 days.); SP; SMCS       |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/0.5ML ( <i>golimumab</i> )                                      | 3         | PA; QL (0.5 ml (1 syringe) per month); SP; SMCS |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <i>golimumab</i> )                                    | 3         | PA; QL (1 syringe per 21 days.); SP; SMCS       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                   | Drug Tier | Coverage Requirements & Limits                  |
|------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.5ML ( <i>golimumab</i> )         | 3         | PA; QL (0.5 ml (1 syringe) per month); SP; SMCS |
| <b>LOCAL ANESTHETICS - Drugs for Numbing</b>                                             |           |                                                 |
| <b>LOCAL ANESTHETICS - Drugs for Numbing</b>                                             |           |                                                 |
| ALTACAINE OPHTHALMIC SOLUTION 0.5 % ( <i>tetracaine hcl</i> )                            | 3         |                                                 |
| <i>tetracaine hcl ophthalmic solution 0.5 %</i>                                          | 1         |                                                 |
| ZTLIDO EXTERNAL PATCH 1.8 % ( <i>lidocaine</i> )                                         | 3         | PA; QL (3 patches per day.)                     |
| <b>MISCELLANEOUS THERAPEUTIC AGENTS</b>                                                  |           |                                                 |
| <b>5-ALPHA-REDUCTASE INHIBITORS</b>                                                      |           |                                                 |
| <i>dutasteride oral capsule 0.5 mg</i>                                                   | 2         |                                                 |
| <i>finasteride oral tablet 5 mg</i>                                                      | 1         |                                                 |
| <b>5-ALPHA-REDUCTASE INHIBITORS (92:04) - Drugs for Alcohol Dependence</b>               |           |                                                 |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>                                             | 1         |                                                 |
| <i>dutasteride oral capsule 0.5 mg</i>                                                   | 2         |                                                 |
| <i>finasteride oral tablet 5 mg</i>                                                      | 1         |                                                 |
| <i>naltrexone hcl oral tablet 50 mg</i>                                                  | 1         |                                                 |
| <b>ANTIDOTES (92:12) - Drugs for Overdose or Poisoning</b>                               |           |                                                 |
| <i>acetylcysteine inhalation solution 10 %, 20 %</i>                                     | 1         |                                                 |
| BAQSIMI ONE PACK NASAL POWDER 3 MG/DOSE ( <i>glucagon</i> )                              | 2         | QL (2 intranasal devices per prescription.)     |
| BAQSIMI TWO PACK NASAL POWDER 3 MG/DOSE ( <i>glucagon</i> )                              | 2         | QL (2 intranasal devices per prescription.)     |
| CHEMET ORAL CAPSULE 100 MG ( <i>succimer</i> )                                           | 2         |                                                 |
| FOSRENOL ORAL PACKET 1000 MG, 750 MG ( <i>lanthanum carbonate</i> )                      | 3         | ST                                              |
| <i>glucagon emergency kit injection solution reconstituted 1 mg</i>                      | 2         |                                                 |
| GVOKE HYOPEN 1-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML ( <i>glucagon</i> ) | 2         | QL (0.2 ml per prescription.)                   |
| GVOKE HYOPEN 1-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 1 MG/0.2ML ( <i>glucagon</i> )   | 2         | QL (0.4 ml per prescription.)                   |
| GVOKE HYOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML ( <i>glucagon</i> ) | 2         | QL (0.2 ml per prescription.)                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                  | Drug Tier | Coverage Requirements & Limits    |
|---------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 1 MG/0.2ML ( <i>glucagon</i> )                 | 2         | QL (0.4 ml per prescription.)     |
| GVOKE KIT SUBCUTANEOUS SOLUTION 1 MG/0.2ML ( <i>glucagon</i> )                                          | 2         |                                   |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 1 MG/0.2ML ( <i>glucagon</i> )                        | 2         |                                   |
| <i>lanthanum carbonate oral tablet chewable 1000 mg, 500 mg, 750 mg</i>                                 | 3         | ST                                |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>                                         | 1         |                                   |
| <i>naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml</i>                                             | 1         | SM                                |
| <i>naloxone hcl injection solution cartridge 0.4 mg/ml</i>                                              | 1         | SM                                |
| <i>naloxone hcl injection solution prefilled syringe 0.4 mg/ml, 2 mg/2ml</i>                            | 1         | SM                                |
| <i>naltrexone hcl oral tablet 50 mg</i>                                                                 | 1         |                                   |
| <i>phytonadione oral tablet 5 mg</i>                                                                    | 3         | QL (5 tablets per prescription.)  |
| RADIOGARDASE ORAL CAPSULE 0.5 GM ( <i>prussian blue insoluble</i> )                                     | 3         |                                   |
| <i>sevelamer carbonate oral packet 0.8 gm, 2.4 gm</i>                                                   | 2         | PA                                |
| <i>sevelamer carbonate oral tablet 800 mg</i>                                                           | 2         |                                   |
| <i>sodium polystyrene sulfonate oral powder</i>                                                         | 1         |                                   |
| SPS (SODIUM POLYSTYRENE SULF) COMBINATION SUSPENSION 15 GM/60ML ( <i>sodium polystyrene sulfonate</i> ) | 3         |                                   |
| SPS (SODIUM POLYSTYRENE SULF) RECTAL SUSPENSION 30 GM/120ML ( <i>sodium polystyrene sulfonate</i> )     | 3         |                                   |
| VISTOGARD ORAL PACKET 10 GM ( <i>uridine triacetate</i> )                                               | 3         | QL (20 packets per prescription.) |
| ZEGALOGUE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.6 MG/0.6ML ( <i>dasiglucagon hcl</i> )                  | 2         | QL (1.2 ml per prescription.)     |
| ZEGALOGUE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 0.6 MG/0.6ML ( <i>dasiglucagon hcl</i> )              | 2         | QL (1.2 ml per prescription.)     |
| <b>ANTIGOUT AGENTS - Drugs for Gout</b>                                                                 |           |                                   |
| <i>allopurinol oral tablet 100 mg, 300 mg</i>                                                           | 1         |                                   |
| <i>colchicine oral capsule 0.6 mg</i>                                                                   | 2         |                                   |
| <i>colchicine oral tablet 0.6 mg</i>                                                                    | 2         |                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                | Drug Tier | Coverage Requirements & Limits                         |
|---------------------------------------------------------------------------------------|-----------|--------------------------------------------------------|
| <b>colchicine-probenecid oral tablet 0.5-500 mg</b>                                   | 1         |                                                        |
| <b>febuxostat oral tablet 40 mg, 80 mg</b>                                            | 3         |                                                        |
| GLOPERBA ORAL SOLUTION 0.6 MG/5ML ( <b>colchicine</b> )                               | 4         | PA                                                     |
| INDOCIN RECTAL SUPPOSITORY 50 MG ( <b>indomethacin</b> )                              | 4         | PA                                                     |
| <b>indomethacin er oral capsule extended release 75 mg</b>                            | 2         |                                                        |
| <b>indomethacin oral capsule 25 mg, 50 mg</b>                                         | 1         |                                                        |
| <b>indomethacin rectal suppository 50 mg</b>                                          | 3         | PA                                                     |
| MITIGARE ORAL CAPSULE 0.6 MG ( <b>colchicine</b> )                                    | 2         |                                                        |
| <b>naproxen dr oral tablet delayed release 500 mg</b>                                 | 1         |                                                        |
| <b>naproxen oral tablet 250 mg, 375 mg, 500 mg</b>                                    | 1         |                                                        |
| <b>naproxen oral tablet delayed release 375 mg, 500 mg</b>                            | 1         |                                                        |
| <b>naproxen sodium oral tablet 275 mg, 550 mg</b>                                     | 2         |                                                        |
| ORLYNVAH ORAL TABLET 500-500 MG ( <b>sulopenem etzadrox-probenecid</b> )              | 4         | QL (10 tablets per course of therapy.)                 |
| <b>probenecid oral tablet 500 mg</b>                                                  | 1         |                                                        |
| <b>ANTISENSE OLIGONUCLEOTIDES</b>                                                     |           |                                                        |
| LUMRYZ ORAL PACKET 4.5 GM, 6 GM, 7.5 GM, 9 GM ( <b>sodium oxybate</b> )               | 4         | PA; QL (1 packet per day.); SP; SMCS                   |
| LUMRYZ STARTER PACK ORAL THERAPY PACK 4.5 & 6 & 7.5 GM ( <b>sodium oxybate</b> )      | 4         | PA; QL (1 box (28 packets) per year.); SP; SMCS        |
| SODIUM OXYBATE ORAL SOLUTION 500 MG/ML                                                | 4         | PA; QL (18 ml per day.); SP; SMCS                      |
| TRYNGOLZA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/0.8ML ( <b>olezarsen sodium</b> ) | 4         | PA; QL (1 Auto-injector (0.8 mL) per month.); SP; SMCS |
| WAINUA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 45 MG/0.8ML ( <b>eplontersen sodium</b> )  | 3         | PA; QL (0.029 ml per day.); SP; SMCS                   |
| <b>BONE ANABOLIC AGENTS</b>                                                           |           |                                                        |
| BONSITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 560 MCG/2.24ML ( <b>teriparatide</b> )     | 4         | PA; SP; SMCS                                           |
| TERIPARATIDE SUBCUTANEOUS SOLUTION PEN-INJECTOR 560 MCG/2.24ML                        | 4         | PA; SP; SMCS                                           |
| TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML ( <b>abaloparatide</b> )    | 4         | PA; SP; SMCS                                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                          | Drug Tier | Coverage Requirements & Limits             |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| <b>BONE RESORPTION INHIBITORS - Drugs for Bone Loss</b>                                                                         |           |                                            |
| <i>alendronate sodium oral solution 70 mg/75ml</i>                                                                              | 1         |                                            |
| <i>alendronate sodium oral tablet 10 mg, 35 mg, 70 mg</i>                                                                       | 1         |                                            |
| ALORA TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR ( <i>estradiol</i> )                             | 3         | QL (8 patches (1 box) per 28 days.); SM    |
| <i>calcitonin (salmon) injection solution 200 unit/ml</i>                                                                       | 3         |                                            |
| <i>calcitonin (salmon) nasal solution 200 unit/act</i>                                                                          | 2         |                                            |
| DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML, 20 MG/ML ( <i>estradiol valerate</i> )                                                  | 4         | SM                                         |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML ( <i>estradiol cypionate</i> )                                                         | 3         | SM                                         |
| DIVIGEL TRANSDERMAL GEL 0.25 MG/0.25GM, 0.5 MG/0.5GM, 0.75 MG/0.75GM, 1 MG/GM, 1.25 MG/1.25GM ( <i>estradiol</i> )              | 3         | SM                                         |
| <i>dotti transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>             | 2         | QL (8 patches (1 box) per 28 days.); SM    |
| ELESTRIN TRANSDERMAL GEL 0.52 MG/0.87 GM (0.06%) ( <i>estradiol</i> )                                                           | 3         | SM                                         |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                 | 1         | SM                                         |
| <i>estradiol transdermal gel 0.25 mg/0.25gm, 0.5 mg/0.5gm, 0.75 mg/0.75gm, 1 mg/gm, 1.25 mg/1.25gm</i>                          | 3         | SM                                         |
| <i>estradiol transdermal gel 0.75 mg/1.25 gm (0.06%)</i>                                                                        | 3         | QL (50 grams (1 box) per month.); SM       |
| <i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>         | 2         | QL (8 patches (1 box) per 28 days.); SM    |
| <i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 1         | QL (4 patches (1 carton) per 28 days.); SM |
| <i>estradiol vaginal cream 0.01 %</i>                                                                                           | 4         |                                            |
| <i>estradiol vaginal tablet 10 mcg</i>                                                                                          | 2         |                                            |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>                                                        | 1         | SM                                         |
| ESTRING VAGINAL RING 7.5 MCG/24HR ( <i>estradiol</i> )                                                                          | 2         | QL (1 ring per 90 days.)                   |
| ESTROGEL TRANSDERMAL GEL 0.75 MG/1.25 GM (0.06%) ( <i>estradiol</i> )                                                           | 3         | QL (50 grams (1 box) per month.); SM       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                | Drug Tier | Coverage Requirements & Limits             |
|-----------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------|
| <b>estrogens conjugated oral tablet 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg</b>                                    | 4         |                                            |
| EVAMIST TRANSDERMAL SOLUTION 1.53 MG/SPRAY ( <b>estradiol</b> )                                                       | 2         | SM                                         |
| FEMRING VAGINAL RING 0.05 MG/24HR, 0.1 MG/24HR ( <b>estradiol acetate</b> )                                           | 4         | QL (1 ring per 3 months.)                  |
| FOSAMAX ORAL TABLET 70 MG ( <b>alendronate sodium</b> )                                                               | 4         |                                            |
| FOSAMAX PLUS D ORAL TABLET 70-2800 MG-UNIT, 70-5600 MG-UNIT ( <b>alendronate-cholecalciferol</b> )                    | 3         |                                            |
| <b>ibandronate sodium oral tablet 150 mg</b>                                                                          | 2         |                                            |
| <b>lyllana transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</b> | 2         | QL (8 patches (1 box) per 28 days.); SM    |
| MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24HR ( <b>estradiol</b> )                                                    | 3         | QL (4 patches (1 carton) per 28 days.); SM |
| MIACALCIN INJECTION SOLUTION 200 UNIT/ML ( <b>calcitonin (salmon)</b> )                                               | 3         |                                            |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG ( <b>estrogens conjugated</b> )                       | 4         |                                            |
| PREMARIN VAGINAL CREAM 0.625 MG/GM ( <b>estrogens, conjugated</b> )                                                   | 3         |                                            |
| <b>raloxifene hcl oral tablet 60 mg</b>                                                                               | 2         | H-N                                        |
| <b>risedronate sodium oral tablet 150 mg</b>                                                                          | 4         | QL (1 tablet per month)                    |
| <b>risedronate sodium oral tablet 30 mg, 5 mg</b>                                                                     | 4         |                                            |
| <b>risedronate sodium oral tablet 35 mg</b>                                                                           | 4         | QL (4 tablets per 28 days.)                |
| <b>yuvaferm vaginal tablet 10 mcg</b>                                                                                 | 2         |                                            |
| <b>BRADYKININ RECEPTOR ANTAGONISTS</b>                                                                                |           |                                            |
| <b>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</b>                                            | 3         | PA; QL (0.6 ml per day.); SP; SMCS         |
| <b>CARBONIC ANHYDRASE INHIBITORS (92:26)</b>                                                                          |           |                                            |
| <b>dichlorphenamide oral tablet 50 mg</b>                                                                             | 3         | PA; QL (4 tablets per day.); SP; SMCS      |
| <b>CARIOSTATIC AGENTS - Vitamins and Fluoride</b>                                                                     |           |                                            |
| CLINPRO 5000 DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                                                            | 3         |                                            |
| DENTA 5000 PLUS DENTAL CREAM 1.1 % ( <b>sodium fluoride</b> )                                                         | 4         |                                            |
| DENTA 5000 PLUS SENSITIVE DENTAL GEL 1.1-5 %                                                                          | 3         |                                            |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------|-----------|--------------------------------|
| DENTAGEL DENTAL GEL 1.1 % ( <b>sodium fluoride</b> )                                       | 4         |                                |
| EASYGEL DENTAL GEL 0.4 % ( <b>stannous fluoride</b> )                                      | 3         |                                |
| FLORIVA ORAL LIQUID 0.25-400 MG-UNIT/ML ( <b>sodium fluoride-vitamin d</b> )               | 3         |                                |
| FLOTREX ORAL TABLET CHEWABLE 1 MG ( <b>pediatric multivitamins-fl</b> )                    | 3         |                                |
| FLUORIDEX DAILY RENEWAL MOUTH/THROAT CONCENTRATE 0.63 % ( <b>stannous fluoride</b> )       | 3         |                                |
| FLUORIDEX DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                                    | 3         |                                |
| FLUORIDEX ENHANCED WHITENING DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                 | 3         |                                |
| FLUORIMAX 5000 DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                               | 3         |                                |
| FLUORIMAX 5000 SENSITIVE DENTAL GEL 1.1-5 % ( <b>sod fluoride-potassium nitrate</b> )      | 3         |                                |
| FRAICHE 5000 DENTAL DENTAL GEL 1.1 %                                                       | 4         |                                |
| JUST RIGHT 5000 DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                              | 3         |                                |
| <b>multivitamin w/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</b>                  | 1         |                                |
| <b>multi-vitamin/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</b>                          | 1         |                                |
| <b>multivitamin/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</b>                    | 1         |                                |
| <b>multi-vitamin/fluoride/iron oral solution 0.25-10 mg/ml</b>                             | 1         |                                |
| POLY-VI-FLOR/IRON ORAL SUSPENSION 0.25-7 MG/ML ( <b>ped multivitamins-fl-iron</b> )        | 3         |                                |
| POLY-VI-FLOR/IRON ORAL TABLET CHEWABLE 0.5-10 MG ( <b>ped multivitamins-fl-iron</b> )      | 3         |                                |
| PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                  | 3         |                                |
| PREVIDENT 5000 DRY MOUTH DENTAL GEL 1.1 % ( <b>sodium fluoride</b> )                       | 4         |                                |
| PREVIDENT 5000 ENAMEL PROTECT DENTAL GEL 1.1-5 % ( <b>sod fluoride-potassium nitrate</b> ) | 3         |                                |
| PREVIDENT 5000 KIDS DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                          | 3         |                                |
| PREVIDENT 5000 ORTHO DEFENSE DENTAL PASTE 1.1 % ( <b>sodium fluoride</b> )                 | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits                            |
|--------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| PREVIDENT 5000 PLUS DENTAL CREAM 1.1 % ( <b>sodium fluoride</b> )                          | 4         |                                                           |
| PREVIDENT 5000 SENSITIVE DENTAL GEL 1.1-5 % ( <b>sod fluoride-potassium nitrate</b> )      | 3         |                                                           |
| PREVIDENT DENTAL GEL 1.1 % ( <b>sodium fluoride</b> )                                      | 4         |                                                           |
| PREVIDENT MOUTH/THROAT SOLUTION 0.2 % ( <b>sodium fluoride</b> )                           | 3         |                                                           |
| <b>sf 5000 plus dental cream 1.1 %</b>                                                     | 1         |                                                           |
| <b>sf dental gel 1.1 %</b>                                                                 | 1         |                                                           |
| <b>sod fluoride-potassium nitrate dental gel 1.1-5 %</b>                                   | 1         |                                                           |
| <b>sodium fluoride 5000 enamel dental gel 1.1-5 %</b>                                      | 1         |                                                           |
| <b>sodium fluoride 5000 plus dental cream 1.1 %</b>                                        | 1         |                                                           |
| <b>sodium fluoride 5000 ppm dental cream 1.1 %</b>                                         | 1         |                                                           |
| <b>sodium fluoride 5000 ppm dental gel 1.1 %</b>                                           | 1         |                                                           |
| <b>sodium fluoride 5000 ppm dental paste 1.1 %</b>                                         | 1         |                                                           |
| <b>sodium fluoride 5000 sensitive dental gel 1.1-5 %</b>                                   | 1         |                                                           |
| <b>sodium fluoride dental cream 1.1 %</b>                                                  | 1         |                                                           |
| <b>sodium fluoride dental gel 1.1 %</b>                                                    | 1         |                                                           |
| <b>sodium fluoride mouth/throat solution 0.2 %</b>                                         | 1         |                                                           |
| <b>sodium fluoride oral solution 1.1 (0.5 f) mg/ml</b>                                     | 1         | H                                                         |
| <b>sodium fluoride oral tablet 1.1 (0.5 f) mg, 2.2 (1 f) mg</b>                            | 1         | H                                                         |
| <b>sodium fluoride oral tablet chewable 0.55 (0.25 f) mg, 1.1 (0.5 f) mg, 2.2 (1 f) mg</b> | 1         | H                                                         |
| TRI-VI-FLORO ORAL SUSPENSION 0.25 MG/ML, 0.5 MG/ML                                         | 3         |                                                           |
| <b>tri-vite/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</b>                               | 1         |                                                           |
| <b>COMPLEMENT INHIBITORS</b>                                                               |           |                                                           |
| BERINERT INTRAVENOUS KIT 500 UNIT ( <b>c1 esterase inhibitor (human)</b> )                 | 4         | PA; ST; QL (0.4 boxes per day.); SP; SMCS                 |
| EMPAVELI SUBCUTANEOUS SOLUTION 1080 MG/20ML ( <b>pegcetacoplan</b> )                       | 3         | PA; QL (5.8 ml per day. 2,100 ml per 360 days.); SP; SMCS |
| FABHALTA ORAL CAPSULE 200 MG ( <b>iptacopan hcl</b> )                                      | 3         | PA; QL (2 capsules per day.); SP; SMCS                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                          | Drug Tier | Coverage Requirements & Limits                            |
|-------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 2000 UNIT ( <b>c1 esterase inhibitor (human)</b> ) | 3         | PA; QL (24 vials per month.); SP; SMCS                    |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 3000 UNIT ( <b>c1 esterase inhibitor (human)</b> ) | 3         | PA; QL (16 vials per month.); SP; SMCS                    |
| RUCONEST INTRAVENOUS SOLUTION RECONSTITUTED 2100 UNIT ( <b>c1 esterase inhibitor (recomb)</b> ) | 4         | PA; QL (0.27 vials per day.); SP; SMCS                    |
| VOYDEYA ORAL TABLET 100 MG ( <b>danicopan</b> )                                                 | 3         | PA; QL (6 tablets per day.); SP; SMCS                     |
| VOYDEYA ORAL TABLET THERAPY PACK 50 & 100 MG ( <b>danicopan</b> )                               | 3         | PA; QL (180 tablets per month.); SP; SMCS                 |
| ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 16.6 MG/0.416ML ( <b>zilucoplan sodium</b> )   | 4         | PA; QL (0.416 ml per day.); SP; SMCS                      |
| ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 23 MG/0.574ML ( <b>zilucoplan sodium</b> )     | 4         | PA; QL (0.574 ml per day.); SP; SMCS                      |
| ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 32.4 MG/0.81ML ( <b>zilucoplan sodium</b> )    | 4         | PA; QL (0.81 ml per day.); SP; SMCS                       |
| <b>COMPLEMENT INHIBITORS (92:32)</b>                                                            |           |                                                           |
| BERINERT INTRAVENOUS KIT 500 UNIT ( <b>c1 esterase inhibitor (human)</b> )                      | 4         | PA; ST; QL (0.4 boxes per day.); SP; SMCS                 |
| EMPAVELI SUBCUTANEOUS SOLUTION 1080 MG/20ML ( <b>pegcetacoplan</b> )                            | 3         | PA; QL (5.8 ml per day. 2,100 ml per 360 days.); SP; SMCS |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 2000 UNIT ( <b>c1 esterase inhibitor (human)</b> ) | 3         | PA; QL (24 vials per month.); SP; SMCS                    |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 3000 UNIT ( <b>c1 esterase inhibitor (human)</b> ) | 3         | PA; QL (16 vials per month.); SP; SMCS                    |
| <b>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</b>                      | 3         | PA; QL (0.6 ml per day.); SP; SMCS                        |
| RUCONEST INTRAVENOUS SOLUTION RECONSTITUTED 2100 UNIT ( <b>c1 esterase inhibitor (recomb)</b> ) | 4         | PA; QL (0.27 vials per day.); SP; SMCS                    |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2ML ( <b>lanadelumab-flyo</b> )                           | 3         | PA; QL (0.072 ml per day.); SP; SMCS                      |
| <b>DISEASE-MODIFYING ANTIRHEUMATIC AGENTS - Drugs for Arthritis</b>                             |           |                                                           |
| ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML ( <b>tocilizumab</b> )          | 4         | PA; ST; QL (3.6 ml per 21 days.); SP; SMCS                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                    | Drug Tier | Coverage Requirements & Limits                            |
|-----------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML ( <i>tocilizumab</i> )                       | 4         | PA; ST; QL (4 syringes (3.6 ml) per month.); SP; SMCS     |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML                                           | 3         | PA; QL (0.03 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/0.8ML                                           | 3         | PA; SP; SMCS                                              |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.1ML                                       | 3         | PA; QL (0.01 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/0.2ML                                       | 3         | PA; QL (0.02 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML                                       | 3         | PA; QL (0.03 ml per day.); SP; SMCS                       |
| AMJEVITA SOLUTION AUTO-INJECTOR 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                       | 3         | PA; QL (2 auto-injectors (1 carton) per month.); SP; SMCS |
| AMJEVITA SOLUTION AUTO-INJECTOR 80 MG/0.8ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                       | 3         | PA; QL (2 auto-injectors (1 carton) per month.); SP; SMCS |
| AMJEVITA SOLUTION PREFILLED SYRINGE 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                   | 3         | PA; QL (2 syringes per month per month.); SP; SMCS        |
| AMJEVITA-PED 15KG TO <30KG SOLUTION PREFILLED SYRINGE 20 MG/0.2ML SUBCUTANEOUS ( <i>adalimumab-atto</i> ) | 3         | PA; SP; SMCS                                              |
| AZASAN ORAL TABLET 100 MG, 75 MG ( <i>azathioprine</i> )                                                  | 4         |                                                           |
| <i>azathioprine oral tablet 100 mg, 75 mg</i>                                                             | 3         |                                                           |
| <i>azathioprine oral tablet 50 mg</i>                                                                     | 1         |                                                           |
| CIBINQO ORAL TABLET 100 MG, 200 MG, 50 MG ( <i>abrocitinib</i> )                                          | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS                  |
| CIMZIA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )             | 3         | PA; QL (1 kit per 21 days.); SP; SMCS                     |
| CIMZIA-STARTER SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )                 | 3         | PA; QL (1 kit per 21 days.); SP; SMCS                     |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>secukinumab</i> )           | 3         | PA; QL (0.072 ml per day.); SP; SMCS                      |
| COSENTYX 150 MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>secukinumab</i> )               | 3         | PA; QL (0.036 ml per day.); SP; SMCS                      |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                            | Drug Tier | Coverage Requirements & Limits           |
|-------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------|
| COSENTYX 150 MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML ( <b>secukinumab</b> )                     | 3         | PA; QL (0.018 ml per day.); SP; SMCS     |
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <b>secukinumab</b> )                 | 3         | PA; QL (0.072 ml per day.); SP; SMCS     |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <b>secukinumab</b> )                      | 3         | PA; QL (0.036 ml per day.); SP; SMCS     |
| COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML ( <b>secukinumab</b> )                           | 3         | PA; QL (0.072 ml per day.); SP; SMCS     |
| <b>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</b>                                                    | 1         |                                          |
| <b>cyclosporine modified oral solution 100 mg/ml</b>                                                              | 1         |                                          |
| <b>cyclosporine oral capsule 100 mg, 25 mg</b>                                                                    | 1         |                                          |
| DEPEN TITRATABS ORAL TABLET 250 MG ( <b>penicillamine</b> )                                                       | 3         | SP; SMCS                                 |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML ( <b>etanercept</b> )                                        | 3         | PA; QL (0.15 ml per day.); SP; SMCS      |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML ( <b>etanercept</b> )                                                    | 3         | PA; QL (0.15 ml per day.); SP; SMCS      |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML ( <b>etanercept</b> )                        | 3         | PA; QL (0.15 ml per day.); SP; SMCS      |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML ( <b>etanercept</b> )                               | 3         | PA; QL (0.15 ml per day.); SP; SMCS      |
| <b>gengraf oral capsule 100 mg, 25 mg</b>                                                                         | 1         |                                          |
| <b>gengraf oral solution 100 mg/ml</b>                                                                            | 1         |                                          |
| HUMIRA (1 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML ( <b>adalimumab</b> )                                   | 3         | PA; QL (4 pens per 365 days.); SP; SMCS  |
| HUMIRA (2 PEN) AUTO-INJECTOR KIT 40 MG/0.4ML SUBCUTANEOUS ( <b>adalimumab</b> )                                   | 3         | PA; QL (2 pens per month.); SP; SMCS     |
| HUMIRA (2 PEN) AUTO-INJECTOR KIT 80 MG/0.8ML SUBCUTANEOUS ( <b>adalimumab</b> )                                   | 3         | PA; QL (2 pens per month.); SP; SMCS     |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML ( <b>adalimumab</b> )                                   | 3         | PA; QL (2 syringes per month.); SP; SMCS |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML ( <b>adalimumab</b> ) | 3         | PA; QL (2 syringes per month.); SP; SMCS |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML ( <b>adalimumab</b> )                           | 3         | PA; QL (2 syringes per month.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                      | Drug Tier | Coverage Requirements & Limits                             |
|-------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------|
| HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML ( <i>adalimumab</i> )                    | 3         | PA; QL (4 pens per 365 days.); SP; SMCS                    |
| HUMIRA-PSORIASIS/UEIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML ( <i>adalimumab</i> ) | 3         | PA; QL (3 pens per year.); SP; SMCS                        |
| <i>hydroxychloroquine sulfate oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i>                                | 1         |                                                            |
| JYLAMVO ORAL SOLUTION 2 MG/ML ( <i>methotrexate</i> )                                                       | 4         | PA; CM                                                     |
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML ( <i>anakinra</i> )                           | 4         | PA; ST; QL (0.67 ml (1 syringe) per day.); SP; SMCS        |
| <i>leflunomide oral tablet 10 mg, 20 mg</i>                                                                 | 1         |                                                            |
| <i>methotrexate sodium (pf) injection solution 1 gm/40ml, 1000 mg/40ml, 250 mg/10ml, 50 mg/2ml</i>          | 1         |                                                            |
| <i>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</i>                                        | 1         |                                                            |
| <i>methotrexate sodium injection solution reconstituted 1 gm</i>                                            | 1         |                                                            |
| <i>methotrexate sodium oral tablet 2.5 mg</i>                                                               | 1         | CM                                                         |
| OLUMIANT ORAL TABLET 1 MG, 4 MG ( <i>baricitinib</i> )                                                      | 4         | PA; ST; QL (1 tablet per day.); SMCS                       |
| OLUMIANT ORAL TABLET 2 MG ( <i>baricitinib</i> )                                                            | 4         | PA; ST; QL (1 tablet per day.); SP; SMCS                   |
| ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MG/ML ( <i>abatacept</i> )                        | 4         | PA; ST; QL (4 autoinjectors per month.); SP; SMCS          |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML ( <i>abatacept</i> )                              | 4         | PA; ST; QL (4 syringes per month.); SP; SMCS               |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.4ML ( <i>abatacept</i> )                            | 4         | PA; ST; QL (0.06 ml per day.); SP; SMCS                    |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 87.5 MG/0.7ML ( <i>abatacept</i> )                          | 4         | PA; ST; QL (0.1 ml per day.); SP; SMCS                     |
| OTEZLA ORAL TABLET 30 MG ( <i>apremilast</i> )                                                              | 3         | PA; QL (2 tablets per day.); SP; SMCS                      |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG ( <i>apremilast</i> )                                       | 3         | PA; QL (55 tablets (one starter pack) per year.); SP; SMCS |
| <i>penicillamine oral tablet 250 mg</i>                                                                     | 3         | SP; SMCS                                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                             | Drug Tier | Coverage Requirements & Limits                  |
|----------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.2ML ( <b>methotrexate (anti-rheumatic)</b> )    | 2         | QL (0.8 ml (4 auto-injectors) per month.)       |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 12.5 MG/0.25ML ( <b>methotrexate (anti-rheumatic)</b> ) | 2         | QL (1 ml (4 auto-injectors) per month.)         |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 15 MG/0.3ML ( <b>methotrexate (anti-rheumatic)</b> )    | 2         | QL (1.2 ml (4 auto-injectors) per month.)       |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 17.5 MG/0.35ML ( <b>methotrexate (anti-rheumatic)</b> ) | 2         | QL (1.4 ml (4 auto-injectors) per month.)       |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 20 MG/0.4ML ( <b>methotrexate (anti-rheumatic)</b> )    | 2         | QL (1.6 ml (4 auto-injectors) per month.)       |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 22.5 MG/0.45ML ( <b>methotrexate (anti-rheumatic)</b> ) | 2         | QL (1.8 ml (4 auto-injectors) per month.)       |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 25 MG/0.5ML ( <b>methotrexate (anti-rheumatic)</b> )    | 2         | QL (2 ml (4 auto-injectors) per month.)         |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/0.6ML ( <b>methotrexate (anti-rheumatic)</b> )    | 2         | QL (2.4 ml (4 auto-injectors) per month.)       |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 7.5 MG/0.15ML ( <b>methotrexate (anti-rheumatic)</b> )  | 2         | QL (0.6 ml (4 auto-injectors) per month.)       |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG ( <b>upadacitinib</b> )                   | 3         | PA; QL (1 tablet per day.); SP; SMCS            |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 45 MG ( <b>upadacitinib</b> )                          | 3         | PA; QL (84 tablets per 365 days.); SP; SMCS     |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML ( <b>golimumab</b> )                         | 3         | PA; QL (1 syringe per 21 days.); SP; SMCS       |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/0.5ML ( <b>golimumab</b> )                       | 3         | PA; QL (0.5 ml (1 syringe) per month); SP; SMCS |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <b>golimumab</b> )                     | 3         | PA; QL (1 syringe per 21 days.); SP; SMCS       |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.5ML ( <b>golimumab</b> )                   | 3         | PA; QL (0.5 ml (1 syringe) per month); SP; SMCS |
| <b>sulfasalazine oral tablet 500 mg</b>                                                            | 1         |                                                 |
| <b>sulfasalazine oral tablet delayed release 500 mg</b>                                            | 1         |                                                 |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG ( <b>methotrexate sodium</b> )                      | 2         | CM                                              |
| XATMEP ORAL SOLUTION 2.5 MG/ML ( <b>methotrexate</b> )                                             | 4         | PA; QL (4 ml per day.); CM                      |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                 | Drug Tier | Coverage Requirements & Limits                            |
|----------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------|
| XELJANZ ORAL SOLUTION 1 MG/ML ( <i>tofacitinib citrate</i> )                           | 3         | PA; QL (8 mL per day.); SP; SMCS                          |
| XELJANZ ORAL TABLET 10 MG, 5 MG ( <i>tofacitinib citrate</i> )                         | 3         | PA; QL (2 tablets per day.); SP; SMCS                     |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG ( <i>tofacitinib citrate</i> )   | 3         | PA; QL (1 tablet per day.); SP; SMCS                      |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 22 MG ( <i>tofacitinib citrate</i> )   | 3         | PA; QL (1 tablet per day.); SMCS                          |
| <b>IGA NEPHROPATHY</b>                                                                 |           |                                                           |
| FILSPARI ORAL TABLET 200 MG, 400 MG ( <i>sparsentan</i> )                              | 4         | PA; QL (1 tablet per day.); SP; SMCS                      |
| VANRAFIA ORAL TABLET 0.75 MG ( <i>atrasentan hcl</i> )                                 | 4         | PA; QL (30 tablets per month.); SP; SMCS                  |
| <b>IMMUNOMODULATORY AGENTS - DRUGS FOR THE IMMUNE SYSTEM</b>                           |           |                                                           |
| ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML ( <i>tocilizumab</i> ) | 4         | PA; ST; QL (3.6 ml per 21 days.); SP; SMCS                |
| ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML ( <i>tocilizumab</i> )    | 4         | PA; ST; QL (4 syringes (3.6 ml) per month.); SP; SMCS     |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5ML ( <i>interferon gamma-1b</i> )           | 3         | PA; QL (8.5 mls per month.); SP; SMCS                     |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML                        | 3         | PA; QL (0.03 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/0.8ML                        | 3         | PA; SP; SMCS                                              |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.1ML                    | 3         | PA; QL (0.01 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/0.2ML                    | 3         | PA; QL (0.02 ml per day.); SP; SMCS                       |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML                    | 3         | PA; QL (0.03 ml per day.); SP; SMCS                       |
| AMJEVITA SOLUTION AUTO-INJECTOR 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )    | 3         | PA; QL (2 auto-injectors (1 carton) per month.); SP; SMCS |
| AMJEVITA SOLUTION AUTO-INJECTOR 80 MG/0.8ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )    | 3         | PA; QL (2 auto-injectors (1 carton) per month.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                    | Drug Tier | Coverage Requirements & Limits                                |
|-----------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------|
| AMJEVITA SOLUTION PREFILLED SYRINGE 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab-atto</i> )                   | 3         | PA; QL (2 syringes per month per month.); SP; SMCS            |
| AMJEVITA-PED 15KG TO <30KG SOLUTION PREFILLED SYRINGE 20 MG/0.2ML SUBCUTANEOUS ( <i>adalimumab-atto</i> ) | 3         | PA; SP; SMCS                                                  |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT 30 MCG/0.5ML ( <i>interferon beta-1a</i> )                     | 3         | PA; QL (4 pens (1 box) per month.); SP; SMCS                  |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT 30 MCG/0.5ML ( <i>interferon beta-1a</i> )           | 3         | PA; QL (4 syringes (1 box) per month.); SP; SMCS              |
| AZASAN ORAL TABLET 100 MG, 75 MG ( <i>azathioprine</i> )                                                  | 4         |                                                               |
| <i>azathioprine oral tablet 100 mg, 75 mg</i>                                                             | 3         |                                                               |
| <i>azathioprine oral tablet 50 mg</i>                                                                     | 1         |                                                               |
| BAFIERTAM ORAL CAPSULE DELAYED RELEASE 95 MG ( <i>monomethyl fumarate</i> )                               | 3         | PA; QL (4 capsules per day.); SP; SMCS                        |
| BETASERON SUBCUTANEOUS KIT 0.3 MG ( <i>interferon beta-1b</i> )                                           | 3         | PA; QL (14 vials per month.); SP; SMCS                        |
| CIMZIA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )             | 3         | PA; QL (1 kit per 21 days.); SP; SMCS                         |
| CIMZIA-STARTER SUBCUTANEOUS PREFILLED SYRINGE KIT 200 MG/ML ( <i>certolizumab pegol</i> )                 | 3         | PA; QL (1 kit per 21 days.); SP; SMCS                         |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>                                            | 1         |                                                               |
| <i>cyclosporine modified oral solution 100 mg/ml</i>                                                      | 1         |                                                               |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i>                                                            | 1         |                                                               |
| <i>dimethyl fumarate oral capsule delayed release 120 mg</i>                                              | 1         | PA; QL (56 capsules per year.); SP; SMCS                      |
| <i>dimethyl fumarate oral capsule delayed release 240 mg</i>                                              | 1         | PA; QL (2 capsules per day.); SP; SMCS                        |
| <i>dimethyl fumarate starter pack oral capsule delayed release therapy pack 120 &amp; 240 mg</i>          | 1         | PA; QL (60 capsules (1 starter pack) per 365 days.); SP; SMCS |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML ( <i>etanercept</i> )                                | 3         | PA; QL (0.15 ml per day.); SP; SMCS                           |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML ( <i>etanercept</i> )                                            | 3         | PA; QL (0.15 ml per day.); SP; SMCS                           |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML ( <i>etanercept</i> )                | 3         | PA; QL (0.15 ml per day.); SP; SMCS                           |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                            | Drug Tier | Coverage Requirements & Limits           |
|-------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------|
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML ( <i>etanercept</i> )                               | 3         | PA; QL (0.15 ml per day.); SP; SMCS      |
| <i>fingolimod hcl oral capsule 0.5 mg</i>                                                                         | 1         | PA; QL (1 capsule per day.); SP; SMCS    |
| <i>gengraf oral capsule 100 mg, 25 mg</i>                                                                         | 1         |                                          |
| <i>gengraf oral solution 100 mg/ml</i>                                                                            | 1         |                                          |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml</i>                                        | 3         | PA; QL (30 ml per month.); SP; SMCS      |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 40 mg/ml</i>                                        | 3         | PA; QL (12 ml per 21 days.); SP; SMCS    |
| <i>glatopa subcutaneous solution prefilled syringe 20 mg/ml</i>                                                   | 3         | PA; QL (30 ml per month.); SP; SMCS      |
| <i>glatopa subcutaneous solution prefilled syringe 40 mg/ml</i>                                                   | 3         | PA; QL (12 ml per 21 days.); SP; SMCS    |
| HUMIRA (1 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML ( <i>adalimumab</i> )                                   | 3         | PA; QL (4 pens per 365 days.); SP; SMCS  |
| HUMIRA (2 PEN) AUTO-INJECTOR KIT 40 MG/0.4ML SUBCUTANEOUS ( <i>adalimumab</i> )                                   | 3         | PA; QL (2 pens per month.); SP; SMCS     |
| HUMIRA (2 PEN) AUTO-INJECTOR KIT 80 MG/0.8ML SUBCUTANEOUS ( <i>adalimumab</i> )                                   | 3         | PA; QL (2 pens per month.); SP; SMCS     |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML ( <i>adalimumab</i> )                                   | 3         | PA; QL (2 syringes per month.); SP; SMCS |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML ( <i>adalimumab</i> ) | 3         | PA; QL (2 syringes per month.); SP; SMCS |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML ( <i>adalimumab</i> )                           | 3         | PA; QL (2 syringes per month.); SP; SMCS |
| HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML ( <i>adalimumab</i> )                          | 3         | PA; QL (4 pens per 365 days.); SP; SMCS  |
| HUMIRA-PSORIASIS/UEIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML ( <i>adalimumab</i> )       | 3         | PA; QL (3 pens per year.); SP; SMCS      |
| <i>hydroxychloroquine sulfate oral tablet 100 mg, 200 mg, 300 mg, 400 mg</i>                                      | 1         |                                          |
| JOENJA ORAL TABLET 70 MG ( <i>leniolisib phosphate</i> )                                                          | 3         | PA; QL (2 tablets per day.); SP; SMCS    |
| JYLAMVO ORAL SOLUTION 2 MG/ML ( <i>methotrexate</i> )                                                             | 4         | PA; CM                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                             | Drug Tier | Coverage Requirements & Limits                      |
|----------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------|
| KESIMPTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 20 MG/0.4ML ( <i>ofatumumab</i> )                     | 3         | PA; QL (0.02 ml per day.); SP; SMCS                 |
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML ( <i>anakinra</i> )                  | 4         | PA; ST; QL (0.67 ml (1 syringe) per day.); SP; SMCS |
| <i>leflunomide oral tablet 10 mg, 20 mg</i>                                                        | 1         |                                                     |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 5 mg</i>                                        | 3         | PA; QL (28 capsules per 21 days.); SP; CM; SMCS     |
| <i>lenalidomide oral capsule 20 mg, 25 mg</i>                                                      | 3         | PA; QL (21 capsules per 21 days.); SP; CM; SMCS     |
| MAVENCLAD ORAL TABLET THERAPY PACK 10 MG ( <i>cladribine</i> )                                     | 4         | PA; ST; QL (40 tablets per 720 days.); SP; SMCS     |
| MAYZENT ORAL TABLET 0.25 MG ( <i>siponimod fumarate</i> )                                          | 4         | PA; QL (4 tablets per day.); SP; SMCS               |
| MAYZENT ORAL TABLET 1 MG ( <i>siponimod fumarate</i> )                                             | 4         | PA; QL (1 tablet per day.); SP; SMCS                |
| MAYZENT ORAL TABLET 2 MG ( <i>siponimod fumarate</i> )                                             | 4         | PA; QL (1 tablet per day.); SP; SMCS                |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 12 X 0.25 MG ( <i>siponimod fumarate</i> )           | 4         | PA; QL (12 tablets per 365 days.); SP; SMCS         |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 7 X 0.25 MG ( <i>siponimod fumarate</i> )            | 4         | PA; QL (7 tablets per 365 days.); SP; SMCS          |
| <i>methotrexate sodium (pf) injection solution 1 gm/40ml, 1000 mg/40ml, 250 mg/10ml, 50 mg/2ml</i> | 1         |                                                     |
| <i>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</i>                               | 1         |                                                     |
| <i>methotrexate sodium injection solution reconstituted 1 gm</i>                                   | 1         |                                                     |
| <i>methotrexate sodium oral tablet 2.5 mg</i>                                                      | 1         | CM                                                  |
| ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MG/ML ( <i>abatacept</i> )               | 4         | PA; ST; QL (4 autoinjectors per month.); SP; SMCS   |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML ( <i>abatacept</i> )                     | 4         | PA; ST; QL (4 syringes per month.); SP; SMCS        |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.4ML ( <i>abatacept</i> )                   | 4         | PA; ST; QL (0.06 ml per day.); SP; SMCS             |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 87.5 MG/0.7ML ( <i>abatacept</i> )                 | 4         | PA; ST; QL (0.1 ml per day.); SP; SMCS              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                           | Drug Tier | Coverage Requirements & Limits                                             |
|------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------------------|
| OTEZLA ORAL TABLET 20 MG ( <i>apremilast</i> )                                                                   | 3         | PA; QL (60 tablets per month.); SMCS                                       |
| OTEZLA ORAL TABLET 30 MG ( <i>apremilast</i> )                                                                   | 3         | PA; QL (2 tablets per day.); SP; SMCS                                      |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG ( <i>apremilast</i> )                                            | 3         | PA; QL (55 tablets (one starter pack) per year.); SP; SMCS                 |
| OTEZLA ORAL TABLET THERAPY PACK 4 X 10 & 51 X20 MG ( <i>apremilast</i> )                                         | 3         | PA; QL (1 starter pack per year.); SMCS                                    |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML ( <i>peginterferon alfa-2a</i> )                                        | 3         | SP; SMCS                                                                   |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML ( <i>peginterferon alfa-2a</i> )                   | 3         | SP; SMCS                                                                   |
| PLEGRIDY INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 125 MCG/0.5ML ( <i>peginterferon beta-1a</i> )                 | 4         | PA; QL (1 ml per month.); SMCS                                             |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 63 & 94 MCG/0.5ML ( <i>peginterferon beta-1a</i> )     | 4         | PA; QL (2 ml per year without additional quantity notification.); SP; SMCS |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 63 & 94 MCG/0.5ML ( <i>peginterferon beta-1a</i> ) | 4         | PA; QL (2 ml per year without additional quantity notification.); SP; SMCS |
| PLEGRIDY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MCG/0.5ML ( <i>peginterferon beta-1a</i> )                      | 4         | PA; QL (1 ml per month.); SP; SMCS                                         |
| PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MCG/0.5ML ( <i>peginterferon beta-1a</i> )                  | 4         | PA; QL (1 ml per month.); SP; SMCS                                         |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG ( <i>pomalidomide</i> )                                             | 4         | PA; QL (21 capsules per 21 days.); SP; CM; SMCS                            |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG ( <i>lenalidomide</i> )                                         | 3         | PA; QL (28 capsules per 21 days.); SP; CM; SMCS                            |
| REVLIMID ORAL CAPSULE 20 MG, 25 MG ( <i>lenalidomide</i> )                                                       | 3         | PA; QL (21 capsules per 21 days.); SP; CM; SMCS                            |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML ( <i>golimumab</i> )                                       | 3         | PA; QL (1 syringe per 21 days.); SP; SMCS                                  |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/0.5ML ( <i>golimumab</i> )                                     | 3         | PA; QL (0.5 ml (1 syringe) per month); SP; SMCS                            |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <i>golimumab</i> )                                   | 3         | PA; QL (1 syringe per 21 days.); SP; SMCS                                  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                               | Drug Tier | Coverage Requirements & Limits                               |
|------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------|
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.5ML ( <i>golimumab</i> )                     | 3         | PA; QL (0.5 ml (1 syringe) per month); SP; SMCS              |
| <i>sulfasalazine oral tablet 500 mg</i>                                                              | 1         |                                                              |
| <i>sulfasalazine oral tablet delayed release 500 mg</i>                                              | 1         |                                                              |
| <i>teriflunomide oral tablet 14 mg</i>                                                               | 3         | PA; QL (1 tablet per day.); SP; SMCS                         |
| <i>teriflunomide oral tablet 7 mg</i>                                                                | 3         | PA; QL (31 tablets per month.); SP; SMCS                     |
| THALOMID ORAL CAPSULE 100 MG, 50 MG ( <i>thalidomide</i> )                                           | 3         | PA; QL (28 capsules per prescription.); SP; CM; SMCS         |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG ( <i>methotrexate sodium</i> )                        | 2         | CM                                                           |
| XATMEP ORAL SOLUTION 2.5 MG/ML ( <i>methotrexate</i> )                                               | 4         | PA; QL (4 ml per day.); CM                                   |
| ZEPOSIA 7-DAY STARTER PACK ORAL CAPSULE THERAPY PACK 4 X 0.23MG & 3 X 0.46MG ( <i>ozanimod hcl</i> ) | 4         | PA; ST; QL (7 capsules per year.); SP; SMCS                  |
| ZEPOSIA ORAL CAPSULE 0.92 MG ( <i>ozanimod hcl</i> )                                                 | 4         | PA; ST; QL (1 capsule per day.); SP; SMCS                    |
| ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG & 0.46MG 0.92MG(21) ( <i>ozanimod hcl</i> )     | 4         | PA; ST; QL (1 starter kit (28 capsules) per year.); SP; SMCS |
| <b>IMMUNOSUPPRESSIVE AGENTS - Drugs for Transplant</b>                                               |           |                                                              |
| AZASAN ORAL TABLET 100 MG, 75 MG ( <i>azathioprine</i> )                                             | 4         |                                                              |
| <i>azathioprine oral tablet 100 mg, 75 mg</i>                                                        | 3         |                                                              |
| <i>azathioprine oral tablet 50 mg</i>                                                                | 1         |                                                              |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML ( <i>belimumab</i> )                          | 3         | PA; QL (4 ml per month.); SP; SMCS                           |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML ( <i>belimumab</i> )                      | 3         | PA; QL (4 ml per month.); SP; SMCS                           |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                                                    | 3         | CM                                                           |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG                                                                   | 3         | CM                                                           |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>                                       | 1         |                                                              |
| <i>cyclosporine modified oral solution 100 mg/ml</i>                                                 | 1         |                                                              |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i>                                                       | 1         |                                                              |
| <i>gengraf oral capsule 100 mg, 25 mg</i>                                                            | 1         |                                                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                             | Drug Tier | Coverage Requirements & Limits                  |
|----------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| <b>gengraf oral solution 100 mg/ml</b>                                                             | 1         |                                                 |
| HYFTOR EXTERNAL GEL 0.2 % ( <b>sirolimus</b> )                                                     | 4         | PA; QL (10 g per 23 days.)                      |
| JYLAMVO ORAL SOLUTION 2 MG/ML ( <b>methotrexate</b> )                                              | 4         | PA; CM                                          |
| <b>leflunomide oral tablet 10 mg, 20 mg</b>                                                        | 1         |                                                 |
| MAVENCLAD ORAL TABLET THERAPY PACK 10 MG ( <b>cladribine</b> )                                     | 4         | PA; ST; QL (40 tablets per 720 days.); SP; SMCS |
| <b>mercaptopurine oral suspension 2000 mg/100ml</b>                                                | 3         | SP; CM; SMCS                                    |
| <b>mercaptopurine oral tablet 50 mg</b>                                                            | 1         | CM                                              |
| <b>methotrexate sodium (pf) injection solution 1 gm/40ml, 1000 mg/40ml, 250 mg/10ml, 50 mg/2ml</b> | 1         |                                                 |
| <b>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</b>                               | 1         |                                                 |
| <b>methotrexate sodium injection solution reconstituted 1 gm</b>                                   | 1         |                                                 |
| <b>methotrexate sodium oral tablet 2.5 mg</b>                                                      | 1         | CM                                              |
| <b>mycophenolate mofetil oral capsule 250 mg</b>                                                   | 1         |                                                 |
| <b>mycophenolate mofetil oral suspension reconstituted 200 mg/ml</b>                               | 1         |                                                 |
| <b>mycophenolate mofetil oral tablet 500 mg</b>                                                    | 1         |                                                 |
| <b>mycophenolate sodium oral tablet delayed release 180 mg, 360 mg</b>                             | 3         |                                                 |
| <b>mycophenolic acid oral tablet delayed release 180 mg, 360 mg</b>                                | 3         |                                                 |
| MYHIBBIN ORAL SUSPENSION 200 MG/ML ( <b>mycophenolate mofetil</b> )                                | 1         |                                                 |
| <b>pimecrolimus external cream 1 %</b>                                                             | 3         | QL (30 grams per prescription.)                 |
| PROGRAF ORAL CAPSULE 0.5 MG, 1 MG, 5 MG ( <b>tacrolimus</b> )                                      | 4         |                                                 |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG ( <b>tacrolimus</b> )                                             | 4         | PA                                              |
| PURIXAN ORAL SUSPENSION 2000 MG/100ML ( <b>mercaptopurine</b> )                                    | 4         | SP; CM; SMCS                                    |
| <b>sirolimus oral solution 1 mg/ml</b>                                                             | 3         |                                                 |
| <b>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</b>                                                    | 1         |                                                 |
| <b>tacrolimus external ointment 0.03 %, 0.1 %</b>                                                  | 2         | QL (30 grams per prescription.)                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                         | Drug Tier | Coverage Requirements & Limits                           |
|------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------|
| <b><i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i></b>                                       | 1         |                                                          |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG ( <b><i>methotrexate sodium</i></b> )           | 2         | CM                                                       |
| XATMEP ORAL SOLUTION 2.5 MG/ML ( <b><i>methotrexate</i></b> )                                  | 4         | PA; QL (4 ml per day.); CM                               |
| <b>KALLIKREIN INHIBITORS</b>                                                                   |           |                                                          |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2ML ( <b><i>lanadelumab-flyo</i></b> )                   | 3         | PA; QL (0.072 ml per day.); SP; SMCS                     |
| TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <b><i>lanadelumab-flyo</i></b> )  | 3         | PA; QL (0.0375 ml per day.); SP; SMCS                    |
| TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML ( <b><i>lanadelumab-flyo</i></b> ) | 3         | PA; QL (0.072 ml per day.); SP; SMCS                     |
| <b>OTHER MISCELLANEOUS THERAPEUTIC AGENTS</b>                                                  |           |                                                          |
| AQNEURSA ORAL PACKET 1 GM ( <b><i>levacetylleucine</i></b> )                                   | 4         | PA; QL (112 packets per month.); SP; SMCS                |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG ( <b><i>rilonacept</i></b> )               | 3         | PA; QL (4 vials per 21 days.); SP; SMCS                  |
| <b><i>betaine oral powder</i></b>                                                              | 3         | SP; SMCS                                                 |
| CERDELGA ORAL CAPSULE 84 MG ( <b><i>eliglustat tartrate</i></b> )                              | 3         | PA; SP; SMCS                                             |
| CYSTADANE ORAL POWDER ( <b><i>betaine</i></b> )                                                | 4         | SP; SMCS                                                 |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG ( <b><i>cysteamine bitartrate</i></b> )                    | 3         | SP; SMCS                                                 |
| <b><i>dalfampridine er oral tablet extended release 12 hour 10 mg</i></b>                      | 3         | PA; QL (2 tablets per day); SP; SMCS                     |
| DEMSEER ORAL CAPSULE 250 MG ( <b><i>metirosine</i></b> )                                       | 4         | PA                                                       |
| DIABETES MONITOR DIGIT ADD-ON KIT                                                              | 3         |                                                          |
| DIABETES MONITOR DIGIT SOLN KIT                                                                | 3         |                                                          |
| EC-RX DHEA EXTERNAL CREAM 10 %, 4 % ( <b><i>prasterone (dhea)</i></b> )                        | 3         |                                                          |
| ENBRACE HR ORAL CAPSULE ( <b><i>prenat vit-fe gly cys-fa-omega</i></b> )                       | 3         |                                                          |
| ENDARI ORAL PACKET 5 GM ( <b><i>glutamine (sickle cell)</i></b> )                              | 4         | PA; QL (6 packets per day.)                              |
| EVOTAZ ORAL TABLET 300-150 MG ( <b><i>atazanavir-cobicistat</i></b> )                          | 2         |                                                          |
| EVRYSDI ORAL SOLUTION RECONSTITUTED 0.75 MG/ML ( <b><i>risdiplam</i></b> )                     | 3         | PA; QL (6.7 ml per day, 1280 ml per 180 days.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits              |
|--------------------------------------------------------------------------------------------|-----------|---------------------------------------------|
| EVRYSDI ORAL TABLET 5 MG ( <i>risdiplam</i> )                                              | 3         | PA; QL (30 tablets per month.); SP; SMCS    |
| FILSPARI ORAL TABLET 200 MG, 400 MG ( <i>sparsentan</i> )                                  | 4         | PA; QL (1 tablet per day.); SP; SMCS        |
| FIRDAPSE ORAL TABLET 10 MG ( <i>amifampridine phosphate</i> )                              | 3         | PA; QL (300 tablets per month.); SP; SMCS   |
| GALAFOLD ORAL CAPSULE 123 MG ( <i>migalastat hcl</i> )                                     | 4         | PA; QL (14 capsules per 21 days.); SP; SMCS |
| <i>levocarnitine oral solution 1 gm/10ml</i>                                               | 1         |                                             |
| <i>levocarnitine oral tablet 330 mg</i>                                                    | 1         |                                             |
| <i>levocarnitine sf oral solution 1 gm/10ml</i>                                            | 1         |                                             |
| <i>l-glutamine oral packet 5 gm</i>                                                        | 3         | PA; QL (6 packets per day.)                 |
| LODOCO ORAL TABLET 0.5 MG ( <i>colchicine</i> )                                            | 4         | QL (1 tablet per day.)                      |
| <i>me/naphos/mb/hyo1 oral tablet 81.6 mg</i>                                               | 1         |                                             |
| <i>metirosine oral capsule 250 mg</i>                                                      | 3         | PA                                          |
| <i>miglustat oral capsule 100 mg</i>                                                       | 3         | SP; SMCS                                    |
| NESTABS ONE ORAL CAPSULE 38-1-225 MG ( <i>prenat-fe-methylfol-dha w/o a</i> )              | 3         |                                             |
| OPFOLDA ORAL CAPSULE 65 MG ( <i>miglustat (gaa deficiency)</i> )                           | 3         | PA; QL (8 capsules per 21 days.); SP; SMCS  |
| ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG ( <i>nitisinone</i> )                        | 3         | PA; SP; SMCS                                |
| ORFADIN ORAL SUSPENSION 4 MG/ML ( <i>nitisinone</i> )                                      | 3         | PA; SP; SMCS                                |
| PREMESISRX ORAL TABLET 1 MG ( <i>prenatal ca-b6-b12-fa-ginger</i> )                        | 3         |                                             |
| PRENATE DHA ORAL CAPSULE 18-0.6-0.4-300 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> )       | 3         |                                             |
| PRENATE ENHANCE ORAL CAPSULE 28-0.6-0.4-400 MG ( <i>prenat w/o a-fe-methfol-fa-dha</i> )   | 3         |                                             |
| PRENATE ESSENTIAL ORAL CAPSULE 18-0.6-0.4-300 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> ) | 3         |                                             |
| PRENATE MINI ORAL CAPSULE 18-0.6-0.4-350 MG ( <i>prenat-fecbn-feasp-meth-fa-dha</i> )      | 3         |                                             |
| PRENATE PIXIE ORAL CAPSULE 10-0.6-0.4-200 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> )     | 3         |                                             |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                    | Drug Tier | Coverage Requirements & Limits         |
|-------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| PRENATE RESTORE ORAL CAPSULE 27-0.6-0.4-400 MG ( <i>prenat w/o a-fe-methfol-fa-dha</i> )  | 3         |                                        |
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG ( <i>darunavir-cobicistat</i> )              | 2         |                                        |
| PROCYSBI ORAL PACKET 300 MG, 75 MG ( <i>cysteamine bitartrate</i> )                       | 4         | SP; SMCS                               |
| RELNATE DHA ORAL CAPSULE 28-1-200 MG                                                      | 3         |                                        |
| RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5ML ( <i>nedosiran sodium</i> )                    | 4         | PA; QL (0.04 ml per day.); SP; SMCS    |
| RIVFLOZA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 128 MG/0.8ML ( <i>nedosiran sodium</i> ) | 4         | PA; QL (0.03 ml per day.); SP; SMCS    |
| RIVFLOZA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 160 MG/ML ( <i>nedosiran sodium</i> )    | 4         | PA; QL (0.04 ml per day.); SP; SMCS    |
| <i>sapropterin dihydrochloride oral packet 100 mg</i>                                     | 3         | PA; QL (16 packets per day.); SP; SMCS |
| <i>sapropterin dihydrochloride oral packet 500 mg</i>                                     | 3         | PA; QL (4 packets per day.); SP; SMCS  |
| <i>sapropterin dihydrochloride oral tablet 100 mg</i>                                     | 3         | PA; QL (16 tablets per day); SP; SMCS  |
| SKYCLARYS ORAL CAPSULE 50 MG ( <i>omaveloxolone</i> )                                     | 3         | PA; QL (3 capsules per day.); SP; SMCS |
| SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG ( <i>palovarotene</i> )            | 4         | PA; QL (1 capsule per day.); SP; SMCS  |
| STRIBILD ORAL TABLET 150-150-200-300 MG ( <i>elviteg-cobic-emtricit-tenofdf</i> )         | 4         | QL (1 tablet per day.); SM             |
| THIOLA EC ORAL TABLET DELAYED RELEASE 100 MG, 300 MG ( <i>tiopronin</i> )                 | 4         | SP; SMCS                               |
| THIOLA ORAL TABLET 100 MG ( <i>tiopronin</i> )                                            | 4         | SP; SMCS                               |
| <i>tiopronin oral tablet 100 mg</i>                                                       | 3         | SP; CM; SMCS                           |
| <i>tiopronin oral tablet delayed release 100 mg, 300 mg</i>                               | 3         | SP; CM; SMCS                           |
| TRISTART DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                               | 3         |                                        |
| TYBOST ORAL TABLET 150 MG ( <i>cobicistat</i> )                                           | 2         |                                        |
| URELLE ORAL TABLET 81 MG ( <i>meth-hyo-m bl-na phos-ph sal</i> )                          | 4         |                                        |
| <i>uretron d/s oral tablet 81.6 mg</i>                                                    | 4         |                                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                    | Drug Tier | Coverage Requirements & Limits                             |
|-------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------|
| UROGESIC-BLUE ORAL TABLET 81.6 MG ( <i>methen-hyosc-meth blue-na phos</i> )               | 2         |                                                            |
| VIJOICE ORAL PACKET 50 MG ( <i>alpelisib</i> )                                            | 4         | PA; QL (28 packets (1 carton) per month.); SP; SMCS        |
| VIJOICE ORAL TABLET THERAPY PACK 125 MG, 50 MG ( <i>alpelisib</i> )                       | 4         | PA; QL (28 tablets (1 blister pack) per month.); SP; SMCS  |
| VIJOICE ORAL TABLET THERAPY PACK 200 & 50 MG ( <i>alpelisib</i> )                         | 4         | PA; QL (56 tablets (2 blister packs) per month.); SP; SMCS |
| VILEVEV MB ORAL TABLET 81 MG ( <i>meth-hyo-m bl-na phos-ph sal</i> )                      | 4         |                                                            |
| VITAFOL FE+ ORAL CAPSULE 90-0.6-0.4-200 MG ( <i>prenat-fe poly-methfol-fa-dha</i> )       | 3         |                                                            |
| VITAFOL-OB+DHA ORAL 65-1 & 250 MG ( <i>prenatal mv-min-fe fum-fa-dha</i> )                | 3         |                                                            |
| VOWST ORAL CAPSULE ( <i>fecal microb spores, live-brpk</i> )                              | 4         | PA; QL (12 capsules per 365 days.); SP; SMCS               |
| VOXZOGO SUBCUTANEOUS SOLUTION RECONSTITUTED 0.4 MG, 0.56 MG, 1.2 MG ( <i>vosoritide</i> ) | 4         | PA; QL (1 vial per day.); SP; SMCS                         |
| VYNDAMAX ORAL CAPSULE 61 MG ( <i>tafamidis</i> )                                          | 3         | PA; QL (1 capsule per day.); SP; SMCS                      |
| VYNDAQEL ORAL CAPSULE 20 MG ( <i>tafamidis meglumine (cardiac)</i> )                      | 3         | PA; QL (4 capsules per day.); SP; SMCS                     |
| WESCAP-PN DHA ORAL CAPSULE 27-0.6-0.4-300 MG                                              | 4         |                                                            |
| WESNATAL DHA COMPLETE ORAL 29-1-200 & 200 MG                                              | 2         |                                                            |
| WESNATE DHA ORAL CAPSULE 28-1-200 MG                                                      | 3         |                                                            |
| WESTGEL DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                                | 3         |                                                            |
| <i>zelvysia oral packet 100 mg</i>                                                        | 3         | PA; QL (16 packets per day.); SP; SMCS                     |
| <i>zelvysia oral packet 500 mg</i>                                                        | 3         | PA; QL (4 packets per day.); SP; SMCS                      |
| ZOKINVY ORAL CAPSULE 50 MG ( <i>lonafarnib</i> )                                          | 3         | PA; QL (5 capsules per day.); SP; SMCS                     |
| ZOKINVY ORAL CAPSULE 75 MG ( <i>lonafarnib</i> )                                          | 3         | PA; QL (1 tablet per day.); SP; SMCS                       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                  | Drug Tier | Coverage Requirements & Limits       |
|-------------------------------------------------------------------------|-----------|--------------------------------------|
| <b>PROTECTIVE AGENTS</b>                                                |           |                                      |
| <i>adapalene-benzoyl peroxide external gel 0.1-2.5 %</i>                | 3         | QL (45 grams per prescription)       |
| <i>dalfampridine er oral tablet extended release 12 hour 10 mg</i>      | 3         | PA; QL (2 tablets per day); SP; SMCS |
| <i>mesna oral tablet 400 mg</i>                                         | 2         | CM; SMCS                             |
| MESNEX ORAL TABLET 400 MG ( <i>mesna</i> )                              | 4         | CM; SMCS                             |
| <b>NONHORMONAL CONTRACEPTIVES - Drugs for Women</b>                     |           |                                      |
| <b>NONHORMONAL CONTRACEPTIVES - Drugs for Women</b>                     |           |                                      |
| CAYA VAGINAL DIAPHRAGM ( <i>diaphragm arc-spring</i> )                  | 3         | H                                    |
| CONDOMS                                                                 | 3         | QL (12 condoms per month.); H        |
| DUREX EXTRA SENSITIVE THIN ( <i>condoms latex lubricated</i> )          | 3         | QL (12 condoms per month.); H        |
| DUREX EXTRA SENSITIVE THIN DEVICE ( <i>condoms latex lubricated</i> )   | 3         | QL (12 condoms per month.); H        |
| DUREX TROPICAL ( <i>condoms latex lubricated</i> )                      | 3         | QL (12 condoms per month.); H        |
| ENCARE VAGINAL SUPPOSITORY 100 MG ( <i>nonoxynol-9</i> )                | E         | H                                    |
| FC2 FEMALE CONDOM ( <i>condoms - female</i> )                           | 3         | QL (12 condoms per month.); H        |
| FEMCAP VAGINAL DEVICE 22 MM, 26 MM, 30 MM ( <i>cervical caps</i> )      | 3         | H                                    |
| OMNIFLEX DIAPHRAGM VAGINAL DIAPHRAGM ( <i>diaphragms</i> )              | 3         | H                                    |
| OPTIONS GYNOL II CONTRACEPTIVE VAGINAL GEL 3 % ( <i>nonoxynol-9</i> )   | E         | H                                    |
| PHEXX VAGINAL GEL 1.8-1-0.4 % ( <i>lactic ac-citric ac-pot bitart</i> ) | 4         | H                                    |
| TODAY SPONGE VAGINAL 1000 MG ( <i>nonoxynol-9</i> )                     | E         | H                                    |
| TRUE COVER DEVICE                                                       | 3         | QL (12 condoms per month.); H        |
| VCF VAGINAL CONTRACEPTIVE VAGINAL FILM 28 % ( <i>nonoxynol-9</i> )      | E         | H                                    |
| VCF VAGINAL CONTRACEPTIVE VAGINAL GEL 4 % ( <i>nonoxynol-9</i> )        | E         | H                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                         | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------|-----------|--------------------------------|
| WIDE-SEAL DIAPHRAGM 60 VAGINAL DIAPHRAGM 2 %<br>( <i>diaphragm wide seal</i> ) | 2         | H                              |
| WIDE-SEAL DIAPHRAGM 65 VAGINAL DIAPHRAGM 2 %<br>( <i>diaphragm wide seal</i> ) | 2         | H                              |
| WIDE-SEAL DIAPHRAGM 70 VAGINAL DIAPHRAGM 2 %<br>( <i>diaphragm wide seal</i> ) | 2         | H                              |
| WIDE-SEAL DIAPHRAGM 75 VAGINAL DIAPHRAGM 2 %<br>( <i>diaphragm wide seal</i> ) | 2         | H                              |
| WIDE-SEAL DIAPHRAGM 80 VAGINAL DIAPHRAGM 2 %<br>( <i>diaphragm wide seal</i> ) | 2         | H                              |
| WIDE-SEAL DIAPHRAGM 85 VAGINAL DIAPHRAGM 2 %<br>( <i>diaphragm wide seal</i> ) | 2         | H                              |
| WIDE-SEAL DIAPHRAGM 90 VAGINAL DIAPHRAGM 2 %<br>( <i>diaphragm wide seal</i> ) | 2         | H                              |
| WIDE-SEAL DIAPHRAGM 95 VAGINAL DIAPHRAGM 2 %<br>( <i>diaphragm wide seal</i> ) | 2         | H                              |
| <b>OXYTOCICS - Drugs for Women</b>                                             |           |                                |
| <b>OXYTOCICS - Drugs for Women</b>                                             |           |                                |
| CERVIDIL VAGINAL INSERT 10 MG ( <i>dinoprostone</i> )                          | 3         |                                |
| METHERGINE ORAL TABLET 0.2 MG ( <i>methylergonovine maleate</i> )              | 4         | QL (28 tablets per year.)      |
| <i>methylergonovine maleate oral tablet 0.2 mg</i>                             | 1         | QL (28 tablets per year.)      |
| MIFEPREX ORAL TABLET 200 MG ( <i>mifepristone</i> )                            | 3         | SM                             |
| <i>mifepristone oral tablet 200 mg</i>                                         | 1         | SM                             |
| PREPIDIL VAGINAL GEL 0.5 MG/3GM ( <i>dinoprostone</i> )                        | 3         |                                |
| <b>PHARMACEUTICAL AIDS</b>                                                     |           |                                |
| <b>PHARMACEUTICAL AIDS</b>                                                     |           |                                |
| PYROGALLIC ACID EXTERNAL OINTMENT 25-2 %                                       | 2         |                                |
| VERSAPENN (AG) ANHYDROUS TRANSDERMAL GEL<br>( <i>transdermal base</i> )        | 3         |                                |
| VERSAPENN (AL) ANHYD LIPID TRANSDERMAL GEL<br>( <i>transdermal base</i> )      | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                         | Drug Tier | Coverage Requirements & Limits          |
|------------------------------------------------------------------------------------------------|-----------|-----------------------------------------|
| <b>RESPIRATORY TRACT AGENTS - Drugs for the Lungs</b>                                          |           |                                         |
| <b>ALPHA AND BETA ADRENERGIC AGONIST(RESPR) - Drugs for Asthma/COPD</b>                        |           |                                         |
| ADRENALIN NASAL SOLUTION 0.1 % ( <i>epinephrine hcl (nasal)</i> )                              | 2         |                                         |
| AUVI-Q INJECTION SOLUTION AUTO-INJECTOR 0.1 MG/0.1ML ( <i>epinephrine</i> )                    | 2         | QL (2 pens per prescription.); SM       |
| AUVI-Q INJECTION SOLUTION AUTO-INJECTOR 0.15 MG/0.15ML, 0.3 MG/0.3ML ( <i>epinephrine</i> )    | 2         | QL (2 injections per prescription.); SM |
| <i>epinephrine hcl (nasal) nasal solution 0.1 %</i>                                            | 1         |                                         |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.15ml, 0.3 mg/0.3ml</i>               | 1         | QL (2 injections per prescription.); SM |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.3ml</i>                              | 1         | QL (4 injections per prescription.); SM |
| EPINEPHRINE INJECTION SOLUTION PREFILLED SYRINGE 0.3 MG/0.3ML                                  | 2         | SM                                      |
| <b>ANTICHOLINERGIC AGENTS (RESPIR.TRACT) - Drugs for Asthma/COPD</b>                           |           |                                         |
| <i>atropine sulfate ophthalmic solution 1 %</i>                                                | 1         |                                         |
| ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT ( <i>ipratropium bromide hfa</i> )         | 3         | QL (0.87 grams per day.)                |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT ( <i>ipratropium-albuterol</i> ) | 4         | QL (0.28 grams per day.)                |
| <i>hyoscyamine sulfate er oral tablet extended release 12 hour 0.375 mg</i>                    | 1         |                                         |
| <i>hyoscyamine sulfate oral elixir 0.125 mg/5ml</i>                                            | 1         |                                         |
| <i>hyoscyamine sulfate oral solution 0.125 mg/ml</i>                                           | 1         |                                         |
| <i>hyoscyamine sulfate oral tablet 0.125 mg</i>                                                | 1         |                                         |
| <i>hyoscyamine sulfate oral tablet dispersible 0.125 mg</i>                                    | 1         |                                         |
| <i>hyoscyamine sulfate sl sublingual tablet sublingual 0.125 mg</i>                            | 1         |                                         |
| <i>hyoscyamine sulfate sublingual tablet sublingual 0.125 mg</i>                               | 1         |                                         |
| <i>hyosyne oral elixir 0.125 mg/5ml</i>                                                        | 1         |                                         |
| <i>hyosyne oral solution 0.125 mg/ml</i>                                                       | 1         |                                         |
| <i>ipratropium bromide inhalation solution 0.02 %</i>                                          | 1         |                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits         |
|-----------------------------------------------------------------------------------------|-----------|----------------------------------------|
| <i>ipratropium bromide nasal solution 0.03 %, 0.06 %</i>                                | 1         |                                        |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i>                     | 2         |                                        |
| LEVBID ORAL TABLET EXTENDED RELEASE 12 HOUR 0.375 MG ( <i>hyoscyamine sulfate</i> )     | 4         |                                        |
| LEVSIN ORAL TABLET 0.125 MG ( <i>hyoscyamine sulfate</i> )                              | 4         |                                        |
| LEVSIN/SL SUBLINGUAL TABLET SUBLINGUAL 0.125 MG ( <i>hyoscyamine sulfate</i> )          | 4         |                                        |
| NULEV ORAL TABLET DISPERSIBLE 0.125 MG ( <i>hyoscyamine sulfate</i> )                   | 4         |                                        |
| OSCIMIN ORAL TABLET 0.125 MG                                                            | 4         |                                        |
| OSCIMIN SUBLINGUAL TABLET SUBLINGUAL 0.125 MG                                           | 4         |                                        |
| SPIRIVA HANDIHALER INHALATION CAPSULE 18 MCG ( <i>tiotropium bromide</i> )              | 2         | QL (1 capsule per day)                 |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT ( <i>tiotropium bromide</i> ) | 2         | QL (0.15 grams per day.)               |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 2.5 MCG/ACT ( <i>tiotropium bromide</i> )  | 2         |                                        |
| YUPELRI INHALATION SOLUTION 175 MCG/3ML ( <i>revefenacin</i> )                          | 4         | PA; QL (3 ml per day.)                 |
| <b>ANTIFIBROTIC AGENTS - Drugs for the Lungs</b>                                        |           |                                        |
| <i>pirfenidone oral capsule 267 mg</i>                                                  | 2         | PA; QL (9 capsules per day.); SP; SMCS |
| <i>pirfenidone oral tablet 267 mg</i>                                                   | 3         | PA; QL (9 tablets per day.); SP; SMCS  |
| <i>pirfenidone oral tablet 534 mg</i>                                                   | 3         | PA; QL (3 tablets per day.); SMCS      |
| <i>pirfenidone oral tablet 801 mg</i>                                                   | 3         | PA; QL (3 tablets per day.); SP; SMCS  |
| <b>ANTI-INFLAMMATORY AGENTS (RESPIRATORY) - Drugs for Inflammation</b>                  |           |                                        |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML ( <i>mepolizumab</i> )             | 4         | PA; QL (0.04 mL per day.); SP; SMCS    |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <i>mepolizumab</i> )         | 4         | PA; QL (0.04 mL per day.); SP; SMCS    |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML ( <i>mepolizumab</i> )       | 4         | PA; QL (0.015 ml per day.); SMCS       |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                   | Drug Tier | Coverage Requirements & Limits                                 |
|--------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------------|
| <b>ANTITUSSIVES - Drugs for Cough and Cold</b>                                                                           |           |                                                                |
| <i>benzonatate oral capsule 100 mg, 200 mg</i>                                                                           | 1         |                                                                |
| <i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>                                                                   | 1         | NTT                                                            |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5ml</i>                                                                       | 1         |                                                                |
| <i>guaifenesin-codeine oral solution 100-10 mg/5ml, 200-20 mg/10ml</i>                                                   | 1         |                                                                |
| <i>hydrocod poli-chlorphe poli er oral suspension extended release 10-8 mg/5ml</i>                                       | 3         | PA; QL (360 ml per month.)                                     |
| <i>hydrocodone bit-homatrop mbr oral solution 5-1.5 mg/5ml</i>                                                           | 1         | PA; QL (120 mL per prescription and 360 ml per month.)         |
| <i>hydrocodone bit-homatrop mbr oral tablet 5-1.5 mg</i>                                                                 | 1         | PA                                                             |
| <i>hydromet oral solution 5-1.5 mg/5ml</i>                                                                               | 1         | PA; QL (120 mL per prescription and 360 ml per month.)         |
| <i>maxi-tuss ac oral solution 100-10 mg/5ml</i>                                                                          | 1         |                                                                |
| NEOTUSS PLUS ORAL LIQUID 7.5-4-30 MG/5ML<br>( <i>phenylephrine-chlorphen-dm</i> )                                        | 3         |                                                                |
| <i>promethazine-codeine oral solution 6.25-10 mg/5ml</i>                                                                 | 1         | PA; QL (360 ml per month.)                                     |
| <i>promethazine-dm oral syrup 15-6.25 mg/5ml, 6.25-15 mg/5ml</i>                                                         | 1         |                                                                |
| <i>pseudoephedrine-bromphen-dm oral syrup 30-2-10 mg/5ml</i>                                                             | 1         |                                                                |
| TUXARIN ER ORAL TABLET EXTENDED RELEASE 12 HOUR<br>54.3-8 MG ( <i>chlorpheniramine-codeine</i> )                         | 3         | PA; QL (10 tablets per prescription and 30 tablets per month.) |
| <b>CORTICOSTEROIDS (RESPIRATORY TRACT) - Drugs for Inflammation</b>                                                      |           |                                                                |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT ( <i>fluticasone-salmeterol</i> )            | 3         | QL (0.4 grams per day.)                                        |
| AIRSUPRA INHALATION AEROSOL 90-80 MCG/ACT<br>( <i>albuterol-budesonide</i> )                                             | 3         | QL (10.7 grams per prescription.)                              |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER<br>BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT<br>( <i>fluticasone furoate</i> ) | 2         |                                                                |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER<br>BREATH ACTIVATED 50 MCG/ACT ( <i>fluticasone furoate</i> )                  | 2         | QL (1 packet per day.)                                         |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                                                      | Drug Tier | Coverage Requirements & Limits            |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 50-25 MCG/INH ( <i>fluticasone furoate-vilanterol</i> )             | 3         |                                           |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 200-25 MCG/ACT ( <i>fluticasone furoate-vilanterol</i> )                            | 3         | QL (2 blisters per day.)                  |
| <i>budesonide inhalation suspension 0.25 mg/2ml</i>                                                                                         | 2         |                                           |
| <i>budesonide inhalation suspension 0.5 mg/2ml</i>                                                                                          | 2         | QL (120 ml (2 boxes) per 30 days.)        |
| <i>budesonide inhalation suspension 1 mg/2ml</i>                                                                                            | 2         | QL (60 ml (1 box) per 30 days.)           |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i>                                                                                       | 3         |                                           |
| <i>fluticasone propionate nasal suspension 50 mcg/act</i>                                                                                   | 2         | QL (16 grams (1 bottle) per prescription) |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i>                     | 3         | QL (2 blisters per day.)                  |
| FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT, 232-14 MCG/ACT, 55-14 MCG/ACT                             | 3         | QL (0.04 mcg per day.)                    |
| <i>mometasone furoate external cream 0.1 %</i>                                                                                              | 1         |                                           |
| <i>mometasone furoate external ointment 0.1 %</i>                                                                                           | 1         |                                           |
| <i>mometasone furoate external solution 0.1 %</i>                                                                                           | 1         |                                           |
| <i>mometasone furoate nasal suspension 50 mcg/act</i>                                                                                       | 3         | QL (17 grams (1 bottle) per prescription) |
| QVAR REDHALER INHALATION AEROSOL BREATH ACTIVATED 40 MCG/ACT ( <i>beclomethasone diprop hfa</i> )                                           | 2         | QL (10.6 grams per month.)                |
| QVAR REDHALER INHALATION AEROSOL BREATH ACTIVATED 80 MCG/ACT ( <i>beclomethasone diprop hfa</i> )                                           | 2         | QL (42.4 grams per month.)                |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT ( <i>fluticasone-umeclidin-vilant</i> ) | 3         | QL (2 blisters per day.)                  |
| <i>wixela inhub inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i>                               | 3         | QL (2 blisters per day.)                  |
| <b>CYSTIC FIBROSIS (CFTR) CORRECTORS - Drugs for the Lungs</b>                                                                              |           |                                           |
| ALYFTREK ORAL TABLET 10-50-125 MG ( <i>vanzacaft-tezacaft-deutivacaft</i> )                                                                 | 4         | PA; QL (56 tablets per month.); SP; SMCS  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                     | Drug Tier | Coverage Requirements & Limits                                                     |
|------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------|
| ALYFTREK ORAL TABLET 4-20-50 MG ( <b>vanzacraft-tezacraft-deutivacraft</b> )                               | 4         | PA; QL (84 tablets per month.); SP; SMCS                                           |
| ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG ( <b>lumacaftor-ivacaftor</b> )                                 | 2         | PA; QL (728 packets per 356 days.); SP; SMCS                                       |
| ORKAMBI ORAL PACKET 75-94 MG ( <b>lumacaftor-ivacaftor</b> )                                               | 2         | PA; QL (2 packets per day and 56 packets per 21 days.); SMCS                       |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG ( <b>lumacaftor-ivacaftor</b> )                                 | 3         | PA; QL (1456 tablets per 356 days.); SP; SMCS                                      |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG ( <b>tezacaftor-ivacaftor</b> )                          | 3         | PA; QL (56 tablets per month. 728 tablets per 365 days.); SP; SMCS                 |
| SYMDEKO ORAL TABLET THERAPY PACK 50-75 & 75 MG ( <b>tezacaftor-ivacaftor</b> )                             | 3         | PA; QL (56 tablets per month. 728 tablets per 365 days.); SMCS                     |
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG ( <b>elexacaftor-tezacaftor-ivacaft</b> )             | 3         | PA; QL (3 tablets per day (1 pack per month) and 1092 tablets per year.); SP; SMCS |
| TRIKAFTA ORAL TABLET THERAPY PACK 50-25-37.5 & 75 MG ( <b>elexacaftor-tezacaftor-ivacaft</b> )             | 3         | PA; QL (3 tablets per day. 1092 tablets per 364 days.); SP; SMCS                   |
| TRIKAFTA ORAL THERAPY PACK 100-50-75 & 75 MG, 80-40-60 & 59.5 MG ( <b>elexacaftor-tezacaftor-ivacaft</b> ) | 3         | PA; QL (2 packets per day. 728 packets per 356 days.); SP; SMCS                    |
| <b>CYSTIC FIBROSIS (CFTR) POTENTIATORS - Drugs for the Lungs</b>                                           |           |                                                                                    |
| ALYFTREK ORAL TABLET 10-50-125 MG ( <b>vanzacraft-tezacraft-deutivacraft</b> )                             | 4         | PA; QL (56 tablets per month.); SP; SMCS                                           |
| ALYFTREK ORAL TABLET 4-20-50 MG ( <b>vanzacraft-tezacraft-deutivacraft</b> )                               | 4         | PA; QL (84 tablets per month.); SP; SMCS                                           |
| KALYDECO ORAL PACKET 13.4 MG ( <b>ivacaftor</b> )                                                          | 3         | PA; QL (2 packets per day. 728 packets per 356 days.); SMCS                        |
| KALYDECO ORAL PACKET 25 MG, 50 MG, 75 MG ( <b>ivacaftor</b> )                                              | 3         | PA; QL (728 packets per 356 days.); SP; SMCS                                       |
| KALYDECO ORAL PACKET 5.8 MG ( <b>ivacaftor</b> )                                                           | 3         | PA; QL (2 packets per day and 728 packets per 365 days.); SMCS                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                     | Drug Tier | Coverage Requirements & Limits                                                     |
|------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------|
| KALYDECO ORAL TABLET 150 MG ( <i>ivacaftor</i> )                                                           | 3         | PA; QL (780 tablets per 356 days.); SP; SMCS                                       |
| ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG ( <i>lumacaftor-ivacaftor</i> )                                 | 2         | PA; QL (728 packets per 356 days.); SP; SMCS                                       |
| ORKAMBI ORAL PACKET 75-94 MG ( <i>lumacaftor-ivacaftor</i> )                                               | 2         | PA; QL (2 packets per day and 56 packets per 21 days.); SMCS                       |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG ( <i>lumacaftor-ivacaftor</i> )                                 | 3         | PA; QL (1456 tablets per 356 days.); SP; SMCS                                      |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG ( <i>tezacaftor-ivacaftor</i> )                          | 3         | PA; QL (56 tablets per month. 728 tablets per 365 days.); SP; SMCS                 |
| SYMDEKO ORAL TABLET THERAPY PACK 50-75 & 75 MG ( <i>tezacaftor-ivacaftor</i> )                             | 3         | PA; QL (56 tablets per month. 728 tablets per 365 days.); SMCS                     |
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG ( <i>elexacaftor-tezacaftor-ivacaft</i> )             | 3         | PA; QL (3 tablets per day (1 pack per month) and 1092 tablets per year.); SP; SMCS |
| TRIKAFTA ORAL TABLET THERAPY PACK 50-25-37.5 & 75 MG ( <i>elexacaftor-tezacaftor-ivacaft</i> )             | 3         | PA; QL (3 tablets per day. 1092 tablets per 364 days.); SP; SMCS                   |
| TRIKAFTA ORAL THERAPY PACK 100-50-75 & 75 MG, 80-40-60 & 59.5 MG ( <i>elexacaftor-tezacaftor-ivacaft</i> ) | 3         | PA; QL (2 packets per day. 728 packets per 356 days.); SP; SMCS                    |
| <b>ENDOTHELIN RECEPTOR ANTAGONISTS - Drugs for the Lungs</b>                                               |           |                                                                                    |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i>                                                                 | 3         | PA; QL (1 tablet per day.); SP; SMCS                                               |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i>                                                                | 3         | PA; QL (2 tablets per day.); SP; SMCS                                              |
| <i>bosentan oral tablet soluble 32 mg</i>                                                                  | 3         | PA; QL (4 tablets per day.); SP; SMCS                                              |
| FILSPARI ORAL TABLET 200 MG, 400 MG ( <i>sparsentan</i> )                                                  | 4         | PA; QL (1 tablet per day.); SP; SMCS                                               |
| OPSUMIT ORAL TABLET 10 MG ( <i>macitentan</i> )                                                            | 3         | PA; QL (1 tablet per day.); SP; SMCS                                               |
| TRACLEER ORAL TABLET 125 MG, 62.5 MG ( <i>bosentan</i> )                                                   | 3         | PA; QL (2 tablets per day.); SP; SMCS                                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                              | Drug Tier | Coverage Requirements & Limits           |
|-------------------------------------------------------------------------------------|-----------|------------------------------------------|
| TRACLEER ORAL TABLET SOLUBLE 32 MG ( <i>bosentan</i> )                              | 4         | PA; QL (4 tablets per day.); SP; SMCS    |
| VANRAFIA ORAL TABLET 0.75 MG ( <i>atrasentan hcl</i> )                              | 4         | PA; QL (30 tablets per month.); SP; SMCS |
| <b>EXPECTORANTS - Drugs for the Lungs</b>                                           |           |                                          |
| <i>guaifenesin-codeine oral solution 100-10 mg/5ml, 200-20 mg/10ml</i>              | 1         |                                          |
| <i>iodine strong oral solution 5 %</i>                                              | 1         |                                          |
| <i>maxi-tuss ac oral solution 100-10 mg/5ml</i>                                     | 1         |                                          |
| <i>potassium iodide (expectorant) oral solution 1 gm/ml</i>                         | 1         |                                          |
| SSKI ORAL SOLUTION 1 GM/ML ( <i>potassium iodide (expectorant)</i> )                | 3         |                                          |
| <b>FIRST GENERATION ANTIHIST.(RESPIR TRACT) - Drugs for Allergy</b>                 |           |                                          |
| <i>carbinoxamine maleate oral solution 4 mg/5ml</i>                                 | 1         |                                          |
| <i>carbinoxamine maleate oral tablet 4 mg</i>                                       | 1         |                                          |
| CARBZAH ORAL SOLUTION 4 MG/5ML                                                      | 2         |                                          |
| <i>clemastine fumarate oral tablet 2.68 mg</i>                                      | 1         |                                          |
| CLEMSZA ORAL TABLET 2.68 MG ( <i>clemastine fumarate</i> )                          | 3         |                                          |
| <i>cyproheptadine hcl oral syrup 2 mg/5ml</i>                                       | 1         |                                          |
| <i>cyproheptadine hcl oral tablet 4 mg</i>                                          | 1         |                                          |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5ml</i>                                  | 1         |                                          |
| <i>promethazine hcl oral solution 12.5 mg/10ml, 6.25 mg/5ml</i>                     | 1         |                                          |
| <i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>                           | 1         |                                          |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i>                           | 1         |                                          |
| PROMETHEGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG, 50 MG ( <i>promethazine hcl</i> )    | 3         |                                          |
| <b>INTERLEUKIN ANTAGONISTS - Drugs for Inflammation</b>                             |           |                                          |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG ( <i>rilonacept</i> )           | 3         | PA; QL (4 vials per 21 days.); SP; SMCS  |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML ( <i>dupilumab</i> ) | 3         | PA; QL (0.09 ml per day.); SP; SMCS      |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/ML ( <i>benralizumab</i> )    | 4         | PA; QL (1 pen every 2 months.); SMCS     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                 | Drug Tier | Coverage Requirements & Limits            |
|----------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| TEZSPIRE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 210 MG/1.91ML ( <i>tezepelumab-ekko</i> ) | 4         | PA; QL (0.07 ml per day.); SP; SMCS       |
| <b>LEUKOTRIENE MODIFIERS - Drugs for Inflammation</b>                                  |           |                                           |
| ACCOLATE ORAL TABLET 10 MG, 20 MG ( <i>zafirlukast</i> )                               | 4         |                                           |
| <i>montelukast sodium oral packet 4 mg</i>                                             | 2         |                                           |
| <i>montelukast sodium oral tablet 10 mg</i>                                            | 1         |                                           |
| <i>montelukast sodium oral tablet chewable 4 mg, 5 mg</i>                              | 1         |                                           |
| SINGULAIR ORAL PACKET 4 MG ( <i>montelukast sodium</i> )                               | 3         |                                           |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i>                                            | 1         |                                           |
| <b>MAST-CELL STABILIZERS - Drugs for Inflammation</b>                                  |           |                                           |
| ALOCRILOPHthalmic SOLUTION 2 % ( <i>nedocromil sodium</i> )                            | 3         |                                           |
| <i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i>                      | 1         |                                           |
| <i>cromolyn sodium ophthalmic solution 4 %</i>                                         | 1         |                                           |
| <i>cromolyn sodium oral concentrate 100 mg/5ml</i>                                     | 1         |                                           |
| <b>MUCOLYTIC AGENTS - Drugs for the Lungs</b>                                          |           |                                           |
| <i>acetylcysteine inhalation solution 10 %, 20 %</i>                                   | 1         |                                           |
| HYPERSAL INHALATION NEBULIZATION SOLUTION 3.5 %, 7 % ( <i>sodium chloride</i> )        | 2         |                                           |
| NEBUSAL INHALATION NEBULIZATION SOLUTION 3 % ( <i>sodium chloride</i> )                | 3         |                                           |
| PULMOSAL INHALATION NEBULIZATION SOLUTION 7 % ( <i>sodium chloride</i> )               | 2         |                                           |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML ( <i>dornase alfa</i> )                     | 3         | PA; QL (5 ml per day.); SP; SMCS          |
| <i>sodium chloride inhalation nebulization solution 0.9 %, 10 %, 3 %, 7 %</i>          | 1         |                                           |
| <b>NASAL PREPARATIONS (STEROIDS) - Drugs for Inflammation</b>                          |           |                                           |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i>                                  | 3         |                                           |
| <i>fluticasone propionate nasal suspension 50 mcg/act</i>                              | 2         | QL (16 grams (1 bottle) per prescription) |
| <i>mometasone furoate nasal suspension 50 mcg/act</i>                                  | 3         | QL (17 grams (1 bottle) per prescription) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                             | Drug Tier | Coverage Requirements & Limits       |
|--------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| <b>ORALLY INHALED PREPARATIONS (STEROIDS) - Drugs for Inflammation</b>                                             |           |                                      |
| AIRSUPRA INHALATION AEROSOL 90-80 MCG/ACT ( <i>albuterol-budesonide</i> )                                          | 3         | QL (10.7 grams per prescription.)    |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT ( <i>fluticasone furoate</i> ) | 2         |                                      |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT ( <i>fluticasone furoate</i> )               | 2         | QL (1 packet per day.)               |
| <i>budesonide inhalation suspension 0.25 mg/2ml</i>                                                                | 2         |                                      |
| <i>budesonide inhalation suspension 0.5 mg/2ml</i>                                                                 | 2         | QL (120 ml (2 boxes) per 30 days.)   |
| <i>budesonide inhalation suspension 1 mg/2ml</i>                                                                   | 2         | QL (60 ml (1 box) per 30 days.)      |
| QVAR REDHALER INHALATION AEROSOL BREATH ACTIVATED 40 MCG/ACT ( <i>beclomethasone diprop hfa</i> )                  | 2         | QL (10.6 grams per month.)           |
| QVAR REDHALER INHALATION AEROSOL BREATH ACTIVATED 80 MCG/ACT ( <i>beclomethasone diprop hfa</i> )                  | 2         | QL (42.4 grams per month.)           |
| <b>PHOSPHODIESTERASE TYPE 4 INHIBITORS - Drugs for the Lungs</b>                                                   |           |                                      |
| <i>roflumilast oral tablet 250 mcg</i>                                                                             | 2         | QL (31 tablets per year.)            |
| <i>roflumilast oral tablet 500 mcg</i>                                                                             | 2         | QL (1 tablet per day)                |
| ZORYVE EXTERNAL CREAM 0.15 % ( <i>roflumilast</i> )                                                                | 4         | PA; QL (60 grams per copay.)         |
| ZORYVE EXTERNAL CREAM 0.3 % ( <i>roflumilast</i> )                                                                 | 4         | PA; QL (60 grams per 30 days.)       |
| ZORYVE EXTERNAL FOAM 0.3 % ( <i>roflumilast</i> )                                                                  | 4         | PA; QL (60 grams per prescription.)  |
| <b>PHOSPHODIESTERASE-5 INHIBITORS (RESPIR) - Drugs for the Lungs</b>                                               |           |                                      |
| <i>sildenafil citrate oral suspension reconstituted 10 mg/ml</i>                                                   | 4         | PA; QL (186 ml per month.); SP; SMCS |
| <i>sildenafil citrate oral tablet 100 mg, 25 mg, 50 mg</i>                                                         | 2         | QL (0.5 tablet per day.)             |
| <i>sildenafil citrate oral tablet 20 mg</i>                                                                        | 1         | QL (0.5 tablet per day.); SP; SMCS   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                    | Drug Tier | Coverage Requirements & Limits                  |
|---------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| <i>tadalafil (pah) oral tablet 20 mg</i>                                                                                  | 1         | PA; QL (2 tablets per day); SP; SMCS            |
| <i>tadalafil oral tablet 10 mg, 20 mg</i>                                                                                 | 2         | QL (0.5 tablet per day.)                        |
| <i>tadalafil oral tablet 2.5 mg, 5 mg</i>                                                                                 | 2         | QL (1 tablet per day.)                          |
| TADLIQ ORAL SUSPENSION 20 MG/5ML ( <i>tadalafil (pah)</i> )                                                               | 4         | PA; QL (10 ml per day.); SP; SMCS               |
| <b>PROSTACYCLIN &amp; PROSTACYCLIN DERIVATIVES - Drugs for the Lungs</b>                                                  |           |                                                 |
| ORENITRAM MONTH 1 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG ( <i>treprostinil diolamine</i> )             | 4         | PA; QL (168 tablets per year.); SP; SMCS        |
| ORENITRAM MONTH 2 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG ( <i>treprostinil diolamine</i> )             | 4         | PA; QL (336 tablets per year.); SP; SMCS        |
| ORENITRAM MONTH 3 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 & 1 MG ( <i>treprostinil diolamine</i> )         | 4         | PA; QL (252 tablets per year.); SP; SMCS        |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG ( <i>treprostinil diolamine</i> )            | 4         | PA; QL (6 tablets per day.); SP; SMCS           |
| TYVASO DPI INSTITUTIONAL KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG ( <i>treprostinil</i> )                     | 3         | PA; QL (112 cartridges per 23 days.); SP; SMCS  |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 112 X 32MCG & 112 X 64MCG, 112 X 48MCG & 112 X 64MCG ( <i>treprostinil</i> ) | 3         | PA; SP; SMCS                                    |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG ( <i>treprostinil</i> )                       | 3         | PA; QL (112 cartridges per 23 days.); SP; SMCS  |
| TYVASO DPI TITRATION KIT INHALATION POWDER 16 & 32 & 48 MCG ( <i>treprostinil</i> )                                       | 3         | PA; QL (252 cartridges per 365 days.); SP; SMCS |
| TYVASO INHALATION SOLUTION 0.6 MG/ML ( <i>treprostinil</i> )                                                              | 3         | PA; SP; SMCS                                    |
| TYVASO REFILL KIT INHALATION SOLUTION 0.6 MG/ML ( <i>treprostinil</i> )                                                   | 3         | PA; SP; SMCS                                    |
| TYVASO STARTER KIT INHALATION SOLUTION 0.6 MG/ML ( <i>treprostinil</i> )                                                  | 3         | PA; SP; SMCS                                    |
| <b>RESPIRATORY TRACT AGENTS, MISCELLANEOUS - Drugs for the Lungs</b>                                                      |           |                                                 |
| <i>pirfenidone oral capsule 267 mg</i>                                                                                    | 2         | PA; QL (9 capsules per day.); SP; SMCS          |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                 | Drug Tier | Coverage Requirements & Limits                 |
|----------------------------------------------------------------------------------------|-----------|------------------------------------------------|
| <i>pirfenidone oral tablet 267 mg</i>                                                  | 3         | PA; QL (9 tablets per day.); SP; SMCS          |
| <i>pirfenidone oral tablet 534 mg</i>                                                  | 3         | PA; QL (3 tablets per day.); SMCS              |
| <i>pirfenidone oral tablet 801 mg</i>                                                  | 3         | PA; QL (3 tablets per day.); SP; SMCS          |
| TEZSPIRE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 210 MG/1.91ML ( <i>tezepelumab-ekko</i> ) | 4         | PA; QL (0.07 ml per day.); SP; SMCS            |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <i>omalizumab</i> )             | 3         | PA; QL (2 auto injectors per month.); SP; SMCS |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML ( <i>omalizumab</i> )            | 3         | PA; QL (0.15 ml per day.); SP; SMCS            |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 75 MG/0.5ML ( <i>omalizumab</i> )           | 3         | PA; QL (0.04 ml per day.); SP; SMCS            |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>omalizumab</i> )         | 3         | PA; QL (0.08 ml per day.); SP; SMCS            |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML ( <i>omalizumab</i> )        | 3         | PA; QL (0.15 ml per day.); SP; SMCS            |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML ( <i>omalizumab</i> )       | 3         | PA; QL (0.04 ml per day.); SP; SMCS            |
| <b>SECOND GENERATION ANTIHIST(RESPIR TRACT) - Drugs for Allergy</b>                    |           |                                                |
| <i>azelastine hcl nasal solution 0.1 %, 137 mcg/spray</i>                              | 2         |                                                |
| <i>azelastine hcl ophthalmic solution 0.05 %</i>                                       | 1         |                                                |
| <b>SELECT.BETA-2-ADRENERGIC AGONIST(RESPIR) - Drugs for Asthma/COPD</b>                |           |                                                |
| AIRSUPRA INHALATION AEROSOL 90-80 MCG/ACT ( <i>albuterol-budesonide</i> )              | 3         | QL (10.7 grams per prescription.)              |
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>         | 2         | QL (1 inhaler per copay.)                      |
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>         | 2         | QL (1 inhaler per prescription.)               |
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>         | 2         | QL (18 grams per prescription.)                |
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>         | 2         | QL (6.7 grams per prescription.)               |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                | Drug Tier | Coverage Requirements & Limits         |
|-----------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| <i>albuterol sulfate hfa aerosol solution 108 (90 base) mcg/act inhalation</i>                                        | 2         | QL (8.5 grams per prescription.)       |
| <i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml</i> | 1         |                                        |
| <i>albuterol sulfate nebulization solution (5 mg/ml) 0.5% inhalation</i>                                              | 1         |                                        |
| ALBUTEROL SULFATE NEBULIZATION SOLUTION (5 MG/ML) 0.5% INHALATION                                                     | 3         |                                        |
| <i>albuterol sulfate oral syrup 2 mg/5ml</i>                                                                          | 1         |                                        |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i>                                                                       | 3         | PA                                     |
| <i>arformoterol tartrate inhalation nebulization solution 15 mcg/2ml</i>                                              | 4         | QL (2 nebulizers per day)              |
| <i>levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/3ml</i>                        | 3         | QL (90 ml per prescription.)           |
| <i>levalbuterol hcl inhalation nebulization solution 1.25 mg/0.5ml</i>                                                | 3         | QL (30 vials per prescription)         |
| LEVALBUTEROL HFA INHALATION AEROSOL 45 MCG/ACT                                                                        | 3         | QL (15 grams per prescription.)        |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT ( <i>salmeterol xinafoate</i> )                 | 2         | QL (1 diskus (60 blisters) per month.) |
| STRIVERDI RESPIMAT INHALATION AEROSOL SOLUTION 2.5 MCG/ACT ( <i>olodaterol hcl</i> )                                  | 2         |                                        |
| <i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i>                                                                   | 1         |                                        |
| XOPENEX HFA INHALATION AEROSOL 45 MCG/ACT ( <i>levalbuterol tartrate</i> )                                            | 3         | QL (15 grams per prescription.)        |
| <b>VASODILATING AGENTS (RESPIRATORY TRACT) - Drugs for the Lungs</b>                                                  |           |                                        |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG ( <i>riociguat</i> )                                           | 3         | PA; QL (3 tablets per day.); SP; SMCS  |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i>                                                                            | 3         | PA; QL (1 tablet per day.); SP; SMCS   |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i>                                                                           | 3         | PA; QL (2 tablets per day.); SP; SMCS  |
| <i>bosentan oral tablet soluble 32 mg</i>                                                                             | 3         | PA; QL (4 tablets per day.); SP; SMCS  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                            | Drug Tier | Coverage Requirements & Limits                  |
|-------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| OPSUMIT ORAL TABLET 10 MG ( <i>macitentan</i> )                                                                   | 3         | PA; QL (1 tablet per day.); SP; SMCS            |
| ORENITRAM MONTH 1 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG ( <i>treprostinil diolamine</i> )     | 4         | PA; QL (168 tablets per year.); SP; SMCS        |
| ORENITRAM MONTH 2 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG ( <i>treprostinil diolamine</i> )     | 4         | PA; QL (336 tablets per year.); SP; SMCS        |
| ORENITRAM MONTH 3 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 & 1 MG ( <i>treprostinil diolamine</i> ) | 4         | PA; QL (252 tablets per year.); SP; SMCS        |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG ( <i>treprostinil diolamine</i> )    | 4         | PA; QL (6 tablets per day.); SP; SMCS           |
| <i>sildenafil citrate oral suspension reconstituted 10 mg/ml</i>                                                  | 4         | PA; QL (186 ml per month.); SP; SMCS            |
| <i>sildenafil citrate oral tablet 100 mg, 25 mg, 50 mg</i>                                                        | 2         | QL (0.5 tablet per day.)                        |
| <i>sildenafil citrate oral tablet 20 mg</i>                                                                       | 1         | QL (0.5 tablet per day.); SP; SMCS              |
| <i>tadalafil (pah) oral tablet 20 mg</i>                                                                          | 1         | PA; QL (2 tablets per day.); SP; SMCS           |
| TADLIQ ORAL SUSPENSION 20 MG/5ML ( <i>tadalafil (pah)</i> )                                                       | 4         | PA; QL (10 ml per day.); SP; SMCS               |
| TRACLEER ORAL TABLET 125 MG, 62.5 MG ( <i>bosentan</i> )                                                          | 3         | PA; QL (2 tablets per day.); SP; SMCS           |
| TRACLEER ORAL TABLET SOLUBLE 32 MG ( <i>bosentan</i> )                                                            | 4         | PA; QL (4 tablets per day.); SP; SMCS           |
| TYVASO DPI INSTITUTIONAL KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG ( <i>treprostinil</i> )             | 3         | PA; QL (112 cartridges per 23 days.); SP; SMCS  |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG ( <i>treprostinil</i> )               | 3         | PA; QL (112 cartridges per 23 days.); SP; SMCS  |
| TYVASO DPI TITRATION KIT INHALATION POWDER 16 & 32 & 48 MCG ( <i>treprostinil</i> )                               | 3         | PA; QL (252 cartridges per 365 days.); SP; SMCS |
| TYVASO INHALATION SOLUTION 0.6 MG/ML ( <i>treprostinil</i> )                                                      | 3         | PA; SP; SMCS                                    |
| TYVASO REFILL KIT INHALATION SOLUTION 0.6 MG/ML ( <i>treprostinil</i> )                                           | 3         | PA; SP; SMCS                                    |
| TYVASO STARTER KIT INHALATION SOLUTION 0.6 MG/ML ( <i>treprostinil</i> )                                          | 3         | PA; SP; SMCS                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                                     | Drug Tier | Coverage Requirements & Limits            |
|------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 400 MCG, 600 MCG, 800 MCG ( <i>selexipag</i> ) | 4         | PA; QL (2 tablets per day.); SMCS         |
| UPTRAVI TABLET 200 MCG ORAL ( <i>selexipag</i> )                                                           | 4         | PA; QL (140 tablets per 365 days.); SMCS  |
| UPTRAVI TABLET 200 MCG ORAL ( <i>selexipag</i> )                                                           | 4         | PA; QL (2 tablets per day.); SMCS         |
| UPTRAVI TITRATION ORAL TABLET THERAPY PACK 200 & 800 MCG ( <i>selexipag</i> )                              | 4         | PA; QL (200 tablets per year.); SMCS      |
| <b>VASODILATING AGENTS, MISC (48:48) - Drugs for the Lungs</b>                                             |           |                                           |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG ( <i>riociguat</i> )                                | 3         | PA; QL (3 tablets per day.); SP; SMCS     |
| UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 400 MCG, 600 MCG, 800 MCG ( <i>selexipag</i> ) | 4         | PA; QL (2 tablets per day.); SMCS         |
| UPTRAVI TABLET 200 MCG ORAL ( <i>selexipag</i> )                                                           | 4         | PA; QL (140 tablets per 365 days.); SMCS  |
| UPTRAVI TABLET 200 MCG ORAL ( <i>selexipag</i> )                                                           | 4         | PA; QL (2 tablets per day.); SMCS         |
| UPTRAVI TITRATION ORAL TABLET THERAPY PACK 200 & 800 MCG ( <i>selexipag</i> )                              | 4         | PA; QL (200 tablets per year.); SMCS      |
| <b>XANTHINE DERIVATIVES - Drugs for Asthma/COPD</b>                                                        |           |                                           |
| <i>elixophyllin oral elixir 80 mg/15ml</i>                                                                 | 3         |                                           |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 300 MG, 400 MG ( <i>theophylline</i> )       | 3         |                                           |
| <i>theophylline er oral tablet extended release 12 hour 100 mg, 200 mg, 300 mg, 450 mg</i>                 | 1         |                                           |
| <i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i>                                 | 1         |                                           |
| <i>theophylline oral elixir 80 mg/15ml</i>                                                                 | 1         |                                           |
| <i>theophylline oral solution 80 mg/15ml</i>                                                               | 1         |                                           |
| <b>SKIN AND MUCOUS MEMBRANE AGENTS</b>                                                                     |           |                                           |
| <b>ANTIPROLIFERANTS</b>                                                                                    |           |                                           |
| AMELUZ EXTERNAL GEL 10 % ( <i>aminolevulinic acid hcl</i> )                                                | 3         |                                           |
| <i>bexarotene external gel 1 %</i>                                                                         | 4         | QL (60 grams per prescription.); SP; SMCS |
| <i>bexarotene oral capsule 75 mg</i>                                                                       | 3         | SP; CM; SMCS                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                         | Drug Tier | Coverage Requirements & Limits                 |
|--------------------------------------------------------------------------------|-----------|------------------------------------------------|
| <i>fluorouracil external cream 5 %</i>                                         | 1         |                                                |
| <i>fluorouracil external solution 2 %, 5 %</i>                                 | 1         |                                                |
| <i>imiquimod external cream 5 %</i>                                            | 1         |                                                |
| KLISYRI (250 MG) EXTERNAL OINTMENT 1 % ( <i>tirbanibulin</i> )                 | 4         | ST; QL (5 units per prescription)              |
| KLISYRI (350 MG) EXTERNAL OINTMENT 1 % ( <i>tirbanibulin</i> )                 | 4         | ST; QL (5 units per prescription)              |
| PANRETIN EXTERNAL GEL 0.1 % ( <i>alitretinoin</i> )                            | 3         |                                                |
| VALCHLOR EXTERNAL GEL 0.016 % ( <i>mechlorethamine hcl (topical)</i> )         | 3         | PA; QL (120 grams per prescription.); SP; SMCS |
| <b>SKIN AND MUCOUS MEMBRANE AGENTS - Drugs for the Skin</b>                    |           |                                                |
| <b>ADRENERGIC AGONISTS - Drugs for the Skin</b>                                |           |                                                |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.1 % ( <i>brimonidine tartrate</i> )           | 2         | QL (10 ml per prescription)                    |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.15 % ( <i>brimonidine tartrate</i> )          | 4         | QL (10 ml per prescription)                    |
| <i>brimonidine tartrate external gel 0.33 %</i>                                | 3         | PA; QL (30 grams per prescription.)            |
| <i>brimonidine tartrate ophthalmic solution 0.15 %</i>                         | 2         | QL (10 ml per prescription)                    |
| <i>brimonidine tartrate ophthalmic solution 0.2 %</i>                          | 1         |                                                |
| COMBIGAN OPHTHALMIC SOLUTION 0.2-0.5 % ( <i>brimonidine tartrate-timolol</i> ) | 2         | QL (5 ml per prescription)                     |
| MIRVASO EXTERNAL GEL 0.33 % ( <i>brimonidine tartrate</i> )                    | 3         | PA; QL (30 grams per prescription.)            |
| <b>ANTIBACTERIALS (84:04) - Drugs for the Skin</b>                             |           |                                                |
| AVAR CLEANSER EXTERNAL LIQUID 10-5 % ( <i>sulfacetamide sodium-sulfur</i> )    | 4         |                                                |
| AVIDOXY ORAL TABLET 100 MG                                                     | 4         |                                                |
| <i>azelaic acid external gel 15 %</i>                                          | 3         |                                                |
| <i>bacitracin ophthalmic ointment 500 unit/gm</i>                              | 1         |                                                |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i>            | 1         |                                                |
| <i>bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 %</i>                   | 1         |                                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                             | Drug Tier | Coverage Requirements & Limits      |
|------------------------------------------------------------------------------------|-----------|-------------------------------------|
| <b>benzoyl peroxide-erythromycin external gel 5-3 %</b>                            | 1         | QL (23.3 grams per prescription.)   |
| CLEOCIN ORAL CAPSULE 150 MG, 300 MG ( <b>clindamycin hcl</b> )                     | 4         |                                     |
| CLEOCIN ORAL CAPSULE 75 MG ( <b>clindamycin hcl</b> )                              | 2         |                                     |
| CLEOCIN ORAL SOLUTION RECONSTITUTED 75 MG/5ML ( <b>clindamycin palmitate hcl</b> ) | 4         |                                     |
| CLEOCIN VAGINAL CREAM 2 % ( <b>clindamycin phosphate</b> )                         | 4         |                                     |
| <b>clindacin etz external swab 1 %</b>                                             | 1         |                                     |
| <b>clindacin external foam 1 %</b>                                                 | 3         |                                     |
| <b>clindacin-p external swab 1 %</b>                                               | 1         |                                     |
| <b>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</b>                          | 1         |                                     |
| <b>clindamycin palmitate hcl oral solution reconstituted 75 mg/5ml</b>             | 2         |                                     |
| <b>clindamycin phos (twice-daily) external gel 1 %</b>                             | 2         | QL (75 grams per prescription.)     |
| <b>clindamycin phos-benzoyl perox external gel 1.2-5 %</b>                         | 3         | QL (1 bottle (45 grams) per month.) |
| <b>clindamycin phosphate external foam 1 %</b>                                     | 3         |                                     |
| <b>clindamycin phosphate external lotion 1 %</b>                                   | 3         |                                     |
| <b>clindamycin phosphate external solution 1 %</b>                                 | 1         |                                     |
| <b>clindamycin phosphate external swab 1 %</b>                                     | 1         |                                     |
| <b>clindamycin phosphate vaginal cream 2 %</b>                                     | 2         |                                     |
| CLINDESSE VAGINAL CREAM 2 % ( <b>clindamycin phosphate (1 dose)</b> )              | 2         |                                     |
| <b>dapsone oral tablet 100 mg, 25 mg</b>                                           | 2         |                                     |
| <b>doxycycline hyclate oral capsule 100 mg, 50 mg</b>                              | 2         |                                     |
| <b>doxycycline hyclate oral tablet 100 mg</b>                                      | 2         |                                     |
| <b>doxycycline hyclate oral tablet 20 mg</b>                                       | 1         |                                     |
| <b>doxycycline monohydrate oral capsule 100 mg, 50 mg</b>                          | 1         |                                     |
| <b>doxycycline monohydrate oral suspension reconstituted 25 mg/5ml</b>             | 3         |                                     |
| <b>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</b>            | 1         |                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                   | Drug Tier | Coverage Requirements & Limits      |
|--------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| <i>ery external pad 2 %</i>                                                                                              | 1         |                                     |
| <i>erythromycin external gel 2 %</i>                                                                                     | 1         |                                     |
| <i>erythromycin external solution 2 %</i>                                                                                | 1         |                                     |
| FINACEA EXTERNAL FOAM 15 % ( <i>azelaic acid</i> )                                                                       | 4         |                                     |
| <i>gentamicin sulfate external cream 0.1 %</i>                                                                           | 1         | QL (30 grams per prescription.)     |
| <i>gentamicin sulfate external ointment 0.1 %</i>                                                                        | 1         | QL (30 grams per prescription.)     |
| <i>gentamicin sulfate ophthalmic solution 0.3 %</i>                                                                      | 1         | QL (15 ml per prescription.)        |
| KLARON EXTERNAL LOTION 10 % ( <i>sulfacetamide sodium (acne)</i> )                                                       | 4         |                                     |
| <i>levofloxacin oral solution 25 mg/ml</i>                                                                               | 1         |                                     |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>                                                                   | 1         |                                     |
| LIKMEZ ORAL SUSPENSION 500 MG/5ML ( <i>metronidazole</i> )                                                               | 4         |                                     |
| METROCREAM EXTERNAL CREAM 0.75 % ( <i>metronidazole</i> )                                                                | 4         |                                     |
| <i>metronidazole external cream 0.75 %</i>                                                                               | 1         |                                     |
| <i>metronidazole external gel 0.75 %</i>                                                                                 | 1         |                                     |
| <i>metronidazole external lotion 0.75 %</i>                                                                              | 1         |                                     |
| <i>metronidazole oral capsule 375 mg</i>                                                                                 | 1         |                                     |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>                                                                          | 1         |                                     |
| <i>metronidazole vaginal gel 0.75 %</i>                                                                                  | 2         |                                     |
| <i>minocycline hcl er oral tablet extended release 24 hour 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg</i> | 2         |                                     |
| <i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i>                                                                 | 1         |                                     |
| <i>moxifloxacin hcl oral tablet 400 mg</i>                                                                               | 3         |                                     |
| <i>mupirocin calcium external cream 2 %</i>                                                                              | 3         | QL (15 grams per prescription)      |
| <i>mupirocin external ointment 2 %</i>                                                                                   | 1         | QL (22 grams per prescription.)     |
| <i>neomycin sulfate oral tablet 500 mg</i>                                                                               | 1         |                                     |
| NEO-POLYCIN HC OPHTHALMIC OINTMENT 1 % ( <i>bacitracin-polymyx-neo-hc</i> )                                              | 3         |                                     |
| <i>neuac external gel 1.2-5 %</i>                                                                                        | 3         | QL (1 bottle (45 grams) per month.) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                          | Drug Tier | Coverage Requirements & Limits              |
|---------------------------------------------------------------------------------|-----------|---------------------------------------------|
| OVACE PLUS EXTERNAL SHAMPOO 10 % ( <b>sulfacetamide sodium</b> )                | 3         |                                             |
| OVACE PLUS WASH EXTERNAL GEL 10 % ( <b>sulfacetamide sodium</b> )               | 3         |                                             |
| OVACE PLUS WASH EXTERNAL LIQUID 10 % ( <b>sulfacetamide sodium</b> )            | 4         |                                             |
| OVACE WASH EXTERNAL LIQUID 10 % ( <b>sulfacetamide sodium</b> )                 | 4         |                                             |
| POLYCIN OPHTHALMIC OINTMENT 500-10000 UNIT/GM ( <b>bacitracin-polymyxin b</b> ) | 3         |                                             |
| <b>polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%</b>         | 1         |                                             |
| <b>sodium sulfacetamide external shampoo 10 %</b>                               | 1         |                                             |
| <b>sodium sulfacetamide wash external liquid 10 %</b>                           | 1         |                                             |
| <b>sss 10-5 external cream 10-5 %</b>                                           | 1         |                                             |
| <b>sulfacetamide sodium (acne) external lotion 10 %</b>                         | 1         |                                             |
| <b>sulfacetamide sodium (cleans) external gel 10 %</b>                          | 1         |                                             |
| <b>sulfacetamide sodium external liquid 10 %</b>                                | 1         |                                             |
| <b>sulfacetamide sodium-sulfur external cream 10-2 %, 10-5 %</b>                | 1         |                                             |
| <b>sulfacetamide sodium-sulfur external liquid 10-5 %, 9-4 %</b>                | 1         |                                             |
| <b>sulfacetamide sodium-sulfur external lotion 10-5 %</b>                       | 1         |                                             |
| <b>sulfacetamide sodium-sulfur external suspension 10-5 %</b>                   | 1         |                                             |
| <b>sulfacetamide sod-sulfur wash external liquid 9-4 %</b>                      | 1         |                                             |
| <b>sulfacetamide-sulfur in urea external emulsion 10-5 %</b>                    | 1         |                                             |
| SULFAMYLON EXTERNAL CREAM 85 MG/GM ( <b>mafenide acetate</b> )                  | 3         |                                             |
| <b>tetracycline hcl oral capsule 250 mg, 500 mg</b>                             | 3         |                                             |
| VANDAZOLE VAGINAL GEL 0.75 % ( <b>metronidazole</b> )                           | 4         |                                             |
| XACIATO VAGINAL GEL 2 % ( <b>clindamycin phosphate</b> )                        | 2         | QL (1 gel tube (8 grams) per prescription.) |
| <b>ANTIFULGALS (SKIN, MUCOUS MEMBRANE),MISC - Drugs for the Skin</b>            |           |                                             |
| EXODERM EXTERNAL LOTION 25-1 % ( <b>sod thiosulfate-salicylic acid</b> )        | 3         |                                             |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                            | Drug Tier | Coverage Requirements & Limits      |
|-----------------------------------------------------------------------------------|-----------|-------------------------------------|
| <b>ANTI-INFLAMMATORY AGENTS, MISC (SKIN) - Drugs for the Skin</b>                 |           |                                     |
| EUCRISA EXTERNAL OINTMENT 2 % ( <i>crisaborole</i> )                              | 3         | ST; QL (60 grams per prescription.) |
| VTAMA EXTERNAL CREAM 1 % ( <i>tapinarof</i> )                                     | 4         | PA; QL (60 grams per prescription.) |
| <b>ANTIPRURITICS AND LOCAL ANESTHETICS - Drugs for the Skin</b>                   |           |                                     |
| ANALPRAM HC EXTERNAL CREAM 1-1 %, 2.5-1 % ( <i>hydrocortisone ace-pramoxine</i> ) | 4         |                                     |
| ANALPRAM HC EXTERNAL LOTION 2.5-1 % ( <i>hydrocortisone ace-pramoxine</i> )       | 3         |                                     |
| CORTANE-B EXTERNAL LOTION 10-10-1 MG/ML ( <i>hc-pramoxine-chloroxylonol</i> )     | 4         |                                     |
| DIABECIN HR EXTERNAL CREAM 4.12-0.13 % ( <i>lidocaine-benzalkonium (pod)</i> )    | 3         |                                     |
| <i>doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>        | 1         |                                     |
| <i>doxepin hcl oral concentrate 10 mg/ml</i>                                      | 1         |                                     |
| DYCLOPRO EXTERNAL SOLUTION 0.5 %                                                  | 4         |                                     |
| EPIFOAM EXTERNAL FOAM 1-1 % ( <i>pramoxine-hc</i> )                               | 2         |                                     |
| <i>glydo external prefilled syringe 2 %</i>                                       | 1         |                                     |
| <i>hydrocortisone ace-pramoxine external cream 1-1 %, 2.5-1 %</i>                 | 1         |                                     |
| <i>hydrocort-pramoxine (perianal) external cream 2.5-1 %</i>                      | 1         |                                     |
| <i>lidocaine external ointment 5 %</i>                                            | 2         | QL (1.19 grams per day.)            |
| <i>lidocaine external patch 5 %</i>                                               | 3         | PA; QL (3 patches per day)          |
| <i>lidocaine hcl external solution 4 %</i>                                        | 1         |                                     |
| <i>lidocaine hcl urethral/mucosal external gel 2 %</i>                            | 1         |                                     |
| <i>lidocaine hcl urethral/mucosal external prefilled syringe 2 %</i>              | 1         |                                     |
| <i>lidocaine-prilocaine external cream 2.5-2.5 %</i>                              | 1         |                                     |
| <i>phenazopyridine hcl oral tablet 100 mg, 200 mg</i>                             | 1         |                                     |
| PRAMOSONE EXTERNAL CREAM 1-1 % ( <i>pramoxine-hc</i> )                            | 2         |                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                   | Drug Tier | Coverage Requirements & Limits      |
|------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| PRAMOSONE EXTERNAL LOTION 1-1 %, 1-2.5 %<br>( <i>pramoxine-hc</i> )                      | 2         |                                     |
| PRAMOSONE EXTERNAL OINTMENT 1-1 % ( <i>pramoxine-hc</i> )                                | 2         |                                     |
| PRAMOSONE EXTERNAL OINTMENT 1-2.5 % ( <i>pramoxine-hc</i> )                              | 4         |                                     |
| <i>premium lidocaine external ointment 5 %</i>                                           | 2         | QL (1.19 grams per day.)            |
| PROCTOFOAM HC EXTERNAL FOAM 1-1 % ( <i>hydrocortisone ace-pramoxine</i> )                | 2         |                                     |
| PYRIDIUM ORAL TABLET 100 MG, 200 MG<br>( <i>phenazopyridine hcl</i> )                    | 3         |                                     |
| ZTLIDO EXTERNAL PATCH 1.8 % ( <i>lidocaine</i> )                                         | 3         | PA; QL (3 patches per day.)         |
| <b>ANTIVIRALS (SKIN AND MUCOUS MEMBRANE) - Drugs for the Skin</b>                        |           |                                     |
| <i>acyclovir external ointment 5 %</i>                                                   | 3         | QL (15 grams per prescription.)     |
| <i>acyclovir oral capsule 200 mg</i>                                                     | 1         |                                     |
| <i>acyclovir oral suspension 200 mg/5ml</i>                                              | 1         |                                     |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                                              | 1         |                                     |
| ZELSUVMI EXTERNAL GEL 10.3 % ( <i>berdazimer sodium</i> )                                | 4         | PA; QL (31 grams (1 box) per copay) |
| <b>ASTRINGENTS (84:12) - Drugs for the Skin</b>                                          |           |                                     |
| BEVESPI AEROSPHERE INHALATION AEROSOL 9-4.8 MCG/ACT ( <i>glycopyrrolate-formoterol</i> ) | 2         | QL (0.36 grams per day.)            |
| CUVPOSA ORAL SOLUTION 1 MG/5ML ( <i>glycopyrrolate</i> )                                 | 4         |                                     |
| DRYSOL EXTERNAL SOLUTION 20 % ( <i>aluminum chloride</i> )                               | 4         |                                     |
| <i>glycopyrrolate oral solution 1 mg/5ml</i>                                             | 3         |                                     |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i>                                             | 1         |                                     |
| <b>ASTRINGENTS, ANTI-INFECTIVE - Drugs for the Skin</b>                                  |           |                                     |
| <i>benzalkonium chloride external solution</i>                                           | 2         |                                     |
| <i>benzalkonium chloride external solution 50 %</i>                                      | 1         |                                     |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i>                              | 1         |                                     |
| <i>hydrocortisone-iodoquinol external cream 1-1 %</i>                                    | 1         |                                     |
| <i>iodine strong oral solution 5 %</i>                                                   | 1         |                                     |
| <i>iodine tincture external tincture 2 %</i>                                             | 1         |                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                   | Drug Tier | Coverage Requirements & Limits  |
|------------------------------------------------------------------------------------------|-----------|---------------------------------|
| LUGOLS STRONG IODINE EXTERNAL SOLUTION 5-10 %                                            | 3         |                                 |
| PERIDEX MOUTH/THROAT SOLUTION 0.12 %<br>( <i>chlorhexidine gluconate</i> )               | 4         |                                 |
| <i>periogard mouth/throat solution 0.12 %</i>                                            | 1         |                                 |
| <i>selenium sulfide external lotion 2.5 %</i>                                            | 1         |                                 |
| SILVADENE EXTERNAL CREAM 1 % ( <i>silver sulfadiazine</i> )                              | 4         |                                 |
| <i>silver sulfadiazine external cream 1 %</i>                                            | 1         |                                 |
| <i>ssd external cream 1 %</i>                                                            | 1         |                                 |
| <b>AZOLES (SKIN AND MUCOUS MEMBRANE) - Drugs for the Skin</b>                            |           |                                 |
| <i>clotrimazole mouth/throat troche 10 mg</i>                                            | 1         |                                 |
| <i>clotrimazole-betamethasone external cream 1-0.05 %</i>                                | 1         |                                 |
| <i>clotrimazole-betamethasone external lotion 1-0.05 %</i>                               | 1         |                                 |
| <i>econazole nitrate external cream 1 %</i>                                              | 2         |                                 |
| EXELDERM EXTERNAL CREAM 1 % ( <i>sulconazole nitrate</i> )                               | 3         |                                 |
| EXELDERM EXTERNAL SOLUTION 1 % ( <i>sulconazole nitrate</i> )                            | 3         |                                 |
| GYNAZOLE-1 VAGINAL CREAM 2 % ( <i>butoconazole nitrate (1 dose)</i> )                    | 3         |                                 |
| <i>ketoconazole external cream 2 %</i>                                                   | 1         | QL (30 grams per prescription.) |
| <i>ketoconazole external foam 2 %</i>                                                    | 3         | ST                              |
| <i>ketoconazole external shampoo 2 %</i>                                                 | 1         |                                 |
| <i>ketodan external foam 2 %</i>                                                         | 3         | ST                              |
| MICONATATE EXTERNAL THERAPY PACK 2-1 %<br>( <i>miconazole nitrat &amp; tolinaftate</i> ) | 3         |                                 |
| <i>miconazole 3 vaginal suppository 200 mg</i>                                           | 1         |                                 |
| ORAVIG BUCCAL TABLET 50 MG ( <i>miconazole</i> )                                         | 4         |                                 |
| SULCONAZOLE NITRATE EXTERNAL CREAM 1 %                                                   | 3         |                                 |
| SULCONAZOLE NITRATE EXTERNAL SOLUTION 1 %                                                | 3         |                                 |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>                                            | 1         |                                 |
| <i>terconazole vaginal suppository 80 mg</i>                                             | 1         |                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                           | Drug Tier | Coverage Requirements & Limits      |
|----------------------------------------------------------------------------------|-----------|-------------------------------------|
| <b>BASIC LOTIONS AND LINIMENTS - Drugs for the Skin</b>                          |           |                                     |
| GORDOFILM EXTERNAL SOLUTION 16.7-16.7 % ( <i>salicylic acid-lactic acid</i> )    | 2         |                                     |
| <i>methyl salicylate external liquid</i>                                         | 1         |                                     |
| PRONAL EXTERNAL GEL 40-10 % ( <i>urea-lactic acid</i> )                          | 3         |                                     |
| SALVAX DUO PLUS EXTERNAL KIT 6 & 35 % ( <i>salicylic acid-urea in lactac</i> )   | 3         |                                     |
| <i>turpentine external spirit</i>                                                | 1         |                                     |
| VITAMIN C BRIGHTENING SERUM EXTERNAL LIQUID                                      | 3         |                                     |
| XIRUN EXTERNAL GEL 40-10 %                                                       | 3         |                                     |
| ZACARE EXTERNAL KIT 4 & 0.2 %, 8 & 0.2 % ( <i>benzoyl peroxide-hyaluronate</i> ) | 3         |                                     |
| <b>BASIC OINTMENTS AND PROTECTANTS - Drugs for the Skin</b>                      |           |                                     |
| ARTISS EXTERNAL KIT 10 ML, 2 ML, 4 ML ( <i>fibrin sealant component</i> )        | 3         |                                     |
| <i>calcipotriene external cream 0.005 %</i>                                      | 2         | QL (60 grams per prescription)      |
| <i>calcipotriene external ointment 0.005 %</i>                                   | 2         |                                     |
| <i>calcipotriene external solution 0.005 %</i>                                   | 1         | QL (60 mL per prescription)         |
| CALCITRENE EXTERNAL OINTMENT 0.005 % ( <i>calcipotriene</i> )                    | 3         |                                     |
| ENSTILAR EXTERNAL FOAM 0.005-0.064 % ( <i>calcipotriene-betameth diprop</i> )    | 4         | QL (60 grams per prescription.)     |
| <i>nitroglycerin rectal ointment 0.4 %</i>                                       | 4         | QL (30 grams per month.)            |
| SANTYL EXTERNAL OINTMENT 250 UNIT/GM ( <i>collagenase</i> )                      | 4         | QL (90 grams per prescription.)     |
| TISSEEL EXTERNAL KIT 10 ML, 2 ML, 4 ML ( <i>fibrin sealant component</i> )       | 3         |                                     |
| VTAMA EXTERNAL CREAM 1 % ( <i>tapinarof</i> )                                    | 4         | PA; QL (60 grams per prescription.) |
| <b>BASIC POWDERS AND DEMULCENTS - Drugs for the Skin</b>                         |           |                                     |
| <i>benzoin external tincture</i>                                                 | 1         |                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                            | Drug Tier | Coverage Requirements & Limits                    |
|-----------------------------------------------------------------------------------|-----------|---------------------------------------------------|
| <b>CELL STIMULANTS AND PROLIFERANTS - Drugs for the Skin</b>                      |           |                                                   |
| <i>finasteride oral tablet 5 mg</i>                                               | 1         |                                                   |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>                                        | 1         |                                                   |
| <i>tretinoin external cream 0.025 %, 0.05 %, 0.1 %</i>                            | 3         | QL (20 grams per prescription.)                   |
| <i>tretinoin oral capsule 10 mg</i>                                               | 3         | QL (279 capsules per prescription.); SP; CM; SMCS |
| <b>CORTICOSTEROIDS (SKIN, MUCOUS MEMBRANE) - Drugs for the Skin</b>               |           |                                                   |
| ALA SCALP EXTERNAL LOTION 2 % ( <i>hydrocortisone</i> )                           | 4         |                                                   |
| <i>alclometasone dipropionate external cream 0.05 %</i>                           | 1         |                                                   |
| <i>alclometasone dipropionate external ointment 0.05 %</i>                        | 1         |                                                   |
| <i>amcinonide external cream 0.1 %</i>                                            | 3         |                                                   |
| <i>amcinonide external ointment 0.1 %</i>                                         | 1         |                                                   |
| ANALPRAM HC EXTERNAL CREAM 1-1 %, 2.5-1 % ( <i>hydrocortisone ace-pramoxine</i> ) | 4         |                                                   |
| ANALPRAM HC EXTERNAL LOTION 2.5-1 % ( <i>hydrocortisone ace-pramoxine</i> )       | 3         |                                                   |
| ANUCORT-HC RECTAL SUPPOSITORY 25 MG                                               | 2         |                                                   |
| ANUSOL-HC EXTERNAL CREAM 2.5 % ( <i>hydrocortisone</i> )                          | 4         |                                                   |
| <i>betamethasone dipropionate aug external cream 0.05 %</i>                       | 1         |                                                   |
| <i>betamethasone dipropionate aug external gel 0.05 %</i>                         | 1         |                                                   |
| <i>betamethasone dipropionate aug external lotion 0.05 %</i>                      | 3         |                                                   |
| <i>betamethasone dipropionate aug external ointment 0.05 %</i>                    | 3         |                                                   |
| <i>betamethasone dipropionate external cream 0.05 %</i>                           | 2         |                                                   |
| <i>betamethasone dipropionate external lotion 0.05 %</i>                          | 1         |                                                   |
| <i>betamethasone dipropionate external ointment 0.05 %</i>                        | 2         |                                                   |
| <i>betamethasone valerate external cream 0.1 %</i>                                | 1         |                                                   |
| <i>betamethasone valerate external lotion 0.1 %</i>                               | 1         |                                                   |
| <i>betamethasone valerate external ointment 0.1 %</i>                             | 1         |                                                   |
| <i>budesonide rectal foam 2 mg, 2 mg/act</i>                                      | 2         |                                                   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                         | Drug Tier | Coverage Requirements & Limits      |
|--------------------------------------------------------------------------------|-----------|-------------------------------------|
| <i>clobetasol propionate e external cream 0.05 %</i>                           | 2         | QL (30 grams per prescription.)     |
| <i>clobetasol propionate external cream 0.05 %</i>                             | 2         | QL (30 grams per prescription.)     |
| <i>clobetasol propionate external gel 0.05 %</i>                               | 2         | QL (30 grams per prescription.)     |
| <i>clobetasol propionate external liquid 0.05 %</i>                            | 1         | QL (59 ml per prescription)         |
| <i>clobetasol propionate external ointment 0.05 %</i>                          | 2         | QL (30 grams per prescription.)     |
| <i>clobetasol propionate external solution 0.05 %</i>                          | 1         | QL (25 ml per prescription.)        |
| <i>clocortolone pivalate external cream 0.1 %</i>                              | 3         | ST; QL (75 grams per prescription.) |
| <i>clotrimazole-betamethasone external cream 1-0.05 %</i>                      | 1         |                                     |
| <i>clotrimazole-betamethasone external lotion 1-0.05 %</i>                     | 1         |                                     |
| CORDRAN EXTERNAL TAPE 4 MCG/SQCM<br>( <i>flurandrenolide</i> )                 | 3         | QL (1 packet per prescription.)     |
| CORTANE-B EXTERNAL LOTION 10-10-1 MG/ML ( <i>hc-pramoxine-chloroxylonol</i> )  | 4         |                                     |
| CORTEF ORAL TABLET 10 MG, 20 MG, 5 MG<br>( <i>hydrocortisone</i> )             | 4         |                                     |
| CORTENEMA RECTAL ENEMA 100 MG/60ML<br>( <i>hydrocortisone</i> )                | 4         |                                     |
| CORTIFOAM EXTERNAL FOAM 10 % ( <i>hydrocortisone acetate</i> )                 | 2         |                                     |
| DERMA-SMOOTH/FS BODY EXTERNAL OIL 0.01 %<br>( <i>fluocinolone acetonide</i> )  | 4         | QL (118.28 ml per prescription.)    |
| DERMA-SMOOTH/FS SCALP EXTERNAL OIL 0.01 %<br>( <i>fluocinolone acetonide</i> ) | 4         |                                     |
| DERMOTIC OTIC OIL 0.01 % ( <i>fluocinolone acetonide</i> )                     | 4         |                                     |
| <i>desonide external cream 0.05 %</i>                                          | 2         | QL (15 grams per prescription.)     |
| <i>desonide external lotion 0.05 %</i>                                         | 3         | QL (60 ml per prescription.)        |
| <i>desonide external ointment 0.05 %</i>                                       | 2         | QL (15 grams per prescription.)     |
| <i>desoximetasone external cream 0.05 %</i>                                    | 1         | QL (60 gm per prescription.)        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                        | Drug Tier | Coverage Requirements & Limits    |
|-------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>desoximetasone external cream 0.25 %</i>                                   | 1         | QL (15 grams per prescription.)   |
| <i>desoximetasone external gel 0.05 %</i>                                     | 3         | QL (15 grams per prescription.)   |
| <i>desoximetasone external ointment 0.05 %</i>                                | 3         | QL (60 grams per prescription.)   |
| <i>desoximetasone external ointment 0.25 %</i>                                | 3         | QL (15 grams per prescription.)   |
| <i>diflorasone diacetate external cream 0.05 %</i>                            | 3         | QL (30 grams per prescription.)   |
| DIPROLENE EXTERNAL OINTMENT 0.05 % ( <i>betamethasone dipropionate aug</i> )  | 4         |                                   |
| ENSTILAR EXTERNAL FOAM 0.005-0.064 % ( <i>calcipotriene-betameth diprop</i> ) | 4         | QL (60 grams per prescription.)   |
| EPIFOAM EXTERNAL FOAM 1-1 % ( <i>pramoxine-hc</i> )                           | 2         |                                   |
| <i>fluocinolone acetonide body external oil 0.01 %</i>                        | 3         | QL (118.28 ml per prescription.)  |
| <i>fluocinolone acetonide external cream 0.01 %, 0.025 %</i>                  | 3         | QL (15 grams per prescription.)   |
| <i>fluocinolone acetonide external ointment 0.025 %</i>                       | 2         | QL (15 grams per prescription.)   |
| <i>fluocinolone acetonide external solution 0.01 %</i>                        | 1         | QL (60 ml per prescription.)      |
| <i>fluocinolone acetonide otic oil 0.01 %</i>                                 | 1         |                                   |
| <i>fluocinolone acetonide scalp external oil 0.01 %</i>                       | 3         |                                   |
| <i>fluocinonide emulsified base external cream 0.05 %</i>                     | 1         |                                   |
| <i>fluocinonide external cream 0.05 %</i>                                     | 1         |                                   |
| <i>fluocinonide external gel 0.05 %</i>                                       | 1         |                                   |
| <i>fluocinonide external ointment 0.05 %</i>                                  | 1         |                                   |
| <i>fluocinonide external solution 0.05 %</i>                                  | 1         |                                   |
| <i>flurandrenolide external lotion 0.05 %</i>                                 | 3         | ST; QL (120 ml per prescription.) |
| <i>fluticasone propionate external cream 0.05 %</i>                           | 1         |                                   |
| <i>fluticasone propionate external ointment 0.005 %</i>                       | 1         |                                   |
| <i>halobetasol propionate external cream 0.05 %</i>                           | 2         | QL (15 grams per prescription.)   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                    | Drug Tier | Coverage Requirements & Limits  |
|---------------------------------------------------------------------------|-----------|---------------------------------|
| <b>halobetasol propionate external ointment 0.05 %</b>                    | 2         | QL (15 grams per prescription.) |
| HEMMOREX-HC RECTAL SUPPOSITORY 25 MG<br>( <b>hydrocortisone acetate</b> ) | 3         |                                 |
| <b>hydrocortisone (perianal) external cream 2.5 %</b>                     | 1         |                                 |
| <b>hydrocortisone ace-pramoxine external cream 1-1 %, 2.5-1 %</b>         | 1         |                                 |
| <b>hydrocortisone acetate rectal suppository 25 mg, 30 mg</b>             | 2         |                                 |
| <b>hydrocortisone butyrate external cream 0.1 %</b>                       | 1         |                                 |
| <b>hydrocortisone butyrate external ointment 0.1 %</b>                    | 1         |                                 |
| <b>hydrocortisone butyrate external solution 0.1 %</b>                    | 1         |                                 |
| <b>hydrocortisone external cream 2.5 %</b>                                | 1         |                                 |
| <b>hydrocortisone external lotion 2 %</b>                                 | 4         |                                 |
| <b>hydrocortisone external lotion 2.5 %</b>                               | 1         |                                 |
| <b>hydrocortisone external ointment 1 %, 2.5 %</b>                        | 1         |                                 |
| <b>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</b>                      | 1         |                                 |
| <b>hydrocortisone rectal enema 100 mg/60ml</b>                            | 1         |                                 |
| <b>hydrocortisone valerate external cream 0.2 %</b>                       | 2         | QL (15 grams per prescription.) |
| <b>hydrocortisone valerate external ointment 0.2 %</b>                    | 3         | QL (15 grams per prescription.) |
| <b>hydrocortisone-acetic acid otic solution 1-2 %</b>                     | 1         |                                 |
| <b>hydrocortisone-iodoquinol external cream 1-1 %</b>                     | 1         |                                 |
| <b>hydrocort-pramoxine (perianal) external cream 2.5-1 %</b>              | 1         |                                 |
| KOURZEQ MOUTH/THROAT PASTE 0.1 % ( <b>triamcinolone acetonide</b> )       | 2         |                                 |
| <b>mometasone furoate external cream 0.1 %</b>                            | 1         |                                 |
| <b>mometasone furoate external ointment 0.1 %</b>                         | 1         |                                 |
| <b>mometasone furoate external solution 0.1 %</b>                         | 1         |                                 |
| NUCORT EXTERNAL LOTION 2 % ( <b>hydrocortisone acetate</b> )              | 3         |                                 |
| <b>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</b>         | 2         |                                 |
| <b>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</b>      | 2         |                                 |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                | Drug Tier | Coverage Requirements & Limits  |
|---------------------------------------------------------------------------------------|-----------|---------------------------------|
| ORALONE MOUTH/THROAT PASTE 0.1 % ( <b>triamcinolone acetonide</b> )                   | 2         |                                 |
| PRAMOSONE EXTERNAL CREAM 1-1 % ( <b>pramoxine-hc</b> )                                | 2         |                                 |
| PRAMOSONE EXTERNAL LOTION 1-1 %, 1-2.5 % ( <b>pramoxine-hc</b> )                      | 2         |                                 |
| PRAMOSONE EXTERNAL OINTMENT 1-1 % ( <b>pramoxine-hc</b> )                             | 2         |                                 |
| PRAMOSONE EXTERNAL OINTMENT 1-2.5 % ( <b>pramoxine-hc</b> )                           | 4         |                                 |
| PROCTOFOAM HC EXTERNAL FOAM 1-1 % ( <b>hydrocortisone ace-pramoxine</b> )             | 2         |                                 |
| <b>procto-med hc external cream 2.5 %</b>                                             | 1         |                                 |
| PROCTOSOL HC EXTERNAL CREAM 2.5 % ( <b>hydrocortisone</b> )                           | 4         |                                 |
| PROCTOZONE-HC EXTERNAL CREAM 2.5 % ( <b>hydrocortisone</b> )                          | 4         |                                 |
| SCALACORT DK EXTERNAL KIT 2 & 2-2 % ( <b>hc &amp; sal acid-sulfur &amp; shampoo</b> ) | 3         |                                 |
| TEXACORT EXTERNAL SOLUTION 2.5 % ( <b>hydrocortisone</b> )                            | 2         |                                 |
| TOPICORT EXTERNAL OINTMENT 0.05 % ( <b>desoximetasone</b> )                           | 4         | QL (60 grams per prescription.) |
| TOPICORT EXTERNAL OINTMENT 0.25 % ( <b>desoximetasone</b> )                           | 4         | QL (15 grams per prescription.) |
| <b>triamcinolone acetonide external aerosol solution 0.147 mg/gm</b>                  | 2         | QL (63 grams per prescription.) |
| <b>triamcinolone acetonide external cream 0.025 %, 0.1 %</b>                          | 1         |                                 |
| <b>triamcinolone acetonide external cream 0.5 %</b>                                   | 1         | QL (15 grams per prescription.) |
| <b>triamcinolone acetonide external lotion 0.025 %, 0.1 %</b>                         | 1         |                                 |
| <b>triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 %</b>                | 1         |                                 |
| <b>triamcinolone acetonide mouth/throat paste 0.1 %</b>                               | 1         |                                 |
| <b>triderm external cream 0.5 %</b>                                                   | 1         | QL (15 grams per prescription.) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                            | Drug Tier | Coverage Requirements & Limits                     |
|---------------------------------------------------------------------------------------------------|-----------|----------------------------------------------------|
| <b>EMOLLIENTS, DEMULCENTS, AND PROTECTANTS - Drugs for the Skin</b>                               |           |                                                    |
| INOVA 4/1 ACNE CONTROL THERAPY EXTERNAL KIT 4 & 1 & 5 % ( <i>benzoyl perox-salicyl ac-vit e</i> ) | 3         |                                                    |
| INOVA 8/2 ACNE CONTROL THERAPY EXTERNAL KIT 8 & 2 & 5 % ( <i>benzoyl perox-salicyl ac-vit e</i> ) | 3         |                                                    |
| INOVA EXTERNAL KIT 4 & 5 %, 8 & 5 % ( <i>benzoyl peroxide-vitamin e</i> )                         | 4         |                                                    |
| <b>HYDROXYPYRIDONES (SKIN, MUCOUS MEMBRANE) - Drugs for the Skin</b>                              |           |                                                    |
| <i>ciclodan external solution 8 %</i>                                                             | 1         |                                                    |
| <i>ciclopirox external gel 0.77 %</i>                                                             | 1         |                                                    |
| <i>ciclopirox external shampoo 1 %</i>                                                            | 2         |                                                    |
| <i>ciclopirox external solution 8 %</i>                                                           | 1         |                                                    |
| <i>ciclopirox olamine external cream 0.77 %</i>                                                   | 1         |                                                    |
| <i>ciclopirox olamine external suspension 0.77 %</i>                                              | 1         |                                                    |
| <b>IMMUNOMODULATORY AGENTS (84:06) - Drugs for the Skin</b>                                       |           |                                                    |
| ADBRY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML ( <i>tralokinumab-ldrm</i> )                 | 2         | PA; QL (2 auto-injectors per month.); SP; SMCS     |
| ADBRY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>tralokinumab-ldrm</i> )              | 3         | PA; QL (0.15 ml per day.); SP; SMCS                |
| BIMZELX SUBCUTANEOUS SOLUTION AUTO-INJECTOR 160 MG/ML ( <i>bimekizumab-bkzx</i> )                 | 4         | PA; ST; QL (1 auto-injector per month.); SP; SMCS  |
| BIMZELX SUBCUTANEOUS SOLUTION AUTO-INJECTOR 320 MG/2ML ( <i>bimekizumab-bkzx</i> )                | 4         | PA; ST; QL (2 ml (1 syringe) per month.); SP; SMCS |
| BIMZELX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 160 MG/ML ( <i>bimekizumab-bkzx</i> )             | 4         | PA; ST; QL (1 syringe per month.); SP; SMCS        |
| BIMZELX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 320 MG/2ML ( <i>bimekizumab-bkzx</i> )            | 4         | PA; ST; QL (2 ml (1 syringe) per month.); SP; SMCS |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/1.14ML ( <i>dupilumab</i> )                   | 3         | PA; QL (0.09 ml per day.); SP; SMCS                |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML ( <i>dupilumab</i> )                      | 3         | PA; QL (0.15 ml per day.); SP; SMCS                |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML ( <i>dupilumab</i> )               | 3         | PA; QL (0.09 ml per day.); SP; SMCS                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                  | Drug Tier | Coverage Requirements & Limits                     |
|-----------------------------------------------------------------------------------------|-----------|----------------------------------------------------|
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML ( <b>dupilumab</b> )        | 3         | PA; QL (0.15 ml per day.); SP; SMCS                |
| EBGLYSS SUBCUTANEOUS SOLUTION AUTO-INJECTOR 250 MG/2ML ( <b>lebrikizumab-lbkz</b> )     | 3         | PA; QL (2 mL (1 pen) per month.); SP; SMCS         |
| EBGLYSS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 250 MG/2ML ( <b>lebrikizumab-lbkz</b> ) | 3         | PA; QL (2 mL (1 syringe) per month.); SP; SMCS     |
| HYFTOR EXTERNAL GEL 0.2 % ( <b>sirolimus</b> )                                          | 4         | PA; QL (10 g per 23 days.)                         |
| NEMLUVIO SUBCUTANEOUS AUTO-INJECTOR 30 MG ( <b>nemolizumab-ilto</b> )                   | 3         | PA; QL (2 pens every 4 weeks.); SP; SMCS           |
| <b>pimecrolimus external cream 1 %</b>                                                  | 3         | QL (30 grams per prescription.)                    |
| PROGRAF ORAL CAPSULE 0.5 MG, 1 MG, 5 MG ( <b>tacrolimus</b> )                           | 4         |                                                    |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG ( <b>tacrolimus</b> )                                  | 4         | PA                                                 |
| <b>sirolimus oral solution 1 mg/ml</b>                                                  | 3         |                                                    |
| <b>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</b>                                         | 1         |                                                    |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <b>risankizumab-rzaa</b> )  | 3         | PA; QL (1 ml per 63 days.); SP; SMCS               |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <b>risankizumab-rzaa</b> )  | 3         | PA; QL (1 ml per 63 days.); SP; SMCS               |
| SPEVIGO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <b>spesolimab-sbzo</b> )    | 4         | PA; QL (2 Prefilled syringes per month.); SP; SMCS |
| SPEVIGO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML ( <b>spesolimab-sbzo</b> )   | 4         | PA; SP; SMCS                                       |
| <b>tacrolimus external ointment 0.03 %, 0.1 %</b>                                       | 2         | QL (30 grams per prescription.)                    |
| <b>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</b>                                       | 1         |                                                    |
| TREMFYA ONE-PRESS SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 MG/ML ( <b>guselkumab</b> )    | 3         | PA; QL (1 mL (1 device) every 8 weeks.); SP; SMCS  |
| TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML ( <b>guselkumab</b> )         | 3         | PA; QL (1 mL (1 device) every 8 weeks.); SP; SMCS  |
| TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/2ML ( <b>guselkumab</b> )        | 3         | PA; QL (2ml (1 auto-injector) per month.); SMCS    |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <b>guselkumab</b> )         | 3         | PA; QL (1 mL (1 syringe) every 8 weeks.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                       | Drug Tier | Coverage Requirements & Limits                |
|----------------------------------------------------------------------------------------------|-----------|-----------------------------------------------|
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/2ML ( <i>guselkumab</i> )             | 3         | PA; QL (2ml (1 syringe) per month.); SMCS     |
| TREMFYA-CD/UC INDUCTION SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/2ML ( <i>guselkumab</i> ) | 3         | PA; QL (4 ml (2 pens/1 box) per month.); SMCS |
| <b>JANUS KINASE INHIBITORS (84:06) - Drugs for the Skin</b>                                  |           |                                               |
| CIBINQO ORAL TABLET 100 MG, 200 MG, 50 MG ( <i>abrocitinib</i> )                             | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS      |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG ( <i>ruxolitinib phosphate</i> )         | 3         | PA; QL (2 tablets per day.); SP; CM; SMCS     |
| LITFULO ORAL CAPSULE 50 MG ( <i>ritlecitinib tosylate</i> )                                  | 4         | PA; QL (1 capsule per day.); SP; SMCS         |
| <i>roflumilast oral tablet 250 mcg</i>                                                       | 2         | QL (31 tablets per year.)                     |
| <i>roflumilast oral tablet 500 mcg</i>                                                       | 2         | QL (1 tablet per day)                         |
| SOTYKTU ORAL TABLET 6 MG ( <i>deucravacitinib</i> )                                          | 3         | PA; QL (1 tablet per day.); SP; SMCS          |
| ZORYVE EXTERNAL CREAM 0.15 % ( <i>roflumilast</i> )                                          | 4         | PA; QL (60 grams per copay.)                  |
| ZORYVE EXTERNAL CREAM 0.3 % ( <i>roflumilast</i> )                                           | 4         | PA; QL (60 grams per 30 days.)                |
| ZORYVE EXTERNAL FOAM 0.3 % ( <i>roflumilast</i> )                                            | 4         | PA; QL (60 grams per prescription.)           |
| <b>KERATOLYTIC AGENTS - Drugs for the Skin</b>                                               |           |                                               |
| <i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                                      | 2         |                                               |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>                                          | 1         |                                               |
| <i>adapalene-benzoyl peroxide external gel 0.1-2.5 %</i>                                     | 3         | QL (45 grams per prescription)                |
| AKLIEF EXTERNAL CREAM 0.005 % ( <i>trifarotene</i> )                                         | 4         | PA; QL (45 grams per prescription.)           |
| <i>amnesteem oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                                     | 2         |                                               |
| AVAR CLEANSER EXTERNAL LIQUID 10-5 % ( <i>sulfacetamide sodium-sulfur</i> )                  | 4         |                                               |
| AVIDOXY DK COMBINATION KIT 100 MG ( <i>doxycycline-sunscreen-sal acid</i> )                  | 3         |                                               |
| <i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                                      | 2         |                                               |
| CONDYLOX EXTERNAL GEL 0.5 % ( <i>podofilox</i> )                                             | 4         |                                               |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                            | Drug Tier | Coverage Requirements & Limits      |
|---------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| EXODERM EXTERNAL LOTION 25-1 % ( <i>sod thiosulfate-salicylic acid</i> )                          | 3         |                                     |
| GORDOFILM EXTERNAL SOLUTION 16.7-16.7 % ( <i>salicylic acid-lactic acid</i> )                     | 2         |                                     |
| HYDRO 40 EXTERNAL FOAM 40 % ( <i>urea</i> )                                                       | 3         |                                     |
| INOVA 4/1 ACNE CONTROL THERAPY EXTERNAL KIT 4 & 1 & 5 % ( <i>benzoyl perox-salicyl ac-vit e</i> ) | 3         |                                     |
| INOVA 8/2 ACNE CONTROL THERAPY EXTERNAL KIT 8 & 2 & 5 % ( <i>benzoyl perox-salicyl ac-vit e</i> ) | 3         |                                     |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                                       | 2         |                                     |
| PODOCON-25 EXTERNAL SOLUTION 25 % ( <i>podophyllum resin</i> )                                    | 3         |                                     |
| <i>podofilox external gel 0.5 %</i>                                                               | 3         |                                     |
| <i>podofilox external solution 0.5 %</i>                                                          | 1         |                                     |
| PRONAL EXTERNAL GEL 40-10 % ( <i>urea-lactic acid</i> )                                           | 3         |                                     |
| PYROGALLIC ACID EXTERNAL OINTMENT 25-2 %                                                          | 2         |                                     |
| RAYASAL EXTERNAL CREAM 5.9 %                                                                      | 3         |                                     |
| SALICATE EXTERNAL LIQUID 10 % ( <i>salicylic acid</i> )                                           | 3         |                                     |
| <i>salicylic acid external solution 26 %</i>                                                      | 1         |                                     |
| SALVAX DUO PLUS EXTERNAL KIT 6 & 35 % ( <i>salicylic acid-urea in lactac</i> )                    | 3         |                                     |
| SCALACORT DK EXTERNAL KIT 2 & 2-2 % ( <i>hc &amp; sal acid-sulfur &amp; shampoo</i> )             | 3         |                                     |
| <i>sss 10-5 external cream 10-5 %</i>                                                             | 1         |                                     |
| <i>sulfacetamide sodium-sulfur external cream 10-2 %, 10-5 %</i>                                  | 1         |                                     |
| <i>sulfacetamide sodium-sulfur external liquid 10-5 %, 9-4 %</i>                                  | 1         |                                     |
| <i>sulfacetamide sodium-sulfur external lotion 10-5 %</i>                                         | 1         |                                     |
| <i>sulfacetamide sodium-sulfur external suspension 10-5 %</i>                                     | 1         |                                     |
| <i>sulfacetamide sod-sulfur wash external liquid 9-4 %</i>                                        | 1         |                                     |
| <i>sulfacetamide-sulfur in urea external emulsion 10-5 %</i>                                      | 1         |                                     |
| <i>tazarotene external cream 0.05 %, 0.1 %</i>                                                    | 3         | PA; QL (30 grams per prescription.) |
| <i>tazarotene external gel 0.05 %, 0.1 %</i>                                                      | 3         | PA; QL (30 grams per prescription.) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                            | Drug Tier | Coverage Requirements & Limits      |
|---------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| <i>urea external cream 20 %, 40 %</i>                                                             | 1         |                                     |
| <i>urea external lotion 40 %</i>                                                                  | 1         |                                     |
| UREMEZ-40 EXTERNAL CREAM 40 %                                                                     | 3         |                                     |
| XIRUN EXTERNAL GEL 40-10 %                                                                        | 3         |                                     |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                                           | 2         |                                     |
| <b>KERATOPLASTIC AGENTS - Drugs for the Skin</b>                                                  |           |                                     |
| <i>coal tar external solution 20 %</i>                                                            | 1         |                                     |
| <b>LOCAL ANTI-INFECTIVES, MISCELLANEOUS - Drugs for the Skin</b>                                  |           |                                     |
| <i>adapalene-benzoyl peroxide external gel 0.1-2.5 %</i>                                          | 3         | QL (45 grams per prescription)      |
| <i>benzalkonium chloride external solution</i>                                                    | 2         |                                     |
| <i>benzalkonium chloride external solution 50 %</i>                                               | 1         |                                     |
| <i>benzoyl peroxide-erythromycin external gel 5-3 %</i>                                           | 1         | QL (23.3 grams per prescription.)   |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i>                                       | 1         |                                     |
| <i>clindamycin phos-benzoyl perox external gel 1.2-5 %</i>                                        | 3         | QL (1 bottle (45 grams) per month.) |
| CORTANE-B EXTERNAL LOTION 10-10-1 MG/ML ( <i>hc-pramoxine-chloroxylenol</i> )                     | 4         |                                     |
| DEBACTEROL MOUTH/THROAT SOLUTION 30-50 % ( <i>sulfuric acid-sulf phenolics</i> )                  | 2         |                                     |
| DIABECIN HR EXTERNAL CREAM 4.12-0.13 % ( <i>lidocaine-benzalkonium (pod)</i> )                    | 3         |                                     |
| FEM PH VAGINAL GEL 0.9-0.025 % ( <i>acetic acid-oxyquinoline</i> )                                | 4         |                                     |
| <i>hydrocortisone-iodoquinol external cream 1-1 %</i>                                             | 1         |                                     |
| INOVA 4/1 ACNE CONTROL THERAPY EXTERNAL KIT 4 & 1 & 5 % ( <i>benzoyl perox-salicyl ac-vit e</i> ) | 3         |                                     |
| INOVA 8/2 ACNE CONTROL THERAPY EXTERNAL KIT 8 & 2 & 5 % ( <i>benzoyl perox-salicyl ac-vit e</i> ) | 3         |                                     |
| INOVA EXTERNAL KIT 4 & 5 %, 8 & 5 % ( <i>benzoyl peroxide-vitamin e</i> )                         | 4         |                                     |
| <i>iodine tincture external tincture 2 %</i>                                                      | 1         |                                     |
| LUGOLS STRONG IODINE EXTERNAL SOLUTION 5-10 %                                                     | 3         |                                     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                           | Drug Tier | Coverage Requirements & Limits       |
|----------------------------------------------------------------------------------|-----------|--------------------------------------|
| <i>neuac external gel 1.2-5 %</i>                                                | 3         | QL (1 bottle (45 grams) per month.)  |
| PERIDEX MOUTH/THROAT SOLUTION 0.12 %<br>( <i>chlorhexidine gluconate</i> )       | 4         |                                      |
| <i>periogard mouth/throat solution 0.12 %</i>                                    | 1         |                                      |
| <i>selenium sulfide external lotion 2.5 %</i>                                    | 1         |                                      |
| SILVADENE EXTERNAL CREAM 1 % ( <i>silver sulfadiazine</i> )                      | 4         |                                      |
| <i>silver sulfadiazine external cream 1 %</i>                                    | 1         |                                      |
| <i>ssd external cream 1 %</i>                                                    | 1         |                                      |
| SULFAMYLON EXTERNAL CREAM 85 MG/GM ( <i>mafenide acetate</i> )                   | 3         |                                      |
| ZACARE EXTERNAL KIT 4 & 0.2 %, 8 & 0.2 % ( <i>benzoyl peroxide-hyaluronate</i> ) | 3         |                                      |
| ZACLIR CLEANSING EXTERNAL LOTION 8 %                                             | 3         |                                      |
| <b>NONSTEROIDAL ANTI-INFLAMMAT.AGENTS(SKIN) - Drugs for the Skin</b>             |           |                                      |
| <i>diclofenac sodium external gel 3 %</i>                                        | 2         | PA; QL (100 grams per prescription.) |
| <b>PHOSPHODIESTERASE-4 INHIBITORS (84:06) - Drugs for the Skin</b>               |           |                                      |
| EUCRISA EXTERNAL OINTMENT 2 % ( <i>crisaborole</i> )                             | 3         | ST; QL (60 grams per prescription.)  |
| <i>roflumilast oral tablet 250 mcg</i>                                           | 2         | QL (31 tablets per year.)            |
| <i>roflumilast oral tablet 500 mcg</i>                                           | 2         | QL (1 tablet per day)                |
| ZORYVE EXTERNAL CREAM 0.15 % ( <i>roflumilast</i> )                              | 4         | PA; QL (60 grams per copay.)         |
| ZORYVE EXTERNAL CREAM 0.3 % ( <i>roflumilast</i> )                               | 4         | PA; QL (60 grams per 30 days.)       |
| <b>PIGMENTING AGENTS - Drugs for the Skin</b>                                    |           |                                      |
| <i>methoxsalen rapid oral capsule 10 mg</i>                                      | 1         |                                      |
| <b>POLYENES (SKIN AND MUCOUS MEMBRANE) - Drugs for the Skin</b>                  |           |                                      |
| <i>klayesta external powder 100000 unit/gm</i>                                   | 1         | QL (120 grams per prescription.)     |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                               | Drug Tier | Coverage Requirements & Limits      |
|--------------------------------------------------------------------------------------|-----------|-------------------------------------|
| <i>nyamyc external powder 100000 unit/gm</i>                                         | 1         | QL (120 grams per prescription.)    |
| <i>nystatin external cream 100000 unit/gm</i>                                        | 1         | QL (90 grams per prescription.)     |
| <i>nystatin external ointment 100000 unit/gm</i>                                     | 1         | QL (90 grams per prescription.)     |
| <i>nystatin external powder 100000 unit/gm</i>                                       | 1         | QL (120 grams per prescription.)    |
| <i>nystatin mouth/throat suspension 100000 unit/ml</i>                               | 1         |                                     |
| <i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i>                    | 2         |                                     |
| <i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i>                 | 2         |                                     |
| <i>nystop external powder 100000 unit/gm</i>                                         | 1         | QL (120 grams per prescription.)    |
| <b>SCABICIDES AND PEDICULICIDES - Drugs for the Skin</b>                             |           |                                     |
| CROTAN EXTERNAL LOTION 10 % ( <i>crotamiton</i> )                                    | 3         |                                     |
| ELIMITE EXTERNAL CREAM 5 % ( <i>permethrin</i> )                                     | 4         |                                     |
| <i>malathion external lotion 0.5 %</i>                                               | 1         |                                     |
| OVIDE EXTERNAL LOTION 0.5 % ( <i>malathion</i> )                                     | 4         |                                     |
| <i>permethrin external cream 5 %</i>                                                 | 1         |                                     |
| PRURADIK EXTERNAL LOTION 10 % ( <i>crotamiton</i> )                                  | 3         |                                     |
| SOOLANTRA EXTERNAL CREAM 1 % ( <i>ivermectin</i> )                                   | 4         | QL (45 grams per prescription.)     |
| <i>spinosad external suspension 0.9 %</i>                                            | 3         |                                     |
| <i>sulfurated lime external solution</i>                                             | 1         |                                     |
| <b>SKIN AND MUCOUS MEMBRANE AGENTS, MISC. - Drugs for the Skin</b>                   |           |                                     |
| <i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                              | 2         |                                     |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>                                  | 1         |                                     |
| <i>adapalene-benzoyl peroxide external gel 0.1-2.5 %</i>                             | 3         | QL (45 grams per prescription)      |
| ADBRY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>tralokinumab-ldrm</i> ) | 3         | PA; QL (0.15 ml per day.); SP; SMCS |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                          | Drug Tier | Coverage Requirements & Limits                    |
|-------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------|
| AKLIEF EXTERNAL CREAM 0.005 % ( <i>trifarotene</i> )                                            | 4         | PA; QL (45 grams per prescription.)               |
| AMELUZ EXTERNAL GEL 10 % ( <i>aminolevulinic acid hcl</i> )                                     | 3         |                                                   |
| <i>amnestem oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                                         | 2         |                                                   |
| ARTISS EXTERNAL KIT 10 ML, 2 ML, 4 ML ( <i>fibrin sealant component</i> )                       | 3         |                                                   |
| <i>azelaic acid external gel 15 %</i>                                                           | 3         |                                                   |
| B & C EXTERNAL OINTMENT                                                                         | 3         |                                                   |
| <i>balsam peru-castor oil external ointment</i>                                                 | 1         |                                                   |
| <i>bexarotene external gel 1 %</i>                                                              | 4         | QL (60 grams per prescription.); SP; SMCS         |
| BIMZELX SUBCUTANEOUS SOLUTION AUTO-INJECTOR 160 MG/ML ( <i>bimekizumab-bkzx</i> )               | 4         | PA; ST; QL (1 auto-injector per month.); SP; SMCS |
| BIMZELX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 160 MG/ML ( <i>bimekizumab-bkzx</i> )           | 4         | PA; ST; QL (1 syringe per month.); SP; SMCS       |
| <i>brimonidine tartrate external gel 0.33 %</i>                                                 | 3         | PA; QL (30 grams per prescription.)               |
| <i>calcipotriene external cream 0.005 %</i>                                                     | 2         | QL (60 grams per prescription)                    |
| <i>calcipotriene external ointment 0.005 %</i>                                                  | 2         |                                                   |
| <i>calcipotriene external solution 0.005 %</i>                                                  | 1         | QL (60 mL per prescription)                       |
| CALCITRENE EXTERNAL OINTMENT 0.005 % ( <i>calcipotriene</i> )                                   | 3         |                                                   |
| <i>calcitriol external ointment 3 mcg/gm</i>                                                    | 1         | QL (100 grams per prescription)                   |
| CIBINQO ORAL TABLET 100 MG, 200 MG, 50 MG ( <i>abrocitinib</i> )                                | 3         | PA; QL (1 tablet per day.); SP; CM; SMCS          |
| <i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                                         | 2         |                                                   |
| CONDYLOX EXTERNAL GEL 0.5 % ( <i>podofilox</i> )                                                | 4         |                                                   |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>secukinumab</i> ) | 3         | PA; QL (0.072 ml per day.); SP; SMCS              |
| COSENTYX 150 MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <i>secukinumab</i> )     | 3         | PA; QL (0.036 ml per day.); SP; SMCS              |
| COSENTYX 150 MG/ML SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML ( <i>secukinumab</i> )   | 3         | PA; QL (0.018 ml per day.); SP; SMCS              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                            | Drug Tier | Coverage Requirements & Limits         |
|---------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <i>secukinumab</i> ) | 3         | PA; QL (0.072 ml per day.); SP; SMCS   |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <i>secukinumab</i> )      | 3         | PA; QL (0.036 ml per day.); SP; SMCS   |
| COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML ( <i>secukinumab</i> )           | 3         | PA; QL (0.072 ml per day.); SP; SMCS   |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                                          | 2         |                                        |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/1.14ML ( <i>dupilumab</i> )                   | 3         | PA; QL (0.09 ml per day.); SP; SMCS    |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML ( <i>dupilumab</i> )                      | 3         | PA; QL (0.15 ml per day.); SP; SMCS    |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML ( <i>dupilumab</i> )                  | 3         | PA; QL (0.15 ml per day.); SP; SMCS    |
| ENDARI ORAL PACKET 5 GM ( <i>glutamine (sickle cell)</i> )                                        | 4         | PA; QL (6 packets per day.)            |
| ENSTILAR EXTERNAL FOAM 0.005-0.064 % ( <i>calcipotriene-betameth diprop</i> )                     | 4         | QL (60 grams per prescription.)        |
| FEM PH VAGINAL GEL 0.9-0.025 % ( <i>acetic acid-oxyquinoline</i> )                                | 4         |                                        |
| FILSUEVZ EXTERNAL GEL 10 % ( <i>birch triterpenes</i> )                                           | 4         | PA; QL (14.4 grams per day.); SP; SMCS |
| FINACEA EXTERNAL FOAM 15 % ( <i>azelaic acid</i> )                                                | 4         |                                        |
| <i>fluorouracil external cream 5 %</i>                                                            | 1         |                                        |
| <i>fluorouracil external solution 2 %, 5 %</i>                                                    | 1         |                                        |
| HALUCORT EXTERNAL GEL ( <i>dermatological products, misc.</i> )                                   | 3         | PA                                     |
| HYFTOR EXTERNAL GEL 0.2 % ( <i>sirolimus</i> )                                                    | 4         | PA; QL (10 g per 23 days.)             |
| <i>imiquimod external cream 5 %</i>                                                               | 1         |                                        |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                                       | 2         |                                        |
| KLISYRI (250 MG) EXTERNAL OINTMENT 1 % ( <i>tirbanibulin</i> )                                    | 4         | ST; QL (5 units per prescription)      |
| KLISYRI (350 MG) EXTERNAL OINTMENT 1 % ( <i>tirbanibulin</i> )                                    | 4         | ST; QL (5 units per prescription)      |
| <i>L-glutamine oral packet 5 gm</i>                                                               | 3         | PA; QL (6 packets per day.)            |
| LITFULO ORAL CAPSULE 50 MG ( <i>ritlecitinib tosylate</i> )                                       | 4         | PA; QL (1 capsule per day.); SP; SMCS  |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                                                   | Drug Tier | Coverage Requirements & Limits                             |
|--------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------|
| <b>minocycline hcl er oral tablet extended release 24 hour 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg</b> | 2         |                                                            |
| MIRVASO EXTERNAL GEL 0.33 % ( <b>brimonidine tartrate</b> )                                                              | 3         | PA; QL (30 grams per prescription.)                        |
| <b>nitroglycerin rectal ointment 0.4 %</b>                                                                               | 4         | QL (30 grams per month.)                                   |
| OTEZLA ORAL TABLET 20 MG ( <b>apremilast</b> )                                                                           | 3         | PA; QL (60 tablets per month.); SMCS                       |
| OTEZLA ORAL TABLET 30 MG ( <b>apremilast</b> )                                                                           | 3         | PA; QL (2 tablets per day.); SP; SMCS                      |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG ( <b>apremilast</b> )                                                    | 3         | PA; QL (55 tablets (one starter pack) per year.); SP; SMCS |
| OTEZLA ORAL TABLET THERAPY PACK 4 X 10 & 51 X20 MG ( <b>apremilast</b> )                                                 | 3         | PA; QL (1 starter pack per year.); SMCS                    |
| PANRETIN EXTERNAL GEL 0.1 % ( <b>alitretinoin</b> )                                                                      | 3         |                                                            |
| <b>pimecrolimus external cream 1 %</b>                                                                                   | 3         | QL (30 grams per prescription.)                            |
| PODOCON-25 EXTERNAL SOLUTION 25 % ( <b>podophyllum resin</b> )                                                           | 3         |                                                            |
| <b>podofilox external gel 0.5 %</b>                                                                                      | 3         |                                                            |
| <b>podofilox external solution 0.5 %</b>                                                                                 | 1         |                                                            |
| PYROGALLIC ACID EXTERNAL OINTMENT 25-2 %                                                                                 | 2         |                                                            |
| SANTYL EXTERNAL OINTMENT 250 UNIT/GM ( <b>collagenase</b> )                                                              | 4         | QL (90 grams per prescription.)                            |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML ( <b>risankizumab-rzaa</b> )                                   | 3         | PA; QL (1 ml per 63 days.); SP; SMCS                       |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML ( <b>risankizumab-rzaa</b> )                                   | 3         | PA; QL (1 ml per 63 days.); SP; SMCS                       |
| SOTYKTU ORAL TABLET 6 MG ( <b>deucravacitinib</b> )                                                                      | 3         | PA; QL (1 tablet per day.); SP; SMCS                       |
| <b>tacrolimus external ointment 0.03 %, 0.1 %</b>                                                                        | 2         | QL (30 grams per prescription.)                            |
| <b>tazarotene external cream 0.05 %, 0.1 %</b>                                                                           | 3         | PA; QL (30 grams per prescription.)                        |
| <b>tazarotene external gel 0.05 %, 0.1 %</b>                                                                             | 3         | PA; QL (30 grams per prescription.)                        |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                | Drug Tier | Coverage Requirements & Limits                     |
|---------------------------------------------------------------------------------------|-----------|----------------------------------------------------|
| TISSEEL EXTERNAL KIT 10 ML, 2 ML, 4 ML ( <i>fibrin sealant component</i> )            | 3         |                                                    |
| TREMFYA ONE-PRESS SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 MG/ML ( <i>guselkumab</i> )  | 3         | PA; QL (1 mL (1 device) every 8 weeks.); SP; SMCS  |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML ( <i>guselkumab</i> )       | 3         | PA; QL (1 mL (1 syringe) every 8 weeks.); SP; SMCS |
| VALCHLOR EXTERNAL GEL 0.016 % ( <i>mechlorethamine hcl (topical)</i> )                | 3         | PA; QL (120 grams per prescription.); SP; SMCS     |
| VENELEX EXTERNAL OINTMENT ( <i>balsam peru-castor oil</i> )                           | 3         |                                                    |
| VTAMA EXTERNAL CREAM 1 % ( <i>tapinarof</i> )                                         | 4         | PA; QL (60 grams per prescription.)                |
| ZELSUVMI EXTERNAL GEL 10.3 % ( <i>berdazimer sodium</i> )                             | 4         | PA; QL (31 grams (1 box) per copay)                |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>                               | 2         |                                                    |
| ZORYVE EXTERNAL CREAM 0.3 % ( <i>roflumilast</i> )                                    | 4         | PA; QL (60 grams per 30 days.)                     |
| ZORYVE EXTERNAL FOAM 0.3 % ( <i>roflumilast</i> )                                     | 4         | PA; QL (60 grams per prescription.)                |
| <b>SUNSCREEN AGENTS - Drugs for the Skin</b>                                          |           |                                                    |
| AVIDOXY DK COMBINATION KIT 100 MG ( <i>doxycycline-sunscreen-sal acid</i> )           | 3         |                                                    |
| <b>THIOCARBAMATES(SKIN AND MUCOUS MEMBRANE) - Drugs for the Skin</b>                  |           |                                                    |
| MICONATATE EXTERNAL THERAPY PACK 2-1 % ( <i>miconazole nitrat &amp; tolnaftate</i> )  | 3         |                                                    |
| MYCOZYL AL EXTERNAL SOLUTION 1 % ( <i>tolnaftate</i> )                                | 3         |                                                    |
| <b>SMOOTH MUSCLE RELAXANTS - Drugs to Relax Muscles</b>                               |           |                                                    |
| <b>ANTIMUSCARINICS - Drugs for the Urinary System</b>                                 |           |                                                    |
| <i>flavoxate hcl oral tablet 100 mg</i>                                               | 1         |                                                    |
| <i>oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 15 mg, 5 mg</i> | 2         |                                                    |
| <i>oxybutynin chloride oral solution 5 mg/5ml</i>                                     | 1         |                                                    |
| <i>oxybutynin chloride oral tablet 2.5 mg</i>                                         | 4         |                                                    |
| <i>oxybutynin chloride oral tablet 5 mg</i>                                           | 1         |                                                    |
| <i>solifenacin succinate oral tablet 10 mg, 5 mg</i>                                  | 2         |                                                    |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                               | Drug Tier | Coverage Requirements & Limits       |
|------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| <i>tolterodine tartrate oral tablet 1 mg, 2 mg</i>                                                   | 3         | ST                                   |
| <i>tropium chloride oral tablet 20 mg</i>                                                            | 3         |                                      |
| <b>RESPIRATORY SMOOTH MUSCLE RELAXANTS - Drugs for Lungs</b>                                         |           |                                      |
| <i>elixophyllin oral elixir 80 mg/15ml</i>                                                           | 3         |                                      |
| <i>sildenafil citrate oral suspension reconstituted 10 mg/ml</i>                                     | 4         | PA; QL (186 ml per month.); SP; SMCS |
| <i>sildenafil citrate oral tablet 20 mg</i>                                                          | 1         | QL (0.5 tablet per day.); SP; SMCS   |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 200 MG, 300 MG, 400 MG ( <i>theophylline</i> ) | 3         |                                      |
| <i>theophylline er oral tablet extended release 12 hour 100 mg, 200 mg, 300 mg, 450 mg</i>           | 1         |                                      |
| <i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i>                           | 1         |                                      |
| <i>theophylline oral elixir 80 mg/15ml</i>                                                           | 1         |                                      |
| <i>theophylline oral solution 80 mg/15ml</i>                                                         | 1         |                                      |
| <b>SELECTIVE BETA-3-ADRENERGIC AGONISTS - Drugs for the Urinary System</b>                           |           |                                      |
| <i>mirabegron er oral tablet extended release 24 hour 25 mg, 50 mg</i>                               | 3         | ST                                   |
| <b>VITAMINS</b>                                                                                      |           |                                      |
| <b>MULTIVITAMIN PREPARATIONS</b>                                                                     |           |                                      |
| ATABEX OB ORAL TABLET 29-1 MG ( <i>prenatal vit w/ fe bisg-fa</i> )                                  | 3         |                                      |
| ELITE-OB ORAL TABLET 50-1.25 MG ( <i>prenatal vit-iron carbonyl-fa</i> )                             | 3         |                                      |
| ENBRACE HR ORAL CAPSULE ( <i>prenat vit-fe gly cys-fa-omega</i> )                                    | 3         |                                      |
| FLOTREX ORAL TABLET CHEWABLE 1 MG ( <i>pediatric multivitamins-fl</i> )                              | 3         |                                      |
| M-NATAL PLUS ORAL TABLET 27-1 MG                                                                     | 3         |                                      |
| <i>multivitamin w/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</i>                            | 1         |                                      |
| <i>multi-vitamin/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</i>                                    | 1         |                                      |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                            | Drug Tier | Coverage Requirements & Limits |
|---------------------------------------------------------------------------------------------------|-----------|--------------------------------|
| <b><i>multivitamin/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</i></b>                    | 1         |                                |
| <b><i>multi-vitamin/fluoride/iron oral solution 0.25-10 mg/ml</i></b>                             | 1         |                                |
| NATAL PNV ORAL TABLET 6-0.5 MG                                                                    | 3         |                                |
| NEONATAL COMPLETE ORAL TABLET 27-1 MG                                                             | 3         |                                |
| NEONATAL PLUS ORAL TABLET 27-1 MG ( <b><i>prenatal vit-fe fumarate-fa</i></b> )                   | 3         |                                |
| NESTABS ONE ORAL CAPSULE 38-1-225 MG ( <b><i>prenat-fe-methylfol-dha w/o a</i></b> )              | 3         |                                |
| NESTABS ORAL TABLET 32-1 MG ( <b><i>prenat-fe bisgly-fa-w/o vit a</i></b> )                       | 3         |                                |
| ONE VITE WOMENS PLUS ORAL TABLET 27-1 MG                                                          | 3         |                                |
| ONENATAL RX ORAL TABLET 1 MG ( <b><i>prenatal multivit-min-fe-fa</i></b> )                        | 3         |                                |
| <b><i>pnv 27-ca/fe/fa oral tablet 60-1 mg</i></b>                                                 | 1         |                                |
| POLY-VI-FLOR/IRON ORAL SUSPENSION 0.25-7 MG/ML ( <b><i>ped multivitamins-fl-iron</i></b> )        | 3         |                                |
| POLY-VI-FLOR/IRON ORAL TABLET CHEWABLE 0.5-10 MG ( <b><i>ped multivitamins-fl-iron</i></b> )      | 3         |                                |
| PREMESISRX ORAL TABLET 1 MG ( <b><i>prenatal ca-b6-b12-fa-ginger</i></b> )                        | 3         |                                |
| <b><i>prenatal oral tablet 27-1 mg</i></b>                                                        | 1         |                                |
| <b><i>prenatal plus vitamin/mineral oral tablet 27-1 mg</i></b>                                   | 1         |                                |
| PRENATE DHA ORAL CAPSULE 18-0.6-0.4-300 MG ( <b><i>prenat-feasp-meth-fa-dha w/o a</i></b> )       | 3         |                                |
| PRENATE ELITE ORAL TABLET 20-0.6-0.4 MG ( <b><i>prenatal-feaspgly-methylfol-fa</i></b> )          | 3         |                                |
| PRENATE ENHANCE ORAL CAPSULE 28-0.6-0.4-400 MG ( <b><i>prenat w/o a-fe-methfol-fa-dha</i></b> )   | 3         |                                |
| PRENATE ESSENTIAL ORAL CAPSULE 18-0.6-0.4-300 MG ( <b><i>prenat-feasp-meth-fa-dha w/o a</i></b> ) | 3         |                                |
| PRENATE MINI ORAL CAPSULE 18-0.6-0.4-350 MG ( <b><i>prenat-fechn-feasp-meth-fa-dha</i></b> )      | 3         |                                |
| PRENATE ORAL TABLET CHEWABLE 0.6-0.4 MG ( <b><i>prenat mv-min-methylfolate-fa</i></b> )           | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                   | Drug Tier | Coverage Requirements & Limits |
|------------------------------------------------------------------------------------------|-----------|--------------------------------|
| PRENATE PIXIE ORAL CAPSULE 10-0.6-0.4-200 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> )   | 3         |                                |
| PRENATE RESTORE ORAL CAPSULE 27-0.6-0.4-400 MG ( <i>prenat w/o a-fe-methfol-fa-dha</i> ) | 3         |                                |
| RELNATE DHA ORAL CAPSULE 28-1-200 MG                                                     | 3         |                                |
| SELECT-OB ORAL TABLET CHEWABLE 29-1 MG ( <i>prenatal vit-fe psac cmplx-fa</i> )          | 4         |                                |
| TRINATE ORAL TABLET ( <i>prenatal vit-fe fumarate-fa</i> )                               | 3         |                                |
| TRISTART DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                              | 3         |                                |
| TRI-VI-FLORO ORAL SUSPENSION 0.25 MG/ML, 0.5 MG/ML                                       | 3         |                                |
| <i>tri-vite/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</i>                             | 1         |                                |
| VITAFOL FE+ ORAL CAPSULE 90-0.6-0.4-200 MG ( <i>prenat-fe poly-methfol-fa-dha</i> )      | 3         |                                |
| VITAFOL-OB+DHA ORAL 65-1 & 250 MG ( <i>prenatal mv-min-fe fum-fa-dha</i> )               | 3         |                                |
| VITATHELY WITH GINGER ORAL TABLET 27-1 MG ( <i>prenatal vit-fe fumarate-fa</i> )         | 3         |                                |
| WESCAP-PN DHA ORAL CAPSULE 27-0.6-0.4-300 MG                                             | 4         |                                |
| WESNATAL DHA COMPLETE ORAL 29-1-200 & 200 MG                                             | 2         |                                |
| WESNATE DHA ORAL CAPSULE 28-1-200 MG                                                     | 3         |                                |
| WESTGEL DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                               | 3         |                                |
| <b>VITAMIN A</b>                                                                         |           |                                |
| TRI-VI-FLORO ORAL SUSPENSION 0.25 MG/ML, 0.5 MG/ML                                       | 3         |                                |
| <i>tri-vite/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</i>                             | 1         |                                |
| <b>VITAMIN B COMPLEX</b>                                                                 |           |                                |
| ATABEX OB ORAL TABLET 29-1 MG ( <i>prenatal vit w/ fe bisg-fa</i> )                      | 3         |                                |
| CALCIFOL ORAL WAFER 1342-1.6 MG ( <i>ca carb-fa-d-b6-b12-boron-mg</i> )                  | 3         |                                |
| <i>cyanocobalamin injection solution 1000 mcg/ml</i>                                     | 1         |                                |
| CYANOCOBALAMIN INJECTION SOLUTION 2000 MCG/ML                                            | 3         |                                |
| <i>cyanocobalamin nasal solution 500 mcg/0.1ml</i>                                       | 3         |                                |
| <i>drospiren-eth estrad-levomefol oral tablet 3-0.02-0.451 mg</i>                        | 4         | H                              |
| <i>drospiren-eth estrad-levomefol oral tablet 3-0.03-0.451 mg</i>                        | 1         | H                              |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------|-----------|--------------------------------|
| ELITE-OB ORAL TABLET 50-1.25 MG ( <i>prenatal vit-iron carbonyl-fa</i> )                   | 3         |                                |
| ENBRACE HR ORAL CAPSULE ( <i>prenat vit-fe gly cys-fa-omega</i> )                          | 3         |                                |
| <i>folic acid oral tablet 400 mcg, 800 mcg</i>                                             | E         | H                              |
| <i>folic acid tablet 1 mg oral (rx)</i>                                                    | 1         |                                |
| <i>ft folic acid oral tablet 400 mcg, 800 mcg</i>                                          | E         | H                              |
| <i>hematinic/folic acid oral tablet 324-1 mg</i>                                           | 1         |                                |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>                            | 1         |                                |
| M-NATAL PLUS ORAL TABLET 27-1 MG                                                           | 3         |                                |
| <i>multivitamin/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</i>                    | 1         |                                |
| NASCOBAL NASAL SOLUTION 500 MCG/0.1ML ( <i>cyanocobalamin</i> )                            | 4         |                                |
| NATAL PNV ORAL TABLET 6-0.5 MG                                                             | 3         |                                |
| NEONATAL COMPLETE ORAL TABLET 27-1 MG                                                      | 3         |                                |
| NEONATAL PLUS ORAL TABLET 27-1 MG ( <i>prenatal vit-fe fumarate-fa</i> )                   | 3         |                                |
| NESTABS ONE ORAL CAPSULE 38-1-225 MG ( <i>prenat-fe-methylfol-dha w/o a</i> )              | 3         |                                |
| NESTABS ORAL TABLET 32-1 MG ( <i>prenat-fe bisgly-fa-w/o vit a</i> )                       | 3         |                                |
| <i>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</i> | 3         |                                |
| ONE VITE WOMENS PLUS ORAL TABLET 27-1 MG                                                   | 3         |                                |
| ONENATAL RX ORAL TABLET 1 MG ( <i>prenatal multivit-min-fe-fa</i> )                        | 3         |                                |
| <i>pnv 27-ca/fe/fa oral tablet 60-1 mg</i>                                                 | 1         |                                |
| PREMESISRX ORAL TABLET 1 MG ( <i>prenatal ca-b6-b12-fa-ginger</i> )                        | 3         |                                |
| <i>prenatal oral tablet 27-1 mg</i>                                                        | 1         |                                |
| <i>prenatal plus vitamin/mineral oral tablet 27-1 mg</i>                                   | 1         |                                |
| PRENATE DHA ORAL CAPSULE 18-0.6-0.4-300 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> )       | 3         |                                |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

| Prescription Drug Name                                                                     | Drug Tier | Coverage Requirements & Limits |
|--------------------------------------------------------------------------------------------|-----------|--------------------------------|
| PRENATE ELITE ORAL TABLET 20-0.6-0.4 MG ( <i>prenatal-feaspgly-methylfol-fa</i> )          | 3         |                                |
| PRENATE ENHANCE ORAL CAPSULE 28-0.6-0.4-400 MG ( <i>prenat w/o a-fe-methfol-fa-dha</i> )   | 3         |                                |
| PRENATE ESSENTIAL ORAL CAPSULE 18-0.6-0.4-300 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> ) | 3         |                                |
| PRENATE MINI ORAL CAPSULE 18-0.6-0.4-350 MG ( <i>prenat-fecbn-feasp-meth-fa-dha</i> )      | 3         |                                |
| PRENATE ORAL TABLET CHEWABLE 0.6-0.4 MG ( <i>prenat mv-min-methylfolate-fa</i> )           | 3         |                                |
| PRENATE PIXIE ORAL CAPSULE 10-0.6-0.4-200 MG ( <i>prenat-feasp-meth-fa-dha w/o a</i> )     | 3         |                                |
| PRENATE RESTORE ORAL CAPSULE 27-0.6-0.4-400 MG ( <i>prenat w/o a-fe-methfol-fa-dha</i> )   | 3         |                                |
| RELNATE DHA ORAL CAPSULE 28-1-200 MG                                                       | 3         |                                |
| SELECT-OB ORAL TABLET CHEWABLE 29-1 MG ( <i>prenatal vit-fe psac cmplx-fa</i> )            | 4         |                                |
| TRINATE ORAL TABLET ( <i>prenatal vit-fe fumarate-fa</i> )                                 | 3         |                                |
| TRISTART DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                                | 3         |                                |
| TRI-VI-FLORO ORAL SUSPENSION 0.25 MG/ML, 0.5 MG/ML                                         | 3         |                                |
| TRUE FOLIC ACID ORAL TABLET 400 MCG                                                        | E         | H                              |
| <i>tydemy oral tablet 3-0.03-0.451 mg</i>                                                  | 1         | H                              |
| VITAFOL FE+ ORAL CAPSULE 90-0.6-0.4-200 MG ( <i>prenat-fe poly-methfol-fa-dha</i> )        | 3         |                                |
| VITAFOL-OB+DHA ORAL 65-1 & 250 MG ( <i>prenatal mv-min-fe fum-fa-dha</i> )                 | 3         |                                |
| VITATHELY WITH GINGER ORAL TABLET 27-1 MG ( <i>prenatal vit-fe fumarate-fa</i> )           | 3         |                                |
| WESCAP-PN DHA ORAL CAPSULE 27-0.6-0.4-300 MG                                               | 4         |                                |
| WESNATAL DHA COMPLETE ORAL 29-1-200 & 200 MG                                               | 2         |                                |
| WESNATE DHA ORAL CAPSULE 28-1-200 MG                                                       | 3         |                                |
| WESTGEL DHA ORAL CAPSULE 31-0.6-0.4-200 MG                                                 | 3         |                                |
| <b>VITAMIN C</b>                                                                           |           |                                |
| MOVIPREP ORAL SOLUTION RECONSTITUTED 100 GM ( <i>peg-kcl-nacl-nasulf-na asc-c</i> )        | 4         | QL (1 kit per prescription.)   |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.



| Prescription Drug Name                                                                             | Drug Tier | Coverage Requirements & Limits   |
|----------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <b>peg-3350/electrolytes/ascorbic acid oral solution reconstituted 100 gm</b>                      | 3         | QL (1 kit per prescription.)     |
| <b>peg-kcl-nacl-nasulf-na asc-c oral solution reconstituted 100 gm</b>                             | 3         | QL (1 kit per prescription.)     |
| PLENVU ORAL SOLUTION RECONSTITUTED 140 GM ( <b>peg-kcl-nacl-nasulf-na asc-c</b> )                  | 3         | QL (3 cartons per prescription.) |
| TRI-VI-FLORO ORAL SUSPENSION 0.25 MG/ML, 0.5 MG/ML                                                 | 3         |                                  |
| <b>tri-vite/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</b>                                       | 1         |                                  |
| <b>VITAMIN D</b>                                                                                   |           |                                  |
| CALCIFOL ORAL WAFER 1342-1.6 MG ( <b>ca carb-fa-d-b6-b12-boron-mg</b> )                            | 3         |                                  |
| <b>calcitriol oral capsule 0.25 mcg, 0.5 mcg</b>                                                   | 1         |                                  |
| <b>calcitriol oral solution 1 mcg/ml</b>                                                           | 1         |                                  |
| <b>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</b>                                        | 1         |                                  |
| DRISDOL ORAL CAPSULE 1.25 MG (50000 UT) ( <b>ergocalciferol</b> )                                  | 4         |                                  |
| <b>ergocalciferol oral capsule 1.25 mg (50000 ut)</b>                                              | 1         |                                  |
| FLORIVA ORAL LIQUID 0.25-400 MG-UNIT/ML ( <b>sodium fluoride-vitamin d</b> )                       | 3         |                                  |
| FOSAMAX PLUS D ORAL TABLET 70-2800 MG-UNIT, 70-5600 MG-UNIT ( <b>alendronate-cholecalciferol</b> ) | 3         |                                  |
| <b>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</b>                                               | 1         |                                  |
| TRI-VI-FLORO ORAL SUSPENSION 0.25 MG/ML, 0.5 MG/ML                                                 | 3         |                                  |
| <b>tri-vite/fluoride oral solution 0.25 mg/ml, 0.5 mg/ml</b>                                       | 1         |                                  |
| <b>vitamin d (ergocalciferol) oral capsule 1.25 mg (50000 ut), 50000 unit</b>                      | 1         |                                  |
| ZEMPLAR ORAL CAPSULE 1 MCG, 2 MCG ( <b>paricalcitol</b> )                                          | 4         |                                  |
| <b>VITAMIN E</b>                                                                                   |           |                                  |
| <b>wheat germ oil oral oil</b>                                                                     | 1         |                                  |
| <b>VITAMIN K ACTIVITY</b>                                                                          |           |                                  |
| <b>phytonadione oral tablet 5 mg</b>                                                               | 3         | QL (5 tablets per prescription.) |

Drug Tier 1: Your lowest cost medications; Drug Tier 2: Your mid-range cost medications; Drug Tier 3: Your mid-range cost medications; Drug Tier 4: Your highest cost medications; PA: Prior authorization required; QL: Quantity Limit; ST: Step Therapy; H-N: Part of Health Care Reform with confirmation of age and/or condition appropriate preventive use.; SP: Specialty medication; CM: Orally administered anticancer medication; SMCS: Specialty medication cost share may apply (for HMO plans, does not apply to injectables covered under the medical benefit); E: Excluded from coverage unless covered as part of health care reform preventive; SM: State Mandated Benefit Program; NTT: If you are new to opioid therapy, you will be limited to a 7-day supply (or 3-day supply if 19 years or younger) and less than 50 morphine milligram equivalents.

## Index of Drugs

|                                           |                       |                                           |                             |                                  |                              |
|-------------------------------------------|-----------------------|-------------------------------------------|-----------------------------|----------------------------------|------------------------------|
| <b>abacavir sulfate</b> .....             | 33                    | ADRENALIN.....                            | 61, 183, 270                | ALOGLIPTIN-METFORMIN             |                              |
| <b>abacavir sulfate-lamivudine</b> ...    | 33                    | ADVAIR HFA....                            | 69, 176, 194, 272           | HCL.....                         | 202, 210                     |
| <b>abigale</b> .....                      | 211, 224              | ADVATE.....                               | 76                          | ALOGLIPTIN-PIOGLITAZONE          |                              |
| <b>abigale lo</b> .....                   | 211, 224              | ADVOCATE SAFETY                           |                             | .....                            | 210, 235                     |
| <b>abiraterone acetate</b> .....          | 43                    | LANCETS 21G.....                          | 150                         | ALORA.....                       | 211, 248                     |
| <b>abirtega</b> .....                     | 43                    | ADVOCATE SAFETY                           |                             | <b>alose tron hcl</b> .....      | 186                          |
| ABRYSVO.....                              | 57                    | LANCETS 23G.....                          | 150                         | ALPHAGAN P.....                  | 171, 284                     |
| <b>acamprosate calcium</b> .....          | 16, 126               | ADVOCATE SAFETY                           |                             | ALPHANATE.....                   | 76                           |
| <b>acarbose</b> .....                     | 199                   | LANCETS 28G.....                          | 150                         | ALPHANINE SD.....                | 76                           |
| ACCOLATE.....                             | 277                   | ADYNOVATE.....                            | 76                          | <b>alprazolam</b> .....          | 124                          |
| ACCU-CHEK AVIVA.....                      | 150                   | AEROCHAMBER HOLDING                       |                             | <b>alprazolam er</b> .....       | 124                          |
| ACCU-CHEK FASTCLIX                        |                       | CHAMBER.....                              | 150                         | <b>alprazolam intensol</b> ..... | 124                          |
| LANCET KIT.....                           | 150                   | AEROCHAMBER PLS FLOVU                     |                             | <b>alprazolam xr</b> .....       | 125                          |
| ACCU-CHEK GUIDE.....                      | 150                   | MTHPIECE.....                             | 150                         | ALPROLIX.....                    | 77                           |
| ACCU-CHEK GUIDE                           |                       | AEROCHAMBER PLUS FLO-                     |                             | ALREX.....                       | 176                          |
| CONTROL.....                              | 150                   | VU INTERM.....                            | 150                         | ALTACAIN.....                    | 182, 245                     |
| ACCU-CHEK GUIDE ME.....                   | 150                   | AEROCHAMBER PLUS FLO-                     |                             | <b>altafrin</b> .....            | 182, 183                     |
| ACCU-CHEK GUIDE TEST....                  | 161                   | VU LARGE.....                             | 150                         | <b>altavera</b> .....            | 203, 211, 224                |
| ACCU-CHEK SMARTVIEW                       |                       | AEROCHAMBER PLUS FLO-                     |                             | ALTUVIIIO.....                   | 77                           |
| CONTROL.....                              | 150                   | VU MEDIUM.....                            | 150                         | ALUNBRIG.....                    | 44                           |
| ACCU-CHEK SOFTCLIX                        |                       | AEROCHAMBER PLUS FLO-                     |                             | ALVAIZ.....                      | 74                           |
| LANCET DEVICE KIT.....                    | 150                   | VU SMALL.....                             | 150                         | <b>alvimopan</b> .....           | 184, 189                     |
| <b>accutane</b> .....                     | 299, 303              | AEROCHAMBER2GO ANTI-                      |                             | <b>alyacen 1/35</b> .....        | 203, 211, 224                |
| ACD-A NOCLOT-50.....                      | 72                    | STATIC.....                               | 151                         | <b>alyacen 7/7/7</b> .....       | 203, 211, 224                |
| <b>acebutolol hcl</b> 71, 90, 95, 98, 104 |                       | <b>afirmelle</b> .....                    | 203, 211, 224               | ALYFTREK.....                    | 273, 274                     |
| <b>acetaminophen-codeine</b>              |                       | AFLURIA.....                              | 57                          | <b>amantadine hcl</b> .....      | 21, 111                      |
| .....                                     | 112, 132, 134         | AFLURIA PRESERVATIVE                      |                             | <b>ambrisentan</b> .....         | 108, 275, 281                |
| <b>acetazolamide</b>                      |                       | FREE.....                                 | 57                          | <b>amcinonide</b> .....          | 292                          |
| .....                                     | 84, 95, 114, 163, 176 | AFSTYLA.....                              | 76                          | AMELUZ.....                      | 283, 304                     |
| <b>acetazolamide er</b>                   |                       | <b>aftera</b> .....                       | 200, 203, 224               | <b>amethyst</b> .....            | 203, 211, 224                |
| .....                                     | 84, 95, 114, 163, 176 | AIMOVIG.....                              | 126                         | <b>amiloride hcl</b> .....       | 85, 107, 165                 |
| <b>acetic acid</b> .....                  | 181                   | AIRSUPRA                                  |                             | <b>amiloride-</b>                |                              |
| <b>acetylcysteine</b> .....               | 16, 245, 277          | .....                                     | 69, 176, 194, 272, 278, 280 | <b>hydrochlorothiazide</b> ..... | 165, 167                     |
| <b>acitretin</b> .....                    | 299, 303              | AKEEGA.....                               | 44                          | <b>aminocaproic acid</b> .....   | 77                           |
| ACTEMRA.....                              | 241, 253, 257         | AKLIEF.....                               | 299, 304                    | <b>amiodarone hcl</b> .....      | 99                           |
| ACTEMRA ACTPEN                            |                       | AKTEN.....                                | 182                         | <b>amitriptyline hcl</b> .....   | 145                          |
| .....                                     | 241, 252, 257         | AKYNZEO.....                              | 184, 192                    | AMJEVITA                         |                              |
| ACTHIB.....                               | 57                    | ALA SCALP.....                            | 176, 194, 292               | .....                            | 189, 190, 243, 253, 257, 258 |
| ACTIMMUNE.....                            | 257                   | <b>albendazole</b> .....                  | 23                          | AMJEVITA-PED 15KG TO             |                              |
| ACTIVELLA.....                            | 211, 224              | <b>albuterol sulfate</b> .....            | 69, 281                     | <30KG.....                       | 190, 243, 253, 258           |
| ACULAR.....                               | 141, 182              | ALBUTEROL SULFATE... 69, 281              |                             | <b>amlodipine besylate</b>       |                              |
| ACULAR LS.....                            | 140, 181              | <b>albuterol sulfate hfa</b> 69, 280, 281 |                             | .....                            | 100, 101, 108                |
| <b>acyclovir</b> .....                    | 38, 289               | ALCAINE.....                              | 182                         | <b>amlodipine besylate-</b>      |                              |
| ADACEL.....                               | 56, 57                | <b>alclometasone dipropionate</b> 292     |                             | <b>benazepril hcl</b> .....      | 88, 100                      |
| ADALIMUMAB-ADAZ                           |                       | ALCOHOL PREP PADS.....                    | 151                         | <b>amlodipine besylate-</b>      |                              |
| .....                                     | 189, 243, 253, 257    | ALECENSA.....                             | 44                          | <b>valsartan</b> .....           | 87, 100                      |
| <b>adapalene-benzoyl peroxide</b>         |                       | <b>alendronate sodium</b> .....           | 248                         | <b>amnestem</b> .....            | 299, 304                     |
| .....                                     | 268, 299, 301, 303    | <b>alfuzosin hcl er</b> .....             | 69                          | <b>amoxapine</b> .....           | 145                          |
| ADBRY.....                                | 297, 303              | <b>allopurinol</b> .....                  | 246                         | <b>amoxicillin</b> .....         | 23, 186                      |
| ADDYI.....                                | 126                   | <b>almotriptan malate</b> .....           | 143                         | <b>amoxicillin-potassium</b>     |                              |
| <b>adefovir dipivoxil</b> .....           | 38                    | ALOCRI.....                               | 171, 277                    | <b>clavulanate</b> .....         | 23                           |
| ADEMPAS.....                              | 281, 283              | ALOGLIPTIN BENZOATE.....                  | 210                         | <b>amphetamine sulfate</b> ..... | 111                          |

|                                               |                    |                                         |                     |                                             |                    |
|-----------------------------------------------|--------------------|-----------------------------------------|---------------------|---------------------------------------------|--------------------|
| <b>amphetamine-dextroamphetamine</b> .....    | 111                | <b>aspirin adult low dose</b> .....     | 82, 83, 119, 142    | AUTOLET LITE LANCING DEVICE.....            | 151                |
| <b>amphetamine-dextroamphetamine er</b> ..... | 111                | <b>aspirin adult low strength</b> ..... | 82, 83, 119, 142    | AUVI-Q.....                                 | 61, 62, 270        |
| <b>amphet-dextroamphet 3-bead er</b> .....    | 111                | <b>aspirin childrens</b> .....          | 82, 83, 119, 142    | <b>avanafil</b> .....                       | 106                |
| <b>ampicillin</b> .....                       | 23                 | <b>aspirin ec adult low dose</b> .....  | 82, 83, 119, 142    | AVAR CLEANSER.....                          | 284, 299           |
| <b>anagrelide hcl</b> .....                   | 83                 | <b>aspirin ec low dose</b> .....        | 82, 83, 119, 142    | AVERI.....                                  | 203, 212, 225      |
| ANALPRAM HC.....                              | 176, 194, 288, 292 | <b>aspirin ec low strength</b> .....    | 83, 84, 119, 142    | <b>aviane</b> .....                         | 203, 212, 225      |
| <b>anastrozole</b> .....                      | 44, 200            | <b>aspirin low dose</b> .....           | 83, 84, 119, 142    | AVIDOXY.....                                | 24, 42, 284        |
| ANCOBON.....                                  | 41                 | <b>aspirin regimen</b> .....            | 83, 84, 119, 142    | AVIDOXY DK.....                             | 42, 299, 307       |
| ANGELIQ.....                                  | 211, 224           | <b>aspirin-dipyridamole er</b> .....    | 83, 106, 142, 160   | AVMAPKI FAKZYNJA CO-PACK.....               | 44                 |
| ANNOVERA.....                                 | 203, 212, 224      | ASSURE ID DUO PRO PEN NEEDLES.....      | 151                 | AVONEX PEN.....                             | 240, 258           |
| ANORO ELLIPTA.....                            | 62, 70             | ASSURE ID PRO PEN NEEDLES.....          | 151                 | AVONEX PREFILLED....                        | 240, 258           |
| ANTICOAGULANT SODIUM CITRATE.....             | 72                 | ASTRINGYN.....                          | 77                  | <b>ayuna</b> .....                          | 203, 212, 225      |
| ANUCORT-HC.....                               | 176, 194, 292      | ATABEX OB.....                          | 80, 308, 310        | AYVAKIT.....                                | 44                 |
| ANUSOL-HC.....                                | 176, 194, 292      | <b>atazanavir sulfate</b> .....         | 35                  | AZASAN.....                                 | 237, 253, 258, 262 |
| ANZEMET.....                                  | 185                | <b>atenolol</b> .....                   | 71, 90, 95, 98, 104 | AZASITE.....                                | 171                |
| <b>apraclonidine hcl</b> .....                | 171, 181           | <b>atenolol-chlorthalidone</b> .....    | 90, 95, 168         | <b>azathioprine</b> ... ..                  | 237, 253, 258, 262 |
| <b>aprepitant</b> .....                       | 192                | <b>atomoxetine hcl</b> .....            | 126, 139            | <b>azelaic acid</b> .....                   | 284, 304           |
| <b>apri</b> .....                             | 203, 212, 224      | ATORVALIQ.....                          | 102                 | <b>azelastine hcl</b> .....                 | 171, 280           |
| APRISO.....                                   | 186                | <b>atorvastatin calcium</b> .....       | 103                 | <b>azithromycin</b> .....                   | 39                 |
| APTIVUS.....                                  | 35                 | <b>atovaquone</b> .....                 | 25                  | AZSTARYS.....                               | 139                |
| AQ INSULIN SYRINGE.....                       | 151                | <b>atovaquone-proguanil hcl</b> .....   | 24                  | <b>azurette</b> .....                       | 203, 212, 225      |
| AQINJECT PEN NEEDLE.....                      | 151                | <b>atropine sulfate</b> .....           | 16, 62, 182, 270    | B & C.....                                  | 304                |
| AQNEURSA.....                                 | 264                | ATROVENT HFA.....                       | 62, 270             | <b>bac (butalbital-acetaminocaff)</b> ..... | 112, 123, 132, 139 |
| AQUORAL.....                                  | 181                | ATTRUBY.....                            | 95                  | <b>bacitracin</b> .....                     | 28, 172, 284       |
| ARAKODA.....                                  | 24                 | <b>aubra eq</b> .....                   | 203, 212, 224       | <b>bacitracin-polymyxin b</b> .....         | 28, 172, 284       |
| <b>aranelle</b> .....                         | 203, 212, 224      | AUGTYRO.....                            | 44                  | <b>bacitra-neomycin-polymyxin-hc</b> ... .. | 28, 172, 176, 284  |
| ARANESP (ALBUMIN FREE).....                   | 72, 74, 75         | AUM INSULIN SAFETY PEN NEEDLE.....      | 151                 | <b>baclofen</b> .....                       | 66                 |
| ARCALYST.....                                 | 264, 276           | AUM MINI INSULIN PEN NEEDLE.....        | 151                 | BACTRIM.....                                | 25, 42             |
| AREXVY.....                                   | 57                 | AUM PEN NEEDLE.....                     | 151                 | BACTRIM DS.....                             | 25, 42             |
| <b>arformoterol tartrate</b> .....            | 70, 281            | AUM READYGARD DUO PEN NEEDLE.....       | 151                 | BAFIERTAM.....                              | 239, 258           |
| ARIKAYCE.....                                 | 22                 | AUM SAFETY PEN NEEDLE.....              | 151                 | <b>balsalazide disodium</b> .....           | 186                |
| <b>aripiprazole</b> .....                     | 117, 121, 122      | <b>aurovela 1.5/30</b> .....            | 203, 212, 224       | <b>balsam peru-castor oil</b> .....         | 304                |
| <b>armodafinil</b> .....                      | 146                | <b>aurovela 1/20</b> .....              | 203, 212, 225       | <b>balziva</b> .....                        | 204, 212, 225      |
| ARMOUR THYROID.....                           | 235                | <b>aurovela 24 fe</b> .....             | 203, 212, 225       | BAQSIMI ONE PACK.....                       | 16, 220, 245       |
| ARNUITY ELLIPTA.....                          | 176, 194, 272, 278 | <b>aurovela fe 1.5/30</b> .. ..         | 203, 212, 225       | BAQSIMI TWO PACK.....                       | 16, 220, 245       |
| ARTISS.....                                   | 291, 304           | <b>aurovela fe 1/20</b> .....           | 203, 212, 225       | BARACLUDE.....                              | 38                 |
| ARZOL SILVER NIT APPLICATORS.....             | 174                | AUSTEDO.....                            | 146                 | BAXDELA.....                                | 41                 |
| <b>ascomp-codeine</b> .....                   | 123, 134, 139, 142 | AUSTEDO XR.....                         | 146                 | BD AUTOSHIELD DUO PEN NEEDLES.....          | 151                |
| <b>asenapine maleate</b> .....                | 117, 122           | AUSTEDO XR PATIENT TITRATION.....       | 146                 | BD ECLIPSE LUER-LOK NEEDLE.....             | 151                |
| <b>ashlyna</b> .....                          | 203, 212, 224      | AUTOLET LANCING DEVICE.....             | 151                 | BD ECLIPSE NEEDLE.....                      | 151                |
| <b>aspirin</b> .....                          | 83, 84, 119, 142   |                                         |                     | BD PEN NEEDLE MICRO ULTRAFINE.....          | 151                |
| <b>aspirin 81</b> .....                       | 82, 83, 119, 142   |                                         |                     | BD PEN NEEDLE MINI ULTRAFINE.....           | 151                |

|                                                  |                          |                                                 |                        |                                                 |                         |
|--------------------------------------------------|--------------------------|-------------------------------------------------|------------------------|-------------------------------------------------|-------------------------|
| BD PEN NEEDLE NANO<br>ULTRAFINE.....             | 151                      | <b>bicalutamide</b> .....                       | 44                     | <b>butalbital-apap-caff-cod</b><br>.....        | 112, 123, 132, 134, 139 |
| BD PEN NEEDLE ORIG<br>ULTRAFINE.....             | 152                      | BIGFOOT UNITY PROGRAM                           | 152                    | <b>butalbital-apap-caffeine</b><br>.....        | 112, 123, 132, 139      |
| BD PEN NEEDLE SHORT<br>ULTRAFINE.....            | 152                      | BIJUVA.....                                     | 212, 225               | BUTALBITAL-APAP-<br>CAFFEINE.....               | 112, 123, 132, 139      |
| BD SAFETYGLIDE NEEDLE..                          | 152                      | BIKTARVY.....                                   | 32, 33                 | <b>butalbital-asa-caff-codeine</b><br>.....     | 123, 134, 139, 142      |
| BD SHARPS COLLECTOR....                          | 152                      | BILTRICIDE.....                                 | 23                     | <b>butalbital-aspirin-caffeine</b><br>.....     | 123, 139, 142           |
| BD ULTRA-FINE INSULIN<br>SYRINGES.....           | 152                      | <b>bimatoprost</b> .....                        | 183                    | <b>butorphanol tartrate</b> .....               | 119, 138                |
| BD ULTRA-FINE PEN<br>NEEDLES.....                | 152                      | BIMZELX.....                                    | 297, 304               | <b>cabergoline</b> .....                        | 128                     |
| BD VEO INSULIN SYR<br>ULTRAFINE.....             | 152                      | <b>bisacodyl ec</b> .....                       | 187                    | CABLIVI.....                                    | 73, 84                  |
| BELBUCA.....                                     | 138                      | <b>bisoprolol fumarate</b><br>.....             | 71, 90, 96, 98, 104    | CABOMETYX.....                                  | 44                      |
| <b>belladonna alkaloids-opium</b><br>.....       | 63, 134                  | <b>bisoprolol-<br/>hydrochlorothiazide</b> ..   | 90, 96, 168            | <b>caffeine citrate</b> .....                   | 119, 139                |
| <b>benazepril hcl</b> .....                      | 88                       | <b>blisovi 24 fe</b> .....                      | 204, 212, 225          | CALCIFOL.....                                   | 165, 310, 313           |
| <b>benazepril-<br/>hydrochlorothiazide</b> ..... | 88, 167                  | <b>blisovi fe 1.5/30</b> .....                  | 204, 212, 225          | <b>calcipotriene</b> .....                      | 291, 304                |
| BENEFIX.....                                     | 77                       | <b>blisovi fe 1/20</b> .....                    | 204, 212, 225          | <b>calcitonin (salmon)</b> .....                | 202, 248                |
| BENLYSTA.....                                    | 239, 262                 | BONSITY.....                                    | 223, 247               | CALCITRENE.....                                 | 291, 304                |
| <b>benzalkonium chloride</b> ..                  | 289, 301                 | BOOSTRIX.....                                   | 56, 57                 | <b>calcitriol</b> .....                         | 304, 313                |
| BENZNIDAZOLE.....                                | 25, 37                   | <b>bosentan</b> .....                           | 108, 275, 281          | <b>calcium acetate</b> .....                    | 164, 165                |
| <b>benzoin</b> .....                             | 291                      | BOSULIF.....                                    | 44                     | <b>calcium acetate (phos<br/>binder)</b> .....  | 164, 165                |
| <b>benzonatate</b> .....                         | 272                      | BREATHE COMFORT<br>CHAMBER/ADULT.....           | 152                    | CALQUENCE.....                                  | 44                      |
| <b>benzoyl peroxide-<br/>erythromycin</b> .....  | 285, 301                 | BREATHE COMFORT<br>CHAMBER/CHILD.....           | 152                    | <b>camila</b> .....                             | 204, 225                |
| <b>benztropine mesylate</b> ....                 | 65, 114                  | BRENZAVVY.....                                  | 234                    | <b>camrese</b> .....                            | 204, 212, 225           |
| BERINERT.....                                    | 251, 252                 | BREO ELLIPTA<br>.....                           | 70, 176, 177, 195, 273 | <b>camrese lo</b> .....                         | 204, 212, 225           |
| BESIVANCE.....                                   | 172                      | BREZTRI AEROSPHERE<br>.....                     | 63, 70, 195            | CAMZYOS.....                                    | 95                      |
| BETADINE OPHTHALMIC<br>PREP.....                 | 174                      | <b>brillevyn</b> .....                          | 204, 212, 225          | <b>candesartan cilexetil</b> .....              | 87                      |
| <b>betaine</b> .....                             | 264                      | <b>brimonidine tartrate</b><br>.....            | 171, 284, 304          | <b>candesartan cilexetil-hctz</b><br>.....      | 87, 168                 |
| <b>betamethasone dipropionate</b><br>.....       | 195, 292                 | <b>brinzolamide</b> .....                       | 176                    | <b>capecitabine</b> .....                       | 44                      |
| <b>betamethasone dipropionate<br/>aug</b> .....  | 194, 195, 292            | <b>bromfenac sodium (once-<br/>daily)</b> ..... | 182                    | CAPLYTA.....                                    | 122                     |
| <b>betamethasone valerate</b><br>.....           | 195, 292                 | <b>bromocriptine mesylate</b> .....             | 128                    | CAPRELSA.....                                   | 45                      |
| BETAPACE AF<br>.....                             | 67, 90, 96, 98, 99, 104  | BRUKINSA.....                                   | 44                     | <b>captopril</b> .....                          | 88                      |
| BETASERON.....                                   | 240, 258                 | <b>budesonide</b> ....                          | 195, 273, 278, 292     | <b>captopril-<br/>hydrochlorothiazide</b> ..... | 88, 168                 |
| <b>betaxolol hcl</b><br>.....                    | 71, 90, 96, 98, 104, 175 | <b>bumetanide</b> .....                         | 85, 103, 163           | CAPVAXIVE.....                                  | 57                      |
| <b>bethanechol chloride</b> .....                | 68                       | BUMEX.....                                      | 85, 103, 163           | <b>carbamazepine</b> .....                      | 114, 117                |
| BETIMOL.....                                     | 67, 90, 98, 175          | <b>buprenorphine</b> .....                      | 138                    | <b>carbamazepine er</b> .....                   | 114, 117                |
| BETOPTIC-S.....                                  | 71, 98, 175              | <b>buprenorphine hcl</b> .....                  | 138                    | <b>carbidopa</b> .....                          | 128                     |
| BEVESPI AEROSPHERE<br>.....                      | 63, 70, 289              | <b>buprenorphine hcl-naloxone<br/>hcl</b> ..... | 137, 138               | <b>carbidopa-levodopa</b> .....                 | 128                     |
| <b>bexarotene</b> .....                          | 44, 283, 304             | <b>bupropion hcl</b> .....                      | 117                    | <b>carbidopa-levodopa er</b> .....              | 128                     |
| BEXSERO.....                                     | 57                       | <b>bupropion hcl er (smoking<br/>det)</b> ..... | 60, 116                | <b>carbidopa-levodopa-<br/>entacapone</b> ..... | 126, 128                |
| BEYFORTUS.....                                   | 36                       | <b>bupropion hcl er (sr)</b> .....              | 117                    | <b>carbinoxamine maleate</b><br>.....           | 18, 19, 276             |
|                                                  |                          | <b>bupropion hcl er (xl)</b> .....              | 117                    | CARBZAH.....                                    | 18, 19, 276             |
|                                                  |                          | <b>buspirone hcl</b> .....                      | 121, 131               | CARDURA.....                                    | 67, 86, 90              |
|                                                  |                          | <b>butalbital-acetaminophen</b><br>.....        | 112, 123, 132          | CARDURA XL.....                                 | 68, 86, 90              |
|                                                  |                          |                                                 |                        | CAREPOINT POLY HUB<br>NEEDLE.....               | 152                     |



|                                       |                             |                                                  |                         |                                                  |               |
|---------------------------------------|-----------------------------|--------------------------------------------------|-------------------------|--------------------------------------------------|---------------|
| CAREPOINT SAFETY 1ST<br>NEEDLE.....   | 152                         | <b>chlordiazepoxide-<br/>amitriptyline</b> ..... | 125, 145                | <b>clindamycin palmitate hcl</b><br>.....        | 36, 285       |
| CARESENS CONTROL<br>SOLUTION A/B..... | 152                         | <b>chlorhexidine gluconate</b><br>.....          | 21, 174, 175, 289, 301  | <b>clindamycin phos (twice-<br/>daily)</b> ..... | 36, 285       |
| CARESENS LANCETS 30G... 152           |                             | <b>chloroquine phosphate</b> .....               | 24                      | <b>clindamycin phos-benzoyl<br/>perox</b> .....  | 36, 285, 301  |
| CARESENS S CONTROL<br>SOLN A/B.....   | 152                         | <b>chlorpromazine hcl</b> .....                  | 138                     | <b>clindamycin phosphate</b> ..                  | 36, 285       |
| CARETOUCH CONTROL SOL<br>LEVEL 2..... | 152                         | <b>chlorthalidone</b> .....                      | 85, 108, 169            | CLINDESSE.....                                   | 36, 285       |
| CARETOUCH HYPODERMIC<br>NEEDLE.....   | 153                         | <b>chlorzoxazone</b> .....                       | 66                      | CLINPRO 5000.....                                | 148, 249      |
| CARETOUCH<br>LANCING/EJECTOR.....     | 153                         | CHOLBAM.....                                     | 188, 190                | <b>clobazam</b> .....                            | 123, 124, 125 |
| <b>carglumic acid</b> .....           | 162                         | <b>cholestyramine</b> .....                      | 91                      | <b>clobetasol propionate</b> .....               | 293           |
| <b>carisoprodol</b> .....             | 66                          | <b>cholestyramine light</b> .....                | 91                      | <b>clobetasol propionate e</b> .....             | 293           |
| CAROSPIR85, 103, 107, 108, 165        |                             | CHORIONIC<br>GONADOTROPIN.....                   | 220                     | <b>clocortolone pivalate</b> .....               | 293           |
| <b>carteolol hcl</b> .....            | 175                         | CHOSEN LANCETS 30G.....                          | 153                     | CLOMID.....                                      | 211           |
| <b>cartia xt</b> .....                | 92, 93, 94, 99, 108         | CHOSEN LANCING DEVICE. 153                       |                         | <b>clomiphene citrate</b> .....                  | 211           |
| <b>carvedilol</b><br>.....            | 67, 69, 86, 90, 96, 98, 104 | CHOSEN SAFETY LANCETS<br>28G.....                | 153                     | <b>clomipramine hcl</b> .....                    | 145           |
| CAVERJECT.....                        | 101, 109                    | CIBINQO.....                                     | 241, 253, 299, 304      | <b>clonazepam</b> .....                          | 124, 125      |
| CAVERJECT IMPULSE..                   | 101, 108                    | <b>ciclodan</b> .....                            | 297                     | <b>clonidine</b> .....                           | 62, 96, 102   |
| CAYA.....                             | 268                         | <b>ciclopirox</b> .....                          | 297                     | <b>clonidine hcl</b> .....                       | 62, 96, 102   |
| <b>cefaclor</b> .....                 | 21                          | <b>ciclopirox olamine</b> .....                  | 297                     | <b>clonidine hcl er</b> .....                    | 62, 102       |
| <b>cefaclor er</b> .....              | 21                          | <b>cilostazol</b> .....                          | 83, 106                 | <b>clopidogrel bisulfate</b> .....               | 83            |
| <b>cefadroxil</b> .....               | 20, 21                      | CILOXAN.....                                     | 172                     | <b>clorazepate dipotassium</b><br>.....          | 124, 125      |
| <b>cefdinir</b> .....                 | 21                          | CIMDUO.....                                      | 33                      | <b>clotrimazole</b> .....                        | 290           |
| <b>cefixime</b> .....                 | 21                          | <b>cimetidine</b> .....                          | 19, 192                 | <b>clotrimazole-betamethasone</b><br>.....       | 290, 293      |
| <b>cefpodoxime proxetil</b> .....     | 21                          | <b>cimetidine hcl</b> .....                      | 19, 192                 | <b>clozapine</b> .....                           | 122           |
| <b>cefprozil</b> .....                | 21                          | CIMZIA (2 SYRINGE)<br>.....                      | 190, 238, 244, 253, 258 | CLOZARIL.....                                    | 122           |
| <b>cefuroxime axetil</b> .....        | 21                          | CIMZIA-STARTER<br>.....                          | 190, 238, 244, 253, 258 | COAGADEX.....                                    | 77            |
| <b>celecoxib</b> .....                | 127                         | <b>cinacalcet hcl</b> .....                      | 202                     | <b>coal tar</b> .....                            | 301           |
| CELONTIN.....                         | 145                         | CIPRO.....                                       | 26, 41                  | COARTEM.....                                     | 24            |
| <b>cephalexin</b> .....               | 21                          | <b>ciprofloxacin hcl</b> .....                   | 26, 41, 172             | <b>codeine sulfate</b> .....                     | 134, 272      |
| CEQUR SIMPLICITY 2U.....              | 153                         | <b>ciprofloxacin-<br/>dexamethasone</b> .....    | 172, 177                | <b>colchicine</b> .....                          | 246           |
| CERDELGA.....                         | 169, 264                    | <b>citalopram hydrobromide</b> .....             | 144                     | <b>colchicine-probenecid</b> ..                  | 169, 247      |
| CERVIDIL.....                         | 269                         | <b>citroma</b> .....                             | 187                     | <b>colesevelam hcl</b> .....                     | 91, 200       |
| CETRAXAL.....                         | 172                         | <b>claravis</b> .....                            | 299, 304                | COLESTID.....                                    | 92            |
| CETROTIDE.....                        | 200                         | <b>clarithromycin</b> .....                      | 26, 39, 186             | <b>colestipol hcl</b> .....                      | 92            |
| <b>cevimeline hcl</b> .....           | 68                          | <b>clarithromycin er</b> .....                   | 26, 39, 186             | <b>colistimethate sodium (cba)</b> ..            | 41            |
| CHANTIX.....                          | 60, 65                      | <b>clearlax</b> .....                            | 187                     | COLY-MYCIN M.....                                | 41            |
| CHANTIX CONTINUING<br>MONTH PAK.....  | 60, 65                      | <b>clemastine fumarate</b> . 18, 19, 276         |                         | COMBIGAN.....                                    | 171, 175, 284 |
| CHANTIX STARTING MONTH<br>PAK.....    | 60, 65                      | CLEMSZA.....                                     | 18, 19, 276             | COMBIPATCH.....                                  | 212, 225      |
| <b>charlotte 24 fe</b> .....          | 204, 212, 225               | CLENPIQ.....                                     | 187                     | COMBIVENT RESPIMAT<br>.....                      | 63, 70, 270   |
| <b>chateal eq</b> .....               | 204, 212, 225               | CLEOCIN.....                                     | 36, 285                 | COMETRIQ.....                                    | 45            |
| CHEMET.....                           | 16, 194, 245                | CLEVER CHOICE COMFORT<br>EZ.....                 | 153                     | COMFORT EZ PRO PEN<br>NEEDLES.....               | 153           |
| CHEMSTRIP BG LOG BOOK. 153            |                             | CLIMARA PRO.....                                 | 212, 225                | COMFORT TOUCH TWIST<br>LANCET 30G.....           | 153           |
| CHEMSTRIP K.....                      | 161                         | <b>clindacin</b> .....                           | 36, 285                 | COMIRNATY.....                                   | 57            |
| CHEMSTRIP UGK.....                    | 162                         | <b>clindacin etz</b> .....                       | 36, 285                 | COMIRNATY 5-11 YEARS.....                        | 57            |
| <b>chlordiazepoxide hcl</b> .....     | 125                         | <b>clindacin-p</b> .....                         | 36, 285                 | COMPLERA.....                                    | 32, 33, 38    |
|                                       |                             | <b>clindamycin hcl</b> .....                     | 36, 285                 | CONDOMS.....                                     | 268           |
|                                       |                             |                                                  |                         | CONDYLOX.....                                    | 299, 304      |



|                                  |                         |                                   |                         |                                        |               |
|----------------------------------|-------------------------|-----------------------------------|-------------------------|----------------------------------------|---------------|
| <b>constulose</b> .....          | 162                     | CYCLOMYDRIL.....                  | 183                     | DEPAKOTE SPRINKLES                     |               |
| CONTOUR CONTROL.....             | 153                     | <b>cyclopentolate hcl</b> .....   | 183                     | .....                                  | 114, 117, 120 |
| CONTOUR NEXT CONTROL.....        | 153                     | <b>cyclophosphamide</b> .....     | 45, 239, 262            | DEPEN TITRATABS.....                   | 16, 194, 254  |
| CONTOUR NEXT EZ.....             | 153                     | CYCLOPHOSPHAMIDE                  |                         | DEPO-ESTRADIOL.....                    | 213, 248      |
| CONTOUR NEXT GEN                 |                         | .....                             | 45, 239, 262            | DEPO-PROVERA.....                      | 204, 226      |
| MONITOR.....                     | 153                     | <b>cycloserine</b> .....          | 26                      | DEPO-SUBQ PROVERA                      | 104           |
| CONTOUR NEXT MONITOR.....        | 153                     | <b>cyclosporine</b>               |                         | .....                                  | 204, 226      |
| CONTOUR NEXT ONE.....            | 153                     | .....                             | 174, 237, 254, 258, 262 | DEPO-TESTOSTERONE.....                 | 199, 200      |
| CONTOUR NEXT TEST.....           | 161                     | <b>cyclosporine modified</b>      |                         | DERMA-SMOOTH/FS BODY                   |               |
| CONTOUR PLUS BLUE.....           | 153                     | .....                             | 174, 237, 254, 258, 262 | .....                                  | 177, 293      |
| CONTOUR PLUS CONTROL             |                         | <b>cyproheptadine hcl</b> .....   | 18, 19, 276             | DERMA-SMOOTH/FS                        |               |
| SOLUTION.....                    | 153                     | <b>cyred eq</b> .....             | 204, 213, 225           | SCALP.....                             | 177, 293      |
| CONTOUR PLUS TEST.....           | 161                     | CYSTADANE.....                    | 264                     | DERMOTIC.....                          | 177, 293      |
| COPIKTRA.....                    | 45                      | CYSTADROPS.....                   | 181, 182                | DESCOVY.....                           | 34, 38        |
| CORDRAN.....                     | 293                     | CYSTAGON.....                     | 264                     | <b>desipramine hcl</b> .....           | 145           |
| CORIFACT.....                    | 77                      | CYSTARAN.....                     | 181, 182                | <b>desmopressin ace spray</b>          |               |
| CORLANOR.....                    | 95, 109                 | CYTOTEC.....                      | 193                     | <b>refrig</b> .....                    | 77, 223       |
| CORTANE-B                        |                         | <b>cytra k crystals</b> .....     | 162                     | <b>desmopressin acetate</b> ....       | 77, 223       |
| .....                            | 177, 195, 288, 293, 301 | <b>dabigatran etexilate</b>       |                         | <b>desmopressin acetate pf</b>         | 77, 223       |
| CORTEF.....                      | 177, 195, 293           | <b>mesylate</b> .....             | 74                      | <b>desmopressin acetate spray</b>      |               |
| CORTENEMA.....                   | 177, 195, 293           | <b>dalfampridine er</b> .....     | 264, 268                | .....                                  | 77, 223       |
| CORTIFOAM.....                   | 177, 195, 293           | <b>danazol</b> .....              | 199                     | <b>desogestrel-ethinyl estradiol</b>   |               |
| CORTISPORIN-TC.....              | 172, 177                | DANTRIUM.....                     | 66                      | .....                                  | 204, 213, 226 |
| CORTROSYN.....                   | 160                     | <b>dantrolene sodium</b> .....    | 66                      | <b>desonide</b> .....                  | 293           |
| COSENTYX (300 MG DOSE)           |                         | <b>dapsone</b> .....              | 24, 25, 285, 305        | <b>desoximetasone</b> .....            | 293, 294      |
| .....                            | 241, 253, 304           | DAPTACEL.....                     | 56, 57                  | <b>desvenlafaxine succinate er</b>     | 142           |
| COSENTYX 150 MG/ML               |                         | DARAPRIM.....                     | 24                      | <b>dexamethasone</b> .....             | 177, 195, 196 |
| .....                            | 241, 253, 254, 304      | <b>darunavir</b> .....            | 35                      | <b>dexamethasone intensol</b>          |               |
| COSENTYX SENSOREADY              |                         | <b>dasatinib</b> .....            | 45                      | .....                                  | 177, 195      |
| (300 MG).....                    | 241, 254, 305           | <b>dasetta 1/35 (28)</b> ....     | 204, 213, 225           | <b>dexamethasone sodium</b>            |               |
| COSENTYX SENSOREADY              |                         | <b>dasetta 7/7/7</b> .....        | 204, 213, 225           | <b>phosphate</b> .....                 | 177           |
| PEN.....                         | 241, 254, 305           | DAURISMO.....                     | 45                      | DEXCOM G6 RECEIVER.....                | 154           |
| COSENTYX UNOREADY                |                         | DAYBUE.....                       | 127                     | DEXCOM G6 SENSOR.....                  | 154           |
| .....                            | 241, 254, 305           | <b>daysee</b> .....               | 204, 213, 225           | DEXCOM G6 TRANSMITTER                  | 154           |
| COSOPT.....                      | 175, 176                | DEBACTEROL.....                   | 181, 301                | DEXCOM G7 15 DAY                       |               |
| <b>cosyntropin</b> .....         | 160                     | <b>deblitane</b> .....            | 204, 225                | SENSOR.....                            | 154           |
| COTELLIC.....                    | 45                      | <b>deferasirox</b> .....          | 194                     | DEXCOM G7 RECEIVER.....                | 154           |
| COVARYX.....                     | 199, 213                | <b>deferasirox granules</b> ..... | 194                     | DEXCOM G7 SENSOR.....                  | 154           |
| COVARYX HS.....                  | 199, 212                | <b>deferiprone</b> .....          | 194                     | <b>dexmethylphenidate hcl</b> .....    | 139           |
| CRENESSITY.....                  | 77, 223                 | DELESTROGEN.....                  | 213, 248                | <b>dexmethylphenidate hcl er</b> ...   | 139           |
| CREON.....                       | 170, 188, 189           | DELSTRIGO.....                    | 33, 34                  | <b>dextroamphetamine sulfate</b> ..... | 112           |
| CRESEMBA.....                    | 27                      | <b>delyla</b> .....               | 204, 213, 226           | <b>dextroamphetamine sulfate</b>       |               |
| CREXONT.....                     | 128                     | <b>demeclocycline hcl</b> .....   | 42                      | <b>er</b> .....                        | 111, 112      |
| CRINONE.....                     | 225                     | DEMSE.....                        | 161, 264                | DIABECIN HR.....                       | 288, 301      |
| <b>cromolyn sodium</b> ..        | 171, 181, 277           | DENGVAIXA.....                    | 57                      | DIABETES MONITOR DIGIT                 |               |
| CROTAN.....                      | 303                     | DENTA 5000 PLUS.....              | 147, 148, 249           | ADD-ON.....                            | 154, 264      |
| <b>cryselle-28</b> .....         | 204, 213, 225           | DENTA 5000 PLUS                   |                         | DIABETES MONITOR DIGIT                 |               |
| CTEXLI.....                      | 188                     | SENSITIVE.....                    | 148, 249                | SOLN.....                              | 154, 264      |
| CUVPOSA.....                     | 63, 289                 | DENTAGEL.....                     | 147, 148, 250           | DIASTIX REAGENT.....                   | 161           |
| <b>cyanocobalamin</b> .....      | 82, 310                 | DEPAKOTE....                      | 114, 117, 119, 129      | <b>diazepam</b> .....                  | 124, 125      |
| CYANOCOBALAMIN.....              | 82, 310                 | DEPAKOTE ER                       |                         | <b>diazepam intensol</b> .....         | 124, 125      |
| <b>cyclobenzaprine hcl</b> ..... | 66                      | .....                             | 114, 117, 119, 129      | <b>diazoxide</b> .....                 | 201           |
| CYCLOGYL.....                    | 183                     |                                   |                         | <b>dichlorphenamide</b> .....          | 84, 249       |

|                                           |                                |                                    |                    |                                       |                         |
|-------------------------------------------|--------------------------------|------------------------------------|--------------------|---------------------------------------|-------------------------|
| <b>diclofenac potassium</b> .....         | 133                            | <b>doxazosin mesylate</b> ....     | 68, 86, 90         | <b>efavirenz-lamivudine-</b>          |                         |
| <b>diclofenac sodium</b>                  |                                | <b>doxepin hcl</b> .....           | 145, 288           | <b>tenofovir</b> .....                | 33, 34                  |
| .....                                     | 133, 141, 146, 182, 302        | <b>doxercalciferol</b> .....       | 313                | EFFER-K.....                          | 165                     |
| <b>diclofenac sodium er</b> .....         | 133                            | <b>doxycycline hyclate</b> ..      | 24, 42, 285        | <b>effe-k</b> .....                   | 165                     |
| <b>diclofenac-misoprostol</b>             | 133, 193                       | <b>doxycycline monohydrate</b>     |                    | EGATEN.....                           | 23                      |
| <b>dicloxacin sodium</b> .....            | 40                             | .....                              | 24, 42, 285        | ELESTRIN.....                         | 213, 248                |
| <b>dicyclomine hcl</b> .....              | 63                             | DRISDOL.....                       | 313                | <b>eletriptan hydrobromide</b> .....  | 143                     |
| DIFICID.....                              | 39                             | DRIZALMA SPRINKLE.....             | 143                | ELIMITE.....                          | 303                     |
| <b>diflorasone diacetate</b> .....        | 294                            | <b>dronabinol</b> .....            | 185, 190           | <b>elinest</b> .....                  | 204, 213, 226           |
| <b>diflunisal</b> .....                   | 133, 141                       | DROPLET MICRON.....                | 154                | ELIQUIS.....                          | 74                      |
| <b>difluprednate</b> .....                | 177                            | DROPSAFE ACTI-LANCE                |                    | ELIQUIS (1.5 MG PACK).....            | 73                      |
| <b>digoxin</b> .....                      | 89, 95                         | 23G.....                           | 154                | ELIQUIS (2 MG PACK).....              | 74                      |
| <b>dihydroergotamine mesylate</b>         |                                | DROPSAFE SAFETY                    |                    | ELIQUIS DVT/PE STARTER                |                         |
| .....                                     | 68, 120                        | SYRINGE/NEEDLE.....                | 154                | PACK.....                             | 74                      |
| DILANTIN.....                             | 97, 130                        | DROPSAFE SICURA.....               | 154                | ELITE-OB.....                         | 81, 308, 311            |
| DILANTIN INFATABS.....                    | 97, 130                        | <b>drosipren-eth estrad-</b>       |                    | <b>elixophyllin</b>                   |                         |
| DILANTIN-125.....                         | 97, 130                        | <b>levomefol</b> .....             | 204, 213, 226, 310 | .....                                 | 102, 139, 163, 283, 308 |
| <b>diltiazem hcl</b> 92, 93, 94, 100, 109 |                                | DROXIA.....                        | 45                 | ELLA.....                             | 204, 226                |
| <b>diltiazem hcl er</b>                   |                                | DRYSOL.....                        | 289                | <b>eltrombopag olamine</b> .....      | 75                      |
| .....                                     | 92, 93, 94, 99, 100, 109       | DUAVEE.....                        | 211, 213           | <b>eluryng</b> .....                  | 204, 213, 226           |
| <b>diltiazem hcl er beads</b>             |                                | DUETACT.....                       | 235                | EMBECTA AUTOSHIELD                    |                         |
| .....                                     | 92, 93, 94, 99, 109            | <b>duloxetine hcl</b> .....        | 128, 143           | DUO.....                              | 154                     |
| <b>diltiazem hcl er coated</b>            |                                | DUOPA.....                         | 128                | EMBECTA INS SYR U/F 1/2               |                         |
| <b>beads</b> .....                        | 92, 93, 94, 99, 109            | DUPIXENT.....                      | 276, 297, 298, 305 | UNIT.....                             | 154                     |
| <b>dilt-xr</b> .....                      | 92, 93, 94, 100, 109           | DUREX EXTRA SENSITIVE              |                    | EMBECTA INSULIN SYR                   |                         |
| <b>dimethyl fumarate</b> .....            | 239, 258                       | THIN.....                          | 268                | ULTRAFINE.....                        | 155                     |
| <b>dimethyl fumarate starter</b>          |                                | DUREX TROPICAL.....                | 268                | EMBECTA INSULIN SYRINGE               |                         |
| <b>pack</b> .....                         | 239, 258                       | <b>dutasteride</b> .....           | 245                | .....                                 | 155                     |
| <b>diphenhydramine hcl</b>                |                                | DYCLOPRO.....                      | 288                | EMBECTA INSULIN SYRINGE               |                         |
| .....                                     | 18, 19, 65, 114, 121, 272, 276 | E.E.S. GRANULES.....               | 28                 | U-100.....                            | 155                     |
| <b>diphenoxylate-atropine</b> ..          | 63, 185                        | EASIVENT.....                      | 154                | EMBECTA INSULIN SYRINGE               |                         |
| DIPROLENE.....                            | 196, 294                       | EASY COMFORT SHARPS                |                    | U-500.....                            | 155                     |
| <b>dipyridamole</b> .....                 | 83, 106, 109, 160              | CONTAINER.....                     | 154                | EMBECTA PEN NEEDLE                    |                         |
| <b>disopyramide phosphate</b> .....       | 97                             | EASY TOUCH HEALTHPRO               |                    | NANO.....                             | 155                     |
| <b>disulfiram</b> .....                   | 16, 245                        | HIGH/LOW.....                      | 154                | EMBECTA PEN NEEDLE                    |                         |
| DIURIL.....                               | 85, 108, 168                   | EASYGEL.....                       | 147, 148, 250      | NANO 2 GEN.....                       | 155                     |
| <b>divalproex sodium</b>                  |                                | EASYMAX 15 LEVEL 2-3               |                    | EMBECTA PEN NEEDLE                    |                         |
| .....                                     | 114, 115, 118, 120, 129        | CONTROL.....                       | 154                | ULTRAFINE.....                        | 155                     |
| <b>divalproex sodium er</b>               |                                | EASYMAX CONTROL.....               | 154                | EMBRACE PEN NEEDLES....               | 155                     |
| .....                                     | 114, 118, 120, 129             | EASYMAX CONTROL                    |                    | EMEND.....                            | 192                     |
| DIVIGEL.....                              | 213, 248                       | NORMAL/HIGH.....                   | 154                | EMGALITY.....                         | 126                     |
| <b>dofetilide</b> .....                   | 99                             | EBGLYSS.....                       | 298                | EMPAVELI.....                         | 251, 252                |
| DOJOLVI.....                              | 163                            | <b>econazole nitrate</b> .....     | 290                | <b>emtricitabine</b> .....            | 34                      |
| <b>dolishale</b> .....                    | 204, 213, 226                  | <b>econtra one-step</b> ...        | 200, 204, 226      | <b>emtricitabine-tenofovir df</b> ..  | 34, 38                  |
| <b>donepezil hcl</b> .....                | 68                             | EC-RX DHEA.....                    | 264                | <b>emtricitab-rilpivir-tenofov df</b> |                         |
| DOPTELET.....                             | 75                             | EDEX.....                          | 102, 109           | .....                                 | 33, 34, 38              |
| DOPTELET SPRINKLE.....                    | 75                             | EDURANT.....                       | 33                 | EMTRIVA.....                          | 34                      |
| DORZOLAMIDE HCL.....                      | 176                            | EDURANT PED.....                   | 33                 | EMVERM.....                           | 23                      |
| <b>dorzolamide hcl</b> .....              | 176                            | EEMT.....                          | 199, 213           | <b>emzahn</b> .....                   | 205, 226                |
| <b>dorzolamide hcl-timolol mal</b>        |                                | EEMT HS.....                       | 199, 213           | <b>enalapril maleate</b> .....        | 88                      |
| .....                                     | 175, 176                       | <b>efavirenz</b> .....             | 33                 | <b>enalapril-</b>                     |                         |
| <b>dotti</b> .....                        | 213, 248                       | <b>efavirenz-emtricitab-tenofo</b> |                    | <b>hydrochlorothiazide</b> .....      | 89, 168                 |
| DOVATO.....                               | 32, 34                         | <b>df</b> .....                    | 33, 34             | ENBRACE HR..                          | 81, 264, 308, 311       |

|                                      |                        |                                      |               |                                      |                    |
|--------------------------------------|------------------------|--------------------------------------|---------------|--------------------------------------|--------------------|
| ENBREL.....                          | 244, 254, 258          | <b>estazolam</b> .....               | 125           | <b>fenofibric acid</b> .....         | 102                |
| ENBREL MINI.....                     | 244, 254, 258          | <b>estradiol</b> .....               | 214, 248      | <b>fentanyl</b> .....                | 134                |
| ENBREL SURECLICK                     |                        | <b>estradiol valerate</b> .....      | 214, 248      | <b>fidaxomicin</b> .....             | 39, 40             |
| .....                                | 244, 254, 259          | <b>estradiol-norethindrone acet</b>  |               | FILSPARI.....                        | 107, 257, 265, 275 |
| ENCARE.....                          | 268                    | .....                                | 214, 226      | FILSUVEZ.....                        | 305                |
| ENDARI.....                          | 264, 305               | ESTRATEST H.S.....                   | 199, 214      | FINACEA.....                         | 286, 305           |
| <b>endocet</b> .....                 | 112, 132, 134          | ESTRING.....                         | 214, 248      | <b>finasteride</b> .....             | 245, 292           |
| ENDOMETRIN.....                      | 226                    | ESTROGEL.....                        | 214, 248      | <b>finbolimod hcl</b> .....          | 243, 259           |
| ENFLONIA.....                        | 36                     | <b>estrogens conjugated</b> ...      | 214, 249      | <b>finzala</b> .....                 | 205, 215, 227      |
| ENERGIX-B.....                       | 57, 58                 | <b>eszopiclone</b> .....             | 121, 131      | FIORICET.....                        | 112, 123, 132, 139 |
| <b>enilloring</b> .....              | 205, 213, 226          | <b>ethacrynic acid</b> .....         | 85, 103, 163  | FIRDAPSE.....                        | 68, 265            |
| ENLITE GLUCOSE SENSOR.               | 155                    | <b>ethambutol hcl</b> .....          | 26            | FIRMAGON.....                        | 46, 200            |
| <b>enoxaparin sodium</b> .....       | 80                     | <b>ethosuximide</b> .....            | 145           | FIRMAGON (240 MG DOSE)               |                    |
| <b>enpresse-28</b> .....             | 205, 213, 226          | <b>ethynodiol diac-eth estradiol</b> |               | .....                                | 46, 200            |
| <b>enskyce</b> .....                 | 205, 213, 226          | .....                                | 205, 214, 226 | FIRST-LANSOPRAZOLE.....              | 193                |
| ENSTILAR.....                        | 291, 294, 305          | <b>etodolac</b> .....                | 133, 141      | FIRST-OMEPRAZOLE.....                | 193                |
| <b>entacapone</b> .....              | 126                    | <b>etodolac er</b> .....             | 133, 141      | FIRVANQ.....                         | 29                 |
| <b>entecavir</b> .....               | 38                     | <b>etonogestrel-ethinyl</b>          |               | FLAREX.....                          | 177                |
| ENTRESTO.....                        | 86, 87, 107            | <b>estradiol</b> .....               | 205, 214, 226 | <b>flavoxate hcl</b> .....           | 307                |
| ENTYVIO PEN.....                     | 184, 190, 238          | <b>etoposide</b> .....               | 45            | <b>flecainide acetate</b> .....      | 97                 |
| <b>enulose</b> .....                 | 162                    | <b>etravirine</b> .....              | 33            | FLEQSUVY.....                        | 66                 |
| EPANED.....                          | 88, 89                 | EUCRISA.....                         | 288, 302      | FLEXICHAMBER.....                    | 155                |
| EPCLUSA.....                         | 29, 30, 31             | EVAMIST.....                         | 214, 249      | FLEXICHAMBER ADULT                   |                    |
| EPIDIOLEX.....                       | 115                    | <b>everolimus</b> .....              | 46, 239, 240  | MASK/SMALL.....                      | 155                |
| EPIFOAM.....                         | 288, 294               | EVEXITHROID.....                     | 236           | FLEXICHAMBER CHILD                   |                    |
| <b>epinastine hcl</b> .....          | 20, 171                | EVOTAZ.....                          | 35, 264       | MASK/LARGE.....                      | 155                |
| <b>epinephrine</b> .....             | 62, 270                | EVRYSDI.....                         | 264, 265      | FLEXICHAMBER CHILD                   |                    |
| EPINEPHRINE.....                     | 62, 270                | EXELDERM.....                        | 290           | MASK/SMALL.....                      | 155                |
| <b>epinephrine hcl (nasal)</b>       |                        | <b>exemestane</b> .....              | 46, 200       | FLOLIPID.....                        | 103                |
| .....                                | 62, 184, 270           | EXENATIDE.....                       | 221           | FLORIVA.....                         | 147, 148, 250, 313 |
| <b>eplerenone</b>                    |                        | EXODERM.....                         | 18, 287, 300  | FLOTREX.....                         | 147, 148, 250, 308 |
| .....                                | 85, 103, 107, 108, 165 | EYSUVIS.....                         | 177           | FLUAD.....                           | 58                 |
| <b>ergocalciferol</b> .....          | 313                    | EZALLOR SPRINKLE.....                | 103           | FLUARIX.....                         | 58                 |
| <b>ergotamine-caffeine</b>           | 68, 120, 139           | <b>ezetimibe</b> .....               | 97            | FLUCELVAX.....                       | 58                 |
| ERIVEDGE.....                        | 45                     | FABHALTA.....                        | 237, 251      | <b>fluconazole</b> .....             | 27                 |
| ERLEADA.....                         | 45                     | <b>falmina</b> .....                 | 205, 214, 226 | <b>flucytosine</b> .....             | 41                 |
| <b>erlotinib hcl</b> .....           | 45                     | <b>famciclovir</b> .....             | 38            | <b>fludrocortisone acetate</b> ..... | 196                |
| <b>errin</b> .....                   | 205, 226               | <b>famotidine</b> .....              | 19, 192       | FLULAVAL.....                        | 58                 |
| <b>ery</b> .....                     | 29, 172, 286           | FASENRA PEN.....                     | 276           | FLUMIST.....                         | 58                 |
| ERYPED 400.....                      | 29                     | FC2 FEMALE CONDOM.....               | 268           | <b>flunisolide</b> .....             | 177, 196, 273, 277 |
| <b>erythromycin</b> .....            | 29, 172, 286           | <b>febuxostat</b> .....              | 247           | <b>fluocinolone acetonide</b> .      | 178, 294           |
| <b>erythromycin base</b> .....       | 29                     | FEIBA.....                           | 77            | <b>fluocinolone acetonide body</b>   |                    |
| <b>erythromycin ethylsuccinate</b> . | 29                     | <b>feirza 1.5/30</b> .....           | 205, 214, 226 | .....                                | 177, 294           |
| <b>escitalopram oxalate</b> .....    | 144                    | <b>feirza 1/20</b> .....             | 205, 215, 226 | <b>fluocinolone acetonide scalp</b>  |                    |
| <b>eslicarbazepine acetate</b>       | 115, 130               | <b>felbamate</b> .....               | 115           | .....                                | 178, 294           |
| <b>esomeprazole magnesium</b> ...    | 193                    | FELBATOL.....                        | 115           | <b>fluocinonide</b> .....            | 294                |
| <b>est estrogens-methyltest</b>      |                        | <b>felodipine er</b> .....           | 100, 101      | <b>fluocinonide emulsified base</b>  |                    |
| .....                                | 199, 214               | FEM PH.....                          | 301, 305      | .....                                | 294                |
| <b>est estrogens-methyltest ds</b>   |                        | FEMCAP.....                          | 268           | FLUORIDEX.....                       | 148, 250           |
| .....                                | 199, 214               | FEMLYV.....                          | 205, 215, 227 | FLUORIDEX DAILY                      |                    |
| <b>est estrogens-methyltest hs</b>   |                        | FEMRING.....                         | 215, 249      | RENEWAL.....                         | 147, 148, 250      |
| .....                                | 199, 214               | <b>fenofibrate</b> .....             | 102           | FLUORIDEX ENHANCED                   |                    |
| <b>estarylla</b> .....               | 205, 214, 226          | <b>fenofibrate micronized</b> .....  | 102           | WHITENING.....                       | 148, 250           |

|                                      |                         |                                        |                                          |                   |
|--------------------------------------|-------------------------|----------------------------------------|------------------------------------------|-------------------|
| FLUORIMAX 5000.....                  | 148, 250                | FREESTYLE LIBRE 3 PLUS                 | GLEOSTINE.....                           | 46                |
| FLUORIMAX 5000 SENSITIVE             |                         | SENSOR.....                            | <b>glimepiride</b> .....                 | 235               |
| .....                                | 148, 250                | FREESTYLE LIBRE 3                      | <b>glipizide</b> .....                   | 235               |
| <b>fluorometholone</b> .....         | 178                     | READER.....                            | <b>glipizide er</b> .....                | 235               |
| <b>fluorouracil</b> .....            | 46, 284, 305            | FREESTYLE LIBRE 3                      | <b>glipizide-metformin hcl</b> .....     | 202, 235          |
| <b>fluoxetine hcl</b> .....          | 144                     | SENSOR.....                            | GLOPERBA.....                            | 247               |
| <b>fluphenazine hcl</b> .....        | 138                     | FREESTYLE LIBRE READER                 | <b>glucagon emergency kit</b>            |                   |
| <b>flurandrenolide</b> .....         | 294                     | <b>frovatriptan succinate</b> .....    | .....                                    | 16, 220, 245      |
| <b>flurazepam hcl</b> .....          | 125                     | FRUZAQLA.....                          | GLUCOTROL XL.....                        | 235               |
| <b>flurbiprofen</b> .....            | 133, 141, 182           | <b>ft aspirin</b> .....                | <b>glutaraldehyde</b> .....              | 162               |
| <b>flurbiprofen sodium</b> .....     | 141, 182                | <b>ft aspirin low dose</b>             | <b>glyburide</b> .....                   | 235               |
| <b>fluticasone propionate</b>        |                         | .....                                  | <b>glyburide micronized</b> .....        | 235               |
| .....                                | 178, 196, 273, 277, 294 | <b>ft clearlax</b> .....               | <b>glyburide-metformin</b> .....         | 202, 235          |
| <b>fluticasone-salmeterol</b>        |                         | <b>ft folic acid</b> .....             | <b>glycerol phenylbutyrate</b> .....     | 163               |
| .....                                | 70, 178, 196, 273       | <b>ft laxative</b> .....               | <b>glycolax</b> .....                    | 187               |
| FLUTICASONE-                         |                         | <b>ft magnesium citrate</b> .....      | <b>glycopyrrolate</b> .....              | 63, 289           |
| SALMETEROL..                         | 70, 178, 196, 273       | <b>ft naloxone hcl</b> .....           | <b>glydo</b> .....                       | 288               |
| <b>fluvastatin sodium</b> .....      | 103                     | <b>ft nicotine</b> .....               | GLYXAMBI.....                            | 210, 234          |
| <b>fluvoxamine maleate</b> .....     | 144                     | <b>ft nicotine mini</b> .....          | GOLYTELY.....                            | 187               |
| <b>fluvoxamine maleate er</b> .....  | 144                     | <b>furosemide</b> .....                | GOMEKLI.....                             | 46                |
| FLUZONE.....                         | 58                      | <b>fyavolv</b> .....                   | GONAL-F.....                             | 220               |
| FLUZONE HIGH-DOSE.....               | 58                      | FYCOMPA.....                           | GONAL-F RFF REDIRECT.....                | 221               |
| FML FORTE.....                       | 178                     | FYREMADEL.....                         | <b>goodsense aspirin low dose</b>        |                   |
| FML LIQUIFILM.....                   | 178                     | <b>gabapentin</b> .....                | .....                                    | 83, 84, 120, 142  |
| <b>folic acid</b> .....              | 311                     | GALAFOLD.....                          | <b>goodsense nicotine</b> .....          | 61, 65            |
| FOLLISTIM AQ.....                    | 220                     | <b>galantamine hydrobromide</b> .....  | <b>goodsense nicotine</b>                |                   |
| <b>fondaparinux sodium</b> .....     | 73, 80                  | <b>galantamine hydrobromide</b>        | <b>policrilex</b> .....                  | 61, 65            |
| FORA TEST N' GO ADVANCE              |                         | <b>er</b> .....                        | GORDOFILM.....                           | 291, 300          |
| .....                                | 155                     | <b>galbriela</b> .....                 | <b>granisetron hcl</b> .....             | 185               |
| FORA TEST N'GO ADV-                  |                         | <b>gallifrey</b> .....                 | GRASTEK.....                             | 55                |
| VOICE-6 CON.....                     | 161                     | GALZIN.....                            | <b>griseofulvin microsize</b> .....      | 23                |
| FORANE.....                          | 130                     | <b>ganirelix acetate</b> .....         | <b>griseofulvin ultramicrosize</b> ..... | 23                |
| <b>formaldehyde</b> .....            | 162                     | GARDASIL 9.....                        | <b>guaifenesin-codeine</b> .....         | 272, 276          |
| FOSAMAX.....                         | 249                     | <b>gatifloxacin</b> .....              | <b>guanfacine hcl</b> .....              | 96, 102, 127      |
| FOSAMAX PLUS D.....                  | 249, 313                | GATTEX.....                            | <b>guanfacine hcl er</b> .....           | 127               |
| <b>fosamprenavir calcium</b> .....   | 35                      | <b>gavilax</b> .....                   | GUARDIAN 4 GLUCOSE                       |                   |
| <b>fosfomycin tromethamine</b> ..... | 43                      | <b>gavilyte-c</b> .....                | SENSOR.....                              | 156               |
| <b>fosinopril sodium</b> .....       | 88, 89                  | <b>gavilyte-g</b> .....                | GUARDIAN 4 TRANSMITTER                   | 156               |
| <b>fosinopril sodium-hctz</b> ...    | 89, 168                 | <b>gavilyte-n with flavor pack</b> ... | GUARDIAN LINK 3                          |                   |
| FOSRENOL.....                        | 164, 245                | GAVRETO.....                           | TRANSMITTER.....                         | 156               |
| FRAICHE 5000 DENTAL                  |                         | <b>gefitinib</b> .....                 | GUARDIAN REAL-TIME                       |                   |
| .....                                | 147, 148, 250           | GELFILM.....                           | CHARGER.....                             | 156               |
| FREESTYLE LIBRE 14 DAY               |                         | <b>gemfibrozil</b> .....               | GUARDIAN REAL-TIME TEST                  |                   |
| READER.....                          | 155                     | <b>gemmily</b> .....                   | PLUG.....                                | 156               |
| FREESTYLE LIBRE 14 DAY               |                         | <b>generlac</b> .....                  | GUARDIAN SENSOR 3.....                   | 156               |
| SENSOR.....                          | 155                     | <b>gengraf</b>                         | GVOKE HYPOPEN 1-PACK                     |                   |
| FREESTYLE LIBRE 2 PLUS               |                         | .....                                  | .....                                    | 16, 220, 245      |
| SENSOR.....                          | 155                     | <b>gentamicin sulfate</b> ..           | GVOKE HYPOPEN 2-PACK                     |                   |
| FREESTYLE LIBRE 2                    |                         | <b>gentle laxative</b> .....           | .....                                    | 16, 220, 245, 246 |
| READER.....                          | 155                     | GENVOYA.....                           | GVOKE KIT.....                           | 16, 220, 246      |
| FREESTYLE LIBRE 2                    |                         | GILOTRIF.....                          | GVOKE PFS.....                           | 16, 220, 246      |
| SENSOR.....                          | 156                     | <b>glatiramer acetate</b> .....        | GYNAZOLE-1.....                          | 290               |
|                                      |                         | <b>glatopa</b> .....                   | <b>habitrol</b> .....                    | 61, 65            |



|                                       |                    |                                       |                    |                                 |               |
|---------------------------------------|--------------------|---------------------------------------|--------------------|---------------------------------|---------------|
| HAEGARDA.....                         | 252                | HUMULIN 70/30 KWIKPEN                 | 222, 233           | <i>hyoscyamine sulfate er</i>   | 16, 63, 270   |
| <i>hailey 1.5/30</i> .....            | 205, 215, 227      | HUMULIN 70/30 VIAL.....               | 222, 233           | <i>hyoscyamine sulfate sl</i>   | 17, 63, 270   |
| <i>hailey 24 fe</i> .....             | 205, 215, 227      | HUMULIN N KWIKPEN.....                | 222                | <i>hyosyne</i> .....            | 17, 63, 270   |
| <i>hailey fe 1.5/30</i> .....         | 205, 215, 227      | HUMULIN N VIAL.....                   | 222                | HYPERSAL.....                   | 277           |
| <i>hailey fe 1/20</i> .....           | 205, 215, 227      | HUMULIN R U-500 KWIKPEN               | 233                | <i>ibandronate sodium</i> ..... | 249           |
| HALCION.....                          | 125                | HUMULIN R VIAL.....                   | 233                | IBRANCE.....                    | 47            |
| <i>halobetasol propionate</i>         | 294, 295           | HYCAMTIN.....                         | 47                 | <i>ibuprofen</i> .....          | 120, 133, 141 |
| <i>haloette</i> .....                 | 205, 215, 227      | <i>hydralazine hcl</i> .....          | 102                | <i>icatibant acetate</i> .....  | 84, 249, 252  |
| <i>haloperidol</i> .....              | 126                | HYDREA.....                           | 47                 | <i>iclevia</i> .....            | 205, 215, 227 |
| <i>haloperidol lactate</i> .....      | 126                | HYDRO 40.....                         | 85, 164, 183, 300  | ICLUSIG.....                    | 47            |
| HALUCORT.....                         | 305                | <i>hydrochlorothiazide</i>            | 85, 108, 168       | IDELVION.....                   | 78            |
| HARVONI.....                          | 30, 31             | <i>hydrocod poli-chlorphe poli</i>    | 19, 20, 272        | IDHIFA.....                     | 47            |
| HAVRIX.....                           | 58                 | <i>er</i> .....                       | 134                | IHEALTH CONTROL                 |               |
| <i>heather</i> .....                  | 205, 227           | <i>hydrocodone bitartrate er</i> .... | 134                | SOLUTION.....                   | 156           |
| <i>hematinic/folic acid</i> .....     | 81, 311            | <i>hydrocodone bit-homatrop</i>       | 63, 272            | IHEALTH LANCING DEVICE.         | 156           |
| HEMLIBRA.....                         | 77                 | <i>mbr</i> .....                      | 63, 272            | <i>imatinib mesylate</i> .....  | 47            |
| HEMMOREX-HC....                       | 178, 196, 295      | <i>hydrocodone-</i>                   |                    | IMBRUVICA.....                  | 47            |
| HEMOFIL M.....                        | 77                 | <i>acetaminophen</i>                  | 112, 113, 132, 134 | <i>imipramine hcl</i> .....     | 145           |
| <i>heparin na (pork) lock flsh pf</i> | 80                 | <i>hydrocodone-ibuprofen</i>          | 133, 134, 141      | <i>imipramine pamoate</i> ..... | 145           |
| <i>heparin sod (pork) lock flush</i>  | 80                 | .....                                 | 178, 196, 295      | <i>imiquimod</i> .....          | 284, 305      |
| <i>heparin sodium (porcine)</i> ..... | 80                 | <i>hydrocortisone</i> .....           | 178, 196, 295      | IMKELDI.....                    | 47            |
| <i>heparin sodium (porcine) pf</i> .. | 80                 | <i>hydrocortisone (perianal)</i>      | 178, 196, 295      | IMPAVIDO.....                   | 25, 37        |
| HEPLISAV-B.....                       | 58                 | .....                                 | 178, 196, 295      | IMVEXXY MAINTENANCE             |               |
| HEPZATO W/50MM                        |                    | <i>hydrocortisone ace-</i>            |                    | PACK.....                       | 215           |
| CATHETER.....                         | 46                 | <i>pramoxine</i> .....                | 178, 196, 288, 295 | IMVEXXY STARTER PACK...         | 215           |
| HEPZATO W/62MM                        |                    | <i>hydrocortisone acetate</i>         | 178, 196, 295      | INBRIJA.....                    | 128           |
| CATHETER.....                         | 46                 | .....                                 | 178, 196, 295      | <i>incassia</i> .....           | 205, 227      |
| <i>her style</i> .....                | 200, 205, 227      | <i>hydrocortisone butyrate</i>        | 178, 196, 295      | INCRELEX.....                   | 234           |
| HETLIOZ.....                          | 121, 131           | .....                                 | 178, 179, 196, 295 | <i>indapamide</i> .....         | 85, 108, 169  |
| HETLIOZ LQ.....                       | 121, 131           | <i>hydrocortisone valerate</i>        | 178, 179, 196, 295 | INDOCIN.....                    | 133, 141, 247 |
| HIBERIX.....                          | 58                 | .....                                 | 178, 179, 196, 295 | <i>indomethacin</i> .....       | 133, 141, 247 |
| HIPREX.....                           | 43                 | <i>hydrocortisone-acetic acid</i>     | 179, 181, 197, 295 | <i>indomethacin er</i> ....     | 133, 141, 247 |
| HUMALOG.....                          | 233                | <i>hydrocortisone-iodoquinol</i>      | 22, 289, 295, 301  | INFANRIX.....                   | 56, 58        |
| HUMALOG KWIKPEN.....                  | 232                | .....                                 | 22, 289, 295, 301  | INGREZZA.....                   | 146           |
| HUMALOG MIX 50/50                     |                    | <i>hydrocort-pramoxine</i>            |                    | INLYTA.....                     | 47            |
| KWIKPEN.....                          | 232                | <i>(perianal)</i> .....               | 179, 197, 288, 295 | INOVA.....                      | 297, 301      |
| HUMALOG MIX 75/25                     |                    | <i>hydromet</i> .....                 | 63, 272            | INOVA 4/1 ACNE CONTROL          |               |
| KWIKPEN.....                          | 233                | <i>hydromorphone hcl</i> .....        | 135                | THERAPY.....                    | 297, 300, 301 |
| HUMALOG MIX 75/25 VIAL....            | 233                | <i>hydromorphone hcl er</i> ..        | 134, 135           | INOVA 8/2 ACNE CONTROL          |               |
| HUMALOG U-100 JUNIOR                  |                    | <i>hydroxychloroquine sulfate</i>     | 24, 238, 255, 259  | THERAPY.....                    | 297, 300, 301 |
| KWIKPEN.....                          | 233                | .....                                 | 24, 238, 255, 259  | INPEN 100-BLUE-LILLY-           |               |
| HUMATE-P.....                         | 78                 | <i>hydroxyurea</i> .....              | 47                 | HUMALOG.....                    | 156           |
| HUMATIN.....                          | 21, 22             | <i>hydroxyzine hcl</i> .....          | 19, 20, 121        | INPEN 100-BLUE-NOVOLOG-         |               |
| HUMIRA (1 PEN)                        |                    | <i>hydroxyzine pamoate</i>            | 19, 20, 121        | FIASP.....                      | 156           |
| .....                                 | 190, 244, 254, 259 | HYFTOR.....                           | 242, 263, 298, 305 | INPEN 100-GREY-LILLY-           |               |
| HUMIRA (2 PEN)                        |                    | HYMPAVZI.....                         | 78                 | HUMALOG.....                    | 156           |
| .....                                 | 190, 244, 254, 259 | <i>hyoscyamine sulfate</i>            | 16, 17, 63, 270    | INPEN 100-GREY-                 |               |
| HUMIRA (2 SYRINGE)                    |                    | .....                                 |                    | NOVOLOG-FIASP.....              | 156           |
| .....                                 | 190, 244, 254, 259 |                                       |                    | INPEN 100-PINK-LILLY-           |               |
| HUMIRA-CD/UC/HS                       |                    |                                       |                    | HUMALOG.....                    | 156           |
| STARTER.....                          | 190, 244, 255, 259 |                                       |                    |                                 |               |
| HUMIRA-PSORIASIS/UVEIT                |                    |                                       |                    |                                 |               |
| STARTER.....                          | 190, 244, 255, 259 |                                       |                    |                                 |               |



|                                                        |                       |                                        |                     |                                                        |                             |
|--------------------------------------------------------|-----------------------|----------------------------------------|---------------------|--------------------------------------------------------|-----------------------------|
| INPEN 100-PINK-NOVOLOG-<br>FIASP .....                 | 157                   | <b>jantoven</b> .....                  | 73                  | KOATE .....                                            | 78                          |
| INQOVI .....                                           | 47                    | JARDIANCE .....                        | 234                 | KOATE-DVI .....                                        | 78                          |
| INSPIREASE RESERVOIR<br>BAGS .....                     | 157                   | JAYPIRCA .....                         | 48                  | KOGENATE FS .....                                      | 78                          |
| INSULIN LISPRO .....                                   | 233                   | <b>jencycla</b> .....                  | 205, 227            | KOSELUGO .....                                         | 48                          |
| INSULIN LISPRO (1 UNIT<br>DIAL) .....                  | 233                   | JENTADUETO .....                       | 202, 210            | KOURZEQ .....                                          | 295                         |
| INSULIN LISPRO JUNIOR<br>KWIKPEN .....                 | 233                   | JENTADUETO XR .....                    | 202, 210            | KOVALTRY .....                                         | 78                          |
| INSULIN LISPRO PROT &<br>LISPRO .....                  | 233                   | <b>jinteli</b> .....                   | 215, 227            | K-PHOS .....                                           | 166                         |
| INSULIN PEN NEEDLES<br>.....                           | 157, 158, 159         | JIVI .....                             | 78                  | K-PHOS NO 2 .....                                      | 162                         |
| INSULIN SYRINGES .....                                 | 157                   | JOENJA .....                           | 259                 | K-PHOS-NEUTRAL .....                                   | 166                         |
| INSUPEN32G EXTR3ME .....                               | 157                   | <b>jolessa</b> .....                   | 205, 215, 227       | KRAZATI .....                                          | 48                          |
| INTELENCE .....                                        | 33                    | JORNAY PM .....                        | 139                 | KRINTAFEL .....                                        | 24                          |
| <b>introvale</b> .....                                 | 205, 215, 227         | JOURNAVX .....                         | 113                 | KRISTALOSE .....                                       | 163                         |
| INVELTYS .....                                         | 179                   | <b>joyeaux</b> .....                   | 205, 215, 227       | KT TAPE CGM PATCH .....                                | 157                         |
| <b>iodine strong</b><br>.....                          | 17, 24, 202, 276, 289 | <b>juleber</b> .....                   | 206, 215, 227       | <b>kurvelo</b> .....                                   | 206, 216, 228               |
| <b>iodine tincture</b> .....                           | 289, 301              | JULUCA .....                           | 32, 33              | KYZATREX .....                                         | 199, 201                    |
| IOPIDINE .....                                         | 171, 181              | <b>junel 1.5/30</b> .....              | 206, 215, 227       | <b>labetalol hcl</b><br>.....                          | 67, 69, 86, 90, 96, 98, 104 |
| IPOL .....                                             | 58                    | <b>junel 1/20</b> .....                | 206, 215, 227       | <b>lacosamide</b> .....                                | 115, 130                    |
| <b>ipratropium bromide</b><br>.....                    | 63, 64, 270, 271      | <b>junel fe 1.5/30</b> .....           | 206, 215, 227       | <b>lactulose</b> .....                                 | 163                         |
| <b>ipratropium-albuterol</b> .....                     | 64, 70, 271           | <b>junel fe 1/20</b> .....             | 206, 215, 227       | <b>lactulose encephalopathy</b> ....                   | 163                         |
| IQIRVO .....                                           | 188, 191              | <b>junel fe 24</b> .....               | 206, 215, 227       | LAGEVRIO .....                                         | 38                          |
| <b>irbesartan</b> .....                                | 87                    | JUST RIGHT 5000 .....                  | 148, 250            | <b>lamivudine</b> .....                                | 34                          |
| <b>irbesartan-</b><br><b>hydrochlorothiazide</b> ..... | 87, 168               | JYLAMVO . 48, 238, 255, 259, 263       |                     | <b>lamivudine-zidovudine</b> .....                     | 34                          |
| IRESSA .....                                           | 47                    | <b>kaitlib fe</b> .....                | 206, 216, 227       | <b>lamotrigine</b> .....                               | 115, 118                    |
| ISENTRESS .....                                        | 32                    | KALETRA .....                          | 35                  | <b>lamotrigine starter kit-blue</b><br>.....           | 115, 118                    |
| ISENTRESS HD .....                                     | 32                    | <b>kalliga</b> .....                   | 206, 216, 227       | <b>lamotrigine starter kit-green</b><br>.....          | 115, 118                    |
| <b>isibloom</b> .....                                  | 205, 215, 227         | KALYDECO .....                         | 274, 275            | <b>lamotrigine starter kit-</b><br><b>orange</b> ..... | 115, 118                    |
| <b>isoflurane</b> .....                                | 130                   | KAPSPARGO SPRINKLE<br>.....            | 71, 90, 96, 98, 104 | LAMPIT .....                                           | 25                          |
| <b>isoniazid</b> .....                                 | 26                    | <b>kariva</b> .....                    | 206, 216, 227       | LANCETS .....                                          | 157                         |
| <b>isosorb dinitrate-hydralazine</b><br>.....          | 102, 104, 105         | <b>kelnor 1/35</b> .....               | 206, 216, 228       | LANCETS 28G THIN .....                                 | 157                         |
| <b>isosorbide dinitrate</b> .....                      | 104, 105              | KESIMPTA .....                         | 260                 | LANCETS SUPER THIN .....                               | 157                         |
| <b>isosorbide mononitrate</b> .....                    | 104, 105              | <b>ketoconazole</b> .....              | 27, 290             | LANOXIN .....                                          | 89, 95                      |
| <b>isosorbide mononitrate er</b><br>.....              | 104, 105              | <b>ketodan</b> .....                   | 27, 290             | <b>lansoprazole</b> .....                              | 193                         |
| <b>isotretinoin</b> .....                              | 300, 305              | KETO-DIASTIX .....                     | 162                 | <b>lanthanum carbonate</b> ....                        | 164, 246                    |
| <b>isradipine</b> .....                                | 100, 101              | KETONE CARE .....                      | 162                 | LANTUS SOLOSTAR .....                                  | 222                         |
| ISTALOL .....                                          | 67, 90, 98, 175       | <b>ketorolac tromethamine</b><br>..... | 133, 141, 182       | LANTUS U-100 VIAL .....                                | 222                         |
| ITOVEBI .....                                          | 48                    | KETOSTIX .....                         | 161                 | <b>lapatinib ditosylate</b> .....                      | 48                          |
| <b>itraconazole</b> .....                              | 27                    | KINERET .....                          | 241, 255, 260       | <b>larin 1.5/30</b> .....                              | 206, 216, 228               |
| <b>ivabradine hcl</b> .....                            | 95, 109               | KISQALI (200 MG DOSE) .....            | 48                  | <b>larin 1/20</b> .....                                | 206, 216, 228               |
| <b>ivermectin</b> .....                                | 23                    | KISQALI (400 MG DOSE) .....            | 48                  | <b>larin 24 fe</b> .....                               | 206, 216, 228               |
| IWILFIN .....                                          | 48                    | KISQALI (600 MG DOSE) .....            | 48                  | <b>larin fe 1.5/30</b> .....                           | 206, 216, 228               |
| <b>jaimiess</b> .....                                  | 205, 215, 227         | KLARON .....                           | 286                 | <b>larin fe 1/20</b> .....                             | 206, 216, 228               |
| JAKAFI .....                                           | 48, 299               | <b>klayesta</b> .....                  | 40, 302             | LASIX .....                                            | 85, 103, 164                |
|                                                        |                       | KLISYRI (250 MG) .....                 | 284, 305            | <b>latanoprost</b> .....                               | 183                         |
|                                                        |                       | KLISYRI (350 MG) .....                 | 284, 305            | LAZCLUZE .....                                         | 48                          |
|                                                        |                       | <b>klor-con</b> .....                  | 165                 | LEDIPASVIR-SOFOSBUVIR<br>.....                         | 30, 31                      |
|                                                        |                       | <b>klor-con 10</b> .....               | 165                 | <b>leena</b> .....                                     | 206, 216, 228               |
|                                                        |                       | <b>klor-con m10</b> .....              | 165                 | <b>leflunomide</b> ....                                | 242, 255, 260, 263          |
|                                                        |                       | <b>klor-con m15</b> .....              | 165                 | <b>lenalidomide</b> .....                              | 48, 260                     |
|                                                        |                       | <b>klor-con m20</b> .....              | 165                 |                                                        |                             |
|                                                        |                       | <b>klor-con/ef</b> .....               | 166                 |                                                        |                             |
|                                                        |                       | KLOXXADO .....                         | 17, 137             |                                                        |                             |

|                                                |                      |                                         |               |                                            |               |
|------------------------------------------------|----------------------|-----------------------------------------|---------------|--------------------------------------------|---------------|
| LENVIMA.....                                   | 49                   | LITFULO.....                            | 299, 305      | LYTGOBI (16 MG DAILY DOSE).....            | 49            |
| <i>lessina</i> .....                           | 206, 216, 228        | <i>lithium</i> .....                    | 118           | LYTGOBI (20 MG DAILY DOSE).....            | 49            |
| <i>letrozole</i> .....                         | 49, 200              | <i>lithium carbonate</i> .....          | 118           | LYUMJEV KWIKPEN.....                       | 233           |
| <i>leucovorin calcium</i> .                    | 18, 246, 311         | <i>lithium carbonate er</i> .....       | 118           | LYUMJEV VIAL.....                          | 233           |
| LEUKERAN.....                                  | 49                   | LITHOBID.....                           | 118           | <i>lyza</i> .....                          | 207, 228      |
| LEUKINE.....                                   | 75                   | LITHOSTAT.....                          | 163           | MACROBID.....                              | 43            |
| <i>leuprolide acetate</i> .....                | 49, 221              | LIVDELZI.....                           | 188           | MACRODANTIN.....                           | 43            |
| <i>levabuterol hcl</i> .....                   | 70, 281              | LIVMARLI.....                           | 188           | <i>magnesium citrate</i> .....             | 187           |
| LEVALBUTEROL HFA.....                          | 70, 281              | LIVTENCITY.....                         | 27            | MALARONE.....                              | 24            |
| LEVBID.....                                    | 17, 64, 271          | LO LOESTRIN FE...206, 216, 228          |               | <i>malathion</i> .....                     | 303           |
| <i>levetiracetam</i> .....                     | 115                  | LODOCO.....                             | 73, 265       | <i>maraviroc</i> .....                     | 32            |
| <i>levetiracetam er</i> .....                  | 115                  | <i>lofexidine hcl</i> .....             | 62            | <i>marlissa</i> .....                      | 207, 216, 228 |
| <i>levobunolol hcl</i> .....                   | 175                  | <i>lojaimiess</i> .....206, 216, 228    |               | MATULANE.....                              | 49            |
| <i>levocarnitine</i> .....                     | 265                  | LOKELMA.....                            | 164           | <i>matzim la</i> .....92, 93, 94, 100, 109 |               |
| <i>levocarnitine sf</i> .....                  | 265                  | LOMOTIL.....                            | 64, 185       | MAVENCLAD....49, 237, 260, 263             |               |
| <i>levocetirizine dihydrochloride</i> .....    | 20                   | <i>lomustine</i> .....                  | 49            | MAVYRET.....                               | 30, 31        |
| <i>levofloxacin</i> .....                      | 26, 41, 172, 286     | LOPID.....                              | 102           | MAXIDEX.....                               | 179           |
| <i>levonest</i> .....                          | 206, 216, 228        | <i>lopinavir-ritonavir</i> .....        | 35            | MAXITROL.....                              | 172, 179      |
| <i>levonorgest-eth est &amp; eth est</i> ..... | 206, 216, 228        | LOPRESSOR..71, 90, 96, 98, 104          |               | <i>maxi-tuss ac</i> .....                  | 272, 276      |
| <i>levonorgest-eth estrad 91-day</i> .....     | 206, 216, 228        | <i>lorazepam</i> .....                  | 124, 125      | MAYZENT.....                               | 243, 260      |
| <i>levonorgest-eth estradiol-iron</i> .....    | 206, 216, 228        | <i>lorazepam intensol</i> .....         | 124, 125      | MAYZENT STARTER PACK.....                  | 243, 260      |
| <i>levonorgestrel</i> .....                    | 201, 206, 228        | LORBRENA.....                           | 49            | <i>me/naphos/mb/hyo1</i> .                 | 43, 64, 265   |
| <i>levonorgestrel-ethinyl estrad</i> .....     | 206, 216, 228        | <i>losartan potassium</i> .....         | 87            | <i>meclofenamate sodium</i> 133, 141       |               |
| <i>levonorg-eth estrad triphasic</i> .....     | 206, 216, 228        | <i>losartan potassium-hctz</i> .87, 168 |               | MEDROL.....                                | 197           |
| <i>levo-t</i> .....                            | 236                  | LOTEMAX.....                            | 179           | <i>medroxyprogesterone acetate</i> .....   | 207, 228, 229 |
| <i>levothyroxine sodium</i> .....              | 236                  | LOTEMAX SM.....                         | 179           | <i>mefenamic acid</i> .....                | 133, 141      |
| <i>levoxyl</i> .....                           | 236                  | LOTENSIN.....                           | 88, 89        | <i>mefloquine hcl</i> .....                | 24            |
| LEVSIN.....                                    | 17, 64, 271          | LOTENSIN HCT.....                       | 89, 168       | <i>megestrol acetate</i> .....             | 50, 229       |
| LEVSIN/SL.....                                 | 17, 64, 271          | <i>loteprednol etabonate</i> .....      | 179           | MEKINIST.....                              | 50            |
| <i>l-glutamine</i> .....                       | 265, 305             | <i>lovastatin</i> .....                 | 103           | <i>meleya</i> .....                        | 207, 229      |
| <i>lidocaine</i> .....                         | 288                  | <i>low-ogestrel</i> .....               | 207, 216, 228 | MELOXICAM.....                             | 133, 141      |
| <i>lidocaine hcl</i> .....                     | 182, 288             | <i>loxapine succinate</i> .....         | 121, 127      | <i>meloxicam</i> .....                     | 133, 141      |
| <i>lidocaine hcl urethral/mucosal</i> .....    | 288                  | <i>lubiprostone</i> .....               | 184, 191      | <i>memantine hcl</i> .....                 | 127           |
| <i>lidocaine viscous hcl</i> .....             | 182                  | LUCEMYRA.....                           | 62            | <i>memantine hcl er</i> .....              | 127           |
| <i>lidocaine-prilocaine</i> .....              | 288                  | LUGOLS STRONG IODINE.....               | 290, 301      | MENOPUR.....                               | 221           |
| LIKMEZ.....                                    | 22, 25, 37, 186, 286 | <i>luizza 1.5/30</i> .....              | 207, 216, 228 | MENOSTAR.....                              | 217, 249      |
| <i>linezolid</i> .....                         | 40                   | <i>luizza 1/20</i> .....                | 207, 216, 228 | MENQUADFI.....                             | 58            |
| LINZESS.....                                   | 184, 191             | LUMAKRAS.....                           | 49            | MENVEO.....                                | 58, 59        |
| <i>liomny</i> .....                            | 236                  | LUMIGAN.....                            | 183           | <i>meperidine hcl</i> .....                | 135           |
| <i>liothyronine sodium</i> .....               | 236                  | LUMRYZ.....                             | 127, 146, 247 | <i>meprobamate</i> .....                   | 121, 131      |
| <i>liraglutide</i> .....                       | 113, 114, 221        | LUMRYZ STARTER PACK.....                | 147, 247      | <i>mercaptopurine</i> .....                | 50, 240, 263  |
| <i>lisdexamfetamine dimesylate</i> .....       | 112                  | <i>lurasidone hcl</i> .....             | 122           | <i>mesalamine</i> .....                    | 186           |
| <i>lisinopril</i> .....                        | 88, 89               | LURBIRO.....                            | 133, 141, 182 | <i>mesalamine-cleanser</i> .....           | 186           |
| <i>lisinopril-hydrochlorothiazide</i> .....    | 89, 168              | <i>lutura</i> .....                     | 207, 216, 228 | <i>mesna</i> .....                         | 268           |
|                                                |                      | <i>lyleq</i> .....                      | 207, 228      | MESNEX.....                                | 268           |
|                                                |                      | <i>lyllana</i> .....                    | 216, 249      | MESTINON.....                              | 68            |
|                                                |                      | LYNPARZA.....                           | 49            | <i>metaxalone</i> .....                    | 66            |
|                                                |                      | LYRICA.....                             | 115, 128, 129 | <i>metformin hcl</i> .....                 | 202           |
|                                                |                      | LYSODREN.....                           | 49            | <i>metformin hcl er</i> .....              | 202           |
|                                                |                      | LYTGOBI (12 MG DAILY DOSE).....         | 49            |                                            |               |

|                                                                |                                                           |                                                              |
|----------------------------------------------------------------|-----------------------------------------------------------|--------------------------------------------------------------|
| <b>methadone hcl</b> .....135                                  | <b>microgestin fe 1.5/30</b><br>..... 207, 217, 229       | <b>moxifloxacin hcl (2x day)</b> 41, 172                     |
| <b>methadone hcl intensol</b> .....135                         | <b>microgestin fe 1/20</b> 207, 217, 229                  | MOZOBIL.....75                                               |
| METHADOSE.....135                                              | MICROLET NEXT LANCING<br>DEVICE.....157                   | MUCOSITISRX.....181                                          |
| <b>methadose</b> .....135                                      | <b>midazolam hcl</b> .....125                             | MULPLETA.....75                                              |
| METHADOSE SUGAR-FREE.135                                       | <b>midodrine hcl</b> .....62                              | <b>multivitamin w/fluoride</b><br>.....147, 148, 250, 308    |
| <b>methamphetamine hcl</b> .....112                            | MIEBO.....174, 181                                        | <b>multivitamin/fluoride</b><br>.....147, 149, 250, 309, 311 |
| <b>methazolamide</b> .....84, 95, 176                          | MIFEPREX.....269                                          | <b>multi-vitamin/fluoride</b><br>.....147, 149, 250, 308     |
| <b>methenamine hippurate</b> .....43                           | <b>mifepristone</b> .....200, 269                         | <b>multi-vitamin/fluoride/iron</b><br>.....81, 250, 309      |
| <b>methenamine mandelate</b> .....43                           | MIGERGOT.....68, 120, 140                                 | <b>mupirocin</b> .....286                                    |
| METHERGINE.....269                                             | <b>miglitol</b> .....199                                  | <b>mupirocin calcium</b> .....286                            |
| <b>methimazole</b> .....202                                    | <b>miglustat</b> .....170, 265                            | <b>my choice</b> .....201, 207, 229                          |
| METHITEST.....199                                              | <b>mili</b> .....207, 217, 229                            | <b>my way</b> .....201, 207, 229                             |
| <b>methocarbamol</b> .....33, 66                               | <b>milophene</b> .....211                                 | MYALEPT.....222                                              |
| <b>methotrexate sodium</b><br>.....50, 238, 255, 260, 263      | <b>mimvey</b> .....217, 229                               | <b>mycophenolate mofetil</b> .237, 263                       |
| <b>methotrexate sodium (pf)</b><br>.....50, 238, 255, 260, 263 | <b>mineral oil heavy</b> .....187                         | <b>mycophenolate sodium</b> .....263                         |
| <b>methoxsalen rapid</b> .....302                              | <b>minocycline hcl</b> .24, 42, 172, 286                  | <b>mycophenolic acid</b> .....263                            |
| <b>methscopolamine bromide</b> ....64                          | <b>minocycline hcl er</b><br>.....24, 42, 172, 286, 306   | MYCOZYL AL.....307                                           |
| <b>methsuximide</b> .....145                                   | <b>minoxidil</b> .....102, 292                            | MYFEMBREE.....201, 217, 229                                  |
| <b>methyl salicylate</b> .....291                              | <b>minzoya</b> .....207, 217, 229                         | MYHIBBIN.....263                                             |
| <b>methyl dopa</b> .....62, 96, 102                            | MIPLYFFA.....169                                          | MYLERAN.....50                                               |
| <b>methylergonovine maleate</b> ...269                         | <b>mirabegron er</b> .....308                             | MYXREDLIN.....166, 233                                       |
| <b>methylphenidate hcl</b> .....140                            | <b>mirtazapine</b> .....117, 144                          | <b>na sulfate-k sulfate-mg sulf</b> .187                     |
| <b>methylphenidate hcl er</b> .....140                         | MIRVASO.....171, 284, 306                                 | <b>nabumetone</b> .....133, 141                              |
| <b>methylphenidate hcl er (cd)</b> .140                        | <b>misoprostol</b> .....193                               | <b>nadolol</b> 67, 71, 86, 91, 96, 98, 104                   |
| <b>methylphenidate hcl er (la)</b> ..140                       | MITIGARE.....247                                          | <b>naloxone hcl</b> .....17, 137, 246                        |
| <b>methylphenidate hcl er (osm)</b> .....140                   | MITOSOL.....172                                           | <b>naltrexone hcl</b><br>.....16, 17, 61, 137, 245, 246      |
| <b>methylprednisolone</b> .....197                             | <b>mm aspirin</b> .....83, 84, 120, 142                   | <b>naproxen</b> .....120, 133, 141, 247                      |
| <b>methyltestosterone</b> .....199                             | <b>mm clearlax</b> .....187                               | <b>naproxen dr</b> ...120, 133, 141, 247                     |
| <b>metoclopramide hcl</b> .....192                             | M-M-R II.....59                                           | <b>naproxen sodium</b><br>.....120, 134, 141, 247            |
| <b>metolazone</b> .....86, 108, 169                            | M-NATAL PLUS.....81, 308, 311                             | <b>naratriptan hcl</b> .....143                              |
| METOPIRONE.....161                                             | MNEXSPIKE.....59                                          | NARCAN.....17, 137                                           |
| <b>metoprolol succinate er</b><br>.....71, 90, 96, 98, 104     | MOBILE LANCETS 30G.....157                                | NARDIL.....131                                               |
| <b>metoprolol tartrate</b><br>.....71, 91, 96, 98, 104         | <b>modafinil</b> .....147                                 | NASCOBAL.....82, 311                                         |
| <b>metoprolol-hydrochlorothiazide</b> ..91, 96, 168            | <b>moexipril hcl</b> .....88, 89                          | NATACYN.....174                                              |
| METROCREAM.....22, 37, 286                                     | <b>molindone hcl</b> .....121, 128                        | NATAL PNV.....81, 309, 311                                   |
| <b>metronidazole</b><br>.....22, 25, 37, 186, 286              | <b>mometasone furoate</b><br>.....179, 197, 273, 277, 295 | NATAZIA.....207, 217, 229                                    |
| <b>metryrosine</b> .....161, 265                               | <b>mono-lynyah</b> .....207, 217, 229                     | <b>nateglinide</b> .....223                                  |
| <b>mexiletine hcl</b> .....97                                  | MONSELS FERRIC<br>SUBSULFATE.....78                       | NAYZILAM.....124, 125                                        |
| MIACALCIN.....202, 249                                         | <b>montelukast sodium</b> .....277                        | <b>nebivolol hcl</b> .....67, 91, 96, 98                     |
| <b>mibelas 24 fe</b> .....207, 217, 229                        | <b>morphine sulfate</b> .....136                          | NEBUSAL.....277                                              |
| MICONATATE.....290, 307                                        | <b>morphine sulfate (concentrate)</b> .....135            | <b>necon 0.5/35 (28)</b> ...207, 217, 229                    |
| <b>miconazole 3</b> .....290                                   | <b>morphine sulfate er</b> .....135, 136                  | <b>nefazodone hcl</b> .....144                               |
| <b>microgestin 1.5/30</b> .207, 217, 229                       | <b>morphine sulfate er beads</b> ...135                   | NEFFY.....62                                                 |
| <b>microgestin 1/20</b> ....207, 217, 229                      | MOTPOLY XR.....115, 130                                   | NEMLUVIO.....298                                             |
|                                                                | MOUNJARO.....222                                          | <b>neomycin sulfate</b> ....22, 173, 286                     |
|                                                                | MOVIPREP.....187, 312                                     | <b>neomycin-bacitracin zn-polymyx</b> .....173               |
|                                                                | <b>moxifloxacin hcl</b> 26, 41, 173, 286                  |                                                              |

|                                             |                   |                                                       |                    |                                        |                    |
|---------------------------------------------|-------------------|-------------------------------------------------------|--------------------|----------------------------------------|--------------------|
| <b>neomycin-polymyxin-dexameth</b> .....    | 173, 179          | <b>nitrofurantoin macrocrystal</b> ...                | 43                 | NUCALA.....                            | 271                |
| <b>neomycin-polymyxin-gramicidin</b> .....  | 173               | <b>nitrofurantoin monohydrate macrocrystals</b> ..... | 43                 | NUCORT.....                            | 179, 197, 295      |
| <b>neomycin-polymyxin-hc</b> .....          | 173, 179          | <b>nitroglycerin</b> ..                               | 104, 105, 291, 306 | NUCYNTA.....                           | 136                |
| NEONATAL COMPLETE.....                      | 81, 309, 311      | NITROSTAT.....                                        | 105                | NUCYNTA ER.....                        | 136                |
| NEONATAL PLUS....                           | 81, 309, 311      | NITRO-TIME.....                                       | 105                | NUEDEXTA.....                          | 127                |
| NEO-POLYCIN.....                            | 173               | NIVA THYROID.....                                     | 236                | NULEV.....                             | 17, 64, 271        |
| NEO-POLYCIN HC.....                         | 28, 173, 179, 286 | NIVESTYM.....                                         | 75                 | NUPLAZID.....                          | 122                |
| NEOTUSS PLUS..                              | 19, 20, 62, 272   | <b>nora-be</b> .....                                  | 207, 229           | NURTEC.....                            | 126                |
| NERLYNX.....                                | 50                | NORDIPEN 5 INJECTION DEVICE.....                      | 157                | NUWIQ.....                             | 78, 79             |
| NESTABS.....                                | 81, 309, 311      | NORDITROPIN FLEXPOR.....                              | 223, 224, 234      | NUZYRA.....                            | 23                 |
| NESTABS ONE                                 | 81, 265, 309, 311 | <b>norelgestromin-eth estradiol</b> .....             | 207, 217, 229      | <b>nyamyc</b> .....                    | 40, 303            |
| <b>neuac</b> .....                          | 36, 286, 302      | <b>norethin ace-eth estrad-fe</b> .....               | 207, 208, 217, 229 | <b>nylia 1/35</b> .....                | 208, 218, 230      |
| NEULASTA.....                               | 75                | <b>norethindrone</b> .....                            | 208, 230           | <b>nylia 7/7/7</b> .....               | 208, 218, 230      |
| NEVANAC.....                                | 182               | <b>norethindrone acetate</b> .....                    | 230                | NYMALIZE.....                          | 101, 109           |
| <b>nevirapine</b> .....                     | 33                | <b>norethindrone acet-ethinyl est</b> .....           | 208, 217, 230      | <b>nystatin</b> .....                  | 40, 303            |
| <b>nevirapine er</b> .....                  | 33                | <b>norethindrone-eth estradiol</b> .....              | 217, 230           | <b>nystatin-triamcinolone</b> .....    | 40, 295, 303       |
| <b>new day</b> .....                        | 201, 207, 229     | <b>norethin-eth estradiol-fe</b> .....                | 208, 217, 230      | <b>nystop</b> .....                    | 40, 303            |
| NEXIUM.....                                 | 193               | <b>norgestimate-eth estradiol</b> .....               | 208, 217, 230      | OBIZUR.....                            | 79                 |
| NEXLETOL.....                               | 86, 89            | <b>norgestimate-ethinyl estradiol triphasic</b> ..    | 208, 217, 230      | OCALIVA.....                           | 188, 191           |
| NEXLIZET.....                               | 86, 89, 97        | NORLIQVA.....                                         | 101, 109           | <b>octreotide acetate</b> .....        | 191, 234           |
| NEXTSTELLIS.....                            | 207, 217, 229     | <b>norlyroc</b> .....                                 | 208, 230           | OCUFLOX.....                           | 41, 173            |
| NGENLA.....                                 | 223               | NORPACE.....                                          | 97                 | ODACTRA.....                           | 55                 |
| <b>niacin er (antihyperlipidemic)</b> ..... | 90, 311           | NORPACE CR.....                                       | 97                 | ODEFSEY.....                           | 33, 34, 38         |
| <b>nicardipine hcl</b> .....                | 100, 101, 109     | NORPRAMIN.....                                        | 145                | ODOMZO.....                            | 50                 |
| NICORETTE.....                              | 61, 65            | <b>nortrel 0.5/35 (28)</b> ..                         | 208, 218, 230      | <b>ofloxacin</b> .....                 | 41, 173            |
| NICORETTE MINI.....                         | 61, 65            | <b>nortrel 1/35 (21)</b> ....                         | 208, 218, 230      | OGSIVEO.....                           | 50                 |
| <b>nicotine</b> .....                       | 61, 66            | <b>nortrel 1/35 (28)</b> ....                         | 208, 218, 230      | OJEMDA.....                            | 51                 |
| <b>nicotine mini</b> .....                  | 61, 65            | <b>nortrel 7/7/7</b> .....                            | 208, 218, 230      | OJJAARA.....                           | 51                 |
| <b>nicotine polacrilex</b> .....            | 61, 65            | <b>nortriptyline hcl</b> .....                        | 145                | <b>olanzapine</b> .....                | 118, 122, 185      |
| <b>nicotine polacrilex mini</b> ....        | 61, 65            | NORVIR.....                                           | 35                 | <b>olanzapine-fluoxetine hcl</b> ..... | 118, 122, 144, 185 |
| <b>nicotine step 1</b> .....                | 61, 65            | NOVAREL.....                                          | 221                | <b>olmesartan medoxomil</b> .....      | 87                 |
| <b>nicotine step 2</b> .....                | 61, 65            | NOVOEIGHT.....                                        | 78                 | <b>olmesartan medoxomil-hctz</b> ..... | 87, 168            |
| <b>nicotine step 3</b> .....                | 61, 65            | NOVOFINE PEN NEEDLE.....                              | 157                | <b>olopatadine hcl</b> .....           | 20, 171            |
| NICOTROL NS.....                            | 61, 66            | NOVOFINE PLUS PEN NEEDLE.....                         | 158                | OLUMIANT.....                          | 242, 255           |
| <b>nifedipine</b> .....                     | 100, 101, 109     | NOVOLIN R FLEXPEN.....                                | 233                | <b>omega-3-acid ethyl esters</b> ..... | 90, 106            |
| <b>nifedipine er</b> .....                  | 100, 101, 109     | NOVOLIN R FLEXPEN RELION.....                         | 234                | <b>omeprazole</b> .....                | 193                |
| <b>nifedipine er osmotic release</b> .....  | 100, 101, 109     | NOVOPEN ECHO.....                                     | 158                | OMNIFLEX DIAPHRAGM.....                | 268                |
| <b>nilotinib hcl</b> .....                  | 50                | NOVOSEVEN RT.....                                     | 78                 | OMNIPOD 5 DEXG7G6.....                 | 158                |
| <b>nimodipine</b> .....                     | 100, 101, 109     | NOXAFIL.....                                          | 27                 | OMNIPOD 5 DEXG7G6 PODS.....            | 158                |
| NIMODIPINE.....                             | 101, 109          | <b>np thyroid</b> .....                               | 236                | OMNIPOD 5 LIBRE2 G6.....               | 158                |
| NINLARO.....                                | 50                | NUBEQA.....                                           | 50                 | INTRO GEN5.....                        | 158                |
| <b>nisoldipine er</b> .....                 | 101               |                                                       |                    | OMNIPOD 5 LIBRE2 PLUS G6.....          | 158                |
| <b>nitazoxanide</b> .....                   | 25                |                                                       |                    | PODS.....                              | 158                |
| NITRO-BID.....                              | 104, 105          |                                                       |                    | OMNITROPE.....                         | 224, 235           |
| NITRO-DUR.....                              | 104, 105          |                                                       |                    | OMVOH.....                             | 184, 191           |
| <b>nitrofurantoin</b> .....                 | 43                |                                                       |                    | OMVOH (300 MG DOSE).....               | 184                |
|                                             |                   |                                                       |                    | <b>ondansetron hcl</b> .....           | 185                |



|                              |                   |                                     |                         |                                          |                        |
|------------------------------|-------------------|-------------------------------------|-------------------------|------------------------------------------|------------------------|
| <b>ondansetron odt</b> ..... | 185               | ORLISSA.....                        | 201                     | <b>peg 3350</b> .....                    | 187                    |
| ONE VITE WOMENS PLUS         |                   | ORKAMBI.....                        | 274, 275                | <b>peg 3350-kcl-na bicarb-nacl</b> ..... | 187                    |
| .....                        | 81, 309, 311      | ORLYNVAH.....                       | 43, 169, 247            | <b>peg-3350/electrolytes</b> .....       | 187                    |
| ONENATAL RX.....             | 81, 166, 309, 311 | <b>orphenadrine citrate er</b>      |                         | <b>peg-</b>                              |                        |
| ONETOUCH DELICA PLUS         |                   | .....                               | 66, 71, 114             | <b>3350/electrolytes/ascorbat</b>        |                        |
| LANCING.....                 | 158               | <b>orquidea</b> .....               | 208, 230                | .....                                    | 187, 313               |
| ONETOUCH DELICA SAFETY       |                   | ORSERDU.....                        | 51                      | PEGASYS.....                             | 35, 51, 240, 261       |
| LANCING.....                 | 158               | OSCIMIN.....                        | 17, 64, 271             | <b>peg-kcl-nacl-nasulf-na asc-c</b>      |                        |
| ONETOUCH ULTRA.....          | 158, 161          | <b>oseltamivir phosphate</b> .....  | 37                      | .....                                    | 187, 313               |
| ONETOUCH ULTRA 2.....        | 158               | OSPHENA.....                        | 211                     | PEG-PREP.....                            | 188                    |
| ONETOUCH ULTRA BLUE          |                   | OTEZLA.....                         | 242, 243, 255, 261, 306 | PEMAZYRE.....                            | 51                     |
| TEST.....                    | 161               | OVACE PLUS.....                     | 287                     | PEN NEEDLE/5-BEVEL TIP...                | 158                    |
| ONETOUCH ULTRA TEST....      | 161               | OVACE PLUS WASH.....                | 287                     | PENBRAYA.....                            | 59                     |
| ONETOUCH VERIO.....          | 158, 161          | OVACE WASH.....                     | 287                     | <b>penicillamine</b> .....               | 17, 194, 255           |
| ONETOUCH VERIO FLEX          |                   | OVIDE.....                          | 303                     | <b>penicillin v potassium</b> .....      | 37                     |
| SYSTEM.....                  | 158               | OVIDREL.....                        | 221                     | PENMENVY.....                            | 59                     |
| ONETOUCH VERIO               |                   | <b>oxaprozin</b> .....              | 134, 141                | PENTACEL.....                            | 56, 59                 |
| REFLECT.....                 | 158               | <b>oxazepam</b> .....               | 125                     | <b>pentamidine isethionate</b> .....     | 25                     |
| ONFI.....                    | 124, 125          | <b>oxcarbazepine</b> .....          | 115, 130                | <b>pentazocine-naloxone hcl</b>          |                        |
| ONUREG.....                  | 51                | OXERVATE.....                       | 174, 181                | .....                                    | 137, 138               |
| ONYDA XR.....                | 62                | <b>oxybutynin chloride</b> .....    | 307                     | <b>pentoxifylline er</b> .....           | 76                     |
| <b>opcicon one-step</b> ..   | 201, 208, 230     | <b>oxybutynin chloride er</b> ..... | 307                     | <b>perampanel</b> .....                  | 115                    |
| OPFOLDA.....                 | 170, 265          | <b>oxycodone hcl</b> .....          | 136                     | PERFECT POINT SAFETY                     |                        |
| OPILL.....                   | 208, 230          | <b>oxycodone-acetaminophen</b>      |                         | LANCETS.....                             | 158                    |
| <b>opium</b> .....           | 136, 185          | .....                               | 113, 132, 136           | PERFECT POINT SAFETY                     |                        |
| OPSUMIT.....                 | 110, 275, 282     | <b>oxymorphone hcl</b> .....        | 136                     | NEEDLE.....                              | 159                    |
| <b>option 2</b> .....        | 201, 208, 230     | <b>oxymorphone hcl er</b> .....     | 136                     | PERIDEX..                                | 22, 174, 175, 290, 302 |
| OPTIONS GYNOL II             |                   | OZEMPIC.....                        | 222                     | <b>perindopril erbumine</b> .....        | 88, 89                 |
| CONTRACEPTIVE.....           | 268               | OZOBAX DS.....                      | 66                      | <b>periogard</b> ..                      | 22, 174, 175, 290, 302 |
| OPVEE.....                   | 137               | PACERONE.....                       | 99                      | <b>permethrin</b> .....                  | 303                    |
| ORACIT.....                  | 162               | PALFORZIA.....                      | 55, 56                  | <b>perphenazine</b> .....                | 138                    |
| ORAL CITRATE.....            | 162               | PALFORZIA (1 MG DAILY               |                         | <b>perphenazine-amitriptyline</b>        |                        |
| ORALAIR.....                 | 55                | DOSE).....                          | 55                      | .....                                    | 138, 145               |
| ORALAIR ADULT STARTER        |                   | PALFORZIA INITIAL DOSE 1-           |                         | PERTZYE.....                             | 170, 189               |
| PACK.....                    | 55                | 3YRS.....                           | 55                      | <b>phenazopyridine hcl</b> .....         | 288                    |
| ORALAIR CHILDRENS            |                   | PALFORZIA INITIAL DOSE 4-           |                         | <b>phenelzine sulfate</b> .....          | 131                    |
| STARTER PACK.....            | 55                | 17YRS.....                          | 55                      | <b>phenobarbital</b> .....               | 123                    |
| ORALONE.....                 | 296               | PANRETIN.....                       | 284, 306                | <b>phenoxybenzamine hcl</b> ..           | 68, 108                |
| ORAPRED ODT.....             | 180, 197          | <b>pantoprazole sodium</b> .....    | 193                     | <b>phenylephrine hcl</b> .....           | 183, 184               |
| ORAVIG.....                  | 290               | PARI VORTEX ADULT MASK              | 158                     | <b>phenytek</b> .....                    | 97, 130                |
| ORENCIA.....                 | 238, 255, 260     | PARI VORTEX PEDIATRIC               |                         | <b>phenytoin</b> .....                   | 97, 130                |
| ORENCIA CLICKJECT            |                   | MASK.....                           | 158                     | <b>phenytoin infatabs</b> .....          | 97, 130                |
| .....                        | 238, 255, 260     | <b>paricalcitol</b> .....           | 313                     | <b>phenytoin sodium extended</b>         |                        |
| ORENITRAM.....               | 110, 279, 282     | PARNATE.....                        | 131                     | .....                                    | 97, 130                |
| ORENITRAM MONTH 1            |                   | <b>paroxetine hcl</b> .....         | 144                     | PHEXX.....                               | 268                    |
| .....                        | 110, 279, 282     | <b>paroxetine hcl er</b> .....      | 144                     | <b>philith</b> .....                     | 208, 218, 230          |
| ORENITRAM MONTH 2            |                   | PAXLOVID (150/100).....             | 27, 28                  | PHOSPHA 250 NEUTRAL.....                 | 166                    |
| .....                        | 110, 279, 282     | PAXLOVID (300/100 &                 |                         | PHOSPHOLINE IODIDE.....                  | 182                    |
| ORENITRAM MONTH 3            |                   | 150/100).....                       | 27, 28                  | <b>phosphorous</b> .....                 | 166                    |
| .....                        | 110, 279, 282     | PAXLOVID (300/100).....             | 27, 28                  | <b>phospho-trin 250 neutral</b> .....    | 166                    |
| ORFADIN.....                 | 170, 265          | PEDIAPRED.....                      | 180, 197                | PHOXILLUM B22K4/0.....                   | 166                    |
| ORGOVYX.....                 | 51, 201           | PEDIARIX.....                       | 56, 59                  | PHOXILLUM BK4/2.5.....                   | 166                    |
| ORIAHNN.....                 | 201, 218, 230     | PEDVAX HIB.....                     | 59                      | <b>phytonadione</b> .....                | 17, 246, 313           |



|                                       |                     |                                      |                        |                                     |                                |
|---------------------------------------|---------------------|--------------------------------------|------------------------|-------------------------------------|--------------------------------|
| PIFELTRO.....                         | 33                  | <b>prednisone</b> .....              | 197                    | PRISMASOL BGK 2/0.....              | 167                            |
| <b>pilocarpine hcl</b> .....          | 68, 182             | <b>prednisone intensol</b> .....     | 197                    | PRISMASOL BGK 2/3.5.....            | 167                            |
| <b>pimecrolimus</b> .....             | 263, 298, 306       | <b>pregabalin</b> .....              | 115, 116, 128, 129     | PRISMASOL BGK 4/0/1.2.....          | 167                            |
| <b>pimozide</b> .....                 | 121, 128            | PREGNYL.....                         | 221                    | PRISMASOL BGK 4/2.5.....            | 167                            |
| <b>pimtrea</b> .....                  | 208, 218, 230       | PREMARIN.....                        | 218, 249               | PRISMASOL BK 0/0/1.2.....           | 167                            |
| <b>pindolol</b> .....                 | 67, 91, 96, 98, 105 | PREMESISRX.....                      | 166, 265, 309, 311     | <b>probenecid</b> .....             | 169, 247                       |
| <b>pioglitazone hcl</b> .....         | 235                 | <b>premium lidocaine</b> .....       | 289                    | <b>prochlorperazine</b> .....       | 138, 186                       |
| <b>pioglitazone hcl-glimepiride</b>   | 235                 | PREMPHASE.....                       | 218, 230               | <b>prochlorperazine maleate</b>     |                                |
| <b>pioglitazone hcl-metformin</b>     |                     | PREMPRO.....                         | 218, 230               | .....                               | 138, 186                       |
| <b>hcl</b> .....                      | 202, 235            | <b>prenatal</b> .....                | 81, 309, 311           | PROCTOFOAM HC                       |                                |
| PIP GLUCOSE CONTROL                   |                     | <b>prenatal plus vitamin/mineral</b> |                        | .....                               | 180, 197, 289, 296             |
| SOLUTION.....                         | 159                 | .....                                | 81, 309, 311           | <b>procto-med hc</b> .....          | 180, 198, 296                  |
| PIQRAY.....                           | 51                  | PRENATE.....                         | 167, 309, 312          | PROCTOSOL HC... ..                  | 180, 198, 296                  |
| <b>pirfenidone</b> .....              | 271, 279, 280       | PRENATE DHA                          |                        | PROCTOZONE-HC.....                  | 180, 198, 296                  |
| <b>piroxicam</b> .....                | 134, 141            | .....                                | 81, 166, 265, 309, 311 | PROCYSBI.....                       | 266                            |
| PLAN B ONE-STEP.....                  | 201, 208, 230       | PRENATE ELITE.....                   | 81, 309, 312           | PROFILNINE.....                     | 79                             |
| PLEGRIDY.....                         | 261                 | PRENATE ENHANCE                      |                        | <b>progesterone</b> .....           | 231                            |
| PLEGRIDY STARTER PACK.....            | 261                 | .....                                | 81, 166, 265, 309, 312 | PROGLYCEM.....                      | 201                            |
| PLENVU.....                           | 188, 313            | PRENATE ESSENTIAL                    |                        | PROGRAF.....                        | 237, 263, 298                  |
| <b>plerixafor</b> .....               | 75                  | .....                                | 81, 166, 265, 309, 312 | PROMACTA.....                       | 75                             |
| PNEUMOVAX 23.....                     | 59                  | PRENATE MINI                         |                        | <b>promethazine hcl</b>             |                                |
| <b>pnv 27-ca/fe/fa</b> .....          | 81, 309, 311        | .....                                | 81, 167, 265, 309, 312 | .....                               | 18, 19, 20, 121, 185, 189, 276 |
| PODOCON-25.....                       | 300, 306            | PRENATE PIXIE                        |                        | <b>promethazine-codeine</b>         |                                |
| <b>podofilox</b> .....                | 300, 306            | .....                                | 82, 167, 265, 310, 312 | .....                               | 19, 20, 272                    |
| POLYCIN.....                          | 28, 173, 287        | PRENATE RESTORE                      |                        | <b>promethazine-dm</b> .....        | 19, 20, 272                    |
| <b>polyethylene glycol 3350</b> ..... | 188                 | .....                                | 82, 167, 266, 310, 312 | <b>promethazine-phenylephrine</b>   |                                |
| <b>polymyxin b-trimethoprim</b>       |                     | PREPIDIL.....                        | 269                    | .....                               | 19, 20, 62                     |
| .....                                 | 41, 173, 287        | PRETOMANID.....                      | 26                     | PROMETHEGAN                         |                                |
| POLY-VI-FLOR/IRON                     |                     | <b>prevalite</b> .....               | 92                     | .....                               | 19, 20, 121, 185, 189, 276     |
| .....                                 | 81, 250, 309        | PREVIDENT.....                       | 147, 149, 251          | PRONAL.....                         | 291, 300                       |
| POMALYST.....                         | 51, 261             | PREVIDENT 5000 BOOSTER               |                        | <b>propafenone hcl</b> .....        | 97                             |
| <b>portia-28</b> .....                | 208, 218, 230       | PLUS.....                            | 149, 250               | <b>propafenone hcl er</b> .....     | 97                             |
| <b>posaconazole</b> .....             | 27, 28              | PREVIDENT 5000 DRY                   |                        | <b>proparacaine hcl</b> .....       | 182                            |
| <b>potassium chloride</b> .....       | 166                 | MOUTH.....                           | 147, 149, 250          | <b>propranolol hcl</b>              |                                |
| <b>potassium chloride crys er</b> ..  | 166                 | PREVIDENT 5000 ENAMEL                |                        | .....                               | 67, 91, 96, 98, 105, 120       |
| <b>potassium chloride er</b> .....    | 166                 | PROTECT.....                         | 149, 250               | <b>propranolol hcl er</b>           |                                |
| <b>potassium citrate er</b> .....     | 162                 | PREVIDENT 5000 KIDS.....             | 149, 250               | .....                               | 67, 91, 96, 98, 105, 120       |
| <b>potassium citrate-citric acid</b>  | 162                 | PREVIDENT 5000 ORTHO                 |                        | <b>propylthiouracil</b> .....       | 202                            |
| <b>potassium iodide</b>               |                     | DEFENSE.....                         | 149, 250               | PROQUAD.....                        | 59                             |
| <b>(expectorant)</b> .....            | 276                 | PREVIDENT 5000 PLUS                  |                        | <b>protriptyline hcl</b> .....      | 146                            |
| <b>pramipexole dihydrochloride</b>    |                     | .....                                | 147, 149, 251          | PROVERA.....                        | 231                            |
| .....                                 | 132                 | PREVIDENT 5000 SENSITIVE             |                        | <b>prucalopride succinate</b> ..... | 191                            |
| PRAMOSONE.....                        | 288, 289, 296       | .....                                | 149, 251               | PRURADIK.....                       | 303                            |
| PRAMOTIC.....                         | 174, 182            | PREVNAR 20.....                      | 59                     | <b>pseudoephedrine-</b>             |                                |
| <b>prasugrel hcl</b> .....            | 83                  | PREVYMIS.....                        | 27                     | <b>bromphen-dm</b> .....            | 19, 20, 62, 272                |
| <b>pravastatin sodium</b> .....       | 103                 | PREZCOBIX.....                       | 35, 266                | PULMOSAL.....                       | 277                            |
| <b>praziquantel</b> .....             | 23                  | PREZISTA.....                        | 35                     | PULMOZYME.....                      | 170, 277                       |
| <b>prazosin hcl</b> .....             | 68, 86, 91          | PRIFTIN.....                         | 26, 41                 | PURE COMFORT SAFETY                 |                                |
| PRED MILD.....                        | 180, 197            | <b>primaquine phosphate</b> .....    | 24                     | PEN NEEDLE.....                     | 159                            |
| <b>prednisolone</b> .....             | 180, 197            | <b>primidone</b> .....               | 123                    | PURIXAN.....                        | 51, 240, 263                   |
| <b>prednisolone acetate</b> ....      | 180, 197            | PRIORIX.....                         | 59                     | <b>pyrazinamide</b> .....           | 26                             |
| <b>prednisolone sodium</b>            |                     | PRISMASOL B22GK 4/0.....             | 167                    | PYRIDIDIUM.....                     | 289                            |
| <b>phosphate</b> .....                | 180, 197            | PRISMASOL BGK 0/2.5.....             | 167                    | <b>pyridostigmine bromide</b> ..... | 68                             |

|                                              |                                             |                                           |
|----------------------------------------------|---------------------------------------------|-------------------------------------------|
| <b>pyridostigmine bromide er</b> .....68     | RETACRIT..... 72, 76                        | <b>sapropterin dihydrochloride</b>        |
| PYRIDOSTIGMINE BROMIDE                       | RETEVMO..... 51                             | ..... 169, 266                            |
| ER..... 68                                   | RETROVIR..... 34                            | SAVELLA..... 129, 143                     |
| <b>pyrimethamine</b> ..... 24                | REVLIMID..... 51, 261                       | SAVELLA TITRATION PACK                    |
| PYROGALLIC ACID 269, 300, 306                | REVUFORJ..... 51, 52                        | ..... 129, 143                            |
| PYRUKYND..... 73                             | REXTOVY..... 17, 137                        | <b>saxagliptin hcl</b> ..... 210          |
| PYRUKYND TAPER PACK..... 73                  | REXULTI..... 122                            | <b>saxagliptin-metformin er</b>           |
| QBRELIS..... 89                              | REYATAZ..... 35                             | ..... 202, 210, 211                       |
| QFITLIA..... 79                              | REZDIFFRA..... 236                          | SCALACORT DK..... 296, 300                |
| QUADRACEL..... 56, 59                        | REZLIDHIA..... 52                           | SCEMBLIX..... 52                          |
| QUESTRAN..... 92                             | RHOPRESSA..... 183                          | <b>scopolamine</b> ..... 64, 185, 192     |
| QUESTRAN LIGHT..... 92                       | <b>ribavirin</b> ..... 38                   | SELECT-OB..... 82, 310, 312               |
| <b>quetiapine fumarate</b> ..... 118, 122    | <b>rifabutin</b> ..... 26, 41               | <b>selegiline hcl</b> ..... 131           |
| <b>quetiapine fumarate er</b> ..... 118, 122 | <b>rifampin</b> ..... 26, 41                | <b>selenium sulfide</b> ..... 290, 302    |
| QUICK TOUCH INSULIN PEN                      | <b>riluzole</b> ..... 111, 127              | SELZENTRY..... 32                         |
| NEEDLE..... 159                              | <b>rimantadine hcl</b> ..... 21             | SEREVENT DISKUS..... 70, 281              |
| <b>quinapril hcl</b> ..... 88, 89            | RINVOQ..... 242, 256                        | <b>sertraline hcl</b> ..... 144           |
| <b>quinapril-</b>                            | RINVOQ LQ..... 242                          | <b>setlakin</b> ..... 208, 218, 231       |
| <b>hydrochlorothiazide</b> ..... 89, 168     | <b>risedronate sodium</b> ..... 249         | <b>sevelamer carbonate</b>                |
| <b>quinidine gluconate er</b> ..... 24, 97   | <b>risperidone</b> ..... 118, 122           | ..... 18, 164, 246                        |
| <b>quinidine sulfate</b> ..... 24, 97        | <b>ritonavir</b> ..... 35                   | <b>sevoflurane</b> ..... 130              |
| <b>quinine sulfate</b> ..... 25              | <b>rivaroxaban</b> ..... 74                 | <b>sf</b> ..... 147, 149, 251             |
| QULIPTA..... 126                             | <b>rivastigmine</b> ..... 69                | <b>sf 5000 plus</b> ..... 147, 149, 251   |
| QVAR REDIHALER 198, 273, 278                 | <b>rivastigmine tartrate</b> ..... 69       | <b>sharobel</b> ..... 208, 231            |
| <b>rabeprazole sodium</b> ..... 193          | <b>rivelsa</b> ..... 208, 218, 231          | SHARPS COLLECTOR..... 159                 |
| RADICAVA ORS..... 111, 127                   | RIVFLOZA..... 266                           | SHARPS CONTAINER..... 159                 |
| RADICAVA ORS STARTER                         | RIVIVE..... 17, 137                         | SHINGRIX..... 59                          |
| KIT..... 111, 127                            | RIXUBIS..... 79                             | <b>sildenafil citrate</b>                 |
| RADIOGARDASE..... 18, 164, 246               | <b>rizatriptan benzoate</b> ..... 143       | ..... 106, 107, 278, 282, 308             |
| RAGWITEK..... 56                             | ROCKLATAN..... 183                          | <b>silodosin</b> ..... 69                 |
| <b>raloxifene hcl</b> ..... 211, 249         | <b>roflumilast</b> ..... 278, 299, 302      | SILVADENE..... 290, 302                   |
| <b>ramelteon</b> ..... 121, 131              | ROMVIMZA..... 52                            | <b>silver nitrate</b> ..... 174           |
| <b>ramipril</b> ..... 88, 89                 | <b>ropinirole hcl</b> ..... 132             | <b>silver sulfadiazine</b> ..... 290, 302 |
| <b>ranolazine er</b> ..... 95                | <b>rosuvastatin calcium</b> ..... 103       | <b>simliya</b> ..... 209, 218, 231        |
| RASUVO..... 238, 256                         | <b>rosyrah</b> ..... 208, 218, 231          | <b>simpesse</b> ..... 209, 218, 231       |
| RAYA SURE PEN NEEDLE... 159                  | ROTARIX..... 59                             | SIMPONI                                   |
| RAYASAL..... 300                             | ROTATEQ..... 59                             | ..... 191, 244, 245, 256, 261, 262        |
| <b>react</b> ..... 201, 208, 231             | <b>roweepra</b> ..... 116                   | <b>simvastatin</b> ..... 103              |
| <b>reclipsen</b> ..... 208, 218, 231         | ROZLYTREK..... 52                           | SINEMET..... 128                          |
| RECOMBINATE..... 79                          | RUCONEST..... 252                           | SINGULAIR..... 277                        |
| RECOMBIVAX HB..... 59                        | <b>rufinamide</b> ..... 116, 130            | <b>sirolimus</b> ..... 242, 263, 298      |
| RECOTHROM..... 79                            | RUKOBIA..... 32                             | SIRTURO..... 27                           |
| RECOTHROM SPRAY KIT..... 79                  | RYBELSUS..... 222                           | SKYCLARYS..... 266                        |
| REGLAN..... 193                              | RYDAPT..... 52                              | SKYRIZI..... 191, 298, 306                |
| RELENZA DISKHALER..... 37                    | <b>sacubitril-valsartan</b> ... 86, 87, 107 | SKYRIZI PEN..... 298, 306                 |
| RELISTOR..... 137, 184, 191                  | SAFETY PEN NEEDLES..... 159                 | SKYTROFA..... 224                         |
| RELNATE DHA..... 82, 266, 310, 312           | SALAGEN..... 69, 182                        | SLYND..... 201, 209, 231                  |
| RENTHYROID..... 236                          | SALICATE..... 300                           | <b>smooth lax</b> ..... 188               |
| <b>repaglinide</b> ..... 223                 | <b>salicylic acid</b> ..... 300             | <b>sod citrate-citric acid</b> ..... 162  |
| REPATHA..... 106                             | <b>salsalate</b> ..... 142                  | <b>sod fluoride-potassium</b>             |
| REPATHA SURECLICK..... 106                   | SALVAX DUO PLUS..... 291, 300               | <b>nitrate</b> ..... 149, 251             |
| RESTASIS..... 174, 181, 237                  | SANTYL..... 170, 291, 306                   | <b>sodium chloride</b> ..... 277          |
| RESTORIL..... 125                            |                                             |                                           |

|                                      |                             |                                     |                        |                                      |                         |
|--------------------------------------|-----------------------------|-------------------------------------|------------------------|--------------------------------------|-------------------------|
| <b>sodium fluoride</b>               | 148, 149, 150, 251          | <b>ST JOSEPH LOW DOSE</b>           | 83, 84, 120, 142       | <b>SUPREP BOWEL PREP KIT</b>         | 188                     |
| <b>sodium fluoride 5000 enamel</b>   | 149, 251                    | <b>STENDRA</b>                      | 106, 107               | <b>SUTAB</b>                         | 188                     |
| <b>sodium fluoride 5000 plus</b>     | 147, 149, 251               | <b>STEQEYMA</b>                     | 241                    | <b>SYMBICORT</b>                     | 70, 71, 198             |
| <b>sodium fluoride 5000 ppm</b>      | 148, 149, 251               | <b>STIOLTO RESPIMAT</b>             | 64, 70                 | <b>SYMBYAX</b>                       | 119, 123, 144, 185      |
| <b>sodium fluoride 5000</b>          |                             | <b>STIVARGA</b>                     | 52                     | <b>SYMDEKO</b>                       | 274, 275                |
| <b>sensitive</b>                     | 149, 251                    | <b>STRENSIQ</b>                     | 170                    | <b>SYMFI</b>                         | 33, 34                  |
| <b>SODIUM OXYBATE</b>                | 127, 147, 247               | <b>STRIBILD</b>                     | 32, 34, 266            | <b>SYMPAZAN</b>                      | 124, 125                |
| <b>sodium phenylbutyrate</b>         | 163                         | <b>STRIVERDI RESPIMAT</b>           | 70, 281                | <b>SYMPROIC</b>                      | 184, 191                |
| <b>sodium polystyrene</b>            |                             | <b>STROMECTOL</b>                   | 23                     | <b>SYNAREL</b>                       | 221                     |
| <b>sulfonate</b>                     | 18, 164, 246                | <b>SUBOXONE</b>                     | 137, 138               | <b>SYNDROS</b>                       | 185, 191                |
| <b>sodium sulfacetamide</b>          | 287                         | <b>subvenite</b>                    | 116, 118               | <b>SYNJARDY</b>                      | 202, 234                |
| <b>sodium sulfacetamide wash</b>     | 287                         | <b>subvenite starter kit-blue</b>   | 116, 119               | <b>SYNJARDY XR</b>                   | 203, 234                |
| <b>SOFOSBUVIR-VELPATASVIR</b>        | 30, 31                      | <b>subvenite starter kit-green</b>  | 116, 119               | <b>TABLOID</b>                       | 52                      |
| <b>SOHONOS</b>                       | 266                         | <b>subvenite starter kit-orange</b> | 116, 119               | <b>TABRECTA</b>                      | 52                      |
| <b>solifenacin succinate</b>         | 307                         | <b>SUCRAID</b>                      | 170                    | <b>tacrolimus</b>                    | 237, 263, 264, 298, 306 |
| <b>SOLQUA</b>                        | 222                         | <b>sucrafate</b>                    | 193                    | <b>tadalafil</b>                     | 106, 107, 279           |
| <b>SOOLANTRA</b>                     | 303                         | <b>SUFLAVE</b>                      | 188                    | <b>tadalafil (pah)</b>               | 106, 107, 279, 282      |
| <b>sorafenib tosylate</b>            | 52                          | <b>SULAR</b>                        | 101                    | <b>TADLIQ</b>                        | 106, 107, 279, 282      |
| <b>sotalol hcl</b>                   | 67, 91, 96, 98, 99, 105     | <b>SULCONAZOLE NITRATE</b>          | 290                    | <b>TAFINLAR</b>                      | 52                      |
| <b>sotalol hcl (af)</b>              | 67, 91, 96, 98, 99, 105     | <b>sulfacetamide sodium</b>         | 173, 287               | <b>tafluprost (pf)</b>               | 183                     |
| <b>SOTYKTU</b>                       | 299, 306                    | <b>sulfacetamide sodium (acne)</b>  | 287                    | <b>TAGRISSO</b>                      | 52                      |
| <b>SOTYLIZE</b>                      | 67, 91, 97, 99, 105         | <b>sulfacetamide sodium</b>         | 287                    | <b>take action</b>                   | 201, 209, 231           |
| <b>SOVALDI</b>                       | 30                          | <b>(cleans)</b>                     | 287                    | <b>TAKHZYRO</b>                      | 84, 85, 252, 264        |
| <b>SPEVIGO</b>                       | 298                         | <b>sulfacetamide sodium-sulfur</b>  | 287, 300               | <b>tamoxifen citrate</b>             | 52, 211                 |
| <b>SPIKEVAX</b>                      | 60                          | <b>sulfacetamide sod-sulfur</b>     | 287, 300               | <b>tamsulosin hcl</b>                | 69                      |
| <b>SPIKEVAX 6M-11Y</b>               | 60                          | <b>wash</b>                         | 287, 300               | <b>TANLOR</b>                        | 66                      |
| <b>spinosad</b>                      | 303                         | <b>sulfacetamide-prednisolone</b>   | 173, 180               | <b>TAPERDEX 12-DAY</b>               | 180, 198                |
| <b>SPIRIVA HANDIHALER</b>            | 64, 271                     | <b>sulfacetamide-sulfur in urea</b> | 287, 300               | <b>TAPERDEX 6-DAY</b>                | 180, 198                |
| <b>SPIRIVA RESPIMAT</b>              | 64, 271                     | <b>sulfadiazine</b>                 | 42                     | <b>TAPERDEX 7-DAY</b>                | 180, 198                |
| <b>spironolactone</b>                | 85, 103, 104, 107, 108, 165 | <b>sulfamethoxazole-</b>            |                        | <b>tarina 24 fe</b>                  | 209, 218, 231           |
| <b>spironolactone-hctz</b>           | 85, 103, 108, 165, 168      | <b>trimethoprim</b>                 | 25, 42, 43             | <b>tarina fe 1/20 eq</b>             | 209, 218, 231           |
| <b>SPORANOX</b>                      | 28                          | <b>SULFAMYLLON</b>                  | 287, 302               | <b>tasimelteon</b>                   | 121, 131                |
| <b>SPRAVATO (56 MG DOSE)</b>         | 117, 131                    | <b>sulfasalazine</b>                | 42, 186, 238, 256, 262 | <b>TAVALISSE</b>                     | 73                      |
| <b>SPRAVATO (84 MG DOSE)</b>         | 117, 131                    | <b>sulfatrim pediatric</b>          | 26, 42, 43             | <b>taysofy</b>                       | 209, 218, 231           |
| <b>sprintec 28</b>                   | 209, 218, 231               | <b>sulfurated lime</b>              | 303                    | <b>TAYTULLA</b>                      | 209, 218, 231           |
| <b>SPS (SODIUM POLYSTYRENE SULF)</b> | 18, 164, 246                | <b>sulindac</b>                     | 134, 141               | <b>tazarotene</b>                    | 300, 306                |
| <b>sronyx</b>                        | 209, 218, 231               | <b>sumatriptan</b>                  | 143                    | <b>TAZVERIK</b>                      | 53                      |
| <b>ssd</b>                           | 290, 302                    | <b>sumatriptan succinate</b>        | 143                    | <b>TECHLITE LANCETS 26G</b>          | 159                     |
| <b>SSKI</b>                          | 276                         | <b>sumatriptan succinate refill</b> |                        | <b>TECHLITE PLUS PEN</b>             | 159                     |
| <b>sss 10-5</b>                      | 287, 300                    | <b>subcutaneous solution</b>        |                        | <b>NEEDLES</b>                       | 159                     |
|                                      |                             | <b>cartridge</b>                    | 143                    | <b>TEGLUTIK</b>                      | 111, 127                |
|                                      |                             | <b>sunitinib malate</b>             | 52                     | <b>TEGRETOL</b>                      | 116, 119                |
|                                      |                             | <b>SUNLENCA</b>                     | 26, 31                 | <b>telmisartan</b>                   | 87                      |
|                                      |                             | <b>SUNOSI</b>                       | 147                    | <b>telmisartan-hctz</b>              | 87, 168                 |
|                                      |                             |                                     |                        | <b>temazepam</b>                     | 125                     |
|                                      |                             |                                     |                        | <b>TEMBEXA</b>                       | 38                      |
|                                      |                             |                                     |                        | <b>temozolomide</b>                  | 53                      |
|                                      |                             |                                     |                        | <b>TENCON</b>                        | 113, 123, 132           |
|                                      |                             |                                     |                        | <b>TENIVAC</b>                       | 56                      |
|                                      |                             |                                     |                        | <b>tenofovir disoproxil fumarate</b> | 34                      |
|                                      |                             |                                     |                        | <b>terazosin hcl</b>                 | 68, 86, 91              |
|                                      |                             |                                     |                        | <b>terbinafine hcl</b>               | 21                      |

|                                              |                               |                                               |                        |                                               |                              |
|----------------------------------------------|-------------------------------|-----------------------------------------------|------------------------|-----------------------------------------------|------------------------------|
| <b>terbutaline sulfate</b> .....             | 71, 281                       | <b>TOBRADEX</b> .....                         | 22, 173, 180           | <b>TRIJARDY XR</b> .....                      | 203, 211, 234                |
| <b>terconazole</b> .....                     | 290                           | <b>tobramycin</b> .....                       | 22, 173                | <b>TRIKAFTA</b> .....                         | 274, 275                     |
| <b>teriflunomide</b> .....                   | 237, 262                      | <b>tobramycin-dexamethasone</b><br>.....      | 22, 173, 180           | <b>tri-legest fe</b> .....                    | 209, 219, 231                |
| <b>TERIPARATIDE</b> .....                    | 223, 247                      | <b>TOBREX</b> .....                           | 22, 174                | <b>tri-lynyah</b> .....                       | 209, 219, 231                |
| <b>terrell</b> .....                         | 130                           | <b>TODAY SPONGE</b> .....                     | 268                    | <b>tri-lo-estarylla</b> .....                 | 209, 219, 231                |
| <b>TESTIM</b> .....                          | 199, 201                      | <b>tolterodine tartrate</b> .....             | 308                    | <b>tri-lo-marzia</b> .....                    | 209, 219, 231                |
| <b>testosterone</b> .....                    | 200, 201                      | <b>tolvaptan</b> .....                        | 169                    | <b>tri-lo-mili</b> .....                      | 209, 219, 231                |
| <b>testosterone cypionate</b> .....          | 199, 201                      | <b>TOPICORT</b> .....                         | 296                    | <b>tri-lo-sprintec</b> .....                  | 209, 219, 231                |
| <b>testosterone enanthate</b> .....          | 199, 201                      | <b>topiramate</b> .....                       | 116, 120               | <b>trimethobenzamide hcl</b> .....            | 186                          |
| <b>tetrabenazine</b> .....                   | 146                           | <b>toremifene citrate</b> .....               | 53, 211                | <b>trimethoprim</b> .....                     | 43                           |
| <b>tetracaine hcl</b> .....                  | 182, 245                      | <b>torpenz</b> .....                          | 53, 240                | <b>tri-mili</b> .....                         | 209, 219, 231                |
| <b>tetracycline hcl</b> .....                | 25, 42, 186, 287              | <b>torsemide</b> .....                        | 85, 103, 164           | <b>trimipramine maleate</b> .....             | 146                          |
| <b>TEXACORT</b> .....                        | 180, 198, 296                 | <b>TOUJEO MAX SOLOSTAR</b> ....               | 223                    | <b>TRINATE</b> .....                          | 82, 310, 312                 |
| <b>TEZSPIRE</b> .....                        | 277, 280                      | <b>TOUJEO SOLOSTAR</b> .....                  | 223                    | <b>TRINTELLIX</b> .....                       | 145                          |
| <b>THALOMID</b> .....                        | 53, 262                       | <b>TRACLEER</b> .....                         | 110, 275, 276, 282     | <b>tri-sprintec</b> .....                     | 209, 219, 231                |
| <b>THEO-24</b> .....                         | 102, 140, 163, 283, 308       | <b>TRADJENTA</b> .....                        | 211                    | <b>TRISTART DHA</b><br>.....                  | 82, 167, 266, 310, 312       |
| <b>theophylline</b><br>.....                 | 102, 140, 163, 283, 308       | <b>tramadol hcl</b> .....                     | 136                    | <b>TRIUMEQ</b> .....                          | 32, 34                       |
| <b>theophylline er</b><br>.....              | 102, 140, 163, 283, 308       | <b>tramadol hcl (er biphasic)</b> ....        | 136                    | <b>TRIUMEQ PD</b> .....                       | 32, 34                       |
| <b>THIOLA</b> .....                          | 266                           | <b>tramadol hcl er</b> .....                  | 136                    | <b>TRI-VI-FLORO</b><br>.....                  | 148, 150, 251, 310, 312, 313 |
| <b>THIOLA EC</b> .....                       | 266                           | <b>tramadol-acetaminophen</b><br>.....        | 113, 133, 136          | <b>tri-vite/fluoride</b><br>.....             | 148, 150, 251, 310, 313      |
| <b>thioridazine hcl</b> .....                | 139                           | <b>trandolapril</b> .....                     | 88, 89                 | <b>tri-vylibra</b> .....                      | 209, 219, 232                |
| <b>thiothixene</b> .....                     | 145                           | <b>trandolapril-verapamil hcl er</b><br>..... | 89, 94                 | <b>tri-vylibra lo</b> .....                   | 209, 219, 231                |
| <b>THROMBIN-JMI</b> .....                    | 79                            | <b>tranexamic acid</b> .....                  | 79                     | <b>trospium chloride</b> .....                | 308                          |
| <b>THROMBIN-JMI EPISTAXIS</b> ....           | 79                            | <b>tranylcypromine sulfate</b> .....          | 131                    | <b>TRUE COMFORT SAFETY</b><br>PEN NEEDLE..... | 159                          |
| <b>THROMBOGEN</b> .....                      | 79                            | <b>travoprost (bak free)</b> .....            | 183                    | <b>TRUE COVER</b> .....                       | 268                          |
| <b>thyroid</b> .....                         | 236                           | <b>trazodone hcl</b> .....                    | 144                    | <b>TRUE FOLIC ACID</b> .....                  | 312                          |
| <b>tiadylt er</b> .....                      | 92, 93, 94, 100, 110          | <b>TRELEGY ELLIPTA</b><br>.....               | 64, 71, 180, 198, 273  | <b>true laxative</b> .....                    | 188                          |
| <b>tiagabine hcl</b> .....                   | 116, 129                      | <b>TREMFYA</b> .....                          | 239, 298, 299, 307     | <b>TRUE METRIX LEVEL 1</b> .....              | 159                          |
| <b>TIAZAC</b> .....                          | 92, 93, 94, 100, 110          | <b>TREMFYA ONE-PRESS</b><br>.....             | 239, 298, 307          | <b>TRUE METRIX LEVEL 2</b> .....              | 159                          |
| <b>TIBSOVO</b> .....                         | 53                            | <b>TREMFYA PEN</b> .....                      | 239, 298               | <b>TRUE METRIX LEVEL 3</b> .....              | 159                          |
| <b>ticagrelor</b> .....                      | 83                            | <b>TREMFYA-CD/UC</b><br>INDUCTION.....        | 239, 299               | <b>TRULICITY</b> .....                        | 222                          |
| <b>TIGLUTIK</b> .....                        | 111, 127                      | <b>tretinoin</b> .....                        | 53, 292                | <b>TRUMENBA</b> .....                         | 60                           |
| <b>TIKOSYN</b> .....                         | 99                            | <b>TRETTEN</b> .....                          | 79                     | <b>TRUQAP</b> .....                           | 53                           |
| <b>tilia fe</b> .....                        | 209, 218, 231                 | <b>TREXALL</b> .....                          | 53, 239, 256, 262, 264 | <b>TRUVADA</b> .....                          | 35, 38                       |
| <b>timolol hemihydrate</b><br>.....          | 67, 91, 99, 175               | <b>triamcinolone acetonide</b><br>.....       | 198, 296               | <b>TRYNGOLZA</b> .....                        | 90, 198, 247                 |
| <b>timolol maleate</b><br>.....              | 67, 91, 97, 99, 105, 120, 175 | <b>triamterene</b> .....                      | 85, 107, 165           | <b>TUKYSA</b> .....                           | 53                           |
| <b>timolol maleate (once-daily)</b><br>..... | 67, 91, 99, 175               | <b>triamterene-hctz</b> .....                 | 165, 168               | <b>TURALIO</b> .....                          | 53                           |
| <b>timolol maleate ocudose</b><br>.....      | 67, 91, 99, 175               | <b>triazolam</b> .....                        | 125                    | <b>turpentine</b> .....                       | 291                          |
| <b>timolol maleate pf67</b> .....            | 67, 91, 99, 175               | <b>TRICITRASOL</b> .....                      | 73                     | <b>turqoz</b> .....                           | 209, 219, 232                |
| <b>TIMOPTIC OCUDOSE</b><br>.....             | 67, 91, 99, 175               | <b>tricitrates</b> .....                      | 162                    | <b>TUXARIN ER</b> .....                       | 19, 20, 272                  |
| <b>tinidazole</b> .....                      | 26                            | <b>triderm</b> .....                          | 198, 296               | <b>TWIIST REFILL KIT</b> .....                | 159                          |
| <b>tiopronin</b> .....                       | 266                           | <b>trientine hcl</b> .....                    | 194                    | <b>TWIIST REFILL</b><br>KIT/INFUSION SET..... | 159                          |
| <b>TISSEEL</b> .....                         | 291, 307                      | <b>tri-estarylla</b> .....                    | 209, 218, 231          | <b>TWINRIX</b> .....                          | 60                           |
| <b>TIVICAY</b> .....                         | 32                            | <b>trifluoperazine hcl</b> .....              | 139                    | <b>TWIRLA</b> .....                           | 209, 219, 232                |
| <b>TIVICAY PD</b> .....                      | 32                            | <b>trifluridine</b> .....                     | 175                    | <b>TYBLUME</b> .....                          | 209, 219, 232                |
| <b>tizanidine hcl</b> .....                  | 66                            | <b>trihexyphenidyl hcl</b> .....              | 65, 114                | <b>TYBOST</b> .....                           | 266                          |
|                                              |                               |                                               |                        | <b>tydemy</b> .....                           | 209, 219, 232, 312           |



|                                  |                         |                                       |                  |                                         |                        |
|----------------------------------|-------------------------|---------------------------------------|------------------|-----------------------------------------|------------------------|
| TYENNE.....                      | 241                     | <b>varenicline tartrate</b> .....     | 61, 66           | VIJOICE.....                            | 267                    |
| TYMLOS.....                      | 223, 247                | <b>varenicline tartrate (starter)</b> |                  | <b>vilazodone hcl</b> .....             | 145                    |
| TYVASO.....                      | 110, 279, 282           | .....                                 | 61, 66           | VILEVEV MB.....                         | 43, 64, 113, 267       |
| TYVASO DPI INSTITUTIONAL         |                         | <b>varenicline tartrate(continue)</b> |                  | VIMPAT.....                             | 116, 130               |
| KIT.....                         | 110, 279, 282           | .....                                 | 61, 66           | VIOKACE.....                            | 170, 189               |
| TYVASO DPI MAINTENANCE           |                         | VARIVAX.....                          | 60               | <b>viorele</b> .....                    | 210, 219, 232          |
| KIT.....                         | 110, 279, 282           | VAXELIS.....                          | 56, 57, 60       | VIRACEPT.....                           | 35                     |
| TYVASO DPI TITRATION KIT         |                         | VAXNEUVANCE.....                      | 60               | VIREAD.....                             | 35                     |
| .....                            | 110, 279, 282           | VCF VAGINAL                           |                  | VISTOGARD.....                          | 18, 246                |
| TYVASO REFILL KIT                |                         | CONTRACEPTIVE.....                    | 268              | VITAFOL FE+                             |                        |
| .....                            | 110, 279, 282           | VECAMYL.....                          | 108              | .....                                   | 82, 167, 267, 310, 312 |
| TYVASO STARTER KIT               |                         | <b>velivet</b> .....                  | 209, 219, 232    | VITAFOL-OB+DHA                          |                        |
| .....                            | 110, 279, 282           | VELPHORO.....                         | 164              | .....                                   | 82, 167, 267, 310, 312 |
| UBRELVY.....                     | 126                     | VELTASSA.....                         | 165              | VITAMIN C BRIGHTENING                   |                        |
| UDENYCA.....                     | 76                      | VENCLEXTA.....                        | 53, 54           | SERUM.....                              | 291                    |
| ULTANE.....                      | 130                     | VENCLEXTA STARTING                    |                  | <b>vitamin d (ergocalciferol)</b> ..... | 313                    |
| UNIFINE OTC PEN NEEDLES          |                         | PACK.....                             | 54               | VITATHELY WITH GINGER                   |                        |
| .....                            | 159                     | VENELEX.....                          | 307              | .....                                   | 82, 310, 312           |
| UNIFINE PROTECT PEN              |                         | <b>venlafaxine hcl</b> .....          | 143              | VITRAKVI.....                           | 54                     |
| NEEDLE.....                      | 159                     | <b>venlafaxine hcl er</b> .....       | 143              | VIVAGUARD INO CONTROL                   |                        |
| UNISTRIP CONTROL.....            | 159                     | VEOZAH.....                           | 127              | SOLUTION.....                           | 160                    |
| <b>unithroid</b> .....           | 236                     | <b>verapamil hcl</b> .....            | 93, 94, 100, 111 | VIVAGUARD LANCETS 30G.                  | 160                    |
| UPTRAVI.....                     | 283                     | <b>verapamil hcl er</b> .....         | 93, 94, 100, 111 | VIVAGUARD LANCING                       |                        |
| UPTRAVI TITRATION.....           | 283                     | VERIFINE INSULIN PEN                  |                  | DEVICE.....                             | 160                    |
| <b>urea</b> .....                | 85, 164, 183, 301       | NEEDLE.....                           | 160              | VIVAGUARD SAFETY                        |                        |
| URELLE.....                      | 43, 64, 113, 266        | VERIFINE INSULIN SYRINGE              |                  | LANCETS 28G.....                        | 160                    |
| UREMEZ-40.....                   | 85, 164, 183, 301       | .....                                 | 160              | VIVJOA.....                             | 28                     |
| <b>uretron d/s</b> .....         | 43, 64, 113, 266        | VERIFINE PLUS PEN                     |                  | VIZIMPRO.....                           | 54                     |
| UROCIT-K 10.....                 | 162                     | NEEDLE.....                           | 160              | <b>volnea</b> .....                     | 210, 219, 232          |
| UROCIT-K 15.....                 | 162                     | VERIFINE SAFE LANCET                  |                  | VONVENDI.....                           | 79                     |
| UROGESIC-BLUE.....               | 43, 64, 267             | MINI 21G.....                         | 160              | VOQUEZNA.....                           | 192, 193               |
| <b>ursodiol</b> .....            | 188                     | VERIFINE SAFE LANCET                  |                  | VOQUEZNA DUAL PAK... 23, 192            |                        |
| <b>valacyclovir hcl</b> .....    | 38, 39                  | MINI 23G.....                         | 160              | VOQUEZNA TRIPLE PAK                     |                        |
| VALCHLOR.....                    | 284, 307                | VERIFINE SAFE LANCET                  |                  | .....                                   | 23, 39, 40, 192        |
| <b>valganciclovir hcl</b> .....  | 39                      | MINI 28G.....                         | 160              | VORANIGO.....                           | 54                     |
| <b>valproic acid</b>             |                         | VERIFINE SAFE LANCET                  |                  | <b>voriconazole</b> .....               | 28                     |
| .....                            | 116, 119, 120, 121, 129 | MINI 30G.....                         | 160              | VORTEX VALVE CHAMBER-                   |                        |
| <b>valsartan</b> .....           | 87, 88                  | VERIFINE SHARPS                       |                  | PEDI MASK.....                          | 160                    |
| <b>valsartan-</b>                |                         | CONTAINER.....                        | 160              | VORTEX VALVED HOLDING                   |                        |
| <b>hydrochlorothiazide</b> ..... | 88, 168                 | VERISAFE SAFETY STERILE               |                  | CHAMBER.....                            | 160                    |
| VALTOCO 10 MG DOSE.....          | 124                     | NEEDLE.....                           | 160              | VOSEVI.....                             | 30, 31                 |
| VALTOCO 15 MG DOSE.....          | 124                     | VERKAZIA.....                         | 174, 181, 237    | VOWST.....                              | 192, 267               |
| VALTOCO 20 MG DOSE.....          | 124                     | VERSAPENN (AG)                        |                  | VOXZOGO.....                            | 267                    |
| VALTOCO 5 MG DOSE.....           | 124                     | ANHYDROUS.....                        | 269              | VOYDEYA.....                            | 252                    |
| <b>valtya 1/35</b> .....         | 209, 219, 232           | VERSAPENN (AL) ANHYD                  |                  | VRAYLAR.....                            | 123                    |
| <b>valtya 1/50</b> .....         | 209, 219, 232           | LIPID.....                            | 269              | VTAMA.....                              | 288, 291, 307          |
| VANCOCIN.....                    | 29                      | VERZENIO.....                         | 54               | <b>vyfemla</b> .....                    | 210, 219, 232          |
| <b>vancomycin hcl</b> .....      | 29                      | VFEND.....                            | 28               | VYLEESI.....                            | 127, 194               |
| VANDAZOLE.....                   | 22, 37, 287             | VIBERZI.....                          | 185, 191         | <b>vylibra</b> .....                    | 210, 219, 232          |
| VANFLYTA.....                    | 53                      | <b>vienna</b> .....                   | 209, 219, 232    | VYNDAMAX.....                           | 95, 127, 267           |
| VANRAFIA.....                    | 257, 276                | <b>vigabatrin</b> .....               | 116, 129         | VYNDAQEL.....                           | 95, 267                |
| VAQTA.....                       | 60                      | VIGADRONE.....                        | 116, 129         | VYVGART HYTRULO.....                    | 242                    |
| <b>varidenafil hcl</b> .....     | 106, 107                | VIGAFYDE.....                         | 129              | WAINUA.....                             | 247                    |



|                                   |                        |                                   |               |                              |                    |
|-----------------------------------|------------------------|-----------------------------------|---------------|------------------------------|--------------------|
| WAKIX.....                        | 147                    | XPOVIO (60 MG ONCE WEEKLY).....   | 54            | ZOMIG.....                   | 143, 144           |
| <b>warfarin sodium</b> .....      | 73                     | XPOVIO (60 MG TWICE WEEKLY).....  | 54            | ZONISADE.....                | 116, 130           |
| WELIREG.....                      | 54                     | XPOVIO (80 MG ONCE WEEKLY).....   | 54            | <b>zonisamide</b> .....      | 116, 130           |
| <b>wera</b> .....                 | 210, 219, 232          | XPOVIO (80 MG TWICE WEEKLY).....  | 54            | ZONTIVITY.....               | 83                 |
| WESCAP-PN DHA.....                | 82, 167, 267, 310, 312 | XTAMPZA ER.....                   | 137           | ZORYVE.....                  | 278, 299, 302, 307 |
| WESNATAL DHA COMPLETE.....        | 82, 167, 267, 310, 312 | XTANDI.....                       | 55            | <b>zovia 1/35 (28)</b> ..... | 210, 220, 232      |
| WESNATE DHA.....                  | 82, 167, 267, 310, 312 | <b>xulane</b> .....               | 210, 219, 232 | ZTALMY.....                  | 116, 129           |
| <b>wes-phos 250 neutral</b> ..... | 167                    | XYWAV.....                        | 127           | ZTLIDO.....                  | 245, 289           |
| WESTGEL DHA.....                  | 82, 167, 267, 310, 312 | YASMIN 28.....                    | 210, 219, 232 | ZUBSOLV.....                 | 137, 138           |
| WEZLANA.....                      | 241                    | YAZ.....                          | 210, 219, 232 | ZURNAL.....                  | 138                |
| <b>wheat germ oil</b> .....       | 313                    | YESINTEK.....                     | 241           | ZURZUVAE.....                | 117                |
| WIDE-SEAL DIAPHRAGM 60.....       | 269                    | YEZTUGO.....                      | 31            | ZYDELIG.....                 | 55                 |
| WIDE-SEAL DIAPHRAGM 65.....       | 269                    | YORVIPATH.....                    | 223           | ZYLET.....                   | 174, 181           |
| WIDE-SEAL DIAPHRAGM 70.....       | 269                    | YUPELRI.....                      | 64, 271       | ZYVOX.....                   | 40                 |
| WIDE-SEAL DIAPHRAGM 75.....       | 269                    | <b>yuvaferm</b> .....             | 220, 249      |                              |                    |
| WIDE-SEAL DIAPHRAGM 80.....       | 269                    | ZACARE.....                       | 291, 302      |                              |                    |
| WIDE-SEAL DIAPHRAGM 85.....       | 269                    | ZACLIR CLEANSING.....             | 302           |                              |                    |
| WIDE-SEAL DIAPHRAGM 90.....       | 269                    | <b>zafemy</b> .....               | 210, 220, 232 |                              |                    |
| WIDE-SEAL DIAPHRAGM 95.....       | 269                    | <b>zafirlukast</b> .....          | 277           |                              |                    |
| WILATE.....                       | 79                     | <b>zaleplon</b> .....             | 121, 131      |                              |                    |
| <b>wixela inhub</b> ....          | 71, 180, 199, 273      | ZANAFLEX.....                     | 66            |                              |                    |
| <b>wymzya fe</b> .....            | 210, 219, 232          | ZARONTIN.....                     | 145           |                              |                    |
| XACIATO.....                      | 36, 287                | ZARXIO.....                       | 76            |                              |                    |
| <b>xarah fe</b> .....             | 210, 219, 232          | ZAVZPRET.....                     | 126           |                              |                    |
| XARELTO.....                      | 74                     | ZEGALOGUE.....                    | 18, 220, 246  |                              |                    |
| XARELTO STARTER PACK.....         | 74                     | ZELBORAF.....                     | 55            |                              |                    |
| XATMEP... ..                      | 54, 239, 256, 262, 264 | ZELSUVMI.....                     | 289, 307      |                              |                    |
| XDEMVI.....                       | 174                    | <b>zelvysia</b> .....             | 169, 267      |                              |                    |
| XELJANZ.....                      | 242, 257               | ZEMPLAR.....                      | 313           |                              |                    |
| XELJANZ XR.....                   | 242, 257               | <b>zenatane</b> .....             | 301, 307      |                              |                    |
| XELPROS.....                      | 183                    | ZENPEP.....                       | 171, 189      |                              |                    |
| <b>xelria fe</b> .....            | 210, 219, 232          | ZEPATIER.....                     | 30, 31        |                              |                    |
| XELSTRYM.....                     | 112                    | ZEPOSIA.....                      | 262           |                              |                    |
| XERMELO.....                      | 185                    | ZEPOSIA 7-DAY STARTER PACK.....   | 262           |                              |                    |
| XIIDRA.....                       | 174, 181               | ZEPOSIA STARTER KIT.....          | 262           |                              |                    |
| XIRUN.....                        | 291, 301               | <b>zidovudine</b> .....           | 35            |                              |                    |
| XOFLUZA (40 MG DOSE) ..           | 27, 28                 | ZILBRYSQ.....                     | 237, 238, 252 |                              |                    |
| XOFLUZA (80 MG DOSE) ..           | 27, 28                 | ZIOPTAN.....                      | 183           |                              |                    |
| XOLAIR.....                       | 240, 280               | <b>ziprasidone hcl</b> .....      | 119, 123      |                              |                    |
| XOLREMDI.....                     | 76                     | ZIRGAN.....                       | 39, 175       |                              |                    |
| XOPENEX HFA.....                  | 71, 281                | ZITHROMAX.....                    | 39, 40        |                              |                    |
| XOSPATA.....                      | 54                     | ZITHROMAX TRI-PAK.....            | 39, 40        |                              |                    |
| XPHOZAH.....                      | 164, 165, 192          | ZITHROMAX Z-PAK.....              | 39, 40        |                              |                    |
| XPOVIO (100 MG ONCE WEEKLY).....  | 54                     | ZOKINVY.....                      | 170, 267      |                              |                    |
| XPOVIO (40 MG ONCE WEEKLY).....   | 54                     | ZOLINZA.....                      | 55            |                              |                    |
| XPOVIO (40 MG TWICE WEEKLY).....  | 54                     | <b>zolmitriptan</b> .....         | 143           |                              |                    |
|                                   |                        | <b>zolpidem tartrate</b> .....    | 121, 132      |                              |                    |
|                                   |                        | <b>zolpidem tartrate er</b> ..... | 121, 132      |                              |                    |