



# Advantage and Essential Prescription Drug List (PDL)<sup>1,2,3,4</sup>

PPACA<sup>5</sup> \$0 cost-share preventive medications

Effective: September 1, 2025

**Connecticut**

**Delaware**

**District of Columbia**

**Illinois**

**Maine**

**Maryland**

**Massachusetts**

**Minnesota**

**New Jersey**

**Oregon**

**Washington**



## U.S. Preventive Services Task Force A & B recommendation medications and supplements<sup>6</sup>

The health care reform law (Affordable Care Act) makes certain preventive medications and supplements available to you at no cost – both prescription and over-the-counter (OTC). The following preventive medications are covered at 100% with \$0 copay when:

- Prescribed by a health care professional, and
- Age and/or condition appropriate, and
- Filled at a network pharmacy

Medication/supplement	Population	Reason
<b>Over-the-counter</b>		
Aspirin – 81 mg	Persons who are at risk for preeclampsia during pregnancy	Prevent preeclampsia during pregnancy
Folic acid 400 & 800 mcg	Persons who plan to or could become pregnant	Prevent birth defects
Bisacodyl EC <sup>7</sup>	Recommended age 45-75	Bowel preparation for colonoscopy needed for colon cancer screening
Magnesium Citrate <sup>7</sup>	Recommended age 45-75	Bowel preparation for colonoscopy needed for colon cancer screening
PEG 3350 (generic Miralax) <sup>7</sup> Only the OTC product is covered at \$0 cost-share. The prescription version of this product may require a copay or coinsurance depending on your plan.	Recommended age 45-75	Bowel preparation for colonoscopy needed for colon cancer screening
<b>Prescription</b>		
<b>Generic Colyte 240/22.74 g<sup>7</sup> sold as:</b> PEG-3350/electrolytes Gavilyte-C	Recommended age 45-75	Bowel preparation for colonoscopy needed for colon cancer screening
<b>Generic Golytely 236/22.7 g<sup>7</sup> sold as:</b> PEG-3350/electrolytes Gavilyte-G	Recommended age 45-75	Bowel preparation for colonoscopy needed for colon cancer screening
<b>Generic Nulytely<sup>7</sup> sold as:</b> PEG-3350/NaCl/NaBicarbonate/KCl Gavilyte-N Trilyte	Recommended age 45-75	Bowel preparation for colonoscopy needed for colon cancer screening
Fluoride tablets, solution (not toothpaste, rinses)	Children age 0-16 years	Prevent dental cavities if water source is deficient in fluoride
Golytely 236/22.7 g <sup>7</sup>	Recommended age 45-75	Bowel preparation for colonoscopy needed for colon cancer screening

# Birth control<sup>8</sup>

## Over-the-counter birth control (contraceptives) for women

### Birth control contraceptives

The following forms of birth control (contraceptives) are available OTC and will be covered at \$0 cost-share when filled at a network pharmacy. Ask your pharmacy to submit a claim<sup>9</sup> to UnitedHealthcare.

Condoms

Contraceptive films

Contraceptive foams

Contraceptive gels

Contraceptive sponges

Contraceptive suppositories

Emergency birth control (contraceptives) (AfterPill, generic for Plan B, generic for Plan B One-Step)

Opill

### Prescription birth control (contraceptives)

KEY

**pill**.....Hormonal Birth Control Pill (oral contraceptive)

**ring**.....Hormonal Birth Control Ring (contraceptive vaginal ring)

**shot**.....Hormonal Birth Control Shot (injectable contraceptive)

**patch**.....Hormonal Birth Control Patch (contraceptive transdermal patch)

**gel**.....Non-Hormonal Birth Control Gel (vaginal contraceptive)

### Brand birth control (contraceptives)

<b>ring</b>	Annovera	<b>pill</b>	Natazia	<b>patch</b>	Twirla
<b>shot</b>	Depo-SubQ Provera 104mg	<b>pill</b>	Nextstellis	<b>pill</b>	Yasmin
<b>pill</b>	Femlyv	<b>gel</b>	Phexxi	<b>pill</b>	Yaz
<b>pill</b>	Lo Loestrin FE	<b>pill</b>	Slynd <sup>10</sup>		

### Generic birth control (contraceptives)

<b>pill</b>	Afirmelle, Aubra EQ, Aviane, Delyla, Falmina, Lessina, Levonorgestrel/Ethinyl Estradiol 0.1/0.02 mg, Lutera, Sronyx, Vienva (generic Alesse)
<b>pill</b>	Altavera, Ayuna, Chateal EQ, Kurvelo, Levonorgestrel/Ethinyl Estradiol 0.15/0.03 mg, Levora-28, Marlissa, Portia-28 (generic Nordette)
<b>pill</b>	Alyacen 1/35, Dasetta 1/35, Nortrel 1/35, Nylia 1/35 (generic Ortho-Novum 1/35)
<b>pill</b>	Alyacen 7/7/7, Dasetta 7/7/7, Nortrel 7/7/7, Nylia 7/7/7 (generic Ortho-Novum 7/7/7)
<b>pill</b>	Amethia, Ashlyna, Camrese, Daysee, Jaimiess, Levonorgestrel/Ethinyl Estradiol 0.15/0.03 mg (84), Simpesse (generic Seasonique)
<b>pill</b>	Amethyst, Dolishale, Levonorgestrel/Ethinyl Estradiol 0.09/0.02 mg (generic Lybrel)
<b>pill</b>	Apri, Cyred, Cyred EQ, Desogestrel/Ethinyl Estradiol 0.15/0.03 mg, Enskyce, Isibloom, Juleber, Kalliga, Reclipsen, Solia (generic Desogen, Ortho-Cept)
<b>pill</b>	Aranelle, Leena (generic Tri-Norinyl)
<b>pill</b>	Aurovela, Junel, Larin, Microgestin, Norethindrone/Ethinyl Estradiol 1 mg/20 mcg (generic Loestrin 1 mg/20 mcg)
<b>pill</b>	Aurovela, Hailey, Junel, Larin, Microgestin, Norethindrone/Ethinyl Estradiol 1.5 mg/30 mcg (generic Loestrin 1.5 mg/30 mcg)

## Generic birth control (contraceptives) continued...

<b>pill</b>	Aurovela 24 FE, Blisovi 24 FE, Hailey 24 FE, Junel 24 FE, Larin 24 FE, Microgestin 24 FE, Norethindrone/Ethinyl Estradiol 1 mg/20 mcg - FE (24), Tarina 24 FE (generic Loestrin 24 FE)
<b>pill</b>	Aurovela FE, Blisovi FE, Feirza, Gildess FE, Hailey FE, Junel FE, Larin FE, Microgestin FE, Norethindrone/Ethinyl Estradiol FE, Tarina FE (generic Loestrin FE)
<b>pill</b>	Azurette, Desogestrel/Ethinyl Estradiol 0.15/0.02 mg, Kariva, Pimtrea, Simliya, Violele, Volnea (generic Mircette)
<b>pill</b>	Balziva, Briellyn, Norethindrone/Ethinyl Estradiol 0.4 mg/35 mcg, Philith, Vyfemla (generic Ovcon-35)
<b>pill</b>	Camila, Deblitane, Emzahh, Errin, Heather, Incassia, Jencycla, Lyleq, Lyza, Nora-BE, Norethindrone 35 mcg, Norlyroc, Sharobel (generic Micronor, Nor-Q-D)
<b>pill</b>	Camrese Lo, Levonorgestrel/Ethinyl Estradiol 0.1/0.02 mg (84), LoJaimiess (generic LoSeasonique)
<b>pill</b>	Cesia, Velivet (generic Cyclessa)
<b>pill</b>	Charlotte 24 FE, Finzala, Mibelas 24 FE, Norethindrone/Ethinyl Estradiol FE 1/0.02 mg Chewable (generic Minastrin 24 FE)
<b>pill</b>	Cryselle-28, Elinest, Low-Ogestrel, Turqoz (generic Lo/Ovral)
<b>pill</b>	Drospirenone/Ethinyl Estradiol/Levomefolate 3-0.02-0.451 mg, (generic Beyaz)
<b>pill</b>	Drospirenone/Ethinyl Estradiol/Levomefolate 3-0.03-0.451 mg, Tydemy (generic Safyral)
<b>ring</b>	Eluryng, Enilloring, Etonogestrel/Ethinyl Estradiol 0.12/0.015 mg/24 hr, Haloette (generic NuvaRing)
<b>pill</b>	Enpresse-28, Levonest, Levonorgestrel/Ethinyl Estradiol 6-5-10, Trivora-28 (generic Triphasil)
<b>pill</b>	Estartylla, Mili, Mono-Linyah, Mononessa, Norgestimate/Ethinyl Estradiol 0.25/0.035 mg, Nymyo, Sprintec-28, Vylibra (generic Ortho-Cyclen)
<b>pill</b>	Ethinodiol Diacetate/Ethinyl Estradiol 1/0.035 mg, Kelnor 1/35, Zovia 1/35 (generic Demulen 1/35)
<b>pill</b>	Ethinodiol Diacetate/Ethinyl Estradiol 1/0.05 mg, Kelnor 1/50, Valtia 1/50 (generic Demulen 1/50)
<b>pill</b>	Fayosim, Levonorgestrel/Ethinyl Estradiol, Rivelsa (generic Quartette)
<b>pill</b>	Gemmily, Merzee, Norethindrone/Ethinyl Estradiol FE, Taysofy (generic Taytulla)
<b>pill</b>	Iclevia, Introvale, Jolessa, Levonorgestrel/Ethinyl Estradiol 0.15/0.03 mg, Setlakin (generic Seasonale)
<b>pill</b>	Kaitlib FE Chew, Layolis FE Chew, Norethindrone/Ethinyl Estradiol FE 0.8/0.025 mg Chew (generic Generess FE)
<b>pill</b>	Levonorgestrel/Ethinyl Estradiol FE 0.1 mg/20 mcg, Joyeaux, Minzoya (generic Balcoltra)
<b>shot</b>	Medroxyprogesterone Acetate 150 mg (generic Depo-Provera 150 mg)
<b>pill</b>	Necon 0.5 mg/35 mcg, Nortrel 0.5 mg/35 mcg, Wera 0.5 mg/35 mcg (generic Brevicon, Modicon)
<b>patch</b>	Norelgestromin/Ethinyl Estradiol 150/35 mcg, Xulane, Zafemy (generic Ortho Evra)
<b>pill</b>	Norethindrone/Ethinyl Estradiol FE 0.4/0.35 mg, Wymzya FE, Xelria FE (generic Femcon FE)
<b>pill</b>	Norethindrone/Ethinyl Estradiol FE 1-20/1-30/1-35 mg-mcg, Tilia FE, Tri-Legest FE, Xarah FE (generic Estrostep FE)
<b>pill</b>	Norgestimate/Ethinyl Estradiol 0.18-0.215-0.25/0.035 mg, Tri-Estartylla, Tri-Linyah, Tri-Mili, Trinessa, Tri-Nymyo, Tri-Sprintec, Tri-Vylibra (generic Ortho Tri-Cyclen)
<b>pill</b>	Norgestimate/Ethinyl Estradiol 0.18-0.215-0.25/0.025 mg, Tri-Lo-Estartylla, Tri-Lo-Marzia, Tri-Lo-Mili, Tri-Lo-Sprintec, Tri-Vylibra Lo (generic Ortho Tri-Cyclen Lo)
<b>pill</b>	Tyblume

## Prescription cervical caps and diaphragms for birth control (contraceptives)

### Brand cervical caps

Femcap

### Brand diaphragms

Caya

Omniflex

Wide-Seal

## Prescription emergency birth control (contraceptives)

### Brand emergency birth control (contraceptives)

AfterPill

ella

Plan B One-Step

### Generic emergency birth control (contraceptives)

Aftera, Curae, EContra One Step, Her Style, Levonorgestrel 1.5 mg, My Choice, My Way, New Day, Opcicon One-Step, Option 2, React, Take Action (generic Plan B One-Step)

## Tobacco cessation medications<sup>6</sup>

If you need help to quit smoking or using tobacco products, these preventive medications are available to you at \$0 cost-share. To qualify, you need to:

- Be age 18 or older<sup>11</sup>
- Ask your doctor to obtain notification/prior authorization, if required<sup>12,13,14</sup>
- Get a prescription for these products from your doctor, even if the products are sold over-the-counter (OTC)
- Fill the prescription at a network pharmacy

Up to 2, 90-day treatment courses are covered at no cost each year.

### Over-the-counter tobacco cessation medications

Nicotine Replacement Gum

Nicotine Replacement Lozenge

Nicotine Replacement Patch

### Prescription tobacco cessation medications

Bupropion sustained-release (generic Zyban) Tablet

**The following 3 prescription medications are covered with prior authorization after members have tried:**

**1) One over-the-counter nicotine product and**

**2) Bupropion sustained-release (generic Zyban) separately.**

**Prior authorization<sup>14</sup> is required for each 90-day drug supply.<sup>12,13</sup>**

Nicotrol Inhaler

Nicotrol Nasal Spray

varenicline tartrate (generic Chantix) tablet<sup>15</sup>

## Human Immunodeficiency Virus (HIV) preventive medications

If you have a higher chance to become infected with HIV but are not yet infected, these preventive medications are available at \$0 cost-share.

### HIV pre-exposure prophylaxis medications

Descovy 200-25mg tab<sup>16</sup>

emtricitabine + tenofovir disoproxil fumarate 200-300mg tab (generic Truvada)

tenofovir disoproxil fumarate tab 300mg (generic Viread)<sup>16</sup>

## Breast cancer preventive medications<sup>6</sup>

If you are at increased risk for breast cancer but have not had breast cancer, these preventive medications are available at \$0 cost-share. To qualify, you must:

- Be age 35 or older<sup>17</sup>, and
- Be at an increased risk for the first occurrence of breast cancer
  - after risk assessment and counseling, and
- Obtain prior authorization

These medications are typically covered at the customary cost-share amount for your plan for the treatment of breast cancer, to prevent breast cancer recurrence and for other indications. They are available at \$0 cost-share to prevent the first occurrence of breast cancer if a prior authorization is obtained. If you qualify, you can receive these drugs at \$0 cost-share for up to 5 years, minus any time you have been taking them for prevention.

### Breast cancer medications

raloxifene <sup>18</sup>	prior authorization required to confirm use is for breast cancer prevention
tamoxifen <sup>18</sup>	prior authorization required to confirm use is for breast cancer prevention
anastrozole <sup>18</sup>	prior authorization required to confirm use is for breast cancer prevention
exemestane <sup>18</sup>	prior authorization required to confirm use is for breast cancer prevention
letrozole <sup>18</sup>	prior authorization required to confirm use is for breast cancer prevention

## Statin preventive medications<sup>6</sup>

The U.S. Preventive Services Task Force recommends that adults without a history of cardiovascular disease (CVD) – symptomatic coronary artery disease or stroke – use a low-to-moderate-dose statin for the prevention of CVD events in individuals who meet the following criteria:

- Are age 40-75, **and**
- Have one or more cardiovascular risk factors (high cholesterol, diabetes, hypertension, or smoking), **and**
- Have a calculated 10-year risk of a cardiovascular event of 10% or greater.

### Statin medications

lovastatin (generic Mevacor) – All strengths

atorvastatin (generic Lipitor) 10 & 20 mg<sup>19</sup>      prior authorization required to confirm risk of CVD

simvastatin (generic Zocor) 5, 10, 20 & 40 mg<sup>19</sup>      prior authorization required to confirm risk of CVD

# Gonococcal ophthalmia neonatorum preventive medication

The U.S. Preventive Services Task Force recommends prophylactic ocular topical erythromycin ointment administration for all newborns to prevent gonococcal ophthalmia neonatorum. Typically this medication is administered after birth in a hospital setting and covered under the medical benefit. If the birth of a newborn occurs outside of the hospital setting, administration of this medication after birth is still recommended and may be covered under the pharmacy benefit.

This medication is typically covered at the customary cost-share amount for your plan. However, it is available at \$0 cost-share for newborn babies 0-1 month of age. For parents trying to get this medication before the birth of the baby, a prior authorization from your health care provider is required to receive this drug at \$0 cost-share.

**Gonococcal ophthalmia neonatorum medication**

erythromycin ophthalmic ointment 0.5% <sup>20</sup>	prior authorization required if outside of age limit to confirm use is for gonococcal ophthalmia neonatorum prevention
---	--

## Type 2 diabetes preventive medication

The U.S. Preventive Services Task Force recommends screening for prediabetes and type 2 diabetes if you meet the following criteria:

- Are age 35-70
- Are overweight or obese (i.e., BMI greater than or equal to 25)
- Have prediabetes

**Type 2 diabetes preventive medications**

metformin 850 mg*	prescriber must contact us to confirm use is for prevention of type 2 diabetes
-------------------	--

\*These medications are typically covered at the customary cost-share amount for your plan. However, they are available at \$0 cost-share when used for prevention of type 2 diabetes.



## Frequently asked questions

Under the health care reform law, health plans must cover certain medications as recommended by the U.S. Preventive Services Task Force (USPSTF) A & B Recommendation and the Health Resources & Services Administration (HRSA) women's health guidelines, including FDA-approved prescription and over-the-counter (OTC) contraceptives for women<sup>8</sup> at 100% without charging a copayment, coinsurance or deductible when:

- Prescribed by a health care professional, and
- Age and/or condition appropriate, and
- Filled at a network pharmacy

To comply with these regulations, UnitedHealthcare offers this list of \$0 cost-share Preventive Care Medications.

### Which preventive care medications are available at \$0 cost-share?

Refer to the list in this document, sign in to [myuhc.com](https://myuhc.com), or call the number on the back of your health plan ID card for a list of medications covered at \$0 cost-share.

Please note, in order to obtain coverage at no cost for preventive care medications and products (including over-the-counter) you will need a prescription from your health care professional.

Your **medical benefit** will also cover other forms of birth control such as IUDs, implants and surgical sterilization (having your tubes tied).

### What if my plan has a religious or moral exemption for covering contraceptives?

Some plans may not have coverage for contraceptives if your employer or plan sponsor cites a religious or moral exemption under applicable law. However, you will still have coverage at \$0 cost-share of the U.S. Preventive Services Task Force A & B Recommendation medications listed on the Preventive Care Medications list, such as aspirin, tobacco cessation and breast cancer preventive medications.

### If I need to take preparation medications before a preventive colonoscopy, how can I get these for no cost?

If you are scheduled for a preventive colonoscopy, ask your doctor for a prescription for one of the \$0 cost preparation medications. You can fill this prescription at a retail network pharmacy.

If you need a prescription medication to prepare for a colonoscopy that is **not preventive**, these medications may still be covered with a copayment or coinsurance.

### If I'm at risk for cardiovascular disease, how can I get statin medications at no cost to me?

If you are a member age 40-75, and at risk for cardiovascular disease, your doctor may offer to prescribe statin medications. Select statins are covered at no cost-share for individuals who have certain risk factors for cardiovascular disease. Depending on the medication, your doctor may need to contact us to get medications approved for you at no additional cost if you meet coverage criteria. For members who don't meet this \$0 cost-share criteria or don't request prior authorization, those statins will continue to be covered at the customary cost-share amount for your plan.

### How can I get preventive medications to help me stop using tobacco at no cost?

If you are age 18<sup>11</sup> or older and want to quit using tobacco products, talk to your doctor about medications that can help. If your doctor decides this therapy is right for you, they may prescribe an over-the-counter or prescription medication.



Your doctor can submit a prior authorization<sup>12,13,14</sup> request to get these approved for you at \$0 cost-share if you are also getting counseling to help you stop using tobacco products. Your doctor can provide this counseling or help you to find a provider.

### **If I'm at risk for HIV (Human Immunodeficiency Virus) but have not been infected, how can I get preventive drugs for \$0 cost-share?**

If you are a member not yet infected with HIV, talk to your doctor about your risk of getting HIV. If your doctor decides this treatment is right for you, your doctor may offer to prescribe risk-reducing medications, such as emtricitabine + tenofovir disoproxil fumarate 200-300mg tablet (generic Truvada), Descovy 200-25mg tab, or tenofovir disoproxil fumarate 300mg tablet. When prescribed for treatment of HIV, which is commonly used in combination with other anti-viral medications, these medications may process for your standard cost-share. If your medication is processing with a cost-share and you or your doctor feel it should be covered at \$0, your doctor may notify us that the medication is being used for HIV prevention and the drug will be covered at \$0 cost-share.

Your **medical benefit** will also cover other forms of HIV prevention such as Apretude.

### **If I'm at risk for breast cancer, how can I get preventive medications for no cost?**

If you are a member age 35 or older,<sup>17</sup> talk to your doctor about your risk of getting breast cancer if you have not had it.

If your doctor decides these drugs are right for you, your doctor may offer to prescribe risk-reducing medications, such as anastrozole, exemestane, letrozole, raloxifene or tamoxifen.

Your doctor can submit a prior authorization request to get these approved for you at \$0 cost-share if you meet coverage criteria.

### **How can I get aspirin to prevent preeclampsia during pregnancy for no cost?**

Low-dose or baby aspirin (81 mg) is available at no cost to pregnant persons at risk for preeclampsia. If you are pregnant and at risk for preeclampsia, ask your doctor about whether low-dose aspirin can help. If so, your doctor can give you a prescription for low-dose aspirin to be filled at a retail network pharmacy at no additional cost to you.

### **How can I get medications to prevent gonococcal ophthalmia neonatorum in my newborn's eyes?**

Erythromycin ophthalmic ointment 0.5% is available at no cost to newborns 0-1 month of age. If you are a parent trying to get this medication before the birth of your baby, a prior authorization from your health care provider is required to receive this drug at \$0 cost-share.

### **Will this drug list change?**

Drug lists can and do change, so it's always good to check. You can find updated information by:

- Signing in to [myuhc.com](https://myuhc.com), and going to Pharmacy Information
- Calling the number on your health plan ID card

### **What if I have a high-deductible or consumer-driven health (CDH) plan?**

The same no-cost options on the list applicable to your plan will be available to you if you are in one of these plans. If you fill a prescription for covered products not on your plan's no-cost drug list, you will need to pay the full cost, until your pharmacy plan deductible is reached.

### **Are the no-cost Preventive Care Medications available at both retail and mail pharmacies?**

Preventive Care Medications are available at both network retail pharmacies and the mail order pharmacy for plans with a mail order benefit.

## What if the health care reform law requirements for preventive care medication coverage change?

If the law requiring plans to provide preventive care medications at no additional cost changes, information on how your costs may be impacted will be available to you by:

- Signing in to [myuhc.com](https://myuhc.com), and going to Pharmacy Information
- Calling the number on your health plan ID card

## What if my doctor prescribes a similar preventive medication that is not on this list?

The health care reform law allows plans to use reasonable medical management to decide which product/medications are provided at \$0 cost-share. If you choose a no-cost product from the list applicable to your plan, your cost at the pharmacy will be \$0. If you choose a covered product/medication that is not on the list, a copay or coinsurance may be required. And this cost will apply to your deductible if you have one.

You can ask your doctor for a prescription for one of the medications on this list that your doctor feels would work for you. For some medical reasons, your doctor may decide you need a medication that is not on this list.<sup>21</sup> If so, you can request the medication you need by calling the number on your health plan ID card, and asking how to obtain coverage at no additional cost. Your doctor may visit [uhcprovider.com](https://uhcprovider.com) for details on how to submit and what information to include with **Patient Protection and Affordable Care Act \$0 Cost-Share Preventive Medications Exemption Requests**.

### Questions?

Sign in to [myuhc.com](https://myuhc.com) > *Pharmacies & Prescriptions* or call the number on your member ID card.



- 1 Please note this list is subject to change.
- 2 Always refer to your benefit plan materials to determine your coverage for medications and cost-share. Some medications listed on the PDL may not be covered under your specific benefit plan. Where differences are noted, the benefit plan documents will govern.
- 3 All brand-name medications are trademarks or registered trademarks of their respective owners.
- 4 Generally state insurance laws do not apply to self-funded groups.
- 5 PPACA - Patient Protection and Affordable Care Act
- 6 The listed age limits are based on U.S. Preventive Services Task Force Recommendations; coverage for additional populations may also apply as required.
- 7 The first fill within a 12-month period will automatically process at \$0 cost-share. Additional fills may be covered at the customary cost-share amount for your plan. However, one additional fill during the 12-month period is available at \$0 cost-share for colon cancer screening if a prior authorization is obtained.
- 8 Additional products not listed on this document are covered at \$0 if your pharmacy benefit plan is administered in Connecticut, Oregon or Washington. Sign in to [myuhc.com](https://myuhc.com) and go to Pharmacy Information or call the number on your member ID card.
- 9 In certain scenarios, your pharmacy may ask you to contact your healthcare provider for a prescription.
- 10 Prior Authorization required unless your pharmacy benefit plan is administered in Connecticut, Delaware, District of Columbia, Illinois, Maryland, Massachusetts, Minnesota, New Jersey, Oregon, or Washington.
- 11 For pharmacy benefit plans administered in the state of Oregon, these tobacco cessation medications are covered for members age 15 and older.
- 12 If your pharmacy benefit plan is administered in Illinois or Oregon, these products are not subject to prior authorization or the two 90-day treatment course restriction.
- 13 If your pharmacy benefit plan is administered in Maine, these products are not subject to prior authorization.
- 14 If your pharmacy benefit plan is administered in New Jersey, these products are not subject to prior authorization, First Start or quantity limit requirements for the first 180 days of therapy per plan year.
- 15 If your pharmacy benefit plan is administered in Illinois, brand Chantix tablet will also be included as part of the program.
- 16 These medications are typically covered at the customary cost-share amount for your plan. However, they are available at \$0 cost-share when used for HIV prevention if a prior authorization is obtained. If you qualify based on criteria above, you can receive these drugs at \$0 cost-share.
- 17 For pharmacy benefit plans administered in the District of Columbia, there is no age restriction.
- 18 These medications are typically covered at the customary cost-share amount for your plan. However, they are available at \$0 cost-share when used for breast cancer prevention if a prior authorization is obtained. If you qualify based on criteria above, you can receive these drugs at \$0 cost-share.
- 19 These medications are typically covered at the customary cost-share amount for your plan. However, they are available at \$0 cost-share to prevent cardiovascular disease if a prior authorization is obtained. If you qualify based on criteria above, you can receive these drugs at \$0 cost-share.
- 20 These medications are typically covered at the customary cost-share amount for your plan. However, they are available at \$0 cost-share to prevent gonococcal ophthalmia neonatorum if a prior authorization is obtained. If you qualify based on criteria above, you can receive these drugs at \$0 cost-share.
- 21 When informed by a member's health care provider, UnitedHealthcare will accommodate a coverage exception request for any member when one of the \$0 cost medications listed on the Preventive Care Medications list may be medically inappropriate as determined by the health care provider for that member and UnitedHealthcare will waive the otherwise applicable cost-sharing for a medication not represented on the Preventive Care Medications list.